

Koert M Dolman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6227941/publications.pdf>

Version: 2024-02-01

22
papers

426
citations

840776

11
h-index

752698

20
g-index

22
all docs

22
docs citations

22
times ranked

471
citing authors

#	ARTICLE	IF	CITATIONS
1	Reliability and responsiveness of the Juvenile Arthritis MRI Scoring (JAMRIS) system for the knee. <i>European Radiology</i> , 2013, 23, 1075-1083.	4.5	69
2	The use of psychotropic medication during pregnancy: how about the newborn?. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 1257.	2.2	68
3	The diagnostic accuracy of unenhanced MRI in the assessment of joint abnormalities in juvenile idiopathic arthritis. <i>European Radiology</i> , 2013, 23, 1998-2004.	4.5	53
4	Diffusion-weighted imaging for assessment of synovial inflammation in juvenile idiopathic arthritis: a promising imaging biomarker as an alternative to gadolinium-based contrast agents. <i>European Radiology</i> , 2017, 27, 4889-4899.	4.5	32
5	Maternal Stress During Pregnancy Is Associated with Decreased Cortisol and Cortisone Levels in Neonatal Hair. <i>Hormone Research in Paediatrics</i> , 2018, 90, 299-307.	1.8	23
6	Juvenile Idiopathic Arthritis: Diffusion-weighted MRI in the Assessment of Arthritis in the Knee. <i>Radiology</i> , 2020, 295, 373-380.	7.3	21
7	Distribution Pattern of MRI Abnormalities Within the Knee and Wrist of Juvenile Idiopathic Arthritis Patients: Signature of Disease Activity. <i>American Journal of Roentgenology</i> , 2014, 202, W439-W446.	2.2	20
8	Contrast-enhanced MRI features in the early diagnosis of Juvenile Idiopathic Arthritis. <i>European Radiology</i> , 2015, 25, 3222-3229.	4.5	19
9	Contrast-enhanced MRI findings of the knee in healthy children; establishing normal values. <i>European Radiology</i> , 2018, 28, 1167-1174.	4.5	18
10	Psychometric Properties of the Pediatric Patient-Reported Outcomes Measurement Information System Item Banks in a Dutch Clinical Sample of Children With Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , 2020, 72, 1780-1789.	3.4	16
11	Dynamic contrast-enhanced magnetic resonance imaging can play a role in predicting flare in juvenile idiopathic arthritis. <i>European Journal of Radiology</i> , 2017, 88, 77-81.	2.6	15
12	Biphasic Glucocorticoid Rhythm in One-Month-Old Infants: Reflection of a Developing HPA-Axis?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e544-e554.	3.6	11
13	Adapted Finnegan scoring list for observation of anti-depressant exposed infants. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 2010-2014.	1.5	10
14	The Association between Maternal Stress and Glucocorticoid Rhythmicity in Human Milk. <i>Nutrients</i> , 2021, 13, 1608.	4.1	9
15	Prolonged time between intravenous contrast administration and image acquisition results in increased synovial thickness at magnetic resonance imaging in patients with juvenile idiopathic arthritis. <i>Pediatric Radiology</i> , 2019, 49, 638-645.	2.0	9
16	Is poor neonatal adaptation after exposure to antidepressant medication related to fetal cortisol levels? An explorative study. <i>Early Human Development</i> , 2016, 98, 37-43.	1.8	8
17	Diurnal rhythmicity in breast-milk glucocorticoids, and infant behavior and sleep at age 3 months. <i>Endocrine</i> , 2020, 68, 660-668.	2.3	8
18	Juvenile idiopathic arthritis: magnetic resonance imaging of the clinically unaffected knee. <i>Pediatric Radiology</i> , 2018, 48, 333-340.	2.0	5

#	ARTICLE	IF	CITATIONS
19	Exploring contrast-enhanced MRI findings of the clinically non-inflamed symptomatic pediatric wrist. <i>Pediatric Radiology</i> , 2020, 50, 1387-1396.	2.0	5
20	Nailfold capillary scleroderma pattern may be associated with disease damage in childhood-onset systemic lupus erythematosus: important lessons from longitudinal follow-up. <i>Lupus Science and Medicine</i> , 2022, 9, e000572.	2.7	3
21	Comparison of contrast-enhanced MRI features of the (teno)synovium in the wrist of patients with juvenile idiopathic arthritis and pediatric controls. <i>Rheumatology International</i> , 2022, 42, 1257-1264.	3.0	2
22	Synovial signal intensity on static contrast-enhanced MRI for evaluation of disease activity in juvenile idiopathic arthritis – A look at the bright side of the knee. <i>Clinical Imaging</i> , 2022, 86, 53-60.	1.5	2