

Livia Flp

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6228543/livia-fulop-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67
papers

2,119
citations

25
h-index

44
g-index

73
ext. papers

2,417
ext. citations

4.8
avg. IF

4.44
L-index

#	Paper	IF	Citations
67	Effects of sub-chronic, in vivo administration of sigma non-opioid intracellular receptor 1 ligands on platelet and aortic arachidonate cascade in rats.. <i>European Journal of Pharmacology</i> , 2022 , 925, 174983	5.3	0
66	S1R agonist modulates rat platelet eicosanoid synthesis and aggregation. <i>Platelets</i> , 2021 , 1-10	3.6	0
65	Decreased pH in the aging brain and Alzheimer's disease. <i>Neurobiology of Aging</i> , 2021 , 101, 40-49	5.6	9
64	The interaction of half-sandwich (ECp*)Rh(III) cation with histidine containing peptides and their ternary species with (N,N) bidentate ligands. <i>Journal of Inorganic Biochemistry</i> , 2021 , 216, 111330	4.2	1
63	Neuroinflammatory processes are augmented in mice overexpressing human heat-shock protein B1 following ethanol-induced brain injury. <i>Journal of Neuroinflammation</i> , 2021 , 18, 22	10.1	2
62	Novel High Affinity Sigma-1 Receptor Ligands from Minimal Ensemble Docking-Based Virtual Screening. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
61	New short cationic antibacterial peptides. Synthesis, biological activity and mechanism of action. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2021 , 1863, 183665	3.8	2
60	Alzheimer risk factors age and female sex induce cortical A β aggregation by raising extracellular zinc. <i>Molecular Psychiatry</i> , 2020 , 25, 2728-2741	15.1	7
59	Mechanisms Associated with Type 2 Diabetes as a Risk Factor for Alzheimer-Related Pathology. <i>Molecular Neurobiology</i> , 2019 , 56, 5815-5834	6.2	22
58	Effects of the Pentapeptide P33 on Memory and Synaptic Plasticity in APP/PS1 Transgenic Mice: A Novel Mechanism Presenting the Protein Fe65 as a Target. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	1
57	Key Peptides and Proteins in Alzheimer's Disease. <i>Current Protein and Peptide Science</i> , 2019 , 20, 577-599	2.8	14
56	Dual Action of the PN159/KLAL/MAP Peptide: Increase of Drug Penetration across Caco-2 Intestinal Barrier Model by Modulation of Tight Junctions and Plasma Membrane Permeability. <i>Pharmaceutics</i> , 2019 , 11,	6.4	20
55	Niosomes decorated with dual ligands targeting brain endothelial transporters increase cargo penetration across the blood-brain barrier. <i>European Journal of Pharmaceutical Sciences</i> , 2018 , 123, 228-240	5.1	27
54	Peripheral cyclic amino acids balance the stability and edge-protection of β sandwiches. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 5492-5499	3.9	2
53	Exceptional in vivo catabolism of neurodegeneration-related aggregates. <i>Acta Neuropathologica Communications</i> , 2018 , 6, 6	7.3	5
52	Searching for improved mimetic peptides inhibitors preventing conformational transition of amyloid- β monomer. <i>Bioorganic Chemistry</i> , 2018 , 81, 211-221	5.1	3
51	GABA receptor subunit deregulation in the hippocampus of human foetuses with Down syndrome. <i>Brain Structure and Function</i> , 2018 , 223, 1501-1518	4	6

50	The Role of Sigma-1 Receptor, an Intracellular Chaperone in Neurodegenerative Diseases. <i>Current Neuropharmacology</i> , 2018 , 16, 97-116	7.6	57
49	Structural Optimization of Foldamer-Dendrimer Conjugates as Multivalent Agents against the Toxic Effects of Amyloid Beta Oligomers. <i>Molecules</i> , 2018 , 23,	4.8	7
48	New small-size peptides modulators of the exosite of BACE1 obtained from a structure-based design. <i>Journal of Biomolecular Structure and Dynamics</i> , 2017 , 35, 413-426	3.6	13
47	Multivalent foldamer-based affinity assay for selective recognition of A β oligomers. <i>Analytica Chimica Acta</i> , 2017 , 960, 131-137	6.6	5
46	Studies for Improving a Rat Model of Alzheimer's Disease: Icv Administration of Well-Characterized A β Amyloid 1-42 Oligomers Induce Dysfunction in Spatial Memory. <i>Molecules</i> , 2017 , 22,	4.8	32
45	A β Amyloid and the Pathomechanisms of Alzheimer's Disease: A Comprehensive View. <i>Molecules</i> , 2017 , 22,	4.8	62
44	Biotin and Glutathione Targeting of Solid Nanoparticles to Cross Human Brain Endothelial Cells. <i>Current Pharmaceutical Design</i> , 2017 , 23, 4198-4205	3.3	14
43	Reversible Opening of Intercellular Junctions of Intestinal Epithelial and Brain Endothelial Cells With Tight Junction Modulator Peptides. <i>Journal of Pharmaceutical Sciences</i> , 2016 , 105, 754-765	3.9	54
42	Protein Folding and Misfolding, Endoplasmic Reticulum Stress in Neurodegenerative Diseases: in Trace of Novel Drug Targets. <i>Current Protein and Peptide Science</i> , 2016 , 17, 169-82	2.8	25
41	Amyloid- β 1-42 Disrupts Synaptic Plasticity by Altering Glutamate Recycling at the Synapse. <i>Journal of Alzheimer's Disease</i> , 2015 , 45, 449-56	4.3	31
40	Opposite effect of Ca ²⁺ /Mg ²⁺ ions on the aggregation of native and precursor-derived A β 2. <i>Structural Chemistry</i> , 2015 , 26, 1389-1403	1.8	2
39	Acute intracerebral treatment with amyloid-beta (1-42) alters the profile of neuronal oscillations that accompany LTP induction and results in impaired LTP in freely behaving rats. <i>Frontiers in Behavioral Neuroscience</i> , 2015 , 9, 103	3.5	20
38	Amyloid-like Fibril Formation by Trypsin in Aqueous Ethanol. Inhibition of Fibrillation by PEG. <i>Protein and Peptide Letters</i> , 2015 , 22, 1104-10	1.9	7
37	Exploiting aromatic interactions for β peptide foldamer helix stabilization: a significant design element. <i>Chemistry - A European Journal</i> , 2014 , 20, 4591-7	4.8	28
36	IKK δ deficiency in myeloid cells ameliorates Alzheimer's disease-related symptoms and pathology. <i>Journal of Neuroscience</i> , 2014 , 34, 12982-99	6.6	29
35	Abeta(1-42) enhances neuronal excitability in the CA1 via NR2B subunit-containing NMDA receptors. <i>Neural Plasticity</i> , 2014 , 2014, 584314	3.3	14
34	Simultaneous changes of spatial memory and spine density after intrahippocampal administration of fibrillar a β -42 to the rat brain. <i>BioMed Research International</i> , 2014 , 2014, 345305	3	14
33	Complement receptor type 1 (CR1, CD35) is a potent inhibitor of B-cell functions in rheumatoid arthritis patients. <i>International Immunology</i> , 2013 , 25, 25-33	4.9	26

32	Dietary energy substrates reverse early neuronal hyperactivity in a mouse model of Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2013 , 125, 157-71	6	56
31	Docosahexaenoic acid reduces amyloid- β -induced toxicity in cells of the neurovascular unit. <i>Journal of Alzheimer's Disease</i> , 2013 , 36, 487-501	4.3	38
30	Conformational dynamics of titin PEVK explored with FRET spectroscopy. <i>Biophysical Journal</i> , 2012 , 103, 1480-9	2.9	11
29	Histidine-rich branched peptides as Cu(II) and Zn(II) chelators with potential therapeutic application in Alzheimer's disease. <i>Dalton Transactions</i> , 2012 , 41, 1713-26	4.3	27
28	A foldamer-dendrimer conjugate neutralizes synaptotoxic β -amyloid oligomers. <i>PLoS ONE</i> , 2012 , 7, e39485	5.7	36
27	The formation of amyloid-like fibrils of β -chymotrypsin in different aqueous organic solvents. <i>Protein and Peptide Letters</i> , 2012 , 19, 544-50	1.9	10
26	Protein array based interactome analysis of amyloid- β indicates an inhibition of protein translation. <i>Journal of Proteome Research</i> , 2011 , 10, 1538-47	5.6	23
25	Fibrillar A β -42 Enhances NMDA Receptor Sensitivity via the Integrin Signaling Pathway. <i>Journal of Alzheimer's Disease</i> , 2010 , 19, 1055-1067	4.3	16
24	Building β -peptide H10/12 foldamer helices with six-membered cyclic side-chains: fine-tuning of folding and self-assembly. <i>Organic Letters</i> , 2010 , 12, 5584-7	6.2	61
23	Controlled in situ preparation of A beta(1-42) oligomers from the isopeptide "iso-A beta(1-42)", physicochemical and biological characterization. <i>Peptides</i> , 2010 , 31, 248-56	3.8	40
22	Two pyridine derivatives as potential Cu(II) and Zn(II) chelators in therapy for Alzheimer's disease. <i>Dalton Transactions</i> , 2010 , 39, 1302-15	4.3	33
21	Protection of the blood-brain barrier by pentosan against amyloid- β -induced toxicity. <i>Journal of Alzheimer's Disease</i> , 2010 , 22, 777-94	4.3	23
20	Functionalization of gold nanoparticles with amino acid, beta-amyloid peptides and fragment. <i>Colloids and Surfaces B: Biointerfaces</i> , 2010 , 81, 235-41	6	106
19	Intranasal delivery of human beta-amyloid peptide in rats: effective brain targeting. <i>Cellular and Molecular Neurobiology</i> , 2010 , 30, 405-13	4.6	21
18	An intraperitoneally administered pentapeptide protects against Abeta (1-42) induced neuronal excitation in vivo. <i>Journal of Alzheimer's Disease</i> , 2009 , 16, 189-96	4.3	18
17	Amyloid beta-induced neuronal hyperexcitability triggers progressive epilepsy. <i>Journal of Neuroscience</i> , 2009 , 29, 3453-62	6.6	422
16	Aggregation of Abeta(1-42) in the presence of short peptides: conformational studies. <i>Journal of Peptide Science</i> , 2008 , 14, 731-41	2.1	17
15	Characterization of the interaction between Abeta 1-42 and glyceraldehyde phosphodehydrogenase. <i>Journal of Peptide Science</i> , 2008 , 14, 755-62	2.1	25

14	Ligand-induced flocculation of neurotoxic fibrillar Abeta(1-42) by noncovalent crosslinking. <i>ChemBioChem</i> , 2008 , 9, 748-57	3.8	5
13	Synthesis of Abeta[1-42] and its derivatives with improved efficiency. <i>Journal of Peptide Science</i> , 2007 , 13, 94-9	2.1	39
12	Secondary structure dependent self-assembly of beta-peptides into nanosized fibrils and membranes. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 2396-400	16.4	97
11	Secondary Structure Dependent Self-Assembly of β Peptides into Nanosized Fibrils and Membranes. <i>Angewandte Chemie</i> , 2006 , 118, 2456-2460	3.6	25
10	Endomorphin-2, an endogenous tetrapeptide, protects against Abeta1-42 in vitro and in vivo. <i>FASEB Journal</i> , 2006 , 20, 1191-3	0.9	23
9	Effects of the alternating backbone configuration on the secondary structure and self-assembly of beta-peptides. <i>Journal of the American Chemical Society</i> , 2006 , 128, 13539-44	16.4	110
8	Non-fibrillar beta-amyloid abates spike-timing-dependent synaptic potentiation at excitatory synapses in layer 2/3 of the neocortex by targeting postsynaptic AMPA receptors. <i>European Journal of Neuroscience</i> , 2006 , 23, 2035-47	3.5	69
7	Pentapeptides derived from Abeta 1-42 protect neurons from the modulatory effect of Abeta fibrils--an in vitro and in vivo electrophysiological study. <i>Neurobiology of Disease</i> , 2005 , 18, 499-508	7.5	24
6	Identification of synaptic plasma membrane proteins co-precipitated with fibrillar beta-amyloid peptide. <i>Journal of Neurochemistry</i> , 2005 , 94, 617-28	6	22
5	Enhanced G-protein activation by a mixture of Abeta(25-35), Abeta(1-40/42) and zinc. <i>Journal of Neurochemistry</i> , 2004 , 89, 1215-23	6	8
4	Beta-amyloid-derived pentapeptide RIIGLa inhibits Abeta(1-42) aggregation and toxicity. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 324, 64-9	3.4	37
3	In vitro model of neurotoxicity of Abeta 1-42 and neuroprotection by a pentapeptide: irreversible events during the first hour. <i>Neurobiology of Disease</i> , 2004 , 17, 507-15	7.5	61
2	Synthesis and fluorescent labeling of beta-amyloid peptides. <i>Journal of Peptide Science</i> , 2001 , 7, 397-401	2.1	24
1	. <i>European Journal of Organic Chemistry</i> , 1998 , 1998, 2769-2773	3.2	25