## Kathleen A Puntillo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6229924/publications.pdf

Version: 2024-02-01

63 papers 11,533 citations

34 h-index 61 g-index

64 all docs

64
docs citations

64 times ranked 8195 citing authors

#	Article	IF	CITATIONS
1	Occurrence and characteristics of pain after <scp>ICU</scp> discharge: A longitudinal study. Nursing in Critical Care, 2022, 27, 718-727.	1.1	4
2	Validation of the Critical-Care Pain Observation Tool-Neuro in brain-injured adults in the intensive care unit: a prospective cohort study. Critical Care, 2021, 25, 142.	2.5	10
3	Analgesia and sedation in patients with ARDS. Intensive Care Medicine, 2020, 46, 2342-2356.	3.9	155
4	Opioid and Benzodiazepine Withdrawal Syndromes in Trauma ICU Patients: A Prospective Exploratory Study., 2020, 2, e0089.		15
5	Translation into Spanish and Cultural Adaptation of the Critical-Care Pain Observation Tool. American Journal of Critical Care, 2020, 29, 226-232.	0.8	1
6	Palliation of Thirst in Intensive Care Unit Patients: Translating Research Into Practice. Critical Care Nurse, 2019, 39, 21-28.	0.5	10
7	Common Challenges to Effective ABCDEF Bundle Implementation: The ICU Liberation Campaign Experience. Critical Care Nurse, 2019, 39, 46-60.	0.5	49
8	Implementing the ABCDEF Bundle: Top 8 Questions Asked During the ICU Liberation ABCDEF Bundle Improvement Collaborative. Critical Care Nurse, 2019, 39, 36-45.	0.5	27
9	Family members' opinions about bereavement care after cardiac intensive care unit patients' deaths. Nursing in Critical Care, 2019, 24, 209-221.	1.1	12
10	Incidence of Dexmedetomidine Withdrawal in Adult Critically III Patients: A Pilot Study., 2019, 1, e0035.		19
10	Incidence of Dexmedetomidine Withdrawal in Adult Critically III Patients: A Pilot Study., 2019, 1, e0035.  Behaviors Indicative of Pain in Brain-Injured Adult Patients With Different Levels of Consciousness in the Intensive Care Unit. Journal of Pain and Symptom Management, 2019, 57, 761-773.	0.6	19
	Behaviors Indicative of Pain in Brain-Injured Adult Patients With Different Levels of Consciousness in	0.6	
11	Behaviors Indicative of Pain in Brain-Injured Adult Patients With Different Levels of Consciousness in the Intensive Care Unit. Journal of Pain and Symptom Management, 2019, 57, 761-773.  Caring for Critically Ill Patients with the ABCDEF Bundle: Results of the ICU Liberation Collaborative		18
11 12	Behaviors Indicative of Pain in Brain-Injured Adult Patients With Different Levels of Consciousness in the Intensive Care Unit. Journal of Pain and Symptom Management, 2019, 57, 761-773.  Caring for Critically Ill Patients with the ABCDEF Bundle: Results of the ICU Liberation Collaborative in Over 15,000 Adults. Critical Care Medicine, 2019, 47, 3-14.  Opioid and Benzodiazepine latrogenic Withdrawal Syndrome in Patients in the Intensive Care Unit.	0.4	18 637
11 12 13	Behaviors Indicative of Pain in Brain-Injured Adult Patients With Different Levels of Consciousness in the Intensive Care Unit. Journal of Pain and Symptom Management, 2019, 57, 761-773.  Caring for Critically Ill Patients with the ABCDEF Bundle: Results of the ICU Liberation Collaborative in Over 15,000 Adults. Critical Care Medicine, 2019, 47, 3-14.  Opioid and Benzodiazepine latrogenic Withdrawal Syndrome in Patients in the Intensive Care Unit. AACN Advanced Critical Care, 2019, 30, 353-364.  Occurrence and Practices for Pain, Agitation, and Delirium in Intensive Care Unit Patients. Puerto Rico	0.4	18 637 18
11 12 13	Behaviors Indicative of Pain in Brain-Injured Adult Patients With Different Levels of Consciousness in the Intensive Care Unit. Journal of Pain and Symptom Management, 2019, 57, 761-773.  Caring for Critically Ill Patients with the ABCDEF Bundle: Results of the ICU Liberation Collaborative in Over 15,000 Adults. Critical Care Medicine, 2019, 47, 3-14.  Opioid and Benzodiazepine latrogenic Withdrawal Syndrome in Patients in the Intensive Care Unit. AACN Advanced Critical Care, 2019, 30, 353-364.  Occurrence and Practices for Pain, Agitation, and Delirium in Intensive Care Unit Patients. Puerto Rico Health Sciences Journal, 2019, 38, 156-162.  Rectal and Bladder Temperatures vs Forehead Core Temperatures Measured With SpotOn Monitoring	0.4	18 637 18
11 12 13 14	Behaviors Indicative of Pain in Brain-Injured Adult Patients With Different Levels of Consciousness in the Intensive Care Unit. Journal of Pain and Symptom Management, 2019, 57, 761-773.  Caring for Critically Ill Patients with the ABCDEF Bundle: Results of the ICU Liberation Collaborative in Over 15,000 Adults. Critical Care Medicine, 2019, 47, 3-14.  Opioid and Benzodiazepine latrogenic Withdrawal Syndrome in Patients in the Intensive Care Unit. AACN Advanced Critical Care, 2019, 30, 353-364.  Occurrence and Practices for Pain, Agitation, and Delirium in Intensive Care Unit Patients. Puerto Rico Health Sciences Journal, 2019, 38, 156-162.  Rectal and Bladder Temperatures vs Forehead Core Temperatures Measured With SpotOn Monitoring System. American Journal of Critical Care, 2018, 27, 43-50.  Measurement of Chronic Pain and Opioid Use Evaluation in Community-Based Persons with Serious	0.4 0.6 0.2	18 637 18 7

#	Article	IF	CITATIONS
19	Family Members' Experiences With Bereavement in the Intensive Care Unit. American Journal of Critical Care, 2018, 27, 312-321.	0.8	13
20	Improving Health Care for Critically III Patients Using an Evidenceâ€Based Collaborative Approach to ABCDEF Bundle Dissemination and Implementation. Worldviews on Evidence-Based Nursing, 2018, 15, 206-216.	1.2	59
21	Executive Summary: Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. Critical Care Medicine, 2018, 46, 1532-1548.	0.4	197
22	Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. Critical Care Medicine, 2018, 46, e825-e873.	0.4	2,074
23	Pain distress: the negative emotion associated with procedures in ICU patients. Intensive Care Medicine, 2018, 44, 1493-1501.	3.9	29
24	Next steps in ICU pain research. Intensive Care Medicine, 2017, 43, 1386-1388.	3.9	20
25	Guidelines for Family-Centered Care in the Neonatal, Pediatric, and Adult ICU. Critical Care Medicine, 2017, 45, 103-128.	0.4	973
26	The Behavior Pain Assessment Tool for critically ill adults: a validation study in 28 countries. Pain, 2017, 158, 811-821.	2.0	31
27	Care of the Critically Ill Burn Patient: An Overview from the Perspective of Optimizing Palliative Care. Annals of the American Thoracic Society, 2017, 14, 1094-1102.	1.5	18
28	The ICM research agenda on intensive care unit-acquired weakness. Intensive Care Medicine, 2017, 43, 1270-1281.	3.9	153
29	Palliative Care Professional Development for Critical Care Nurses: A Multicenter Program. American Journal of Critical Care, 2017, 26, 361-371.	0.8	41
30	Implementing the SCCM Family-Centered Care Guidelines in Critical Care Nursing Practice. AACN Advanced Critical Care, 2017, 28, 138-147.	0.6	17
31	Patient Recollection of ICU Procedural Pain and Post ICU Burden: The Memory Study*. Critical Care Medicine, 2016, 44, 1988-1995.	0.4	36
32	Patient and family involvement in adult critical and intensive care settings: a scoping review. Health Expectations, 2016, 19, 1183-1202.	1.1	160
33	Fentanyl as pre-emptive treatment of pain associated with turning mechanically ventilated patients: a randomized controlled feasibility study. Intensive Care Medicine, 2016, 42, 183-191.	3.9	21
34	Communicating with Patients' Families and Physicians About Prognosis and Goals of Care. American Journal of Critical Care, 2015, 24, e56-e64.	0.8	43
35	Determinants of Procedural Pain Intensity in the Intensive Care Unit. The Europain® Study. American Journal of Respiratory and Critical Care Medicine, 2014, 189, 39-47.	2.5	259
36	Trajectories of Depressive Symptoms in Women Prior to and for 6 Months After Breast Cancer Surgery. Journal of Applied Biobehavioral Research, 2014, 19, 79-105.	2.0	7

3

#	Article	IF	Citations
37	Quench the Thirst. Biological Research for Nursing, 2014, 16, 456-466.	1.0	27
38	Palliative care in the ICU: relief of pain, dyspnea, and thirstâ€"A report from the IPAL-ICU Advisory Board. Intensive Care Medicine, 2014, 40, 235-248.	3.9	148
39	A randomized clinical trial of an intervention to relieve thirst and dry mouth in intensive care unit patients. Intensive Care Medicine, 2014, 40, 1295-1302.	3.9	88
40	A Validated Approach to Evaluating Psychometric Properties of Pain Assessment Tools for Use in Nonverbal Critically Ill Adults. Seminars in Respiratory and Critical Care Medicine, 2013, 34, 153-168.	0.8	105
41	Thirst in Critically III Patients: From Physiology to Sensation. American Journal of Critical Care, 2013, 22, 328-335.	0.8	73
42	Clinical Practice Guidelines for the Management of Pain, Agitation, and Delirium in Adult Patients in the Intensive Care Unit. Critical Care Medicine, 2013, 41, 263-306.	0.4	3,066
43	Challenge of assessing symptoms in seriously ill intensive care unit patients. Critical Care Medicine, 2012, 40, 2760-2767.	0.4	49
44	Physician Reimbursement for Critical Care Services Integrating Palliative Care for Patients Who Are Critically Ill. Chest, 2012, 141, 787-792.	0.4	20
45	Symptoms experienced by intensive care unit patients at high risk of dying*. Critical Care Medicine, 2010, 38, 2155-2160.	0.4	244
46	Models for structuring a clinical initiative to enhance palliative care in the intensive care unit: A report from the IPAL-ICU Project (Improving Palliative Care in the ICU)*. Critical Care Medicine, 2010, 38, 1765-1772.	0.4	255
47	Pain Management Principles in the Critically Ill. Chest, 2009, 135, 1075-1086.	0.4	130
48	Evaluation of Pain in ICU Patients. Chest, 2009, 135, 1069-1074.	0.4	115
49	Pain Management Within the Palliative and End-of-Life Care Experience in the ICU. Chest, 2009, 135, 1360-1369.	0.4	60
50	Structured Approaches to Pain Management in the ICU. Chest, 2009, 135, 1665-1672.	0.4	70
51	Critical care nurses provide their perspectives of patients' symptoms in intensive care units. Heart and Lung: Journal of Acute and Critical Care, 2008, 37, 466-475.	0.8	30
52	Communication between physicians and nurses as a target for improving end-of-life care in the intensive care unit: Challenges and opportunities for moving forward. Critical Care Medicine, 2006, 34, S332-S340.	0.4	168
53	Intensive care unit quality improvement: A "how-to―guide for the interdisciplinary team*. Critical Care Medicine, 2006, 34, 211-218.	0.4	395
54	Validation of the Critical-Care Pain Observation Tool in Adult Patients. American Journal of Critical Care, 2006, 15, 420-427.	0.8	504

#	Article	IF	CITATIONS
55	The influence of chief complaint on opioid use in the emergency department. Journal of Opioid Management, 2006, 2, 228-235.	0.2	3
56	Attitudes of Critically Ill Filipino Patients and Their Families Toward Advance Directives. American Journal of Critical Care, 2005, 14, 17-25.	0.8	27
57	Nutritional Adequacy in Patients Receiving Mechanical Ventilation Who Are Fed Enterally. American Journal of Critical Care, 2005, 14, 222-231.	0.8	83
58	Pain behaviors observed during six common procedures: Results from Thunder Project II*. Critical Care Medicine, 2004, 32, 421-427.	0.4	284
59	Appropriately Timed Analgesics Control Pain Due to Chest Tube Removal. American Journal of Critical Care, 2004, 13, 292-302.	0.8	56
60	Appropriately timed analgesics control pain due to chest tube removal. American Journal of Critical Care, 2004, 13, 292-301; discussion 302; quiz 303-4.	0.8	20
61	Accuracy of emergency nurses in assessment of patients' pain. Pain Management Nursing, 2003, 4, 171-175.	0.4	110
62	Use of a pain assessment and intervention notation (P.A.I.N.) tool in critical care nursing practice: Nurses' evaluations. Heart and Lung: Journal of Acute and Critical Care, 2002, 31, 303-314.	0.8	71
63	Practices and predictors of analgesic interventions for adults undergoing painful procedures. American Journal of Critical Care, 2002, 11, 415-29; quiz 430-1.	0.8	31