

Klli Kingo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/623070/kulli-kingo-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

41
papers

1,831
citations

21
h-index

42
g-index

44
ext. papers

2,346
ext. citations

6
avg, IF

4.08
L-index

#	Paper	IF	Citations
41	Epigenetic quantification of immunosenescent CD8 TEMRA cells in human blood.. <i>Aging Cell</i> , 2022 , e13667	4.7	2
40	A phase 3 open-label, randomized multicenter study to evaluate efficacy and safety of secukinumab in pediatric patients with moderate to severe plaque psoriasis: 24-week results. <i>Journal of the American Academy of Dermatology</i> , 2021 ,	4.5	8
39	Monocytes present age-related changes in phospholipid concentration and decreased energy metabolism. <i>Aging Cell</i> , 2020 , 19, e13127	9.9	23
38	Hyperproliferation is the main driver of metabolomic changes in psoriasis lesional skin. <i>Scientific Reports</i> , 2020 , 10, 3081	4.9	15
37	Rare Loss-of-Function Mutation in SERPINA3 in Generalized Pustular Psoriasis. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 1451-1455.e13	4.3	22
36	Association of Clinical and Demographic Factors With the Severity of Palmoplantar Pustulosis. <i>JAMA Dermatology</i> , 2020 , 156, 1216-1222	5.1	5
35	SERPINB2 and miR-146a/b are coordinately regulated and act in the suppression of psoriasis-associated inflammatory responses in keratinocytes. <i>Experimental Dermatology</i> , 2020 , 29, 51-60	4	6
34	miR-10a-5p is increased in atopic dermatitis and has capacity to inhibit keratinocyte proliferation. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 2146-2156	9.3	14
33	Serum Amyloid Alpha Is Downregulated in Peripheral Tissues of Parkinson Disease Patients. <i>Frontiers in Neuroscience</i> , 2019 , 13, 13	5.1	12
32	Clinical and genetic differences between pustular psoriasis subtypes. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, 1021-1026	11.5	80
31	Secukinumab demonstrates sustained efficacy in clearing skin and improving patient-reported outcomes in patients with moderate-to-severe psoriasis through 2 years of treatment: Results from the CLEAR study. <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, 1405-1409	4.5	9
30	Identification of an optimal method for extracting RNA from human skin biopsy, using domestic pig as a model system. <i>Scientific Reports</i> , 2019 , 9, 20111	4.9	4
29	Polymorphisms in IL36G gene are associated with plaque psoriasis. <i>BMC Medical Genetics</i> , 2019 , 20, 10	2.1	8
28	Transcriptional landscape of human endogenous retroviruses (HERVs) and other repetitive elements in psoriatic skin. <i>Scientific Reports</i> , 2018 , 8, 4358	4.9	7
27	Lymphoid Stress Surveillance Response Contributes to Vitiligo Pathogenesis. <i>Frontiers in Immunology</i> , 2018 , 9, 2707	8.4	11
26	Looking beyond the brain to improve the pathogenic understanding of Parkinson disease: implications of whole transcriptome profiling of Patients skin. <i>BMC Neurology</i> , 2017 , 17, 6	3.1	24
25	Large scale meta-analysis characterizes genetic architecture for common psoriasis associated variants. <i>Nature Communications</i> , 2017 , 8, 15382	17.4	136

24	miR-146b Probably Assists miRNA-146a in the Suppression of Keratinocyte Proliferation and Inflammatory Responses in Psoriasis. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1945-1954	4.3	48
23	Psoriasis and Cardiovascular Risk-Do Promising New Biomarkers Have Clinical Impact?. <i>Mediators of Inflammation</i> , 2017 , 2017, 7279818	4.3	9
22	Blood serum metabolome of atopic dermatitis: Altered energy cycle and the markers of systemic inflammation. <i>PLoS ONE</i> , 2017 , 12, e0188580	3.7	11
21	Signs of innate immune activation and premature immunosenescence in psoriasis patients. <i>Scientific Reports</i> , 2017 , 7, 7553	4.9	21
20	The metabolic analysis of psoriasis identifies the associated metabolites while providing computational models for the monitoring of the disease. <i>Archives of Dermatological Research</i> , 2017 , 309, 519-528	3.3	21
19	Effectiveness of adalimumab in the treatment of scalp and nail affection in patients with moderate to severe plaque psoriasis in routine clinical practice. <i>Acta Dermatovenerologica Alpina, Panonica Et Adriatica</i> , 2017 , 26, 11-14	0.7	11
18	Association analysis of class II cytokine and receptor genes in vitiligo patients. <i>Human Immunology</i> , 2016 , 77, 375-81	2.3	6
17	Pre-administration of PepFect6-microRNA-146a nanocomplexes inhibits inflammatory responses in keratinocytes and in a mouse model of irritant contact dermatitis. <i>Journal of Controlled Release</i> , 2016 , 235, 195-204	11.7	31
16	The Association Analysis between ACE and ACTN3 Genes Polymorphisms and Endurance Capacity in Young Cross-Country Skiers: Longitudinal Study. <i>Journal of Sports Science and Medicine</i> , 2016 , 15, 287-294	3.7	11
15	Psoriasis-Specific RNA Isoforms Identified by RNA-Seq Analysis of 173,446 Transcripts. <i>Frontiers in Medicine</i> , 2016 , 3, 46	4.9	15
14	Genome-wide association studies of autoimmune vitiligo identify 23 new risk loci and highlight key pathways and regulatory variants. <i>Nature Genetics</i> , 2016 , 48, 1418-1424	36.3	146
13	Secukinumab is superior to ustekinumab in clearing skin of subjects with moderate to severe plaque psoriasis: CLEAR, a randomized controlled trial. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, 400-9	4.5	380
12	Expression of IL-36 family cytokines and IL-37 but not IL-38 is altered in psoriatic skin. <i>Journal of Dermatological Science</i> , 2015 , 80, 150-2	4.3	43
11	Genome-wide Association Analysis of Psoriatic Arthritis and Cutaneous Psoriasis Reveals Differences in Their Genetic Architecture. <i>American Journal of Human Genetics</i> , 2015 , 97, 816-36	11	185
10	Polymorphisms in Toll-like receptor genes are associated with vitiligo. <i>Frontiers in Genetics</i> , 2015 , 6, 278	4.5	14
9	Enhanced meta-analysis and replication studies identify five new psoriasis susceptibility loci. <i>Nature Communications</i> , 2015 , 6, 7001	17.4	122
8	Transcriptional landscape of psoriasis identifies the involvement of IL36 and IL36RN. <i>BMC Genomics</i> , 2015 , 16, 322	4.5	48
7	Palmoplantar Pustular Psoriasis Is Associated with Missense Variants in CARD14, but Not with Loss-of-Function Mutations in IL36RN in European Patients. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 2538-2541	4.3	57

6	MicroRNA-146a alleviates chronic skin inflammation in atopic dermatitis through suppression of innate immune responses in keratinocytes. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 134, 836-847. e11	11.5	115
5	Effect of glucose content on thermally cross-linked fibrous gelatin scaffolds for tissue engineering. <i>Materials Science and Engineering C</i> , 2014 , 42, 538-45	8.3	41
4	Melanocytes in the skin--comparative whole transcriptome analysis of main skin cell types. <i>PLoS ONE</i> , 2014 , 9, e115717	3.7	30
3	Association analysis of genes of the IL19 cluster and their receptors in vitiligo patients. <i>Dermatology</i> , 2010 , 221, 261-6	4.4	12
2	Expressional changes in the intracellular melanogenesis pathways and their possible role in the pathogenesis of vitiligo. <i>Journal of Dermatological Science</i> , 2008 , 52, 39-46	4.3	26
1	Gene expression analysis of melanocortin system in vitiligo. <i>Journal of Dermatological Science</i> , 2007 , 48, 113-22	4.3	42