Shih-Ping Liu

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6230928/shih-ping-liu-publications-by-year.pdf

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91	1,108	19	27
papers	citations	h-index	g-index
95	1,322 ext. citations	3.1	4.13
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
91	Response to a Letter to Editor for article "Impacts of nocturia on quality of life, mental health, work limitation, and health care seeking in China, Taiwan and South Korea (LUTS Asia): Results from a cross-sectional, population-based study" <i>Journal of the Formosan Medical Association</i> , 2022 , 121, 1016-	3.2 1016	
90	Prevalence and impacts of male urinary incontinence on quality of life, mental health, work limitation, and health care seeking in China, Taiwan, and South Korea (LUTS Asia): Results from a cross-sectional, population-based study <i>Investigative and Clinical Urology</i> , 2022 , 63, 71-82	1.9	
89	Impacts of nocturia on quality of life, mental health, work limitation, and health care seeking in China, Taiwan and South Korea (LUTS Asia): Results from a cross-sectional, population-based study. <i>Journal of the Formosan Medical Association</i> , 2021 , 121, 285-285	3.2	3
88	Enhanced uropathogenic Escherichia coli-induced infection in uroepithelial cells by sugar through TLR-4 and JAK/STAT1 signaling pathways. <i>Journal of Microbiology, Immunology and Infection</i> , 2021 , 54, 193-205	8.5	1
87	Testosterone regulates the intracellular bacterial community formation of uropathogenic Escherichia coli in prostate cells via STAT3. <i>International Journal of Medical Microbiology</i> , 2020 , 310, 151	4350	O
86	The prevalence of urinary incontinence in men and women aged 40 years or over in China, Taiwan and South Korea: A cross-sectional, prevalence-based study. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2020 , 12, 223-234	1.9	6
85	Preoperative %p2PSA and Prostate Health Index Predict Pathological Outcomes in Patients with Prostate Cancer Undergoing Radical Prostatectomy. <i>Scientific Reports</i> , 2020 , 10, 776	4.9	3
84	Surgical niche for the treatment of erectile dysfunction. <i>International Journal of Urology</i> , 2020 , 27, 117-	13.3	4
83	Phosphodiesterase Type 5 Inhibitors Synergize Vincristine in Killing Castration-Resistant Prostate Cancer Through Amplifying Mitotic Arrest Signaling. <i>Frontiers in Oncology</i> , 2020 , 10, 1274	5.3	7
82	The predictive value of serum testosterone level on the functional outcomes after acute ischemic stroke in males. <i>Aging Male</i> , 2020 , 23, 726-732	2.1	1
81	The Association of Serum Testosterone Levels With Recurrence and Mortality After Acute Ischemic Stroke in Males. <i>American Journal of Men Health</i> , 2019 , 13, 1557988319847097	2.2	O
80	The application of p2PSA% and prostate health index in prostate cancer detection: Alprospective cohort in a Tertiary Medical Center. <i>Journal of the Formosan Medical Association</i> , 2019 , 118, 260-267	3.2	5
79	Prevalence of overactive bladder in China, Taiwan and South Korea: Results from a cross-sectional, population-based study. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019 , 11, 48-55	1.9	36
78	Effect of lower urinary tract symptoms on the quality of life and sexual function of males in China, Taiwan, and South Korea: Subgroup analysis of a cross-sectional, population-based study. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019 , 11, O78-O84	1.9	8
77	The prevalence and bother of lower urinary tract symptoms in men and women aged 40 years or over in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2019 , 118, 170-178	3.2	11
76	Penis Structure 2018 , 357-366		1
75	Phosphodiesterase Type 5 (PDE5) Inhibitors Sensitize Topoisomerase II Inhibitors in Killing Prostate Cancer Through PDE5-Independent Impairment of HR and NHEJ DNA Repair Systems. <i>Frontiers in Oncology</i> , 2018 , 8, 681	5.3	11

(2014-2018)

74	mTOR/p70S6K Pathway: Roles of Lipid Raft and Cholesterol Contents. <i>Frontiers in Pharmacology</i> , 2018 , 9, 1223	5.6	6	
73	The prevalence and risk factors of nocturia in China, South Korea, and Taiwan: results from a cross-sectional, population-based study. <i>World Journal of Urology</i> , 2018 , 36, 1853-1862	4	12	
72	Association of lower urinary tract symptoms and OAB severity with quality of life and mental health in China, Taiwan and South Korea: results from a cross-sectional, population-based study. <i>BMC Urology</i> , 2017 , 17, 108	2.2	21	
71	Prevalence of Lower Urinary Tract Symptoms in China, Taiwan, and South Korea: Results from a Cross-Sectional, Population-Based Study. <i>Advances in Therapy</i> , 2017 , 34, 1953-1965	4.1	60	
70	Testosterone suppresses uropathogenic Escherichia coli invasion and colonization within prostate cells and inhibits inflammatory responses through JAK/STAT-1 signaling pathway. <i>PLoS ONE</i> , 2017 , 12, e0180244	3.7	5	
69	Enantiomerically pure Edipeptide derivative induces anticancer activity against human hormone-refractory prostate cancer through both PI3K/Akt-dependent and -independent pathways. <i>Oncotarget</i> , 2017 , 8, 96668-96683	3.3	7	
68	Impact of androgen-deprivation therapy on the outcome of dose-escalation prostate cancer radiotherapy without elective pelvic irradiation. <i>Asian Journal of Andrology</i> , 2017 , 19, 596-601	2.8	3	
67	Applying machine learning techniques to the identification of late-onset hypogonadism in elderly men. <i>SpringerPlus</i> , 2016 , 5, 729		6	
66	Testosterone Threshold for Increased Cardiovascular Risk in Middle-Aged and Elderly Men: A Locally Weighted Regression Analysis. <i>Journal of Sexual Medicine</i> , 2016 , 13, 1872-1880	1.1	9	
65	Clinical and Imaging Outcomes up to 1 Year Following Balloon Angioplasty for Isolated Penile Artery Stenoses in Patients With Erectile Dysfunction: The PERFECT-2 Study. <i>Journal of Endovascular Therapy</i> , 2016 , 23, 867-877	2.5	21	
64	Erectile dysfunction, loss of libido and low sexual frequency increase the risk of cardiovascular disease in men with low testosterone. <i>Aging Male</i> , 2016 , 19, 96-101	2.1	25	
63	Non-immunosuppressive triazole-based small molecule induces anticancer activity against human hormone-refractory prostate cancers: the role in inhibition of PI3K/AKT/mTOR and c-Myc signaling pathways. <i>Oncotarget</i> , 2016 , 7, 76995-77009	3.3	13	
62	Effect of Ginkgo biloba Extract (EGb-761) on Recovery of Erectile Dysfunction in Bilateral Cavernous Nerve Injury Rat Model. <i>Urology</i> , 2015 , 85, 1214.e7-1214.e15	1.6	13	
61	The prevalence and the risk factors of testosterone deficiency in newly diagnosed and previously known type 2 diabetic men. <i>Journal of Sexual Medicine</i> , 2015 , 12, 389-97	1.1	24	
60	Laparoendoscopic single-site (LESS) retroperitoneal partial adrenalectomy using a custom-made single-access platform and standard laparoscopic instruments: technical considerations and surgical outcomes. <i>Asian Journal of Surgery</i> , 2015 , 38, 6-12	1.6	10	
59	Repurposing of phentolamine as a potential anticancer agent against human castration-resistant prostate cancer: A central role on microtubule stabilization and mitochondrial apoptosis pathway. <i>Prostate</i> , 2015 , 75, 1454-66	4.2	14	
58	KUD773, a phenylthiazole derivative, displays anticancer activity in human hormone-refractory prostate cancers through inhibition of tubulin polymerization and anti-Aurora A activity. <i>Journal of Biomedical Science</i> , 2015 , 22, 2	13.3	1	
57	Obstructive sleep apnea increases the risk of bladder pain syndrome/interstitial cystitis: a population-based matched-cohort study. <i>Neurourology and Urodynamics</i> , 2014 , 33, 278-82	2.3	7	

56	A novel small molecule hybrid of vorinostat and DACA displays anticancer activity against human hormone-refractory metastatic prostate cancer through dual inhibition of histone deacetylase and topoisomerase I. <i>Biochemical Pharmacology</i> , 2014 , 90, 320-30	6	23
55	Health care service utilization among patients with bladder pain syndrome/interstitial cystitis in a single payer healthcare system. <i>PLoS ONE</i> , 2014 , 9, e87522	3.7	5
54	Weekly and holiday-related patterns of panic attacks in panic disorder: a population-based study. <i>PLoS ONE</i> , 2014 , 9, e100913	3.7	3
53	Increased risk of pneumonia in patients receiving gonadotropin-releasing hormone agonists for prostate cancer. <i>PLoS ONE</i> , 2014 , 9, e101254	3.7	7
52	Increased healthcare service utilizations for patients with dementia: a population-based study. <i>PLoS ONE</i> , 2014 , 9, e105789	3.7	28
51	Herpes zoster is associated with prior statin use: a population-based case-control study. <i>PLoS ONE</i> , 2014 , 9, e111268	3.7	14
50	Poor clinical outcomes among pneumonia patients with depressive disorder. <i>PLoS ONE</i> , 2014 , 9, e1164	36 .7	14
49	Venous ligation: a novel strategy for glans enhancement in penile prosthesis implantation. <i>BioMed Research International</i> , 2014 , 2014, 923171	3	2
48	Bladder pain syndrome/interstitial cystitis is associated with anxiety disorder. <i>Neurourology and Urodynamics</i> , 2014 , 33, 101-5	2.3	21
47	Association of dysmenorrhea with interstitial cystitis/bladder pain syndrome: a case-control study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2014 , 93, 921-5	3.8	10
46	A unique amidoanthraquinone derivative displays antiproliferative activity against human hormone-refractory metastatic prostate cancers through activation of LKB1-AMPK-mTOR signaling pathway. <i>Naunyn-Schmiedeberga Archives of Pharmacology</i> , 2014 , 387, 979-90	3.4	9
45	Psoriasis and the risk of pneumonia: a population-based study. <i>PLoS ONE</i> , 2014 , 9, e116077	3.7	28
44	Safety and six-month durability of angioplasty for isolated penile artery stenoses in patients with erectile dysfunction: a first-in-man study. <i>EuroIntervention</i> , 2014 , 10, 147-56	3.1	24
43	A case-control study on the association between rheumatoid arthritis and bladder pain syndrome/interstitial cystitis. <i>Neurourology and Urodynamics</i> , 2013 , 32, 980-5	2.3	15
42	Reconstructive surgery for idealising penile shape and restoring erectile function in patients with penile dysmorphology and erectile dysfunction. <i>Arab Journal of Urology Arab Association of Urology</i> , 2013 , 11, 375-83	1.7	6
41	Traumatic brain injury increases the risk of female urinary incontinence. <i>Neurourology and Urodynamics</i> , 2013 , 32, 354-8	2.3	4
40	Increased risk of depressive disorder following diagnosis with bladder pain syndrome/interstitial cystitis. <i>Neurourology and Urodynamics</i> , 2013 , 32, 467-71	2.3	10
39	A population-based study on the association between urinary calculi and kidney cancer. <i>Canadian Urological Association Journal</i> , 2013 , 7, E716-21	1.2	13

(2008-2013)

38	Quinolone prophylaxis in transrectal ultrasound guided prostate biopsy: an eight-year single center experience. <i>Scientific World Journal, The</i> , 2013 , 2013, 452107	2.2	10
37	Association between schizophrenia and urinary calculi: a population-based case-control study. <i>PLoS ONE</i> , 2013 , 8, e56942	3.7	1
36	Association between prostate cancer and urinary calculi: a population-based study. <i>PLoS ONE</i> , 2013 , 8, e57743	3.7	8
35	Bladder pain syndrome/interstitial cystitis is associated with hyperthyroidism. <i>PLoS ONE</i> , 2013 , 8, e7228	8 4 .7	5
34	Prediabetes is associated with an increased risk of testosterone deficiency, independent of obesity and metabolic syndrome. <i>PLoS ONE</i> , 2013 , 8, e74173	3.7	25
33	Urinary calculi and an increased risk of stroke: a population-based follow-up study. <i>BJU International</i> , 2012 , 110, E1053-9	5.6	19
32	Volume-outcome relation for acute appendicitis: evidence from a nationwide population-based study. <i>PLoS ONE</i> , 2012 , 7, e52539	3.7	8
31	Advances in understanding of mammalian penile evolution, human penile anatomy and human erection physiology: clinical implications for physicians and surgeons. <i>Medical Science Monitor</i> , 2012 , 18, RA118-25	3.2	24
30	The activation of peripheral 5-HT1A receptors can inhibit seminal vesicle contraction: an in vivo animal study. <i>Urology</i> , 2011 , 78, 376-9	1.6	3
29	Penile Rehabilitation Following Radical Prostatectomy. <i>Urological Science</i> , 2010 , 21, 19-22	0.3	
28	Parasympathetic influence plays an independent and significant role in inducing the contraction of the seminal vesicle of the rat. <i>Urology</i> , 2010 , 76, 511.e1-4	1.6	6
27	Solifenacin and tolterodine are equally effective in the treatment of overactive bladder symptoms. <i>Journal of the Formosan Medical Association</i> , 2010 , 109, 702-8	3.2	17
26	Feasability of a novel audio-video sexual stimulation system: an adjunct to the use of penile duplex Doppler ultrasonography for the investigation of erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2010 , 7, 3979-83	1.1	12
25	Determination of human penile electrical resistance and implication on safety for electrosurgery of penis. <i>Journal of Sexual Medicine</i> , 2010 , 7, 2891-8	1.1	6
24	Choosing the ideal length of a double-pigtail ureteral stent according to body height: study based on a Chinese population. <i>Urologia Internationalis</i> , 2009 , 83, 70-4	1.9	18
23	The role of chloride channels in rat corpus cavernosum: in vivo study. <i>Journal of Sexual Medicine</i> , 2009 , 6, 708-16	1.1	9
22	Extrication of penile constriction device with corpora aspiration. <i>Journal of Sexual Medicine</i> , 2009 , 6, 890-1; author reply 891-2	1.1	11
21	Correcting penoscrotal web with the V-Y advancement technique. <i>Journal of Sexual Medicine</i> , 2008 , 5, 249-50	1.1	13

20	Management of ischemic penile gangrene: prompt partial penectomy and other treatment options. Journal of Sexual Medicine, 2008 , 5, 2725-33	1.1	9
19	Leiomyoma of the corpus cavernosum of the penis. <i>International Journal of Urology</i> , 2007 , 14, 257-8	2.3	8
18	Elevated plasma factor VIII coagulant activity presenting with thrombophlebitis of the deep dorsal vein of the penis. <i>International Journal of Urology</i> , 2007 , 14, 663-4	2.3	3
17	Correction of congenital penile curvature using modified tunical plication with absorbable sutures: the long-term outcome and patient satisfaction. <i>European Urology</i> , 2007 , 52, 261-6	10.2	29
16	MP-535 ???????????????????????????????????		
15	Highly potent and moderately potent topical steroids are effective in treating phimosis: a prospective randomized study. <i>Journal of Urology</i> , 2005 , 173, 1361-3	2.5	35
14	Unrecognized voiding difficulty in female type 2 diabetic patients in the diabetes clinic: a prospective case-control study. <i>Diabetes Care</i> , 2004 , 27, 988-9	14.6	34
13	Effects of diabetes on female voiding behavior. <i>Journal of Urology</i> , 2004 , 172, 989-92	2.5	72
12	Effect of the Bowman-Birk inhibitor (a soy protein) on in vitro bladder neck/urethral and penile corporal smooth muscle activity. <i>Neurourology and Urodynamics</i> , 2003 , 22, 54-7	2.3	8
11	Congenital isolated penile torsion in adults: untwist with plication. <i>Urology</i> , 2002 , 59, 438-40	1.6	21
10	Hydrodissection Technique to Preserve the Thin Distal Urethra when Correcting Chordee without Hypospadias. <i>Journal of Urology</i> , 2002 , 168, 2189-2191	2.5	O
9	Correlation of calcium-activated ATPase activity, lipid peroxidation, and the contractile response of rabbit corporal smooth muscle treated with in vitro ischemia. <i>General Pharmacology</i> , 1999 , 32, 345-9		7
8	An ex vivo evaluation of regulatory role of biogenic amines in rat seminal vesicle after pharmacological manipulation. <i>Life Sciences</i> , 1998 , 63, PL221-9	6.8	6
7	Physiological effects of macrocycle 1 on the rabbit corpus cavernosum. <i>Pharmacology</i> , 1998 , 56, 144-9	2.3	
6	EFFECTS OF HYPOXIA, CALCIUM, CARBACHOL, ATROPINE AND TETRODOTOXIN ON THE FILLING OF THE IN-VITRO RABBIT WHOLE BLADDER. <i>Journal of Urology</i> , 1998 , 160, 913-919	2.5	11
5	EFFECTS OF ATROPINE, ISOPROTERENOL AND PROPRANOLOL ON THE RABBIT BLADDER CONTRACTION INDUCED BY INTRA-ARTERIAL ADMINISTRATION OF ACETYLCHOLINE AND ATP. <i>Journal of Urology</i> , 1998 , 160, 1863-1866	2.5	9
4	METASTATIC YOLK SAC TUMOR OF THE CORPUS CAVERNOSUM OF THE PENIS. <i>Journal of Urology</i> , 1998 , 160, 833-834	2.5	2
3	Digital analysis of the pharmacological effects of in vitro ischemia on rabbit corpus cavernosum. <i>Pharmacology</i> , 1998 , 56, 216-22	2.3	6

LIST OF PUBLICATIONS

stimulation. Neuroscience Letters, 1996, 204, 215-7

	An experimental model to evaluate the in vivo response of rat seminal vesicle to electrical		
2	Effect of repetitive stimulation on the contractile response of rabbit urinary bladder subjected to in vitro hypoxia or in vitro ischemia followed by reoxygenation. <i>Pharmacology</i> , 1998 , 57, 139-47		50

3.3