

Shih-Ping Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6230928/publications.pdf>

Version: 2024-02-01

94
papers

1,531
citations

346980

22
h-index

466096

32
g-index

95
all docs

95
docs citations

95
times ranked

2089
citing authors

#	ARTICLE	IF	CITATIONS
1	Impacts of nocturia on quality of life, mental health, work limitation, and health care seeking in China, Taiwan and South Korea (LUTS Asia): Results from a cross-sectional, population-based study. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 285-293.	0.8	10
2	Prevalence and impacts of male urinary incontinence on quality of life, mental health, work limitation, and health care seeking in China, Taiwan, and South Korea (LUTS Asia): Results from a cross-sectional, population-based study. <i>Investigative and Clinical Urology</i> , 2022, 63, 71.	1.0	5
3	Response to a Letter to Editor for article "Impacts of nocturia on quality of life, mental health, work limitation, and health care seeking in China, Taiwan and South Korea (LUTS Asia): Results from a cross-sectional, population-based study" <i>Journal of the Formosan Medical Association</i> , 2022, 121, 1016-1016.	0.8	0
4	RNase 7 Inhibits Uropathogenic <i>Escherichia coli</i> -Induced Inflammation in Bladder Cells under a High-Glucose Environment by Regulating the JAK/STAT Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5156.	1.8	4
5	Complete intraureteral stent placement reduces stent-related symptoms: Systemic review and meta-analysis. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 2308-2316.	0.8	7
6	Enhanced uropathogenic <i>Escherichia coli</i> -induced infection in uroepithelial cells by sugar through TLR-4 and JAK/STAT1 signaling pathways. <i>Journal of Microbiology, Immunology and Infection</i> , 2021, 54, 193-205.	1.5	7
7	Insulin Downregulated the Infection of Uropathogenic <i>Escherichia coli</i> (UPEC) in Bladder Cells in a High-Glucose Environment through JAK/STAT Signaling Pathway. <i>Microorganisms</i> , 2021, 9, 2421.	1.6	4
8	The predictive value of serum testosterone level on the functional outcomes after acute ischemic stroke in males. <i>Aging Male</i> , 2020, 23, 726-732.	0.9	2
9	Surgical niche for the treatment of erectile dysfunction. <i>International Journal of Urology</i> , 2020, 27, 117-133.	0.5	7
10	Phosphodiesterase Type 5 Inhibitors Synergize Vincristine in Killing Castration-Resistant Prostate Cancer Through Amplifying Mitotic Arrest Signaling. <i>Frontiers in Oncology</i> , 2020, 10, 1274.	1.3	14
11	Testosterone regulates the intracellular bacterial community formation of uropathogenic <i>Escherichia coli</i> in prostate cells via STAT3. <i>International Journal of Medical Microbiology</i> , 2020, 310, 151450.	1.5	11
12	The prevalence of urinary incontinence in men and women aged 40 years or over in China, Taiwan and South Korea: A cross-sectional, prevalence-based study. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2020, 12, 223-234.	0.6	10
13	Preoperative p2PSA and Prostate Health Index Predict Pathological Outcomes in Patients with Prostate Cancer Undergoing Radical Prostatectomy. <i>Scientific Reports</i> , 2020, 10, 776.	1.6	4
14	The application of p2PSA and prostate health index in prostate cancer detection: A prospective cohort in a Tertiary Medical Center. <i>Journal of the Formosan Medical Association</i> , 2019, 118, 260-267.	0.8	8
15	The Association of Serum Testosterone Levels With Recurrence and Mortality After Acute Ischemic Stroke in Males. <i>American Journal of Men's Health</i> , 2019, 13, 155798831984709.	0.7	3
16	Prevalence of overactive bladder in China, Taiwan and South Korea: Results from a cross-sectional, population-based study. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019, 11, 48-55.	0.6	74
17	Effect of lower urinary tract symptoms on the quality of life and sexual function of males in China, Taiwan, and South Korea: Subgroup analysis of a cross-sectional, population-based study. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019, 11, O78-O84.	0.6	14
18	The prevalence and bother of lower urinary tract symptoms in men and women aged 40 years or over in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2019, 118, 170-178.	0.8	24

#	ARTICLE	IF	CITATIONS
19	Para-Toluenesulfonamide Induces Anti-tumor Activity Through Akt-Dependent and -Independent mTOR/p70S6K Pathway: Roles of Lipid Raft and Cholesterol Contents. <i>Frontiers in Pharmacology</i> , 2018, 9, 1223.	1.6	11
20	The prevalence and risk factors of nocturia in China, South Korea, and Taiwan: results from a cross-sectional, population-based study. <i>World Journal of Urology</i> , 2018, 36, 1853-1862.	1.2	22
21	Penis Structure. , 2018, , 357-366.		3
22	Phosphodiesterase Type 5 (PDE5) Inhibitors Sensitize Topoisomerase II Inhibitors in Killing Prostate Cancer Through PDE5-Independent Impairment of HR and NHEJ DNA Repair Systems. <i>Frontiers in Oncology</i> , 2018, 8, 681.	1.3	19
23	Prevalence of Lower Urinary Tract Symptoms in China, Taiwan, and South Korea: Results from a Cross-Sectional, Population-Based Study. <i>Advances in Therapy</i> , 2017, 34, 1953-1965.	1.3	82
24	Association of lower urinary tract symptoms and OAB severity with quality of life and mental health in China, Taiwan and South Korea: results from a cross-sectional, population-based study. <i>BMC Urology</i> , 2017, 17, 108.	0.6	31
25	Testosterone suppresses uropathogenic <i>Escherichia coli</i> invasion and colonization within prostate cells and inhibits inflammatory responses through JAK/STAT-1 signaling pathway. <i>PLoS ONE</i> , 2017, 12, e0180244.	1.1	17
26	Enantiomerically pure Î ² -dipeptide derivative induces anticancer activity against human hormone-refractory prostate cancer through both PI3K/Akt-dependent and -independent pathways. <i>Oncotarget</i> , 2017, 8, 96668-96683.	0.8	9
27	Impact of androgen-deprivation therapy on the outcome of dose-escalation prostate cancer radiotherapy without elective pelvic irradiation. <i>Asian Journal of Andrology</i> , 2017, 19, 596.	0.8	3
28	Applying machine learning techniques to the identification of late-onset hypogonadism in elderly men. <i>SpringerPlus</i> , 2016, 5, 729.	1.2	6
29	Testosterone Threshold for Increased Cardiovascular Risk in Middle-Aged and Elderly Men: A Locally Weighted Regression Analysis. <i>Journal of Sexual Medicine</i> , 2016, 13, 1872-1880.	0.3	10
30	Clinical and Imaging Outcomes up to 1 Year Following Balloon Angioplasty for Isolated Penile Artery Stenoses in Patients With Erectile Dysfunction. <i>Journal of Endovascular Therapy</i> , 2016, 23, 867-877.	0.8	30
31	Erectile dysfunction, loss of libido and low sexual frequency increase the risk of cardiovascular disease in men with low testosterone. <i>Aging Male</i> , 2016, 19, 96-101.	0.9	27
32	Non-immunosuppressive triazole-based small molecule induces anticancer activity against human hormone-refractory prostate cancers: the role in inhibition of PI3K/AKT/mTOR and c-Myc signaling pathways. <i>Oncotarget</i> , 2016, 7, 76995-77009.	0.8	14
33	Repurposing of phentolamine as a potential anticancer agent against human castration-resistant prostate cancer: A central role on microtubule stabilization and mitochondrial apoptosis pathway. <i>Prostate</i> , 2015, 75, 1454-1466.	1.2	16
34	KUD773, a phenylthiazole derivative, displays anticancer activity in human hormone-refractory prostate cancers through inhibition of tubulin polymerization and anti-Aurora A activity. <i>Journal of Biomedical Science</i> , 2015, 22, 2.	2.6	1
35	Effect of Ginkgo biloba Extract (EGb-761) on Recovery of Erectile Dysfunction in Bilateral Cavernous Nerve Injury Rat Model. <i>Urology</i> , 2015, 85, 1214.e7-1214.e15.	0.5	20
36	The Prevalence and the Risk Factors of Testosterone Deficiency in Newly Diagnosed and Previously Known Type 2 Diabetic Men. <i>Journal of Sexual Medicine</i> , 2015, 12, 389-397.	0.3	30

#	ARTICLE	IF	CITATIONS
37	Laparoendoscopic single-site (LESS) retroperitoneal partial adrenalectomy using a custom-made single-access platform and standard laparoscopic instruments: Technical considerations and surgical outcomes. <i>Asian Journal of Surgery</i> , 2015, 38, 6-12.	0.2	11
38	Health Care Service Utilization among Patients with Bladder Pain Syndrome/Interstitial Cystitis in a Single Payer Healthcare System. <i>PLoS ONE</i> , 2014, 9, e87522.	1.1	9
39	Weekly and Holiday-Related Patterns of Panic Attacks in Panic Disorder: A Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e100913.	1.1	3
40	Increased Risk of Pneumonia in Patients Receiving Gonadotropin-Releasing Hormone Agonists for Prostate Cancer. <i>PLoS ONE</i> , 2014, 9, e101254.	1.1	8
41	Increased Healthcare Service Utilizations for Patients with Dementia: A Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e105789.	1.1	38
42	Herpes Zoster Is Associated with Prior Statin Use: A Population-Based Case-Control Study. <i>PLoS ONE</i> , 2014, 9, e111268.	1.1	14
43	Poor Clinical Outcomes among Pneumonia Patients with Depressive Disorder. <i>PLoS ONE</i> , 2014, 9, e116436.	1.1	22
44	Venous Ligation: A Novel Strategy for Glans Enhancement in Penile Prosthesis Implantation. <i>BioMed Research International</i> , 2014, 2014, 1-7.	0.9	4
45	Bladder pain syndrome/interstitial cystitis is associated with anxiety disorder. <i>Neurourology and Urodynamics</i> , 2014, 33, 101-105.	0.8	30
46	Association of dysmenorrhea with interstitial cystitis/bladder pain syndrome: a caseâ€“control study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 921-925.	1.3	12
47	A unique amidoanthraquinone derivative displays antiproliferative activity against human hormone-refractory metastatic prostate cancers through activation of LKB1-AMPK-mTOR signaling pathway. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2014, 387, 979-990.	1.4	11
48	Obstructive sleep apnea increases the risk of bladder pain syndrome/interstitial cystitis: A populationâ€“based matchedâ€“cohort study. <i>Neurourology and Urodynamics</i> , 2014, 33, 278-282.	0.8	11
49	A novel small molecule hybrid of vorinostat and DACA displays anticancer activity against human hormone-refractory metastatic prostate cancer through dual inhibition of histone deacetylase and topoisomerase I. <i>Biochemical Pharmacology</i> , 2014, 90, 320-330.	2.0	28
50	Psoriasis and the Risk of Pneumonia: A Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e116077.	1.1	40
51	Safety and six-month durability of angioplasty for isolated penile artery stenoses in patients with erectile dysfunction: a first-in-man study. <i>EuroIntervention</i> , 2014, 10, 147-156.	1.4	30
52	A caseâ€“control study on the association between rheumatoid arthritis and bladder pain syndrome/interstitial cystitis. <i>Neurourology and Urodynamics</i> , 2013, 32, 980-985.	0.8	17
53	Reconstructive surgery for idealising penile shape and restoring erectile function in patients with penile dysmorphism and erectile dysfunction. <i>Arab Journal of Urology Arab Association of Urology</i> , 2013, 11, 375-383.	0.7	6
54	Traumatic brain injury increases the risk of female urinary incontinence. <i>Neurourology and Urodynamics</i> , 2013, 32, 354-358.	0.8	7

#	ARTICLE	IF	CITATIONS
55	Increased risk of depressive disorder following diagnosis with bladder pain syndrome/interstitial cystitis. <i>Neurourology and Urodynamics</i> , 2013, 32, 467-471.	0.8	13
56	A population-based study on the association between urinary calculi and kidney cancer. <i>Canadian Urological Association Journal</i> , 2013, 7, 716.	0.3	18
57	Quinolone Prophylaxis in Transrectal Ultrasound Guided Prostate Biopsy: An Eight-Year Single Center Experience. <i>Scientific World Journal</i> , The, 2013, 2013, 1-6.	0.8	10
58	Association between Schizophrenia and Urinary Calculi: A Population-Based Case-Control Study. <i>PLoS ONE</i> , 2013, 8, e56942.	1.1	1
59	Association between Prostate Cancer and Urinary Calculi: A Population-Based Study. <i>PLoS ONE</i> , 2013, 8, e57743.	1.1	10
60	Bladder Pain Syndrome/Interstitial Cystitis Is Associated with Hyperthyroidism. <i>PLoS ONE</i> , 2013, 8, e72284.	1.1	6
61	Prediabetes Is Associated with an Increased Risk of Testosterone Deficiency, Independent of Obesity and Metabolic Syndrome. <i>PLoS ONE</i> , 2013, 8, e74173.	1.1	31
62	Volume-Outcome Relation for Acute Appendicitis: Evidence from a Nationwide Population-Based Study. <i>PLoS ONE</i> , 2012, 7, e52539.	1.1	12
63	physiology: Clinical implications for physicians and surgeons. <i>Medical Science Monitor</i> , 2012, 18, RA118-RA125.	0.5	32
64	Urinary calculi and an increased risk of stroke: a population-based follow-up study. <i>BJU International</i> , 2012, 110, E1053-9.	1.3	23
65	The Activation of Peripheral 5-HT1A Receptors Can Inhibit Seminal Vesicle Contraction: An In Vivo Animal Study. <i>Urology</i> , 2011, 78, 376-379.	0.5	5
66	Feasibility of a Novel Audio-Video Sexual Stimulation System: An Adjunct to the Use of Penile Duplex Doppler Ultrasonography for the Investigation of Erectile Dysfunction. <i>Journal of Sexual Medicine</i> , 2010, 7, 3979-3983.	0.3	15
67	Determination of Human Penile Electrical Resistance and Implication on Safety for Electrosurgery of Penis. <i>Journal of Sexual Medicine</i> , 2010, 7, 2891-2898.	0.3	8
68	Penile Rehabilitation Following Radical Prostatectomy. <i>Urological Science</i> , 2010, 21, 19-22.	0.2	0
69	Parasympathetic Influence Plays an Independent and Significant Role in Inducing the Contraction of the Seminal Vesicle of the Rat. <i>Urology</i> , 2010, 76, 511.e1-511.e4.	0.5	6
70	Solifenacin and Tolterodine are Equally Effective in the Treatment of Overactive Bladder Symptoms. <i>Journal of the Formosan Medical Association</i> , 2010, 109, 702-708.	0.8	23
71	Choosing the Ideal Length of a Double-Pigtail Ureteral Stent according to Body Height: Study Based on a Chinese Population. <i>Urologia Internationalis</i> , 2009, 83, 70-74.	0.6	26
72	The Role of Chloride Channels in Rat Corpus Cavernosum: In Vivo Study. <i>Journal of Sexual Medicine</i> , 2009, 6, 708-716.	0.3	9

#	ARTICLE	IF	CITATIONS
73	Extrication of Penile Constriction Device with Corpora Aspiration. <i>Journal of Sexual Medicine</i> , 2009, 6, 890-891.	0.3	13
74	Correcting Penoscrotal Web with the V-Y Advancement Technique. <i>Journal of Sexual Medicine</i> , 2008, 5, 249-250.	0.3	20
75	Management of Ischemic Penile Gangrene: Prompt Partial Penectomy and Other Treatment Options. <i>Journal of Sexual Medicine</i> , 2008, 5, 2725-2733.	0.3	15
76	Leiomyoma of the corpus cavernosum of the penis. <i>International Journal of Urology</i> , 2007, 14, 257-258.	0.5	12
77	Elevated plasma factor VIII coagulant activity presenting with thrombophlebitis of the deep dorsal vein of the penis. <i>International Journal of Urology</i> , 2007, 14, 663-664.	0.5	5
78	Correction of Congenital Penile Curvature Using Modified Tunical Plication with Absorbable Sutures: The Long-Term Outcome and Patient Satisfaction. <i>European Urology</i> , 2007, 52, 261-267.	0.9	37
79	Title is missing!. <i>Japanese Journal of Urology</i> , 2006, 97, 500.	0.0	0
80	HIGHLY POTENT AND MODERATELY POTENT TOPICAL STEROIDS ARE EFFECTIVE IN TREATING PHIMOSIS: A PROSPECTIVE RANDOMIZED STUDY. <i>Journal of Urology</i> , 2005, 173, 1361-1363.	0.2	44
81	Unrecognized Voiding Difficulty in Female Type 2 Diabetic Patients in the Diabetes Clinic: A prospective case-control study. <i>Diabetes Care</i> , 2004, 27, 988-989.	4.3	42
82	EFFECTS OF DIABETES ON FEMALE VOIDING BEHAVIOR. <i>Journal of Urology</i> , 2004, 172, 989-992.	0.2	91
83	Effect of the Bowman-Birk inhibitor (a soy protein) on in vitro bladder neck/urethral and penile corporal smooth muscle activity. <i>Neurourology and Urodynamics</i> , 2003, 22, 54-57.	0.8	8
84	Congenital isolated penile torsion in adults: untwist with plication. <i>Urology</i> , 2002, 59, 438-440.	0.5	25
85	Hydrodissection Technique to Preserve the Thin Distal Urethra when Correcting Chordee without Hypospadias. <i>Journal of Urology</i> , 2002, 168, 2189-2191.	0.2	2
86	Correlation of calcium-activated ATPase activity, lipid peroxidation, and the contractile response of rabbit corporal smooth muscle treated with in vitro ischemia. <i>General Pharmacology</i> , 1999, 32, 345-349.	0.7	7
87	An ex vivo evaluation of regulatory role of biogenic amines in rat seminal vesicle after pharmacological manipulation. <i>Life Sciences</i> , 1998, 63, PL221-PL229.	2.0	7
88	Physiological Effects of Macrocycle 1 on the Rabbit Corpus cavernosum. <i>Pharmacology</i> , 1998, 56, 144-149.	0.9	0
89	EFFECTS OF HYPOXIA, CALCIUM, CARBACHOL, ATROPINE AND TETRODOTOXIN ON THE FILLING OF THE IN-VITRO RABBIT WHOLE BLADDER. <i>Journal of Urology</i> , 1998, 160, 913-919.	0.2	11
90	EFFECTS OF ATROPINE, ISOPROTERENOL AND PROPRANOLOL ON THE RABBIT BLADDER CONTRACTION INDUCED BY INTRA-ARTERIAL ADMINISTRATION OF ACETYLCHOLINE AND ATP. <i>Journal of Urology</i> , 1998, 160, 1863-1866.	0.2	10

#	ARTICLE	IF	CITATIONS
91	METASTATIC YOLK SAC TUMOR OF THE CORPUS CAVERNOSUM OF THE PENIS. Journal of Urology, 1998, 160, 833-834.	0.2	2
92	Digital Analysis of the Pharmacological Effects of in vitro Ischemia on Rabbit Corpus cavernosum. Pharmacology, 1998, 56, 216-222.	0.9	6
93	Effect of Repetitive Stimulation on the Contractile Response of Rabbit Urinary Bladder Subjected to in vitro Hypoxia or in vitro Ischemia Followed by Reoxygenation. Pharmacology, 1998, 57, 139-147.	0.9	51
94	An experimental model to evaluate the in vivo response of rat seminal vesicle to electrical stimulation. Neuroscience Letters, 1996, 204, 215-217.	1.0	12