

# Bruce Blumberg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6231798/publications.pdf>

Version: 2024-02-01

86  
papers

16,852  
citations

61687

45  
h-index

62345

84  
g-index

91  
all docs

91  
docs citations

91  
times ranked

16887  
citing authors

#	ARTICLE	IF	CITATIONS
1	Transgenerational Transcriptomic and DNA Methylome Profiling of Mouse Fetal Testicular Germline and Somatic Cells after Exposure of Pregnant Mothers to Tributyltin, a Potent Obesogen. <i>Metabolites</i> , 2022, 12, 95.	1.3	6
2	Cannabidiol promotes adipogenesis of human and mouse mesenchymal stem cells via PPAR $\delta$ by inducing lipogenesis but not lipolysis. <i>Biochemical Pharmacology</i> , 2022, 197, 114910.	2.0	8
3	Obesity III: Obesogen assays: Limitations, strengths, and new directions. <i>Biochemical Pharmacology</i> , 2022, 199, 115014.	2.0	14
4	Obesity II: Establishing causal links between chemical exposures and obesity. <i>Biochemical Pharmacology</i> , 2022, 199, 115015.	2.0	62
5	Repurposing a novel anti-cancer RXR agonist to attenuate murine acute GVHD and maintain graft-versus-leukemia responses. <i>Blood</i> , 2021, 137, 1090-1103.	0.6	8
6	Obesity and endocrine-disrupting chemicals. <i>Endocrine Connections</i> , 2021, 10, R87-R105.	0.8	42
7	PFAS and Potential Adverse Effects on Bone and Adipose Tissue Through Interactions With PPAR $\delta$ . <i>Endocrinology</i> , 2021, 162, .	1.4	29
8	Transgenerational metabolomic fingerprints in mice ancestrally exposed to the obesogen TBT. <i>Environment International</i> , 2021, 157, 106822.	4.8	13
9	Obesogens: How They Are Identified and Molecular Mechanisms Underlying Their Action. <i>Frontiers in Endocrinology</i> , 2021, 12, 780888.	1.5	28
10	Epigenetic Transgenerational Inheritance of the Effects of Obesogen Exposure. <i>Frontiers in Endocrinology</i> , 2021, 12, 787580.	1.5	17
11	Mechanisms by Which Membrane and Nuclear ER Alpha Inhibit Adipogenesis in Cells Isolated From Female Mice. <i>Endocrinology</i> , 2020, 161, .	1.4	12
12	The GOLIATH Project: Towards an Internationally Harmonised Approach for Testing Metabolism Disrupting Compounds. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3480.	1.8	35
13	Agrochemicals and obesity. <i>Molecular and Cellular Endocrinology</i> , 2020, 515, 110926.	1.6	31
14	Environmental Obesogens and Their Impact on Susceptibility to Obesity: New Mechanisms and Chemicals. <i>Endocrinology</i> , 2020, 161, .	1.4	93
15	Environmental Obesogens: Mechanisms and Controversies. <i>Annual Review of Pharmacology and Toxicology</i> , 2019, 59, 89-106.	4.2	213
16	Znf703 is a novel RA target in the neural plate border. <i>Scientific Reports</i> , 2019, 9, 8275.	1.6	11
17	Transgenerational Self-Reconstruction of Disrupted Chromatin Organization After Exposure To An Environmental Stressor in Mice. <i>Scientific Reports</i> , 2019, 9, 13057.	1.6	25
18	Current Research Approaches and Challenges in the Obesogen Field. <i>Frontiers in Endocrinology</i> , 2019, 10, 167.	1.5	22

#	ARTICLE	IF	CITATIONS
19	Endocrine Disruptors and Obesity. , 2019, , 776-786.		0
20	Sequence Variations in pax6 (nr1h2) From Zebrafish (Danio rerio) Strains Affect Nuclear Receptor Function. Toxicological Sciences, 2019, 168, 28-39.	1.4	6
21	Transgenerational effects of obesogens. Basic and Clinical Pharmacology and Toxicology, 2019, 125, 44-57.	1.2	30
22	Endocrine Disruptors as Obesogens. Contemporary Endocrinology, 2018, , 243-253.	0.3	1
23	Effects of Perinatal Exposure to Dibutyltin Chloride on Fat and Glucose Metabolism in Mice, and Molecular Mechanisms, <i>in Vitro</i> . Environmental Health Perspectives, 2018, 126, 057006.	2.8	40
24	Tetrabromobisphenol-A Promotes Early Adipogenesis and Lipogenesis in 3T3-L1 Cells. Toxicological Sciences, 2018, 166, 332-344.	1.4	34
25	Retinoid X Receptor Activation During Adipogenesis of Female Mesenchymal Stem Cells Programs a Dysfunctional Adipocyte. Endocrinology, 2018, 159, 2863-2883.	1.4	46
26	RAR $\beta$ is required for mesodermal gene expression prior to gastrulation. Development (Cambridge), 2018, 145, .	1.2	8
27	The unexpected teratogenicity of RXR antagonist UVI3003 via activation of PPAR $\beta$ in <i>Xenopus tropicalis</i> . Toxicology and Applied Pharmacology, 2017, 314, 91-97.	1.3	10
28	RAR $\alpha$ is required for vertebrate somitogenesis. Development (Cambridge), 2017, 144, 1997-2008.	1.2	9
29	Is it time to reassess current safety standards for glyphosate-based herbicides?. Journal of Epidemiology and Community Health, 2017, 71, 613-618.	2.0	146
30	Retinoid X Receptor Activation Alters the Chromatin Landscape To Commit Mesenchymal Stem Cells to the Adipose Lineage. Endocrinology, 2017, 158, 3109-3125.	1.4	60
31	Ancestral perinatal obesogen exposure results in a transgenerational thrifty phenotype in mice. Nature Communications, 2017, 8, 2012.	5.8	116
32	Metabolism disrupting chemicals and metabolic disorders. Reproductive Toxicology, 2017, 68, 3-33.	1.3	745
33	Endocrine Disruptors and Health Effects in Africa: A Call for Action. Environmental Health Perspectives, 2017, 125, 085005.	2.8	40
34	On the Utility of ToxCast $\text{\textcircled{r}}$ and ToxPi as Methods for Identifying New Obesogens. Environmental Health Perspectives, 2016, 124, 1214-1226.	2.8	73
35	Uppsala Consensus Statement on Environmental Contaminants and the Global Obesity Epidemic. Environmental Health Perspectives, 2016, 124, A81-3.	2.8	39
36	Concerns over use of glyphosate-based herbicides and risks associated with exposures: a consensus statement. Environmental Health, 2016, 15, 19.	1.7	610

#	ARTICLE	IF	CITATIONS
37	Reply. American Journal of Obstetrics and Gynecology, 2016, 215, 533.	0.7	0
38	Obesogens: an emerging threat to public health. American Journal of Obstetrics and Gynecology, 2016, 214, 559-565.	0.7	173
39	Membrane and nuclear estrogen receptor collaborate to suppress adipogenesis but not triglyceride content. FASEB Journal, 2016, 30, 230-240.	0.2	61
40	Selective brain penetrable Nurr1 transactivator for treating Parkinson's disease. Oncotarget, 2016, 7, 7469-7479.	0.8	30
41	Parma consensus statement on metabolic disruptors. Environmental Health, 2015, 14, 54.	1.7	174
42	Pregnane X Receptor Knockout Mice Display Aging-Dependent Wearing of Articular Cartilage. PLoS ONE, 2015, 10, e0119177.	1.1	17
43	Retinoic acid signaling and neuronal differentiation. Cellular and Molecular Life Sciences, 2015, 72, 1559-1576.	2.4	212
44	Obesity, Diabetes, and Associated Costs of Exposure to Endocrine-Disrupting Chemicals in the European Union. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 1278-1288.	1.8	193
45	Transgenerational effects of obesogens and the obesity epidemic. Current Opinion in Pharmacology, 2014, 19, 153-158.	1.7	42
46	Transgenerational inheritance of prenatal obesogen exposure. Molecular and Cellular Endocrinology, 2014, 398, 31-35.	1.6	67
47	Andr�s Carrasco (1946�2014). Developmental Biology, 2014, 393, 1-2.	0.9	1
48	Active repression by RAR�3 signaling is required for vertebrate axial elongation. Development (Cambridge), 2014, 141, 2260-2270.	1.2	34
49	Transcriptional and Epigenetic Mechanisms Underlying Enhanced in Vitro Adipocyte Differentiation by the Brominated Flame Retardant BDE-47. Environmental Science & Technology, 2014, 48, 4110-4119.	4.6	109
50	Reprint of "In utero exposure to benzo[a]pyrene increases adiposity and causes hepatic steatosis in female mice, and glutathione deficiency is protective" Toxicology Letters, 2014, 230, 314-321.	0.4	11
51	In utero exposure to benzo[a]pyrene increases adiposity and causes hepatic steatosis in female mice, and glutathione deficiency is protective. Toxicology Letters, 2013, 223, 260-267.	0.4	39
52	The obesogenic effect of high fructose exposure during early development. Nature Reviews Endocrinology, 2013, 9, 494-500.	4.3	75
53	Transgenerational Inheritance of Increased Fat Depot Size, Stem Cell Reprogramming, and Hepatic Steatosis Elicited by Prenatal Exposure to the Obesogen Tributyltin in Mice. Environmental Health Perspectives, 2013, 121, 359-366.	2.8	271
54	ERF and ETV3L are retinoic acid-inducible repressors required for primary neurogenesis. Development (Cambridge), 2013, 140, 3095-3106.	1.2	30

#	ARTICLE	IF	CITATIONS
55	Bisphenol A Diglycidyl Ether Induces Adipogenic Differentiation of Multipotent Stromal Stem Cells through a Peroxisome Proliferator-Activated Receptor Gamma-Independent Mechanism. Environmental Health Perspectives, 2012, 120, 984-989.	2.8	130
56	Triflumizole Is an Obesogen in Mice that Acts through Peroxisome Proliferator Activated Receptor Gamma (PPAR $\gamma$ ). Environmental Health Perspectives, 2012, 120, 1720-1726.	2.8	64
57	Nutrition Can Modulate the Toxicity of Environmental Pollutants: Implications in Risk Assessment and Human Health. Environmental Health Perspectives, 2012, 120, 771-774.	2.8	83
58	RIPPLY3 is a retinoic acid-inducible repressor required for setting the borders of the pre-placodal ectoderm. Development (Cambridge), 2012, 139, 1213-1224.	1.2	57
59	Predicting Later-Life Outcomes of Early-Life Exposures. Environmental Health Perspectives, 2012, 120, 1353-1361.	2.8	155
60	Minireview: PPAR $\gamma$ as the target of obesogens. Journal of Steroid Biochemistry and Molecular Biology, 2011, 127, 4-8.	1.2	152
61	The environmental obesogen tributyltin chloride acts via peroxisome proliferator activated receptor gamma to induce adipogenesis in murine 3T3-L1 preadipocytes. Journal of Steroid Biochemistry and Molecular Biology, 2011, 127, 9-15.	1.2	150
62	Endocrine disrupting chemicals. Journal of Steroid Biochemistry and Molecular Biology, 2011, 127, 1-3.	1.2	25
63	Endocrine disrupting chemicals and disease susceptibility. Journal of Steroid Biochemistry and Molecular Biology, 2011, 127, 204-215.	1.2	882
64	Endocrine disrupting chemicals and the developmental programming of adipogenesis and obesity. Birth Defects Research Part C: Embryo Today Reviews, 2011, 93, 34-50.	3.6	225
65	The Role of Environmental Obesogens in the Obesity Epidemic. Growth Hormone, 2011, , 383-399.	0.2	7
66	Prenatal Exposure to the Environmental Obesogen Tributyltin Predisposes Multipotent Stem Cells to Become Adipocytes. Molecular Endocrinology, 2010, 24, 526-539.	3.7	269
67	Minireview: The Case for Obesogens. Molecular Endocrinology, 2009, 23, 1127-1134.	3.7	170
68	Endocrine disrupters as obesogens. Molecular and Cellular Endocrinology, 2009, 304, 19-29.	1.6	479
69	The steroid and xenobiotic receptor (SXR), beyond xenobiotic metabolism. Nuclear Receptor Signaling, 2009, 7, nrs.07001.	1.0	152
70	Activation of Steroid and Xenobiotic Receptor (SXR, NR112) and Its Orthologs in Laboratory, Toxicologic, and Genome Model Species. Environmental Health Perspectives, 2008, 116, 880-885.	2.8	49
71	Perturbed nuclear receptor signaling by environmental obesogens as emerging factors in the obesity crisis. Reviews in Endocrine and Metabolic Disorders, 2007, 8, 161-171.	2.6	261
72	Endocrine-Disrupting Organotin Compounds Are Potent Inducers of Adipogenesis in Vertebrates. Molecular Endocrinology, 2006, 20, 2141-2155.	3.7	549

#	ARTICLE	IF	CITATIONS
73	Steroid and Xenobiotic Receptor SXR Mediates Vitamin K2-activated Transcription of Extracellular Matrix-related Genes and Collagen Accumulation in Osteoblastic Cells*. Journal of Biological Chemistry, 2006, 281, 16927-16934.	1.6	200
74	Environmental Obesogens: Organotins and Endocrine Disruption via Nuclear Receptor Signaling. Endocrinology, 2006, 147, s50-s55.	1.4	654
75	Steroid and xenobiotic receptor and vitamin D receptor crosstalk mediates CYP24 expression and drug-induced osteomalacia. Journal of Clinical Investigation, 2006, 116, 1703-1712.	3.9	215
76	Global analysis of RAR-responsive genes in the <i>Xenopus</i> neurula using cDNA microarrays. Developmental Dynamics, 2005, 232, 414-431.	0.8	54
77	Multiple points of interaction between retinoic acid and FGF signaling during embryonic axis formation. Development (Cambridge), 2004, 131, 2653-2667.	1.2	100
78	Hyperforin, the Active Component of St. John's Wort, Induces IL-8 Expression in Human Intestinal Epithelial Cells Via a MAPK-Dependent, NF- $\kappa$ B-Independent Pathway. Journal of Clinical Immunology, 2004, 24, 623-636.	2.0	32
79	A Critical Role for Retinoid Receptors in Axial Patterning and Neuronal Differentiation. , 2004, , 279-298.		3
80	Deformed frogs and environmental retinoids. Pure and Applied Chemistry, 2003, 75, 2263-2273.	0.9	57
81	Active repression by unliganded retinoid receptors in development. Journal of Cell Biology, 2003, 161, 223-228.	2.3	117
82	Alligator aromatase cDNA sequence and its expression in embryos at male and female incubation temperatures. The Journal of Experimental Zoology, 2001, 290, 439-448.	1.4	80
83	Active repression of RAR signaling is required for head formation. Genes and Development, 2001, 15, 2111-2121.	2.7	113
84	Humanized xenobiotic response in mice expressing nuclear receptor SXR. Nature, 2000, 406, 435-439.	13.7	637
85	An essential role for retinoid signaling in anteroposterior neural specification and neuronal differentiation. Seminars in Cell and Developmental Biology, 1997, 8, 417-428.	2.3	25
86	The nuclear receptor superfamily: The second decade. Cell, 1995, 83, 835-839.	13.5	6,478