

Frdric Bouch

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6231883/frederic-bouche-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

15
papers

542
citations

12
h-index

19
g-index

19
ext. papers

815
ext. citations

8
avg, IF

3.96
L-index

#	Paper	IF	Citations
15	LED color gradient as a new screening tool for rapid phenotyping of plant responses to light quality.. <i>GigaScience</i> , 2022 , 11,	7.6	1
14	and Photoperiod Sensing in .. <i>Frontiers in Plant Science</i> , 2021 , 12, 769194	6.2	0
13	Mutations in the predicted DNA polymerase subunit POLD3 result in more rapid flowering of <i>Brachypodium distachyon</i> . <i>New Phytologist</i> , 2020 , 227, 1725-1735	9.8	2
12	Turning Meristems into Fortresses. <i>Trends in Plant Science</i> , 2019 , 24, 431-442	13.1	27
11	A florigen paralog is required for short-day vernalization in a pooid grass. <i>ELife</i> , 2019 , 8,	8.9	14
10	An ortholog of CURLY LEAF/ENHANCER OF ZESTE like-1 is required for proper flowering in <i>Brachypodium distachyon</i> . <i>Plant Journal</i> , 2018 , 93, 871-882	6.9	17
9	Establishment of a vernalization requirement in requires. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 6623-6628	11.5	21
8	Genetic Architecture of Flowering-Time Variation in <i>Brachypodium distachyon</i> . <i>Plant Physiology</i> , 2017 , 173, 269-279	6.6	20
7	Winter Memory throughout the Plant Kingdom: Different Paths to Flowering. <i>Plant Physiology</i> , 2017 , 173, 27-35	6.6	71
6	FLOR-ID: an interactive database of flowering-time gene networks in <i>Arabidopsis thaliana</i> . <i>Nucleic Acids Research</i> , 2016 , 44, D1167-71	20.1	159
5	Integrating roots into a whole plant network of flowering time genes in <i>Arabidopsis thaliana</i> . <i>Scientific Reports</i> , 2016 , 6, 29042	4.9	23
4	Extracellular peptidase hunting for improvement of protein production in plant cells and roots. <i>Frontiers in Plant Science</i> , 2015 , 6, 37	6.2	23
3	Heat can erase epigenetic marks of vernalization in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2015 , 10, e990799	2.5	18
2	A root chicory MADS box sequence and the <i>Arabidopsis</i> flowering repressor FLC share common features that suggest conserved function in vernalization and de-vernalization responses. <i>Plant Journal</i> , 2013 , 75, 390-402	6.9	20
1	Cytokinin promotes flowering of <i>Arabidopsis</i> via transcriptional activation of the FT paralogue TSF. <i>Plant Journal</i> , 2011 , 65, 972-9	6.9	126