

Ki Won Lee

List of Publications by Citations

Source: <https://exaly.com/author-pdf/623216/ki-won-lee-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

3,065
citations

29
h-index

51
g-index

117
ext. papers

3,619
ext. citations

5
avg, IF

5.01
L-index

#	Paper	IF	Citations
113	Cocoa has more phenolic phytochemicals and a higher antioxidant capacity than teas and red wine. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 7292-5	5.7	465
112	The roles of polyphenols in cancer chemoprevention. <i>BioFactors</i> , 2006 , 26, 105-21	6.1	155
111	Role of the conjugated linoleic acid in the prevention of cancer. <i>Critical Reviews in Food Science and Nutrition</i> , 2005 , 45, 135-44	11.5	107
110	Vitamin C and cancer chemoprevention: reappraisal. <i>American Journal of Clinical Nutrition</i> , 2003 , 78, 1074-8	10.5	105
109	Luteolin inhibits protein kinase C(epsilon) and c-Src activities and UVB-induced skin cancer. <i>Cancer Research</i> , 2010 , 70, 2415-23	10.1	102
108	Transient receptor potential vanilloid type-1 channel regulates diet-induced obesity, insulin resistance, and leptin resistance. <i>FASEB Journal</i> , 2015 , 29, 3182-92	0.9	85
107	Antiproliferative effects of dietary phenolic substances and hydrogen peroxide. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 1990-5	5.7	79
106	Enhancing the oral bioavailability of curcumin using solid lipid nanoparticles. <i>Food Chemistry</i> , 2020 , 302, 125328	8.5	79
105	Isoliquiritigenin induces apoptosis and inhibits xenograft tumor growth of human lung cancer cells by targeting both wild type and L858R/T790M mutant EGFR. <i>Journal of Biological Chemistry</i> , 2014 , 289, 35839-48	5.4	72
104	Biphasic effects of dietary antioxidants on oxidative stress-mediated carcinogenesis. <i>Mechanisms of Ageing and Development</i> , 2006 , 127, 424-31	5.6	70
103	Molecular basis for unidirectional scaffold switching of human Plk4 in centriole biogenesis. <i>Nature Structural and Molecular Biology</i> , 2014 , 21, 696-703	17.6	69
102	IL-10 prevents aging-associated inflammation and insulin resistance in skeletal muscle. <i>FASEB Journal</i> , 2017 , 31, 701-710	0.9	62
101	Methionine deprivation suppresses triple-negative breast cancer metastasis in vitro and in vivo. <i>Oncotarget</i> , 2016 , 7, 67223-67234	3.3	59
100	Molecular mechanisms of green tea polyphenols with protective effects against skin photoaging. <i>Critical Reviews in Food Science and Nutrition</i> , 2017 , 57, 1631-1637	11.5	57
99	Gingerenone A, a polyphenol present in ginger, suppresses obesity and adipose tissue inflammation in high-fat diet-fed mice. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1700139	5.9	53
98	Sulforaphane alleviates scopolamine-induced memory impairment in mice. <i>Pharmacological Research</i> , 2014 , 85, 23-32	10.2	53
97	Caffeic acid phenethyl ester inhibits invasion and expression of matrix metalloproteinase in SK-Hep1 human hepatocellular carcinoma cells by targeting nuclear factor kappa B. <i>Genes and Nutrition</i> , 2008 , 2, 319-22	4.3	49

96	Altered Interleukin-10 Signaling in Skeletal Muscle Regulates Obesity-Mediated Inflammation and Insulin Resistance. <i>Molecular and Cellular Biology</i> , 2016 , 36, 2956-2966	4.8	48
95	Vitamins, phytochemicals, diets, and their implementation in cancer chemoprevention. <i>Critical Reviews in Food Science and Nutrition</i> , 2004 , 44, 437-52	11.5	41
94	5-(3,4-Dihydroxyphenyl)-Valerolactone, a Major Microbial Metabolite of Proanthocyanidin, Attenuates THP-1 Monocyte-Endothelial Adhesion. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	40
93	Inhibition of tumor progression by oral piceatannol in mouse 4T1 mammary cancer is associated with decreased angiogenesis and macrophage infiltration. <i>Journal of Nutritional Biochemistry</i> , 2015 , 26, 1368-78	6.3	39
92	7,8-Dihydroxyisoflavone attenuates DNCB-induced atopic dermatitis-like symptoms in NC/Nga mice. <i>PLoS ONE</i> , 2014 , 9, e104938	3.7	38
91	Sulforaphane epigenetically enhances neuronal BDNF expression and TrkB signaling pathways. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600194	5.9	35
90	Eucaryophyllene potently inhibits solid tumor growth and lymph node metastasis of B16F10 melanoma cells in high-fat diet-induced obese C57BL/6N mice. <i>Carcinogenesis</i> , 2015 , 36, 1028-39	4.6	34
89	A high-fat diet containing lard accelerates prostate cancer progression and reduces survival rate in mice: possible contribution of adipose tissue-derived cytokines. <i>Nutrients</i> , 2015 , 7, 2539-61	6.7	34
88	Cocoa procyanidins inhibit expression and activation of MMP-2 in vascular smooth muscle cells by direct inhibition of MEK and MT1-MMP activities. <i>Cardiovascular Research</i> , 2008 , 79, 34-41	9.9	32
87	Flt3 is a target of coumestrol in protecting against UVB-induced skin photoaging. <i>Biochemical Pharmacology</i> , 2015 , 98, 473-83	6	30
86	Inhibition of cyclooxygenase-2 expression and restoration of gap junction intercellular communication in H-ras-transformed rat liver epithelial cells by caffeic acid phenethyl ester. <i>Annals of the New York Academy of Sciences</i> , 2004 , 1030, 501-7	6.5	30
85	Enhancement of anti-inflammatory activity of Aloe vera adventitious root extracts through the alteration of primary and secondary metabolites via salicylic acid elicitation. <i>PLoS ONE</i> , 2013 , 8, e82479	3.7	29
84	Sulforaphane Upregulates the Heat Shock Protein Co-Chaperone CHIP and Clears Amyloid- β and Tau in a Mouse Model of Alzheimer's Disease. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1800240	5.9	28
83	H-Ras selectively up-regulates MMP-9 and COX-2 through activation of ERK1/2 and NF-kappaB: an implication for invasive phenotype in rat liver epithelial cells. <i>International Journal of Cancer</i> , 2006 , 119, 1767-75	7.5	28
82	Licochalcone A, a polyphenol present in licorice, suppresses UV-induced COX-2 expression by targeting PI3K, MEK1, and B-Raf. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 4453-70	6.3	27
81	Naringenin targets ERK2 and suppresses UVB-induced photoaging. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 909-19	5.6	27
80	A chrysin derivative suppresses skin cancer growth by inhibiting cyclin-dependent kinases. <i>Journal of Biological Chemistry</i> , 2013 , 288, 25924-25937	5.4	26
79	Functional characterization of naturally occurring melittin peptide isoforms in two honey bee species, <i>Apis mellifera</i> and <i>Apis cerana</i> . <i>Peptides</i> , 2014 , 53, 185-93	3.8	25

78	Apple Pomace Extract Improves Endurance in Exercise Performance by Increasing Strength and Weight of Skeletal Muscle. <i>Journal of Medicinal Food</i> , 2015 , 18, 1380-6	2.8	24
77	The ginsenoside 20-O- β -glucopyranosyl-20(S)-protopanaxadiol induces autophagy and apoptosis in human melanoma via AMPK/JNK phosphorylation. <i>PLoS ONE</i> , 2014 , 9, e104305	3.7	24
76	A Bioactive Constituent of Ginger, 6-Shogaol, Prevents Adipogenesis and Stimulates Lipolysis in 3T3-L1 Adipocytes. <i>Journal of Food Biochemistry</i> , 2016 , 40, 84-90	3.3	24
75	An improved process of isomaltooligosaccharide production in kimchi involving the addition of a <i>Leuconostoc</i> starter and sugars. <i>International Journal of Food Microbiology</i> , 2014 , 170, 61-4	5.8	23
74	Oral Supplementation with Cocoa Extract Reduces UVB-Induced Wrinkles in Hairless Mouse Skin. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 1012-1021	4.3	22
73	Effects of phenolics in Empire apples on hydrogen peroxide-induced inhibition of gap-junctional intercellular communication. <i>BioFactors</i> , 2004 , 21, 361-5	6.1	22
72	Anti-carcinogenic effects of non-polar components containing licochalcone A in roasted licorice root. <i>Nutrition Research and Practice</i> , 2014 , 8, 257-66	2.1	20
71	Bakuchiol suppresses proliferation of skin cancer cells by directly targeting Hck, Blk, and p38 MAP kinase. <i>Oncotarget</i> , 2016 , 7, 14616-27	3.3	20
70	20-O- β -glucopyranosyl-20(S)-protopanaxadiol-fortified ginseng extract attenuates the development of atopic dermatitis-like symptoms in NC/Nga mice. <i>Journal of Ethnopharmacology</i> , 2014 , 151, 365-71	5	19
69	Alantolactone and Isoalantolactone Prevent Amyloid β -induced Toxicity in Mouse Cortical Neurons and Scopolamine-induced Cognitive Impairment in Mice. <i>Phytotherapy Research</i> , 2017 , 31, 801-811	6.7	18
68	Rg3-enriched ginseng extract ameliorates scopolamine-induced learning deficits in mice. <i>BMC Complementary and Alternative Medicine</i> , 2016 , 16, 66	4.7	18
67	Coumestrol Epigenetically Suppresses Cancer Cell Proliferation: Coumestrol Is a Natural Haspin Kinase Inhibitor. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	18
66	<i>Chlorella vulgaris</i> Attenuates Dermatophagoides Farinae-Induced Atopic Dermatitis-Like Symptoms in NC/Nga Mice. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 21021-34	6.3	18
65	Comprehensive phenolic composition analysis and evaluation of Yak-Kong soybean (<i>Glycine max</i>) for the prevention of atherosclerosis. <i>Food Chemistry</i> , 2017 , 234, 486-493	8.5	17
64	Dietary oleuropein inhibits tumor angiogenesis and lymphangiogenesis in the B16F10 melanoma allograft model: a mechanism for the suppression of high-fat diet-induced solid tumor growth and lymph node metastasis. <i>Oncotarget</i> , 2017 , 8, 32027-32042	3.3	17
63	Theobroma cacao extract attenuates the development of Dermatophagoides farinae-induced atopic dermatitis-like symptoms in NC/Nga mice. <i>Food Chemistry</i> , 2017 , 216, 19-26	8.5	17
62	The daidzein metabolite, 6,7,4R-trihydroxyisoflavone, is a novel inhibitor of PKC δ in suppressing solar UV-induced matrix metalloproteinase 1. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 21419-32	6.3	17
61	Pelargonidin attenuates PDGF-BB-induced aortic smooth muscle cell proliferation and migration by direct inhibition of focal adhesion kinase. <i>Biochemical Pharmacology</i> , 2014 , 89, 236-45	6	17

60	Benzyl Isothiocyanate Inhibits Prostate Cancer Development in the Transgenic Adenocarcinoma Mouse Prostate (TRAMP) Model, Which Is Associated with the Induction of Cell Cycle G1 Arrest. <i>International Journal of Molecular Sciences</i> , 2016 , 17, 264	6.3	16
59	3,3RDiindolylmethane suppresses high-fat diet-induced obesity through inhibiting adipogenesis of pre-adipocytes by targeting USP2 activity. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1700119	5.9	15
58	Endoplasmic reticulum chaperone GRP78 regulates macrophage function and insulin resistance in diet-induced obesity. <i>FASEB Journal</i> , 2018 , 32, 2292-2304	0.9	15
57	Evaluation of biological activities of the short-term fermented soybean extract. <i>Food Science and Biotechnology</i> , 2013 , 22, 973-978	3	14
56	p38 is a key signaling molecule for H-ras-induced inhibition of gap junction intercellular communication in rat liver epithelial cells. <i>Annals of the New York Academy of Sciences</i> , 2004 , 1030, 258-63	6.5	14
55	Brown Pine Leaf Extract and Its Active Component Trans-Communic Acid Inhibit UVB-Induced MMP-1 Expression by Targeting PI3K. <i>PLoS ONE</i> , 2015 , 10, e0128365	3.7	14
54	The Postprandial Anti-Hyperglycemic Effect of Pyridoxine and Its Derivatives Using In Vitro and In Vivo Animal Models. <i>Nutrients</i> , 2018 , 10,	6.7	12
53	A Combination of Soybean and Haematococcus Extract Alleviates Ultraviolet B-Induced Photoaging. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	12
52	Heat-Killed KCTC 13314BP Enhances Phagocytic Activity and Immunomodulatory Effects Via Activation of MAPK and STAT3 Pathways. <i>Journal of Microbiology and Biotechnology</i> , 2019 , 29, 1248-1254	2.3	12
51	Identification of a Dual Inhibitor of Janus Kinase 2 (JAK2) and p70 Ribosomal S6 Kinase1 (S6K1) Pathways. <i>Journal of Biological Chemistry</i> , 2015 , 290, 23553-62	5.4	11
50	Gingerenone A Attenuates Monocyte-Endothelial Adhesion via Suppression of I Kappa B Kinase Phosphorylation. <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 260-268	4.7	11
49	A major daidzin metabolite 7,8,4Rtrihydroxyisoflavone found in the plasma of soybean extract-fed rats attenuates monocyte-endothelial cell adhesion. <i>Food Chemistry</i> , 2018 , 240, 607-614	8.5	11
48	Dehydroglyasperin C suppresses TPA-induced cell transformation through direct inhibition of MKK4 and PI3K. <i>Molecular Carcinogenesis</i> , 2016 , 55, 552-62	5	11
47	Orobol, an Enzyme-Convertible Product of Genistein, exerts Anti-Obesity Effects by Targeting Casein Kinase 1 Epsilon. <i>Scientific Reports</i> , 2019 , 9, 8942	4.9	10
46	Beneficial effects on skin health using polysaccharides from red ginseng by-product. <i>Journal of Food Biochemistry</i> , 2019 , 43, e12961	3.3	10
45	Lipid Nanoparticles for Enhancing the Physicochemical Stability and Topical Skin Delivery of Orobol. <i>Pharmaceutics</i> , 2020 , 12,	6.4	10
44	Salicornia Extract Ameliorates Salt-Induced Aggravation of Nonalcoholic Fatty Liver Disease in Obese Mice Fed a High-Fat Diet. <i>Journal of Food Science</i> , 2017 , 82, 1765-1774	3.4	9
43	The Ginsenoside Derivative 20(S)-Protopanaxadiol Inhibits Solar Ultraviolet Light-Induced Matrix Metalloproteinase-1 Expression. <i>Journal of Cellular Biochemistry</i> , 2017 , 118, 3756-3764	4.7	9

42	The Prolyl Isomerase Pin1 Is a Novel Target of 6,7,4RTrihydroxyisoflavone for Suppressing Esophageal Cancer Growth. <i>Cancer Prevention Research</i> , 2017 , 10, 308-318	3.2	9
41	Yak-Kong Soybean () Fermented by a Novel Inhibits the Oxidative Stress-Induced Monocyte-Endothelial Cell Adhesion. <i>Nutrients</i> , 2019 , 11,	6.7	9
40	A fermented barley and soybean formula enhances skin hydration. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2015 , 57, 156-63	3.1	9
39	Molecular Targets of Phytochemicals for Skin Inflammation. <i>Current Pharmaceutical Design</i> , 2018 , 24, 1533-1550	3.3	9
38	Formulation And Evaluation Of Nanostructured Lipid Carriers (NLCs) Of 20(S)-Protopanaxadiol (PPD) By Box-Behnken Design. <i>International Journal of Nanomedicine</i> , 2019 , 14, 8509-8520	7.3	9
37	Extraction and chromatographic separation of anticarcinogenic fractions from cacao bean husk. <i>BioFactors</i> , 2005 , 23, 141-50	6.1	8
36	Hirsutenone in Alnus extract inhibits akt activity and suppresses prostate cancer cell proliferation. <i>Molecular Carcinogenesis</i> , 2015 , 54, 1354-62	5	7
35	A short-term, hydroponic-culture of ginseng results in a significant increase in the anti-oxidative activity and bioactive components. <i>Food Science and Biotechnology</i> , 2020 , 29, 1007-1012	3	7
34	Genetic ablation of lymphocytes and cytokine signaling in nonobese diabetic mice prevents diet-induced obesity and insulin resistance. <i>FASEB Journal</i> , 2016 , 30, 1328-38	0.9	7
33	Hirsutenone Directly Targets PI3K and ERK to Inhibit Adipogenesis in 3T3-L1 Preadipocytes. <i>Journal of Cellular Biochemistry</i> , 2015 , 116, 1361-70	4.7	7
32	Molecular cloning and anti-invasive activity of cathepsin L propeptide-like protein from Calotropis procera R. Br. against cancer cells. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2018 , 33, 657-664	5.6	6
31	PKC α is a target of 7,8,4Rtrihydroxyisoflavone for the suppression of UVB-induced MMP-1 expression. <i>Experimental Dermatology</i> , 2018 , 27, 449-452	4	6
30	Enhancing Immunomodulatory Function of Red Ginseng Through Fermentation Using Subsp. LT 19-2. <i>Nutrients</i> , 2019 , 11,	6.7	6
29	Effects of Synergistic Inhibition on α -glucosidase by Phytoalexins in Soybeans. <i>Biomolecules</i> , 2019 , 9,	5.9	6
28	Osajin Inhibits Solar UV-Induced Cyclooxygenase-2 Expression Through Direct Inhibition of RSK2. <i>Journal of Cellular Biochemistry</i> , 2017 , 118, 4080-4087	4.7	5
27	Silkworm Thorn Stem Extract Targets RSK2 and Suppresses Solar UV-Induced Cyclooxygenase-2 Expression. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 25096-107	6.3	5
26	Bioactivities and action mechanisms of Acanthopanax species. <i>Food Science and Biotechnology</i> , 2012 , 21, 1227-1233	3	5
25	Cyanidin-3-O-(2 β -xylosyl)-glucoside, an anthocyanin from Siberian ginseng (<i>Acanthopanax senticosus</i>) fruits, inhibits UVB-induced COX-2 expression and AP-1 transactivation. <i>Food Science and Biotechnology</i> , 2013 , 22, 507-513	3	5

24	Improved assay for determining the total radical-scavenging capacity of antioxidants and foods. <i>International Journal of Food Sciences and Nutrition</i> , 2009 , 60, 12-20	3.7	5
23	Safflower Seed Oil and Its Active Compound Acacetin Inhibit UVB-Induced Skin Photoaging. <i>Journal of Microbiology and Biotechnology</i> , 2020 , 30, 1567-1573	3.3	5
22	Ca ²⁺ -permeable TRPV1 pain receptor knockout rescues memory deficits and reduces amyloid- β and tau in a mouse model of Alzheimer's disease. <i>Human Molecular Genetics</i> , 2020 , 29, 228-237	5.6	5
21	Decursin and Decursinol Angelate Suppress Adipogenesis through Activation of β -catenin Signaling Pathway in Human Visceral Adipose-Derived Stem Cells. <i>Nutrients</i> , 2019 , 12,	6.7	5
20	Dietary supplementation with a fermented barley and soybean mixture attenuates UVB-induced skin aging and dehydration in hairless mouse skin. <i>Food Science and Biotechnology</i> , 2015 , 24, 705-715	3	4
19	The retinoic acid derivative, ABPN, inhibits pancreatic cancer through induction of Nrdp1. <i>Carcinogenesis</i> , 2015 , 36, 1580-9	4.6	4
18	Heat-Killed Enhances Phagocytic Activity and Generates Immune-Stimulatory Effects through Activating the TAK1 Pathway. <i>Journal of Microbiology and Biotechnology</i> , 2020 , 30, 1395-1403	3.3	4
17	Black soybean (<i>Glycine max</i> cv. Heugmi) seed coat extract suppresses TPA or UVB-induced COX-2 expression by blocking mitogen activated protein kinases pathway in mouse skin epithelial cells. <i>Food Science and Biotechnology</i> , 2011 , 20, 1735-1741	3	3
16	Antioxidant and Antitumor Promoting Activities of Apple Phenolics. <i>ACS Symposium Series</i> , 2005 , 254-270.	4	3
15	Topical Application of 7,3R,4R-Trihydroxyisoflavone Alleviates Atopic Dermatitis-Like Symptoms in NC/Nga Mice. <i>Planta Medica</i> , 2020 , 86, 190-197	3.1	3
14	Piceatannol Is Superior to Resveratrol at Suppressing Adipogenesis in Human Visceral Adipose-Derived Stem Cells. <i>Plants</i> , 2021 , 10,	4.5	3
13	Deer Bone Extract Supplementation for Mild-to-Moderate Knee Osteoarthritis Symptoms: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Journal of Medicinal Food</i> , 2018 , 21, 159-166	2.8	2
12	UPLC-QTOF-MS/MS and GC-MS Characterization of Phytochemicals in Vegetable Juice Fermented Using Lactic Acid Bacteria from Kimchi and Their Antioxidant Potential. <i>Antioxidants</i> , 2021 , 10,	7.1	2
11	Orobol, A Derivative of Genistein, Inhibits Heat-Killed -Induced Inflammation in HaCaT Keratinocytes. <i>Journal of Microbiology and Biotechnology</i> , 2020 , 30, 1379-1386	3.3	2
10	7,3R,4R-Trihydroxyisoflavone, a Metabolite of the Soy Isoflavone Daidzein, Suppresses α -Melanocyte-Stimulating Hormone-Induced Melanogenesis by Targeting Melanocortin 1 Receptor. <i>Frontiers in Molecular Biosciences</i> , 2020 , 7, 577284	5.6	2
9	Enhanced oxidative stability of a hydrophilic arginine-conjugated linoleic acid complex. <i>BioFactors</i> , 2004 , 22, 299-301	6.1	1
8	Maternal exposure to high-fat diet during pregnancy and lactation predisposes normal weight offspring mice to develop hepatic inflammation and insulin resistance. <i>Physiological Reports</i> , 2021 , 9, e14811	2.6	1
7	Postprandial anti-hyperglycemic effect of vitamin B6 (pyridoxine) administration in healthy individuals. <i>Food Science and Biotechnology</i> , 2019 , 28, 907-911	3	1

6	Flavonoid Glycosides from Inhibit Osteoclast Differentiation via the Downregulation of NFATc1.. <i>ACS Omega</i> , 2022 , 7, 4840-4849	3.9	o
5	Piceatannol, a metabolite of resveratrol, attenuates atopic dermatitis by targeting Janus kinase 1.. <i>Phytomedicine</i> , 2022 , 99, 153981	6.5	o
4	Protective effect of rutin against ultraviolet b-induced cyclooxygenase-2 expression in mouse epidermal cells. <i>Food Science and Biotechnology</i> , 2013 , 22, 1-6	3	
3	Vitamin C Protects Against Hydrogen Peroxide-Induced Inhibition of Gap-Junction Intercellular Communication through the Blocking Phosphorylation of Connexin-43 and ERK1/2 in Rat Liver Epithelial Cells. <i>ACS Symposium Series</i> , 2007 , 373-387	0.4	
2	Changes in tumor microenvironments in high-fat diet-fed mice: role of macrophages and adipocytes (37.5). <i>FASEB Journal</i> , 2014 , 28, 37.5	0.9	
1	Proteomics in Understanding the Molecular Basis of Phytochemicals for Health328-337		