Gabriele Freni

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6233194/gabriele-freni-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers

2,257
citations

h-index

42
g-index

113
ext. papers

2,643
ext. citations

3.6
avg, IF

L-index

| # | Paper | IF | Citations |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-----------|
| 103 | Stochastic Approach for Optimal Positioning of Pumps As Turbines (PATs). Sustainability, 2021 , 13, 123 | 1 8 .6 | 7 |
| 102 | Strategies for Improving Optimal Positioning of Quality Sensors in Urban Drainage Systems for Non-Conservative Contaminants. <i>Water (Switzerland)</i> , 2021 , 13, 934 | 3 | 20 |
| 101 | A Systematic Review of the Hydrological, Environmental and Durability Performance of Permeable Pavement Systems. <i>Sustainability</i> , 2021 , 13, 4509 | 3.6 | 11 |
| 100 | The history of rainfall data time-resolution in a wide variety of geographical areas. <i>Journal of Hydrology</i> , 2020 , 590, 125258 | 6 | 14 |
| 99 | Impact of diffusion and dispersion of contaminants in water distribution networks modelling and monitoring. <i>Water Science and Technology: Water Supply</i> , 2020 , 20, 46-58 | 1.4 | 9 |
| 98 | Parameterization of a Bayesian Normalized Difference Water Index for Surface Water Detection. <i>Geosciences (Switzerland)</i> , 2020 , 10, 260 | 2.7 | 2 |
| 97 | Floodability: A New Paradigm for Designing Urban Drainage and Achieving Sustainable Urban Growth. <i>Water Resources Management</i> , 2020 , 34, 3411-3424 | 3.7 | 5 |
| 96 | Optimal water quality sensor positioning in urban drainage systems for illicit intrusion identification. <i>Journal of Hydroinformatics</i> , 2020 , 22, 46-60 | 2.6 | 16 |
| 95 | Comparison between Different Distributed Methods for Flood Susceptibility Mapping. <i>Water Resources Management</i> , 2019 , 33, 3155-3173 | 3.7 | 24 |
| 94 | Effectiveness of Rainwater Harvesting Systems for Flood Reduction in Residential Urban Areas. <i>Water (Switzerland)</i> , 2019 , 11, 1389 | 3 | 39 |
| 93 | Identification of Potential Locations for Run-of-River Hydropower Plants Using a GIS-Based Procedure. <i>Energies</i> , 2019 , 12, 3446 | 3.1 | 10 |
| 92 | Quantifying the Uncertainty Related to Climate Change in the Assessment of Urban Flooding A Case Study. <i>Water (Switzerland)</i> , 2019 , 11, 2072 | 3 | 2 |
| 91 | Rainwater Reuse in Urban Areas: A Mathematical Model and a Long-Term Modelling Approach. <i>Green Energy and Technology</i> , 2019 , 175-180 | 0.6 | |
| 90 | Long Term Efficiency Analysis of Infiltration Trenches Subjected to Clogging. <i>Green Energy and Technology</i> , 2019 , 181-187 | 0.6 | О |
| 89 | Experimental analysis of pressure-discharge relationship in a private water supply tank. <i>Journal of Hydroinformatics</i> , 2018 , 20, 608-621 | 2.6 | 3 |
| 88 | Flood frequency analysis for an urban watershed: comparison between several statistical methodologies simulating synthetic rainfall events. <i>Journal of Flood Risk Management</i> , 2018 , 11, S559-5 | 55 ³ 7 ¹ 4 | 4 |
| 87 | Modelling of a Debris Flow Event in the Enna Area for Hazard Assessment. <i>Procedia Engineering</i> , 2017 , 175, 287-292 | | 13 |

(2016-2017)

| 86 | Evaluation of the optimal size of a rainwater harvesting system in Sicily. <i>Journal of Hydroinformatics</i> , 2017 , 19, 853-864 | 2.6 | 7 |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 85 | Multicriteria performance analysis of an integrated urban wastewater system for energy management. <i>Journal of Hydroinformatics</i> , 2017 , 19, 865-878 | 2.6 | 1 |
| 84 | Long-term temperature changes in Sicily, Southern Italy. Atmospheric Research, 2017, 198, 44-55 | 5.4 | 13 |
| 83 | Uncertainty related to climate change in the assessment of the DDF curve parameters. <i>Environmental Modelling and Software</i> , 2017 , 96, 1-13 | 5.2 | 4 |
| 82 | LCA Methodology for the Quantification of the Carbon Footprint of the Integrated Urban Water System. <i>Water (Switzerland)</i> , 2017 , 9, 395 | 3 | 16 |
| 81 | Characterization and Treatment Proposals of Shipboard Slop Wastewater Contaminated by Hydrocarbons. <i>Water (Switzerland)</i> , 2017 , 9, 581 | 3 | 10 |
| 80 | Energy saving and recovery measures in integrated urban water systems 2017, | | 5 |
| 79 | Analysis of spatial and temporal rainfall trends in Sicily during the 1921\(\mathbb{Q}\)012 period. <i>Theoretical and Applied Climatology</i> , 2016 , 126, 113-129 | 3 | 37 |
| 78 | Experimental Evidence of the Discharge Law in Private Tanks Connected to Water Distribution Networks. <i>Procedia Engineering</i> , 2016 , 154, 115-122 | | 3 |
| 77 | Experimental Evidence of Leaks in Elastic Pipes. Water Resources Management, 2016 , 30, 2005-2019 | 3.7 | 22 |
| 76 | Performance of a moving bed-membrane bioreactor treating saline wastewater contaminated by hydrocarbons from washing of oil tankers. <i>Desalination and Water Treatment</i> , 2016 , 57, 22943-22952 | | 9 |
| 75 | A Reliability Analysis of a Rainfall Harvesting System in Southern Italy. Water (Switzerland), 2016, 8, 18 | 3 | 37 |
| 74 | Reliability Analysis of Rainwater Harvesting Systems in Southern Italy. <i>Procedia Engineering</i> , 2016 , 162, 373-380 | | 20 |
| 73 | Start-up of two moving bed membrane bioreactors treating saline wastewater contaminated by hydrocarbons. <i>Water Science and Technology</i> , 2016 , 73, 716-24 | 2.2 | 11 |
| 72 | Water and Energy Saving in Urban Water Systems: The ALADIN Project. <i>Procedia Engineering</i> , 2016 , 162, 396-402 | | 4 |
| 71 | Multivariate statistical analysis for water demand modelling: implementation, performance analysis, and comparison with the PRP model. <i>Journal of Hydroinformatics</i> , 2016 , 18, 4-22 | 2.6 | 4 |
| 70 | Closure to Analysis of Extreme Rainfall Trends in Sicily for the Evaluation of Depth-Duration-Frequency Curves in Climate Change Scenarios by Lorena Liuzzo and Gabriele Freni. <i>Journal of Hydrologic Engineering - ASCE</i> , 2016 , 21, 07016006 | 1.8 | |
| 69 | Uncertainty Analysis in the Evaluation of the DDF Curves Parameters in Climate Change Scenarios. <i>Procedia Engineering</i> , 2016 , 154, 670-678 | | |

| 68 | A BMA Analysis to Assess the Urbanization and Climate Change Impact on Urban Watershed Runoff. <i>Procedia Engineering</i> , 2016 , 154, 868-876 | | 1 |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----|
| 67 | The apparent losses due to metering errors: a proactive approach to predict losses and schedule maintenance. <i>Urban Water Journal</i> , 2015 , 12, 229-239 | 2.3 | 16 |
| 66 | Analysis of Extreme Rainfall Trends in Sicily for the Evaluation of Depth-Duration-Frequency Curves in Climate Change Scenarios. <i>Journal of Hydrologic Engineering - ASCE</i> , 2015 , 20, 04015036 | 1.8 | 19 |
| 65 | Performance of membrane bioreactor (MBR) systems for the treatment of shipboard slops: Assessment of hydrocarbon biodegradation and biomass activity under salinity variation. <i>Journal of Hazardous Materials</i> , 2015 , 300, 765-778 | 12.8 | 47 |
| 64 | Pressure-Discharge Law of Local Tanks Connected to a Water Distribution Network: Experimental and Mathematical Results. <i>Water (Switzerland)</i> , 2015 , 7, 4701-4723 | 3 | 8 |
| 63 | Uncertainty Analysis in the Evaluation of Extreme Rainfall Trends and Its Implications on Urban Drainage System Design. <i>Water (Switzerland)</i> , 2015 , 7, 6931-6945 | 3 | 27 |
| 62 | An Environmental Analysis of the Effect of Energy Saving, Production and Recovery Measures on Water Supply Systems under Scarcity Conditions. <i>Energies</i> , 2015 , 8, 5937-5951 | 3.1 | 8 |
| 61 | Pump as turbine implementation in a dynamic numerical model: cost analysis for energy recovery in water distribution network. <i>Journal of Hydroinformatics</i> , 2015 , 17, 347-360 | 2.6 | 18 |
| 60 | Contaminant Intrusion through Leaks in Water Distribution System: Experimental Analysis. <i>Procedia Engineering</i> , 2015 , 119, 426-433 | | 22 |
| 59 | Definition of Water Meter Substitution Plans based on a Composite Indicator. <i>Procedia Engineering</i> , 2014 , 70, 1369-1377 | | 3 |
| 58 | Three-dimensional numerical simulations on wind- and tide-induced currents: The case of Augusta Harbour (Italy). <i>Computers and Geosciences</i> , 2014 , 72, 65-75 | 4.5 | 17 |
| 57 | Multi-stage Linear Programming Optimization for Pump Scheduling. <i>Procedia Engineering</i> , 2014 , 70, 137 | '8-138. | 523 |
| 56 | Optimisation of coagulation/flocculation for pre-treatment of high strength and saline wastewater: Performance analysis with different coagulant doses. <i>Chemical Engineering Journal</i> , 2014 , 254, 283-292 | 14.7 | 44 |
| 55 | Multi Sources Water Supply System Optimal Control: A Case Study. <i>Procedia Engineering</i> , 2014 , 89, 247- | 254 | 3 |
| 54 | Experimental Investigation for Local Tank Inflow Model. <i>Procedia Engineering</i> , 2014 , 89, 656-663 | | 7 |
| 53 | Multivariate Statistical Analysis for Water Demand Modeling. <i>Procedia Engineering</i> , 2014 , 89, 901-908 | | 6 |
| 52 | Implementation of pressure reduction valves in a dynamic water distribution numerical model to control the inequality in water supply. <i>Journal of Hydroinformatics</i> , 2014 , 16, 207-217 | 2.6 | 23 |
| 51 | Pumps as turbines (PATs) in water distribution networks affected by intermittent service. <i>Journal of Hydroinformatics</i> , 2014 , 16, 259-271 | 2.6 | 22 |

| 50 | Assessment of Modelling Structure and Data Availability Influence on Urban Flood Damage Modelling Uncertainty. <i>Procedia Engineering</i> , 2014 , 89, 788-795 | | 4 |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----|
| 49 | The Effect of Damage Functions on Urban Flood Damage Appraisal. <i>Procedia Engineering</i> , 2014 , 70, 125 | 1-1260 | 21 |
| 48 | Energy Recovery in Water Distribution Networks. Implementation of Pumps as Turbine in a Dynamic Numerical Model. <i>Procedia Engineering</i> , 2014 , 70, 439-448 | | 42 |
| 47 | Identification of the best flood retrofitting scenario in an urban watershed by means of a Bayesian Decision Network 2014 , | | 3 |
| 46 | Evaluation of the Water Scarcity Energy Cost for Users. <i>Energies</i> , 2013 , 6, 220-234 | 3.1 | 7 |
| 45 | Modelling of E. coli distribution in coastal areas subjected to combined sewer overflows. <i>Water Science and Technology</i> , 2013 , 68, 1123-36 | 2.2 | 19 |
| 44 | Impact of rainfall data resolution in time and space on the urban flooding evaluation. <i>Water Science and Technology</i> , 2013 , 68, 1984-93 | 2.2 | 28 |
| 43 | A mathematical model to evaluate apparent losses due to meter under-registration in intermittent water distribution networks. <i>Water Science and Technology: Water Supply</i> , 2013 , 13, 914-923 | 1.4 | 10 |
| 42 | Assessing uncertainties in urban drainage models. <i>Physics and Chemistry of the Earth</i> , 2012 , 42-44, 3-10 | 3 | 74 |
| 41 | The identifiability analysis for setting up measuring campaigns in integrated water quality modelling. <i>Physics and Chemistry of the Earth</i> , 2012 , 42-44, 52-60 | 3 | 8 |
| 40 | Validation of hydrological models: Conceptual basis, methodological approaches and a proposal for a code of practice. <i>Physics and Chemistry of the Earth</i> , 2012 , 42-44, 70-76 | 3 | 82 |
| 39 | Uncertainty estimation of a complex water quality model: The influence of Boxtox transformation on Bayesian approaches and comparison with a non-Bayesian method. <i>Physics and Chemistry of the Earth</i> , 2012 , 42-44, 31-41 | 3 | 16 |
| 38 | Comparison of different uncertainty techniques in urban stormwater quantity and quality modelling. <i>Water Research</i> , 2012 , 46, 2545-58 | 12.5 | 135 |
| 37 | Concept of a New Pluviometer for Metering Rainfall Erosivity. <i>Advanced Materials Research</i> , 2012 , 452-453, 316-320 | 0.5 | 1 |
| 36 | Bayesian inference analysis of the uncertainty linked to the evaluation of potential flood damage in urban areas. <i>Water Science and Technology</i> , 2012 , 66, 1669-77 | 2.2 | 7 |
| 35 | Collection of Thermal Energy Available from a Biogas Plant for Leachate Treatment in an Urban Landfill: A Sicilian Case Study. <i>Energies</i> , 2012 , 5, 3753-3767 | 3.1 | 9 |
| 34 | Role of Modeling Uncertainty in the Estimation of Climate and Socioeconomic Impact on River Water Quality. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2012 , 138, 479-490 | 2.8 | 8 |
| 33 | Receiving water body quality assessment: an integrated mathematical approach applied to an Italian case study. <i>Journal of Hydroinformatics</i> , 2012 , 14, 30-47 | 2.6 | 12 |

| 32 | A composite indicator for water meter replacement in an urban distribution network. <i>Urban Water Journal</i> , 2012 , 9, 419-428 | 2.3 | 17 |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----|
| 31 | Urban drainage and sustainable cities: how to achieve flood resilient societies? 2012, | | 7 |
| 30 | Assessment of the integrated urban water quality model complexity through identifiability analysis. <i>Water Research</i> , 2011 , 45, 37-50 | 12.5 | 33 |
| 29 | Uncertainty evaluation of design rainfall for urban flood risk analysis. <i>Water Science and Technology</i> , 2011 , 63, 2641-50 | 2.2 | 22 |
| 28 | Analysis of the impact of intermittent distribution by modelling the network-filling process. <i>Journal of Hydroinformatics</i> , 2011 , 13, 358-373 | 2.6 | 39 |
| 27 | Assessment of data and parameter uncertainties in integrated water-quality model. <i>Water Science and Technology</i> , 2011 , 63, 1913-21 | 2.2 | 7 |
| 26 | A model of the filling process of an intermittent distribution network. <i>Urban Water Journal</i> , 2010 , 7, 327 | 123333 | 54 |
| 25 | Urban water quality modelling: a parsimonious holistic approach for a complex real case study. Water Science and Technology, 2010 , 61, 521-36 | 2.2 | 14 |
| 24 | Emission standards versus immission standards for assessing the impact of urban drainage on ephemeral receiving water bodies. <i>Water Science and Technology</i> , 2010 , 61, 1617-29 | 2.2 | 11 |
| 23 | Ability of Preissmann slot scheme to simulate smooth pressurisation transient in sewers. <i>Water Science and Technology</i> , 2010 , 62, 1848-58 | 2.2 | 17 |
| 22 | The influence of rainfall time resolution for urban water quality modelling. <i>Water Science and Technology</i> , 2010 , 61, 2381-90 | 2.2 | 6 |
| 21 | Urban Storm-Water Quality Management: Centralized versus Source Control. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2010 , 136, 268-278 | 2.8 | 50 |
| 20 | Uncertainty in urban flood damage assessment due to urban drainage modelling and depth-damage curve estimation. <i>Water Science and Technology</i> , 2010 , 61, 2979-93 | 2.2 | 86 |
| 19 | Bayesian approach for uncertainty quantification in water quality modelling: The influence of prior distribution. <i>Journal of Hydrology</i> , 2010 , 392, 31-39 | 6 | 73 |
| 18 | Uncertainty in water quality modelling: The applicability of Variance Decomposition Approach. <i>Journal of Hydrology</i> , 2010 , 394, 324-333 | 6 | 39 |
| 17 | Quantification of diffuse and concentrated pollutant loads at the watershed-scale: an Italian case study. Water Science and Technology, 2009, 59, 2125-35 | 2.2 | 15 |
| 16 | Stormwater infiltration trenches: a conceptual modelling approach. <i>Water Science and Technology</i> , 2009 , 60, 185-99 | 2.2 | 24 |
| 15 | Uncertainty in urban stormwater quality modelling: the influence of likelihood measure formulation in the GLUE methodology. <i>Science of the Total Environment</i> , 2009 , 408, 138-45 | 10.2 | 39 |

LIST OF PUBLICATIONS

| 14 | Uncertainty assessment of an integrated urban drainage model. <i>Journal of Hydrology</i> , 2009 , 373, 392- | 40 € | 46 |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----|
| 13 | Urban runoff modelling uncertainty: Comparison among Bayesian and pseudo-Bayesian methods. <i>Environmental Modelling and Software</i> , 2009 , 24, 1100-1111 | 5.2 | 72 |
| 12 | Assessment of data availability influence on integrated urban drainage modelling uncertainty. <i>Environmental Modelling and Software</i> , 2009 , 24, 1171-1181 | 5.2 | 33 |
| 11 | Identifiability analysis for receiving water body quality modelling. <i>Environmental Modelling and Software</i> , 2009 , 24, 54-62 | 5.2 | 42 |
| 10 | Evaluation of the apparent losses caused by water meter under-registration in intermittent water supply. <i>Water Science and Technology</i> , 2009 , 60, 2373-82 | 2.2 | 78 |
| 9 | Uncertainty in urban stormwater quality modelling: the effect of acceptability threshold in the GLUE methodology. <i>Water Research</i> , 2008 , 42, 2061-72 | 12.5 | 97 |
| 8 | Comparison between a detailed and a simplified integrated model for the assessment of urban drainage environmental impact on an ephemeral river. <i>Urban Water Journal</i> , 2008 , 5, 87-96 | 2.3 | 16 |
| 7 | Uncertainty assessment of sewer sediment erosion modelling. <i>Urban Water Journal</i> , 2008 , 5, 21-31 | 2.3 | 19 |
| 6 | Analysis of intermittent supply systems in water scarcity conditions and evaluation of the resource distribution equity indices. WIT Transactions on Ecology and the Environment, 2007, | 1 | 6 |
| 5 | Integrated urban water modelling with uncertainty analysis. <i>Water Science and Technology</i> , 2006 , 54, 379-86 | 2.2 | 57 |
| 4 | WASTEWATER NETWORK CHALLENGES AND SOLUTIONS 2006 , 147-158 | | 3 |
| 3 | Estimation of sub-hourly DDF curves using scaling properties of hourly and sub-hourly data at partially gauged site. <i>Atmospheric Research</i> , 2005 , 77, 114-123 | 5.4 | 13 |
| 2 | Uncertainty analysis of the influence of rainfall time resolution in the modelling of urban drainage systems. <i>Hydrological Processes</i> , 2005 , 19, 1055-1071 | 3.3 | 30 |
| 1 | Mitigation of urban flooding: A simplified approach for distributed stormwater management practices selection and planning. <i>Urban Water Journal</i> , 2005 , 2, 215-226 | 2.3 | 9 |