Antonia A Martinetti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6233754/publications.pdf

Version: 2024-02-01

66 papers

2,461 citations

28 h-index 206112 48 g-index

70 all docs

70 docs citations

times ranked

70

3446 citing authors

#	Article	IF	CITATIONS
1	Chromogranin A, neuron specific enolase, carcinoembryonic antigen, and hydroxyindole acetic acid evaluation in patients with neuroendocrine tumors. Cancer, 1999, 86, 858-865.	4.1	249
2	Are capecitabine and oxaliplatin (XELOX) suitable treatments for progressing low-grade and high-grade neuroendocrine tumours?. Cancer Chemotherapy and Pharmacology, 2007, 59, 637-642.	2.3	218
3	Heterogeneity of Acquired Resistance to Anti-EGFR Monoclonal Antibodies in Patients with Metastatic Colorectal Cancer. Clinical Cancer Research, 2017, 23, 2414-2422.	7.0	148
4	Cellular Effects and Antitumor Activity of RET Inhibitor RPI-1 on MEN2A-Associated Medullary Thyroid Carcinoma. Journal of the National Cancer Institute, 2004, 96, 1006-1014.	6.3	106
5	Efficacy of a chemotherapy combination for the treatment of metastatic neuroendocrine tumours. Annals of Oncology, 2002, 13, 614-621.	1.2	103
6	Testosterone, dihydrotestosterone and oestradiol levels in postmenopausal breast cancer tissues. Journal of Steroid Biochemistry and Molecular Biology, 1995, 52, 541-546.	2.5	98
7	Prognostic Value of Circulating Tumor Markers in Patients with Pseudomyxoma Peritonei Treated with Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy. Annals of Surgical Oncology, 2007, 14, 2300-2308.	1.5	87
8	Endocrinological and clinical evaluation of exemestane, a new steroidal aromatase inhibitor. British Journal of Cancer, 1995, 72, 1007-1012.	6.4	74
9	Circulating CA125 in Patients with Peritoneal Mesothelioma Treated with Cytoreductive Surgery and Intraperitoneal Hyperthermic Perfusion. Annals of Surgical Oncology, 2007, 14, 500-508.	1.5	72
10	Circulating miRNAs and PD-L1 Tumor Expression Are Associated with Survival in Advanced NSCLC Patients Treated with Immunotherapy: a Prospective Study. Clinical Cancer Research, 2019, 25, 2166-2173.	7.0	67
11	Double-blind, randomised, multicentre endocrine trial comparing two letrozole doses, in postmenopausal breast cancer patients1Accepted as a poster presentation to the 34th Annual Meeting of the American Society of Clinical Oncology, May 1998, Los Angeles, U.S.A.1. European Journal of Cancer, 1999, 35, 208-213.	2.8	65
12	Lanreotide autogel every 6 weeks compared with Lanreotide microparticles every 3 weeks in patients with well differentiated neuroendocrine tumors. Cancer, 2006, 107, 2474-2481.	4.1	63
13	Effect of Broccoli Intake on Markers Related to Oxidative Stress and Cancer Risk in Healthy Smokers and Nonsmokers. Nutrition and Cancer, 2009, 61, 232-237.	2.0	57
14	DPD and UGT1A1 deficiency in colorectal cancer patients receiving triplet chemotherapy with fluoropyrimidines, oxaliplatin and irinotecan. British Journal of Clinical Pharmacology, 2015, 80, 581-588.	2.4	52
15	Phase II study of pemetrexed disodium (Alimta \hat{A}^{\otimes}) administered with oral folic acid in patients with advanced gastric cancer. Annals of Oncology, 2003, 14, 1543-1548.	1.2	51
16	Effect of a Tomato Drink Intervention on Insulin-Like Growth Factor (IGF)-1 Serum Levels in Healthy Subjects. Nutrition and Cancer, 2006, 55, 157-162.	2.0	40
17	The minimal effective exemestane dose for endocrine activity in advanced breast cancer. European Journal of Cancer, 1997, 33, 587-591.	2.8	38
18	Biological activity of anastrozole in postmenopausal patients with advanced breast cancer: effects on estrogens and bone metabolism. Annals of Oncology, 2002, 13, 1059-1066.	1.2	38

#	Article	IF	Citations
19	Osteopontin, E-cadherin, and \hat{l}^2 -catenin expression as prognostic biomarkers in patients with radically resected gastric cancer. Gastric Cancer, 2016, 19, 412-420.	5.3	37
20	Treatment Options in Hormone-refractory Metastatic Prostate Carcinoma. Tumori, 2004, 90, 535-546.	1.1	34
21	The aromatase inhibitor letrozole in advanced breast cancer: Effects on serum insulin-like growth factor (IGF)-I and IGF-binding protein-3 levels. Journal of Steroid Biochemistry and Molecular Biology, 1997, 63, 261-267.	2.5	33
22	A randomized, multicenter prospective trial assessing long-acting release octreotide pamoate plus tamoxifen as a first line therapy for advanced breast carcinoma. Cancer, 2002, 94, 299-304.	4.1	33
23	Circulating tumor cells as a longitudinal biomarker in patients with advanced chemorefractory, <i>RAS-BRAF</i> wild-type colorectal cancer receiving cetuximab or panitumumab. International Journal of Cancer, 2015, 137, 1467-1474.	5.1	33
24	Temozolomide and irinotecan (TEMIRI regimen) as salvage treatment of irinotecan-sensitive advanced colorectal cancer patients bearing MGMT methylation. Annals of Oncology, 2018, 29, 1800-1806.	1.2	32
25	Tumor response and estrogen suppression in breast cancer patients treated with aromatase inhibitors. Annals of Oncology, 2000, 11, 1017-1022.	1.2	31
26	Emergence of MET hyper-amplification at progression to MET and BRAF inhibition in colorectal cancer. British Journal of Cancer, 2017, 117, 347-352.	6.4	31
27	Osteoprotegerin and osteopontin serum values in postmenopausal advanced breast cancer patients treated with anastrozole. Endocrine-Related Cancer, 2004, 11, 771-779.	3.1	30
28	Safety and Activity of Sorafenib in Different Histotypes of Advanced Renal Cell Carcinoma. Oncology, 2007, 73, 204-209.	1.9	30
29	Prognostic and Predictive Value of Microsatellite Instability, Inflammatory Reaction and PD-L1 in Gastric Cancer Patients Treated with Either Adjuvant 5-FU/LV or Sequential FOLFIRI Followed by Cisplatin and Docetaxel: A Translational Analysis from the ITACA-S Trial. Oncologist, 2020, 25, e460-e468.	3.7	29
30	IL-8 and eNOS polymorphisms predict bevacizumab-based first line treatment outcomes in <i>RAS</i> mutant metastatic colorectal cancer patients. Oncotarget, 2017, 8, 16887-16898.	1.8	28
31	Did Circulating Tumor Cells Tell us all they Could? The Missed Circulating Tumor Cell Message in Breast Cancer. International Journal of Biological Markers, 2015, 30, 429-433.	1.8	26
32	Circulating Tumor Cell Clusters Are Frequently Detected in Women with Early-Stage Breast Cancer. Cancers, 2021, 13, 2356.	3.7	26
33	Mesothelin and osteopontin as circulating markers of diffuse malignant peritoneal mesothelioma: A preliminary study. European Journal of Surgical Oncology, 2018, 44, 792-798.	1.0	21
34	Can bone metabolism markers be adopted as an alternative to scintigraphic imaging in monitoring bone metastases from breast cancer?. European Journal of Nuclear Medicine and Molecular Imaging, 1997, 24, 1349-1355.	6.4	20
35	Goserelin in Premenopausal Advanced Breast Cancer: Clinical and Endocrine Evaluation of Responsive Patients. Oncology, 1994, 51, 262-269.	1.9	19
36	Body Mass Index and Clinical Benefit of Fulvestrant in Postmenopausal Women with Advanced Breast Cancer. Tumori, 2016, 102, e11-e14.	1.1	18

3

#	Article	IF	Citations
37	Clinical implications for pro-GRP in small cell lung cancer. A single center experience. International Journal of Biological Markers, 2018, 33, 55-61.	1.8	18
38	Could Circulating Tumor Cells and ARV7 Detection Improve Clinical Decisions in Metastatic Castration-Resistant Prostate Cancer? The Istituto Nazionale dei Tumori (INT) Experience. Cancers, 2019, 11, 980.	3.7	18
39	Is a pharmacogenomic panel useful to estimate the risk of oxaliplatin-related neurotoxicity in colorectal cancer patients?. Pharmacogenomics Journal, 2019, 19, 465-472.	2.0	16
40	Combination goserelin and tamoxifen therapy in premenopausal advanced breast cancer: a multicentre study by the ITMO group. British Journal of Cancer, 1995, 71, 1111-1114.	6.4	15
41	Effect of 10-day broccoli consumption on inflammatory status of young healthy smokers. International Journal of Food Sciences and Nutrition, 2014, 65, 106-111.	2.8	15
42	Effect of two 4-hydroxyandrostenedione doses on serum insulin-like growth factor I levels in advanced breast cancer. Breast Cancer Research and Treatment, 1994, 30, 127-132.	2.5	14
43	Circulating Biomarkers in Advanced Colorectal Cancer Patients Randomly Assigned to Three Bevacizumab-Based Regimens. Cancers, 2014, 6, 1753-1768.	3.7	14
44	The Added Value of Baseline Circulating Tumor DNA Profiling in Patients with Molecularly Hyperselected, Left-sided Metastatic Colorectal Cancer. Clinical Cancer Research, 2021, 27, 2505-2514.	7.0	14
45	Urinary testosterone as a marker of risk of recurrence in operable breast cancer. Breast Cancer Research and Treatment, 1993, 26, 1-6.	2.5	13
46	Diagnostic and prognostic tumor markers in the gastrointestinal tract. Journal of Surgical Oncology, 2001, 20, 147-166.	1.4	13
47	Kit Protein (CD 117) and Proliferation Index (Ki-67) Evaluation in Well and Poorly Differentiated Neuroendocrine Tumors. Tumori, 2006, 92, 531-535.	1.1	13
48	Undetected Toxicity Risk in Pharmacogenetic Testing for Dihydropyrimidine Dehydrogenase. International Journal of Molecular Sciences, 2015, 16, 8884-8895.	4.1	13
49	A multicentre, randomized, pharmacokinetic, endocrine and clinical study to evaluate formestane in breast cancer patients at first relapse: Endocrine and clinical results. Annals of Oncology, 1997, 8, 649-654.	1.2	12
50	Oral maintenance metronomic vinorelbine versus best supportive care in advanced non-small-cell lung cancer after platinum-based chemotherapy: The MA.NI.LA. multicenter, randomized, controlled, phase II trial. Lung Cancer, 2019, 132, 17-23.	2.0	12
51	A Feasibility Study using Polychemotherapy (Cisplatin + Vindesine + Dacarbazine) plus Interferon-Alpha or Monochemotherapy with Dacarbazine plus Interferon-Alpha in Metastatic Melanoma. Tumori, 2001, 87, 219-222.	1.1	11
52	Short-term effects of anastrozole treatment on insulin-like growth factor system in postmenopausal advanced breast cancer patients. Journal of Steroid Biochemistry and Molecular Biology, 2002, 80, 411-418.	2.5	11
53	The estrogen suppression after sequential treatment with formestane in advanced breast cancer patients. Biomedicine and Pharmacotherapy, 2004, 58, 255-259.	5. 6	10
54	Variant alleles in factor V, prothrombin, plasminogen activator inhibitor-1, methylenetetrahydrofolate reductase and risk of thromboembolism in metastatic colorectal cancer patients treated with first-line chemotherapy plus bevacizumab. Pharmacogenomics Journal, 2017, 17, 331-336.	2.0	10

#	Article	IF	CITATIONS
55	Development of a Protocol for Single-Cell Analysis of Circulating Tumor Cells in Patients with Solid Tumors. Advances in Experimental Medicine and Biology, 2017, 994, 83-103.	1.6	10
56	Refining the selection of patients with metastatic colorectal cancer for treatment with temozolomide using proteomic analysis of O6-methylguanine-DNA-methyltransferase. European Journal of Cancer, 2019, 107, 164-174.	2.8	9
57	Association of high TUBB3 with resistance to adjuvant docetaxel-based chemotherapy in gastric cancer: translational study of ITACA-S. Tumori, 2021, 107, 150-159.	1.1	8
58	The luteinising hormone–releasing hormone analogue triptorelin with or without the aromatase inhibitor formestane in premenopausal breast cancer: effects on bone metabolism markers. Journal of Steroid Biochemistry and Molecular Biology, 2000, 75, 65-73.	2.5	7
59	Serum Markers of Bone Metastases in Postmenopausal Breast Cancer Patients Treated with Formestane. Tumor Biology, 1997, 18, 197-205.	1.8	4
60	Mucinous Markers in Breast Cancer. Tumori, 1997, 83, 550-551.	1.1	3
61	Could exemestane affect insulin-like growth factors, interleukin 6 and bone metabolism in postmenopausal advanced breast cancer patients after failure on aminoglutethimide, anastrozole or letrozole?. International Journal of Oncology, 2003, 22, 1081.	3.3	3
62	A female survivor of childhood medulloblastoma presenting with growth-hormone-induced edema and inflammatory lesions: a case report. Journal of Medical Case Reports, 2009, 3, 17.	0.8	3
63	Evaluation of circulating calcitonin: analytical aspects. Tumori, 2003, 89, 566-8.	1.1	3
64	Role of the Antiangiogenic Agent Bevacizumab in the Treatment of Elderly Patients with Metastatic Colorectal Cancer. Drugs and Aging, 2011, 28, 83-91.	2.7	2
65	Serum soluble urokinaseâ€type plasminogen activator receptor as a serum marker of inflammatory response that leads to tissue damage and surgical complication. Wound Repair and Regeneration, 2016, 24, 1036-1040.	3.0	2
66	c-erbB 2 Serum level as prognostic factor in hormonally treated advanced breast cancer patients. Breast, 2002, 11, 286-294.	2.2	0