

Hidemi Ito

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6235021/publications.pdf>

Version: 2024-02-01

128
papers

7,168
citations

101384

36
h-index

66788

78
g-index

128
all docs

128
docs citations

128
times ranked

11283
citing authors

#	ARTICLE	IF	CITATIONS
1	Alcohol intake and stomach cancer risk in Japan: A pooled analysis of six cohort studies. <i>Cancer Science</i> , 2022, 113, 261-276.	1.7	3
2	Association of perceived stress and coping strategies with the renal function in middle-aged and older Japanese men and women. <i>Scientific Reports</i> , 2022, 12, 291.	1.6	1
3	Body Mass Index and Thyroid Cancer Risk: A Pooled Analysis of Half a Million Men and Women in the Asia Cohort Consortium. <i>Thyroid</i> , 2022, 32, 306-314.	2.4	17
4	New insights into the genetic contribution of <i>ALDH2</i> rs671 in pancreatic carcinogenesis: Evaluation by mediation analysis. <i>Cancer Science</i> , 2022, 113, 1441-1450.	1.7	3
5	Trends in the incidence of head and neck cancer by subsite between 1993 and 2015 in Japan. <i>Cancer Medicine</i> , 2022, 11, 1553-1560.	1.3	29
6	A genome-wide association study on adherence to low-carbohydrate diets in Japanese. <i>European Journal of Clinical Nutrition</i> , 2022, , .	1.3	1
7	Association between germline pathogenic variants and breast cancer risk in Japanese women: The HERPACC study. <i>Cancer Science</i> , 2022, 113, 1451-1462.	1.7	2
8	Polygenic risk scores for prediction of breast cancer risk in Asian populations. <i>Genetics in Medicine</i> , 2022, 24, 586-600.	1.1	27
9	Relevance of the MHC region for breast cancer susceptibility in Asians. <i>Breast Cancer</i> , 2022, 29, 869-879.	1.3	1
10	Sleep duration and risk of cancer incidence and mortality: A pooled analysis of six population-based cohorts in Japan. <i>International Journal of Cancer</i> , 2022, 151, 1068-1080.	2.3	10
11	Differential Effect of Polymorphisms on Body Mass Index Across the Life Course of Japanese: The Japan Multi-Institutional Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2021, 31, 172-179.	1.1	5
12	A genome-wide association study in Japanese identified one variant associated with a preference for a Japanese dietary pattern. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 937-945.	1.3	8
13	A genome-wide association study on fish consumption in a Japanese population—the Japan Multi-Institutional Collaborative Cohort study. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 480-488.	1.3	5
14	Impact of <i>PSCA</i> Polymorphisms on the Risk of Duodenal Ulcer. <i>Journal of Epidemiology</i> , 2021, 31, 12-20.	1.1	9
15	Population-Based Impact of Smoking, Drinking, and Genetic Factors on HDL-Cholesterol Levels in J-MICC Study Participants. <i>Journal of Epidemiology</i> , 2021, , .	1.1	0
16	Assessing the Relationship Between High-sensitivity C-reactive Protein and Kidney Function Employing Mendelian Randomization in the Japanese Community-based J-MICC Study. <i>Journal of Epidemiology</i> , 2021, , .	1.1	0
17	Body mass index and colorectal cancer risk: A Mendelian randomization study. <i>Cancer Science</i> , 2021, 112, 1579-1588.	1.7	25
18	Alcohol consumption and breast cancer risk in Japan: A pooled analysis of eight population-based cohort studies. <i>International Journal of Cancer</i> , 2021, 148, 2736-2747.	2.3	12

#	ARTICLE	IF	CITATIONS
19	Impact of reproductive factors on breast cancer incidence: Pooled analysis of nine cohort studies in Japan. <i>Cancer Medicine</i> , 2021, 10, 2153-2163.	1.3	2
20	Gene-Environment Interactions Relevant to Estrogen and Risk of Breast Cancer: Can Gene-Environment Interactions Be Detected Only among Candidate SNPs from Genome-Wide Association Studies?. <i>Cancers</i> , 2021, 13, 2370.	1.7	4
21	A Personal Breast Cancer Risk Stratification Model Using Common Variants and Environmental Risk Factors in Japanese Females. <i>Cancers</i> , 2021, 13, 3796.	1.7	4
22	Breast Cancer Risk Factors and Survival by Tumor Subtype: Pooled Analyses from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 623-642.	1.1	19
23	Study Profile of the Japan Multi-institutional Collaborative Cohort (J-MICC) Study. <i>Journal of Epidemiology</i> , 2021, 31, 660-668.	1.1	41
24	A genome-wide association study on meat consumption in a Japanese population: the Japan Multi-Institutional Collaborative Cohort study. <i>Journal of Nutritional Science</i> , 2021, 10, e61.	0.7	3
25	Risk Prediction for Gastric Cancer Using GWAS-Identified Polymorphisms, Helicobacter pylori Infection and Lifestyle-Related Risk Factors in a Japanese Population. <i>Cancers</i> , 2021, 13, 5525.	1.7	3
26	Body mass index and type 2 diabetes and breast cancer survival: a Mendelian randomization study. <i>American Journal of Cancer Research</i> , 2021, 11, 3921-3934.	1.4	0
27	Public access to summary statistics for genome-wide association studies of body mass index, weight, and height among healthy Japanese individuals: the Japanese Consortium of Genetic Epidemiology studies. <i>Journal of Epidemiology</i> , 2021, , .	1.1	0
28	Alcohol Drinking and Bladder Cancer Risk From a Pooled Analysis of Ten Cohort Studies in Japan. <i>Journal of Epidemiology</i> , 2020, 30, 309-313.	1.1	2
29	European polygenic risk score for prediction of breast cancer shows similar performance in Asian women. <i>Nature Communications</i> , 2020, 11, 3833.	5.8	88
30	Breast Cancer Polygenic Risk Score and Contralateral Breast Cancer Risk. <i>American Journal of Human Genetics</i> , 2020, 107, 837-848.	2.6	39
31	Large-scale genome-wide association study in a Japanese population identifies novel susceptibility loci across different diseases. <i>Nature Genetics</i> , 2020, 52, 669-679.	9.4	304
32	Changing trend in mortality rate of multiple myeloma after introduction of novel agents: A population-based study. <i>International Journal of Cancer</i> , 2020, 147, 3102-3109.	2.3	9
33	Identification of novel breast cancer susceptibility loci in meta-analyses conducted among Asian and European descendants. <i>Nature Communications</i> , 2020, 11, 1217.	5.8	46
34	Genome-wide association meta-analysis identifies GP2 gene risk variants for pancreatic cancer. <i>Nature Communications</i> , 2020, 11, 3175.	5.8	34
35	Across-Site Differences in the Mechanism of Alcohol-Induced Digestive Tract Carcinogenesis: An Evaluation by Mediation Analysis. <i>Cancer Research</i> , 2020, 80, 1601-1610.	0.4	22
36	Coffee, green tea and liver cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 972-984.	0.6	18

#	ARTICLE	IF	CITATIONS
37	Revisit of an unanswered question by pooled analysis of eight cohort studies in Japan: Does cigarette smoking and alcohol drinking have interaction for the risk of esophageal cancer?. <i>Cancer Medicine</i> , 2019, 8, 6414-6425.	1.3	22
38	Two truncating variants in FANCC and breast cancer risk. <i>Scientific Reports</i> , 2019, 9, 12524.	1.6	5
39	Association of BMI, Smoking, and Alcohol with Multiple Myeloma Mortality in Asians: A Pooled Analysis of More than 800,000 Participants in the Asia Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1861-1867.	1.1	11
40	Smoking and Pancreatic Cancer Incidence: A Pooled Analysis of 10 Population-Based Cohort Studies in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1370-1378.	1.1	19
41	Associations of Nutrient Patterns with the Prevalence of Metabolic Syndrome: Results from the Baseline Data of the Japan Multi-Institutional Collaborative Cohort Study. <i>Nutrients</i> , 2019, 11, 990.	1.7	24
42	The functional ALDH2 polymorphism is associated with breast cancer risk: A pooled analysis from the Breast Cancer Association Consortium. <i>Molecular Genetics & Genomic Medicine</i> , 2019, 7, e707.	0.6	9
43	Prognostic impact of tumor location in colon cancer: the Monitoring of Cancer Incidence in Japan (MCIJ) project. <i>BMC Cancer</i> , 2019, 19, 431.	1.1	32
44	Genome-wide association meta-analysis and Mendelian randomization analysis confirm the influence of ALDH2 on sleep duration in the Japanese population. <i>Sleep</i> , 2019, 42, .	0.6	16
45	Impact of germinal center-associated nuclear protein polymorphisms on breast cancer risk and prognosis in a Japanese population. <i>Breast Cancer</i> , 2019, 26, 562-572.	1.3	2
46	GWAS analysis reveals a significant contribution of PSCA to the risk of <i>Helicobacter pylori</i> -induced gastric atrophy. <i>Carcinogenesis</i> , 2019, 40, 661-668.	1.3	13
47	Identification of two novel breast cancer loci through large-scale genome-wide association study in the Japanese population. <i>Scientific Reports</i> , 2019, 9, 17332.	1.6	9
48	Reproductive and lifestyle factors related to breast cancer among Japanese women. <i>Medicine (United States)</i> , 2019, 98, 10.	0.4	10
49	Association of genetic risk score and chronic kidney disease in a Japanese population. <i>Nephrology</i> , 2019, 24, 670-673.	0.7	12
50	Trends in Small-Cell Lung Cancer Survival in 1993â€“2006 Based on Population-Based Cancer Registry Data in Japan. <i>Journal of Epidemiology</i> , 2019, 29, 347-353.	1.1	13
51	Association between ALDH2 and ADH1B polymorphisms, alcohol drinking and gastric cancer: a replication and mediation analysis. <i>Gastric Cancer</i> , 2018, 21, 936-945.	2.7	36
52	Coffee drinking and colorectal cancer and its subsites: A pooled analysis of 8 cohort studies in Japan. <i>International Journal of Cancer</i> , 2018, 143, 307-316.	2.3	23
53	A genome-wide association study in the Japanese population identifies the 12q24 locus for habitual coffee consumption: The J-MICC Study. <i>Scientific Reports</i> , 2018, 8, 1493.	1.6	32
54	Gender-specific association of early age-related macular degeneration with systemic and genetic factors in a Japanese population. <i>Scientific Reports</i> , 2018, 8, 785.	1.6	33

#	ARTICLE	IF	CITATIONS
55	Cigarette smoking and gastric cancer in the Stomach Cancer Pooling (StoP) Project. <i>European Journal of Cancer Prevention</i> , 2018, 27, 124-133.	0.6	134
56	Smoking and subsequent risk of acute myeloid leukaemia: A pooled analysis of 9 cohort studies in Japan. <i>Hematological Oncology</i> , 2018, 36, 262-268.	0.8	10
57	Heterogeneous impact of smoking on major salivary gland cancer according to histopathological subtype: A case-control study. <i>Cancer</i> , 2018, 124, 118-124.	2.0	21
58	Do pancreatic cancer and chronic pancreatitis share the same genetic risk factors? A PANcreatic Disease ReseArch (PANDoRA) consortium investigation. <i>International Journal of Cancer</i> , 2018, 142, 290-296.	2.3	14
59	Decrease in <i>PSCA</i> expression caused by <i>Helicobacter pylori</i> infection may promote progression to severe gastritis. <i>Oncotarget</i> , 2018, 9, 3936-3945.	0.8	21
60	Genome-wide association study identifies gastric cancer susceptibility loci at 12q24.11 and 20q11.21. <i>Cancer Science</i> , 2018, 109, 4015-4024.	1.7	39
61	Body-Mass Index and Pancreatic Cancer Incidence: A Pooled Analysis of Nine Population-Based Cohort Studies With More Than 340,000 Japanese Subjects. <i>Journal of Epidemiology</i> , 2018, 28, 245-252.	1.1	30
62	Prediction model for pancreatic cancer risk in the general Japanese population. <i>PLoS ONE</i> , 2018, 13, e0203386.	1.1	25
63	Recent Improvement in the Long-term Survival of Breast Cancer Patients by Age and Stage in Japan. <i>Journal of Epidemiology</i> , 2018, 28, 420-427.	1.1	36
64	Genome-Wide Association Study of Renal Function Traits: Results from the Japan Multi-Institutional Collaborative Cohort Study. <i>American Journal of Nephrology</i> , 2018, 47, 304-316.	1.4	18
65	A Dose-Response Meta-analysis of Coffee Consumption and Colorectal Cancer Risk in the Japanese Population: Application of a Cubic-Spline Model. <i>Journal of Epidemiology</i> , 2018, 28, 503-509.	1.1	11
66	Alcohol intake and gastric cancer: Meta-analyses of published data versus individual participant data pooled analyses (StoP Project). <i>Cancer Epidemiology</i> , 2018, 54, 125-132.	0.8	16
67	Cigarette smoking, alcohol drinking, and oral cavity and pharyngeal cancer in the Japanese: a population-based cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2018, 27, 171-179.	0.6	19
68	Genomewide Association Study of Leisure-Time Exercise Behavior in Japanese Adults. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 2433-2441.	0.2	36
69	Changes in trends in colorectal cancer incidence rate by anatomic site between 1978 and 2004 in Japan. <i>European Journal of Cancer Prevention</i> , 2017, 26, 269-276.	0.6	23
70	Coffee consumption and the risk of colorectal cancer by anatomical subsite in Japan: Results from the HERPACC studies. <i>International Journal of Cancer</i> , 2017, 141, 298-308.	2.3	20
71	Rationale, design, and profile of the Three-Prefecture Cohort in Japan: A 15-year follow-up. <i>Journal of Epidemiology</i> , 2017, 27, 193-199.	1.1	16
72	Combination of ALDH2 and ADH1B polymorphisms is associated with smoking initiation: A large-scale cross-sectional study in a Japanese population. <i>Drug and Alcohol Dependence</i> , 2017, 173, 85-91.	1.6	12

#	ARTICLE	IF	CITATIONS
73	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017, 551, 92-94.	13.7	1,099
74	Alcohol consumption and gastric cancer risk—A pooled analysis within the StoP project consortium. <i>International Journal of Cancer</i> , 2017, 141, 1950-1962.	2.3	85
75	Potential overtreatment among men aged 80 years and older with localized prostate cancer in Japan. <i>Cancer Science</i> , 2017, 108, 1673-1680.	1.7	5
76	Smoking cessation and subsequent risk of cancer: A pooled analysis of eight population-based cohort studies in Japan. <i>Cancer Epidemiology</i> , 2017, 51, 98-108.	0.8	20
77	Genetic Variants of <i>RAMP2</i> and <i>CLR</i> are Associated with Stroke. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 1267-1281.	0.9	11
78	Cancer Prevalence in Aichi, Japan for 2012: Estimates Based on Incidence and Survival Data from Population-Based Cancer Registry. <i>Asian Pacific Journal of Cancer Prevention</i> , 2017, 18, 2151-2156.	0.5	7
79	Prediction of breast cancer risk based on common genetic variants in women of East Asian ancestry. <i>Breast Cancer Research</i> , 2016, 18, 124.	2.2	52
80	Coffee drinking and colorectal cancer risk: an evaluation based on a systematic review and meta-analysis among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 781-787.	0.6	22
81	Prognostic Value of Drinking Status and Aldehyde Dehydrogenase 2 Polymorphism in Patients With Head and Neck Squamous Cell Carcinoma. <i>Journal of Epidemiology</i> , 2016, 26, 292-299.	1.1	16
82	Genome-wide association study in East Asians identifies two novel breast cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2016, 25, 3361-3371.	1.4	40
83	A risk prediction model for colorectal cancer using genome-wide association study-identified polymorphisms and established risk factors among Japanese: results from two independent case-control studies. <i>European Journal of Cancer Prevention</i> , 2016, 25, 500-507.	0.6	16
84	Aldehyde dehydrogenase 2 (<i>ALDH2</i>) and alcohol dehydrogenase 1B (<i>ADH1B</i>) polymorphisms exacerbate bladder cancer risk associated with alcohol drinking: gene-environment interaction. <i>Carcinogenesis</i> , 2016, 37, 583-588.	1.3	32
85	No evidence that protein truncating variants in <i>BRIP1</i> are associated with breast cancer risk: implications for gene panel testing. <i>Journal of Medical Genetics</i> , 2016, 53, 298-309.	1.5	94
86	Cigarette smoking and bladder cancer risk: an evaluation based on a systematic review of epidemiologic evidence in the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 273-283.	0.6	31
87	Abstract 5205: Changes in trends in colorectal cancer incidence rate by anatomic site between 1978 and 2004 in Japan. , 2016, , .		1
88	Functional single nucleotide polymorphisms within the cyclin-dependent kinase inhibitor 2A/2B region affect pancreatic cancer risk. <i>Oncotarget</i> , 2016, 7, 57011-57020.	0.8	41
89	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015, 47, 373-380.	9.4	513
90	Cigarette smoke inhalation and risk of lung cancer. <i>European Journal of Cancer Prevention</i> , 2015, 24, 195-200.	0.6	16

#	ARTICLE	IF	CITATIONS
91	The stomach cancer pooling (StoP) project. <i>European Journal of Cancer Prevention</i> , 2015, 24, 16-23.	0.6	59
92	Genetic polymorphisms of ADH1B, ADH1C and ALDH2, alcohol consumption, and the risk of gastric cancer: the Japan Public Health Center-based prospective study. <i>Carcinogenesis</i> , 2015, 36, 223-231.	1.3	69
93	Association of vegetable and fruit intake with gastric cancer risk among Japanese: a pooled analysis of four cohort studies. <i>Annals of Oncology</i> , 2014, 25, 1228-1233.	0.6	47
94	Risk of second malignancies in patients with gastric marginal zone lymphomas of mucosa associate lymphoid tissue (MALT). <i>Journal of Gastroenterology</i> , 2014, 49, 843-852.	2.3	11
95	Genome-wide association analysis in East Asians identifies breast cancer susceptibility loci at 1q32.1, 5q14.3 and 15q26.1. <i>Nature Genetics</i> , 2014, 46, 886-890.	9.4	135
96	Long-term survival and conditional survival of cancer patients in Japan using population-based cancer registry data. <i>Cancer Science</i> , 2014, 105, 1480-1486.	1.7	131
97	Genome-wide association studies identify four ER negative-specific breast cancer risk loci. <i>Nature Genetics</i> , 2013, 45, 392-398.	9.4	374
98	Large-scale genotyping identifies 41 new loci associated with breast cancer risk. <i>Nature Genetics</i> , 2013, 45, 353-361.	9.4	960
99	Common genetic determinants of breast-cancer risk in East Asian women: a collaborative study of 23 637 breast cancer cases and 25 579 controls. <i>Human Molecular Genetics</i> , 2013, 22, 2539-2550.	1.4	86
100	The aldehyde dehydrogenase 2 (ALDH2) Glu504Lys polymorphism interacts with alcohol drinking in the risk of stomach cancer. <i>Carcinogenesis</i> , 2013, 34, 1510-1515.	1.3	74
101	Impact of PSCA Variation on Gastric Ulcer Susceptibility. <i>PLoS ONE</i> , 2013, 8, e63698.	1.1	15
102	Genome-Wide Association Study in East Asians Identifies Novel Susceptibility Loci for Breast Cancer. <i>PLoS Genetics</i> , 2012, 8, e1002532.	1.5	137
103	Decreasing Trend in Mortality of Chronic Myelogenous Leukemia Patients After Introduction of Imatinib in Japan and the U.S.. <i>Oncologist</i> , 2012, 17, 1547-1550.	1.9	17
104	Breastfeeding and Breast Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2012, 42, 124-130.	0.6	20
105	Cigarette Smoking and Esophageal Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2012, 42, 63-73.	0.6	53
106	Green Tea Consumption and Gastric Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2012, 42, 335-346.	0.6	45
107	A genome-wide association study identifies two susceptibility loci for duodenal ulcer in the Japanese population. <i>Nature Genetics</i> , 2012, 44, 430-434.	9.4	114
108	eNOS genotype modifies the effect of leisure-time physical activity on serum triglyceride levels in a Japanese population. <i>Lipids in Health and Disease</i> , 2012, 11, 150.	1.2	16

#	ARTICLE	IF	CITATIONS
109	A genetic risk predictor for breast cancer using a combination of low-penetrance polymorphisms in a Japanese population. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 711-721.	1.1	84
110	Nonfilter and filter cigarette consumption and the incidence of lung cancer by histological type in Japan and the United States: Analysis of 30-year data from population-based cancer registries. <i>International Journal of Cancer</i> , 2011, 128, 1918-1928.	2.3	59
111	Profile of Participants and Genotype Distributions of 108 Polymorphisms in a Cross-Sectional Study of Associations of Genotypes With Lifestyle and Clinical Factors: A Project in the Japan Multi-Institutional Collaborative Cohort (J-MICC) Study. <i>Journal of Epidemiology</i> , 2011, 21, 223-235.	1.1	92
112	Inverse association between toothbrushing and upper aerodigestive tract cancer risk in a Japanese population. <i>Head and Neck</i> , 2011, 33, 1628-1637.	0.9	51
113	Cigarette Smoking and Pancreas Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence in the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 1292-1302.	0.6	46
114	Efficacy of genotype notification to Japanese smokers on smoking cessation—An intervention study at workplace. <i>Cancer Epidemiology</i> , 2010, 34, 96-100.	0.8	25
115	Comparison between self-reported facial flushing after alcohol consumption and ALDH2 Glu504Lys polymorphism for risk of upper aerodigestive tract cancer in a Japanese population. <i>Cancer Science</i> , 2010, 101, 1875-1880.	1.7	68
116	Impact of smoking on lung cancer risk is stronger in those with the homozygous aldehyde dehydrogenase 2 null allele in a Japanese population. <i>Carcinogenesis</i> , 2010, 31, 660-665.	1.3	38
117	Soy consumption reduces the risk of non-small-cell lung cancers with epidermal growth factor receptor mutations among Japanese. <i>Cancer Science</i> , 2008, 99, 1202-1208.	1.7	28
118	Risk factors differ for non-small-cell lung cancers with and without EGFR mutation: assessment of smoking and sex by a case-control study in Japanese. <i>Cancer Science</i> , 2007, 98, 96-101.	1.7	86
119	An intervention study of smoking cessation with feedback on genetic cancer susceptibility in Japan. <i>Preventive Medicine</i> , 2006, 42, 102-108.	1.6	58
120	Alcohol Dehydrogenase 2 His47Arg Polymorphism Influences Drinking Habit Independently of Aldehyde Dehydrogenase 2 Glu487Lys Polymorphism: Analysis of 2,299 Japanese Subjects. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1009-1013.	1.1	116
121	A gene-gene interaction between ALDH2 Glu487Lys and ADH2 His47Arg polymorphisms regarding the risk of colorectal cancer in Japan. <i>Carcinogenesis</i> , 2006, 27, 1018-1023.	1.3	52
122	Association of XRCC1 Arg399Gln and OGG1 Ser326Cys polymorphisms with the risk of cervical cancer in Japanese subjects. <i>Gynecologic Oncology</i> , 2005, 99, 43-49.	0.6	50
123	Significant association of interleukin 8 251T/A polymorphism with smoking behavior in a Japanese population. <i>Journal of Human Genetics</i> , 2005, 50, 567-573.	1.1	10
124	Gene-environment interactions between the smoking habit and polymorphisms in the DNA repair genes, APE1 Asp148Glu and XRCC1 Arg399Gln, in Japanese lung cancer risk. <i>Carcinogenesis</i> , 2004, 25, 1395-1401.	1.3	126
125	Association between Smoking Habits and Tryptophan Hydroxylase Gene C218A Polymorphism among the Japanese Population. <i>Journal of Epidemiology</i> , 2004, 14, 94-99.	1.1	7
126	Estimation of cancer incidences in Aichi prefecture: use of a model area with good quality registry data. <i>Asian Pacific Journal of Cancer Prevention</i> , 2004, 5, 320-7.	0.5	4

#	ARTICLE	IF	CITATIONS
127	Monoamine oxidase polymorphisms and smoking behaviour in Japanese. <i>Pharmacogenetics and Genomics</i> , 2003, 13, 73-79.	5.7	54
128	Association between Smoking Habits and Dopamine Receptor D2 TaqI A A2 Allele in Japanese Males: A Confirmatory Study.. <i>Journal of Epidemiology</i> , 2002, 12, 297-304.	1.1	32