

# Sharon Kilbreath

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6235683/sharon-kilbreath-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126  
papers

4,631  
citations

39  
h-index

65  
g-index

131  
ext. papers

5,287  
ext. citations

3.3  
avg, IF

5.49  
L-index

#	Paper	IF	Citations
126	Body image and sexuality concerns in women with breast cancer-related lymphedema: a cross-sectional study.. <i>Supportive Care in Cancer</i> , <b>2022</b> , 1	3.9	0
125	Prophylactic Use of Compression Sleeves Reduces the Incidence of Arm Swelling in Women at High Risk of Breast Cancer-Related Lymphedema: A Randomized Controlled Trial.. <i>Journal of Clinical Oncology</i> , <b>2022</b> , JCO2102567	2.2	3
124	The accuracy and precision of interface pressure measuring devices: A systematic review. <i>Phlebology</i> , <b>2021</b> , 36, 678-694	2	1
123	Clinician Assessment of Upper Limb Lymphedema: An Observational Study. <i>Lymphatic Research and Biology</i> , <b>2021</b> , 19, 159-164	2.3	2
122	Interchangeability of Two Electrode Placement Protocols Used by Bioimpedance Spectroscopy Devices in the Detection of Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , <b>2021</b> , 19, 181-188	2.3	0
121	Reliability and Validity of Physical Tools and Measurement Methods to Quantify Hand Swelling: A Systematic Review. <i>Physical Therapy</i> , <b>2021</b> , 101,	3.3	1
120	Assessment of Upper Limb Lymphedema: A Qualitative Study Exploring Clinicians'SClinical Reasoning. <i>Lymphatic Research and Biology</i> , <b>2021</b> , 19, 151-158	2.3	0
119	Self-reported questionnaires for lymphoedema: a systematic review of measurement properties using COSMIN framework. <i>Acta Oncologica</i> , <b>2021</b> , 60, 379-391	3.2	2
118	Physical activity interventions using behaviour change theories for women with breast cancer: a systematic review and meta-analysis. <i>Journal of Cancer Survivorship</i> , <b>2021</b> , 1	5.1	2
117	Bioimpedance Spectroscopy of the Breast. <i>Lymphatic Research and Biology</i> , <b>2020</b> , 18, 448-454	2.3	2
116	Reduction of breast lymphoedema secondary to breast cancer: a randomised controlled exercise trial. <i>Breast Cancer Research and Treatment</i> , <b>2020</b> , 184, 459-467	4.4	3
115	Screening for breast cancer-related lymphoedema: self-assessment of symptoms and signs. <i>Supportive Care in Cancer</i> , <b>2020</b> , 28, 3073-3080	3.9	13
114	Edema and Lymphedema <b>2019</b> , 207-217		
113	Cancer-associated secondary lymphoedema. <i>Nature Reviews Disease Primers</i> , <b>2019</b> , 5, 22	51.1	50
112	Physical Activity for Symptom Management in Women With Metastatic Breast Cancer: A Randomized Feasibility Trial on Physical Activity and Breast Metastases. <i>Journal of Pain and Symptom Management</i> , <b>2019</b> , 58, 929-939	4.8	18
111	Electrode Equivalence for Use in Bioimpedance Spectroscopy Assessment of Lymphedema. <i>Lymphatic Research and Biology</i> , <b>2019</b> , 17, 51-59	2.3	4
110	Use of compression garments by women with lymphoedema secondary to breast cancer treatment. <i>Supportive Care in Cancer</i> , <b>2018</b> , 26, 2625-2632	3.9	3

109	Estimation of Arm Adipose Tissue Quotient Using Segmental Bioimpedance Spectroscopy. <i>Lymphatic Research and Biology</i> , <b>2018</b> , 16, 377-384	2.3	3
108	Biotechnologies toward Mitigating, Curing, and Ultimately Preventing Edema through Compression Therapy. <i>Trends in Biotechnology</i> , <b>2018</b> , 36, 537-548	15.1	9
107	Edema and Lymphedema <b>2018</b> , 1-11		
106	Reliability and Diagnostic Thresholds for Ultrasound Measurements of Dermal Thickness in Breast Lymphedema. <i>Lymphatic Research and Biology</i> , <b>2018</b> , 16, 258-262	2.3	6
105	A Systematic Review of the Outcomes Used to Assess Upper Body Lymphedema. <i>Cancer Investigation</i> , <b>2018</b> , 36, 458-473	2.1	7
104	The effect of ankle taping on functional performance in participants with functional ankle instability. <i>Physical Therapy in Sport</i> , <b>2017</b> , 23, 162-167	3	19
103	Segmental Bioimpedance Informs Diagnosis of Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , <b>2017</b> , 15, 349-355	2.3	9
102	Reference Ranges Using Bioimpedance for Detection of Lymphedema in Chinese Women. <i>Lymphatic Research and Biology</i> , <b>2017</b> , 15, 268-273	2.3	5
101	Circumference-Based Criteria for Detection of Secondary Arm Lymphedema for Chinese Women. <i>Lymphatic Research and Biology</i> , <b>2017</b> , 15, 262-267	2.3	2
100	Exercise for improving bone health in women treated for stages I-III breast cancer: a systematic review and meta-analyses. <i>Journal of Cancer Survivorship</i> , <b>2017</b> , 11, 525-541	5.1	24
99	Bioimpedance spectroscopy does have a valid and evidence-based role in detection and monitoring of lymphoedema. <i>Journal of Surgical Oncology</i> , <b>2017</b> , 115, 221-222	2.8	9
98	Breast Cancer-Related Arm Lymphedema: Fluctuation over Six Months and the Effect of the Weather. <i>Lymphatic Research and Biology</i> , <b>2016</b> , 14, 148-55	2.3	16
97	Diagnosis of upper limb lymphedema: development of an evidence-based approach. <i>Acta Oncologica</i> , <b>2016</b> , 55, 1477-1483	3.2	50
96	Prevalence and risk factors associated with pain 21 months following surgery for breast cancer. <i>Supportive Care in Cancer</i> , <b>2016</b> , 24, 4533-9	3.9	16
95	Living Well? Strategies Used by Women Living With Metastatic Breast Cancer. <i>Qualitative Health Research</i> , <b>2016</b> , 26, 1167-79	3.9	29
94	Risk factors for lymphoedema in women with breast cancer: A large prospective cohort. <i>Breast</i> , <b>2016</b> , 28, 29-36	3.6	83
93	Letter to the Editor Re: Bundred et al. "Comparison of multi-frequency bioimpedance with perometry for the early detection and intervention of lymphoedema after axillary node clearance for breast cancer". <i>Breast Cancer Research and Treatment</i> , <b>2015</b> , 152, 227-228	4.4	3
92	Assessment of segmental arm soft tissue composition in breast cancer-related lymphedema: a pilot study using dual energy X-ray absorptiometry and bioimpedance spectroscopy. <i>Lymphatic Research and Biology</i> , <b>2015</b> , 13, 33-9	2.3	11

91	A qualitative study of women's experiences of healthcare, treatment and support for metastatic breast cancer. <i>Breast</i> , <b>2015</b> , 24, 242-7	3.6	23
90	Reliability of Lymphoscintigraphy. <i>Lymphatic Research and Biology</i> , <b>2015</b> , 13, 227	2.3	
89	Assessment of breast cancer-related lymphedema: a comparison of moisture meter and spot bioimpedance measurement. <i>Lymphatic Research and Biology</i> , <b>2015</b> , 13, 10-9	2.3	15
88	Segmental Impedance Thresholds for Early Detection of Unilateral Upper Limb Swelling. <i>Lymphatic Research and Biology</i> , <b>2015</b> , 13, 253-9	2.3	10
87	Current rehabilitation processes do not prevent long-term impairments after treatment for breast cancer in Australia. <i>Australian Family Physician</i> , <b>2015</b> , 44, 405-9		5
86	Safety and efficacy of progressive resistance training in breast cancer: a systematic review and meta-analysis. <i>Breast Cancer Research and Treatment</i> , <b>2014</b> , 148, 249-68	4.4	84
85	A feasibility study to examine the role of acupuncture to reduce symptoms of lymphoedema after breast cancer: a randomised controlled trial. <i>Acupuncture in Medicine</i> , <b>2014</b> , 32, 387-93	1.9	25
84	Lymphedema following taxane-based chemotherapy in women with early breast cancer. <i>Lymphatic Research and Biology</i> , <b>2014</b> , 12, 282-8	2.3	39
83	Do medical procedures in the arm increase the risk of lymphoedema after axillary surgery? A review. <i>ANZ Journal of Surgery</i> , <b>2014</b> , 84, 510-4	1	15
82	Use of impedance ratios to assess hand swelling in lymphoedema. <i>Phlebology</i> , <b>2014</b> , 29, 83-9	2	23
81	Physical activity and fitness in women with metastatic breast cancer. <i>Journal of Cancer Survivorship</i> , <b>2014</b> , 8, 647-56	5.1	44
80	Arm Movement: The Effect of Obesity on Active Lifestyles. <i>Procedia Engineering</i> , <b>2013</b> , 60, 182-187		3
79	Factors affecting the preoperative and postoperative extracellular fluid in the arm on the side of breast cancer: a cohort study. <i>Lymphatic Research and Biology</i> , <b>2013</b> , 11, 66-71	2.3	11
78	Reliability of a radiological grading system for dermal backflow in lymphoscintigraphy imaging. <i>Academic Radiology</i> , <b>2013</b> , 20, 758-63	4.3	18
77	Transient swelling versus lymphoedema in the first year following surgery for breast cancer. <i>Supportive Care in Cancer</i> , <b>2013</b> , 21, 2207-15	3.9	50
76	Standardized approach to lymphedema screening. <i>Oncologist</i> , <b>2013</b> , 18, 1242	5.7	4
75	Tissue composition changes and secondary lymphedema. <i>Lymphatic Research and Biology</i> , <b>2013</b> , 11, 211-8	3.3	38
74	Estimation of limb adiposity by bioimpedance spectroscopy in lymphoedema. <i>Journal of Physics: Conference Series</i> , <b>2013</b> , 434, 012062	0.3	

73	Bioimpedance for the spot measurement of tissue density. <i>Journal of Physics: Conference Series</i> , <b>2013</b> , 434, 012054	0.3	4
72	Determination of evidence-based diagnostic thresholds for upper limb lymphedema secondary to treatment for cancer.. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 9616-9616	2.2	
71	Efficacy of a one-year exercise program to prevent bone loss in postmenopausal women prescribed aromatase inhibitor therapy: An RCT.. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, e20533-e20533	2.2	
70	Upper limb function: Comparison of postmenopause women with and without a history of early breast cancer.. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, e20578-e20578	2.2	
69	Access to treatment for breast cancer-related lymphoedema in Australia. <i>Australian Family Physician</i> , <b>2013</b> , 42, 892-5		3
68	Change in extracellular fluid and arm volumes as a consequence of a single session of lymphatic massage followed by rest with or without compression. <i>Supportive Care in Cancer</i> , <b>2012</b> , 20, 3079-86	3.9	13
67	Technology and health: Physical activity monitoring in the free living environment. <i>Procedia Engineering</i> , <b>2012</b> , 34, 367-372		3
66	Prevalence and impact of chronic musculoskeletal ankle disorders in the community. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2012</b> , 93, 1801-7	2.8	106
65	Upper limb progressive resistance training and stretching exercises following surgery for early breast cancer: a randomized controlled trial. <i>Breast Cancer Research and Treatment</i> , <b>2012</b> , 133, 667-76	4.4	76
64	Measurement of hand volume by bioelectrical impedance spectroscopy. <i>Lymphatic Research and Biology</i> , <b>2012</b> , 10, 81-6	2.3	19
63	Normative volume difference between the dominant and nondominant upper limbs in healthy older women. <i>Lymphatic Research and Biology</i> , <b>2012</b> , 10, 182-8	2.3	32
62	Prevention of osteoporosis as a consequence of aromatase inhibitor therapy in postmenopausal women with early breast cancer: rationale and design of a randomized controlled trial. <i>Contemporary Clinical Trials</i> , <b>2011</b> , 32, 704-9	2.3	10
61	Reliability and concurrent validity of the perometer for measuring hand volume in women with and without lymphedema. <i>Lymphatic Research and Biology</i> , <b>2011</b> , 9, 13-8	2.3	41
60	Assessment of bilateral limb lymphedema by bioelectrical impedance spectroscopy. <i>International Journal of Gynecological Cancer</i> , <b>2011</b> , 21, 409-18	3.5	35
59	Segmental measurement of breast cancer-related arm lymphoedema using perometry and bioimpedance spectroscopy. <i>Supportive Care in Cancer</i> , <b>2011</b> , 19, 703-10	3.9	56
58	Inter-rater reliability of arm circumference measurement. <i>Lymphatic Research and Biology</i> , <b>2011</b> , 9, 101-7.	2.3	15
57	Priorities for women with lymphoedema after treatment for breast cancer: population based cohort study. <i>BMJ, The</i> , <b>2011</b> , 342, d3442	5.9	22
56	Reference ranges for assessment of unilateral lymphedema in legs by bioelectrical impedance spectroscopy. <i>Lymphatic Research and Biology</i> , <b>2011</b> , 9, 43-6	2.3	37

55	Confirmation of the reference impedance ratios used for assessment of breast cancer-related lymphedema by bioelectrical impedance spectroscopy. <i>Lymphatic Research and Biology</i> , <b>2011</b> , 9, 47-51	2.3	93
54	Chronic ankle instability: evolution of the model. <i>Journal of Athletic Training</i> , <b>2011</b> , 46, 133-41	4	204
53	Early postoperative exercise improves shoulder range of motion in women with breast cancer compared with delayed exercise, but increases wound drainage volume and duration. <i>Evidence-based Nursing</i> , <b>2011</b> , 14, 2	0.3	2
52	Effects of mastectomy on shoulder and spinal kinematics during bilateral upper-limb movement. <i>Physical Therapy</i> , <b>2010</b> , 90, 679-92	3.3	88
51	Patient perceptions of arm care and exercise advice after breast cancer surgery. <i>Oncology Nursing Forum</i> , <b>2010</b> , 37, 85-91	1.7	24
50	Assessment of breast cancer-related arm lymphedema--comparison of physical measurement methods and self-report. <i>Cancer Investigation</i> , <b>2010</b> , 28, 54-62	2.1	159
49	Effect of progressive resistance training on muscle performance after chronic stroke. <i>Medicine and Science in Sports and Exercise</i> , <b>2010</b> , 42, 23-34	1.2	38
48	Effect of air travel on lymphedema risk in women with history of breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2010</b> , 120, 649-54	4.4	30
47	Strength and endurance of the pelvic floor muscles in continent women: an observational study. <i>Physiotherapy</i> , <b>2010</b> , 96, 311-6	3	23
46	The kinematics of the scapulae and spine during a lifting task. <i>Journal of Biomechanics</i> , <b>2010</b> , 43, 1302-9	2.9	9
45	The effect of ankle taping on detection of inversion-eversion movements in participants with recurrent ankle sprain. <i>American Journal of Sports Medicine</i> , <b>2009</b> , 37, 371-5	6.8	35
44	Operational equivalence of bioimpedance indices and perometry for the assessment of unilateral arm lymphedema. <i>Lymphatic Research and Biology</i> , <b>2009</b> , 7, 81-5	2.3	45
43	Single frequency versus bioimpedance spectroscopy for the assessment of lymphedema. <i>Breast Cancer Research and Treatment</i> , <b>2009</b> , 117, 177-82	4.4	52
42	Quantitative bioimpedance spectroscopy for the assessment of lymphoedema. <i>Breast Cancer Research and Treatment</i> , <b>2009</b> , 117, 541-7	4.4	61
41	Factors that affect intention to avoid strenuous arm activity after breast cancer surgery. <i>Oncology Nursing Forum</i> , <b>2009</b> , 36, 454-62	1.7	43
40	Airplane travel and lymphedema: a case study. <i>Lymphology</i> , <b>2009</b> , 42, 139-45	1.9	7
39	Comparison of effect of aerobic cycle training and progressive resistance training on walking ability after stroke: a randomized sham exercise-controlled study. <i>Journal of the American Geriatrics Society</i> , <b>2008</b> , 56, 976-85	5.6	80
38	Scapulohumeral rhythm and associated spinal motion. <i>Clinical Biomechanics</i> , <b>2008</b> , 23, 184-92	2.2	108

37	Cross-cultural adaptation of the Brazilian-Portuguese version of the Cumberland Ankle Instability Tool (CAIT). <i>Disability and Rehabilitation</i> , <b>2008</b> , 30, 1959-65	2.4	45
36	Relationship between functional ankle instability and postural control. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , <b>2008</b> , 38, 782-9	4.2	35
35	Decreased muscle strength following management of breast cancer. <i>Disability and Rehabilitation</i> , <b>2008</b> , 30, 1098-105	2.4	43
34	Intrinsic predictors of lateral ankle sprain in adolescent dancers: a prospective cohort study. <i>Clinical Journal of Sport Medicine</i> , <b>2008</b> , 18, 44-8	3.2	72
33	Prognosis of the upper limb following surgery and radiation for breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2008</b> , 110, 19-37	4.4	131
32	Quality of life of women treated with radiotherapy for breast cancer. <i>Supportive Care in Cancer</i> , <b>2008</b> , 16, 399-405	3.9	58
31	Thumb and finger forces produced by motor units in the long flexor of the human thumb. <i>Journal of Physiology</i> , <b>2007</b> , 583, 1145-54	3.9	28
30	The development of an arm activity survey for breast cancer survivors using the Protection Motivation Theory. <i>BMC Cancer</i> , <b>2007</b> , 7, 75	4.8	14
29	Pectoral stretching program for women undergoing radiotherapy for breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2007</b> , 102, 313-21	4.4	55
28	The placebo effect of ankle taping in ankle instability. <i>Medicine and Science in Sports and Exercise</i> , <b>2007</b> , 39, 781-7	1.2	81
27	Balance and recovery from a perturbation are impaired in people with functional ankle instability. <i>Clinical Journal of Sport Medicine</i> , <b>2007</b> , 17, 269-75	3.2	42
26	Loss of proprioception or motor control is not related to functional ankle instability: an observational study. <i>Australian Journal of Physiotherapy</i> , <b>2007</b> , 53, 193-8		40
25	Progressive resistance training and stretching following surgery for breast cancer: study protocol for a randomised controlled trial. <i>BMC Cancer</i> , <b>2006</b> , 6, 273	4.8	31
24	Reliability of two goniometric methods of measuring active inversion and eversion range of motion at the ankle. <i>BMC Musculoskeletal Disorders</i> , <b>2006</b> , 7, 60	2.8	58
23	Do voluntary strength, proprioception, range of motion, or postural sway predict occurrence of lateral ankle sprain?. <i>British Journal of Sports Medicine</i> , <b>2006</b> , 40, 824-8; discussion 828	10.3	98
22	Inter-limb coordination in bimanual reach-to-grasp following stroke. <i>Disability and Rehabilitation</i> , <b>2006</b> , 28, 1435-43	2.4	18
21	Weight training does not promote lymphoedema in breast cancer survivors. <i>Australian Journal of Physiotherapy</i> , <b>2006</b> , 52, 301		
20	Gluteal taping improves hip extension during stance phase of walking following stroke. <i>Australian Journal of Physiotherapy</i> , <b>2006</b> , 52, 53-6		35

19	The Cumberland ankle instability tool: a report of validity and reliability testing. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2006</b> , 87, 1235-41	2.8	382
18	Resistance and Stretching Shoulder Exercises Early Following Axillary Surgery for Breast Cancer. <i>Rehabilitation Oncology</i> , <b>2006</b> , 24, 9-14	0.8	21
17	Frequency of hand use in healthy older persons. <i>Australian Journal of Physiotherapy</i> , <b>2005</b> , 51, 119-22		103
16	Performance in different proprioceptive tests does not correlate in ankles with recurrent sprain. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2005</b> , 86, 2101-5	2.8	34
15	Selective recruitment of single motor units in human flexor digitorum superficialis muscle during flexion of individual fingers. <i>Journal of Physiology</i> , <b>2005</b> , 567, 301-9	3.9	50
14	Cardiorespiratory fitness after stroke <b>2005</b> , 131-158		1
13	Deficits in detection of inversion and eversion movements among subjects with recurrent ankle sprains. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , <b>2003</b> , 33, 166-73; discussion 173-6	4.2	40
12	Cardiorespiratory fitness and walking ability in subacute stroke patients. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2003</b> , 84, 1780-5	2.8	207
11	Distribution of the forces produced by motor unit activity in the human flexor digitorum profundus. <i>Journal of Physiology</i> , <b>2002</b> , 543, 289-96	3.9	62
10	The effect of recurrent ankle inversion sprain and taping on proprioception at the ankle. <i>Medicine and Science in Sports and Exercise</i> , <b>2000</b> , 32, 10-5	1.2	111
9	Movement detection at the distal joint of the human thumb and fingers. <i>Experimental Brain Research</i> , <b>1998</b> , 122, 85-92	2.3	31
8	Differential control of the digits of the human hand: evidence from digital anaesthesia and weight matching. <i>Experimental Brain Research</i> , <b>1997</b> , 117, 507-11	2.3	29
7	Human flexor pollicis longus: role of peripheral inputs in weight-matching. <i>Neuroscience Letters</i> , <b>1995</b> , 201, 203-6	3.3	4
6	Limitations in the Neural Control of Human Thumb and Finger Flexors <b>1995</b> , 79-85		
5	Limited independent flexion of the thumb and fingers in human subjects. <i>Journal of Physiology</i> , <b>1994</b> , 479 ( Pt 3), 487-97	3.9	193
4	Neural and biomechanical specializations of human thumb muscles revealed by matching weights and grasping objects. <i>Journal of Physiology</i> , <b>1993</b> , 472, 537-56	3.9	32
3	Independent control of the digits: changes in perceived heaviness over a wide range of force. <i>Experimental Brain Research</i> , <b>1992</b> , 91, 539-42	2.3	9
2	Independent digit control: failure to partition perceived heaviness of weights lifted by digits of the human hand. <i>Journal of Physiology</i> , <b>1991</b> , 442, 585-99	3.9	17



- 1 Accuracy of weight estimation for weights lifted by proximal and distal muscles of the human upper limb. *Journal of Physiology*, **1990**, 423, 299-310 3.9 35