

# Alex Cannon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6235942/publications.pdf>

Version: 2024-02-01

123  
papers

6,218  
citations

100601

38  
h-index

87275

74  
g-index

151  
all docs

151  
docs citations

151  
times ranked

6835  
citing authors

#	ARTICLE	IF	CITATIONS
1	A global climate model ensemble for downscaled monthly climate normals over North America. <i>International Journal of Climatology</i> , 2022, 42, 5871-5891.	1.5	29
2	Multivariate Bias-Correction of High-Resolution Regional Climate Change Simulations for West Africa: Performance and Climate Change Implications. <i>Journal of Geophysical Research D: Atmospheres</i> , 2022, 127, .	1.2	21
3	Exacerbated heat in large Canadian cities. <i>Urban Climate</i> , 2022, 42, 101097.	2.4	5
4	Canadian Large Ensembles Adjusted Dataset version 1 (CanLEADv1): Multivariate bias-corrected climate model outputs for terrestrial modelling and attribution studies in North America. <i>Geoscience Data Journal</i> , 2022, 9, 288-303.	1.8	5
5	Influences of atmospheric blocking on North American summer heatwaves in a changing climate: a comparison of two Canadian Earth system model large ensembles. <i>Climatic Change</i> , 2022, 172, .	1.7	9
6	Human influence on the 2021 British Columbia floods. <i>Weather and Climate Extremes</i> , 2022, 36, 100441.	1.6	24
7	Evaluation and joint projection of temperature and precipitation extremes across Canada based on hierarchical Bayesian modelling and large ensembles of regional climate simulations. <i>Weather and Climate Extremes</i> , 2022, 36, 100443.	1.6	7
8	Heterogeneous snowpack response and snow drought occurrence across river basins of northwestern North America under 1.0°C to 4.0°C global warming. <i>Climatic Change</i> , 2021, 164, 1.	1.7	17
9	Links between atmospheric blocking and North American winter cold spells in two generations of Canadian Earth System Model large ensembles. <i>Climate Dynamics</i> , 2021, 57, 2217-2231.	1.7	8
10	Uncertainties in Riverine and Coastal Flood Impacts under Climate Change. <i>Water (Switzerland)</i> , 2021, 13, 1774.	1.2	11
11	Simulating shrubs and their energy and carbon dioxide fluxes in Canada's Low Arctic with the Canadian Land Surface Scheme Including Biogeochemical Cycles (CLASSIC). <i>Biogeosciences</i> , 2021, 18, 3263-3283.	1.3	7
12	Characterizing non-stationary compound extreme events in a changing climate based on large-ensemble climate simulations. <i>Climate Dynamics</i> , 2021, 56, 1389-1405.	1.7	28
13	Effectiveness of using representative subsets of global climate models in future crop yield projections. <i>Scientific Reports</i> , 2021, 11, 20565.	1.6	5
14	Machine learning in Earth and environmental science requires education and research policy reforms. <i>Nature Geoscience</i> , 2021, 14, 878-880.	5.4	17
15	Projected changes to moisture loads for design and management of building exteriors over Canada. <i>Building and Environment</i> , 2020, 170, 106609.	3.0	10
16	Bias correction of climate model output for impact models. , 2020, , 77-104.		17
17	Reductions in daily continental-scale atmospheric circulation biases between generations of global climate models: CMIP5 to CMIP6. <i>Environmental Research Letters</i> , 2020, 15, 064006.	2.2	37
18	Disease Risk Forecasting with Bayesian Learning Networks: Application to Grape Powdery Mildew ( <i>Erysiphe necator</i> ) in Vineyards. <i>Agronomy</i> , 2020, 10, 622.	1.3	17

#	ARTICLE	IF	CITATIONS
19	Multi-site bias correction of climate model outputs for hydro-meteorological impact studies: An application over a watershed in China. <i>Hydrological Processes</i> , 2020, 34, 2575-2598.	1.1	20
20	Projected changes to wind loads coinciding with rainfall for building design in Canada based on an ensemble of Canadian regional climate model simulations. <i>Climatic Change</i> , 2020, 162, 821-835.	1.7	7
21	Quantifying the uncertainty introduced by internal climate variability in projections of Canadian crop production. <i>Environmental Research Letters</i> , 2020, 15, 074032.	2.2	17
22	Multivariate bias corrections of climate simulations: which benefits for which losses?. <i>Earth System Dynamics</i> , 2020, 11, 537-562.	2.7	73
23	High-resolution meteorological forcing data for hydrological modelling and climate change impact analysis in the Mackenzie River Basin. <i>Earth System Science Data</i> , 2020, 12, 629-645.	3.7	22
24	Projected changes to risk of wind-driven rain on buildings in Canada under +0.5°C to +3.5°C global warming above the recent period. <i>Climate Risk Management</i> , 2020, 30, 100261.	1.6	4
25	Projected Changes in the Probability Distributions, Seasonality, and Spatiotemporal Scaling of Daily and Subdaily Extreme Precipitation Simulated by a 50-Member Ensemble Over Northeastern North America. <i>Journal of Geophysical Research D: Atmospheres</i> , 2019, 124, 10427-10449.	1.2	21
26	Climatic Controls on Future Hydrologic Changes in a Subarctic River Basin in Canada. <i>Journal of Hydrometeorology</i> , 2019, 20, 1757-1778.	0.7	17
27	Observed and Simulated Precipitation over Northeastern North America: How Do Daily and Subdaily Extremes Scale in Space and Time?. <i>Journal of Climate</i> , 2019, 32, 8563-8582.	1.2	11
28	Projected intensification of sub-daily and daily rainfall extremes in convection-permitting climate model simulations over North America: implications for future intensity-duration-frequency curves. <i>Natural Hazards and Earth System Sciences</i> , 2019, 19, 421-440.	1.5	32
29	Projected changes to extreme freezing precipitation and design ice loads over North America based on a large ensemble of Canadian regional climate model simulations. <i>Natural Hazards and Earth System Sciences</i> , 2019, 19, 857-872.	1.5	31
30	Climate change impacts on Canadian yields of spring wheat, canola and maize for global warming levels of 1.5 °C, 2.0 °C, 2.5 °C and 3.0 °C. <i>Environmental Research Letters</i> , 2019, 14, 074005.	2.2	50
31	A novel approach for selecting extreme climate change scenarios for climate change impact studies. <i>Science of the Total Environment</i> , 2019, 678, 476-485.	3.9	34
32	Effects of univariate and multivariate bias correction on hydrological impact projections in alpine catchments. <i>Hydrology and Earth System Sciences</i> , 2019, 23, 1339-1354.	1.9	63
33	Adjusting climate model bias for agricultural impact assessment: How to cut the mustard. <i>Climate Services</i> , 2019, 13, 65-69.	1.0	22
34	CMIP5 drought projections in Canada based on the Standardized Precipitation Evapotranspiration Index. <i>Canadian Water Resources Journal</i> , 2019, 44, 90-107.	0.5	48
35	Attribution of the Influence of Human-Induced Climate Change on an Extreme Fire Season. <i>Earth's Future</i> , 2019, 7, 2-10.	2.4	159
36	A long-term, temporally consistent, gridded daily meteorological dataset for northwestern North America. <i>Scientific Data</i> , 2019, 6, 180299.	2.4	49

#	ARTICLE	IF	CITATIONS
37	Wetter summers can intensify departures from natural variability in a warming climate. <i>Nature Communications</i> , 2018, 9, 783.	5.8	34
38	Multivariate quantile mapping bias correction: an N-dimensional probability density function transform for climate model simulations of multiple variables. <i>Climate Dynamics</i> , 2018, 50, 31-49.	1.7	290
39	Landscape Based Agricultural Water Demand Modeling—A Tool for Water Management Decision Making in British Columbia, Canada. <i>Frontiers in Environmental Science</i> , 2018, 6, .	1.5	7
40	Transferability of climate simulation uncertainty to hydrological impacts. <i>Hydrology and Earth System Sciences</i> , 2018, 22, 3739-3759.	1.9	26
41	Improving gridded snow water equivalent products in British Columbia, Canada: multi-source data fusion by neural network models. <i>Cryosphere</i> , 2018, 12, 891-905.	1.5	33
42	Estimation of rainfall intensity–duration–frequency curves at ungauged locations using quantile regression methods. <i>Stochastic Environmental Research and Risk Assessment</i> , 2018, 32, 2821-2836.	1.9	25
43	Non-crossing nonlinear regression quantiles by monotone composite quantile regression neural network, with application to rainfall extremes. <i>Stochastic Environmental Research and Risk Assessment</i> , 2018, 32, 3207-3225.	1.9	77
44	Indices of Canada’s future climate for general and agricultural adaptation applications. <i>Climatic Change</i> , 2018, 148, 249-263.	1.7	25
45	ClimDown: Climate Downscaling in R. <i>Journal of Open Source Software</i> , 2018, 3, 360.	2.0	10
46	A closer look at novel climates: new methods and insights at continental to landscape scales. <i>Global Change Biology</i> , 2017, 23, 3934-3955.	4.2	88
47	Modelling changing suitability for tree fruits in complex terrain. <i>Acta Horticulturae</i> , 2017, , 207-214.	0.1	14
48	Complexity in estimating past and future extreme short-duration rainfall. <i>Nature Geoscience</i> , 2017, 10, 255-259.	5.4	193
49	Variable complexity online sequential extreme learning machine, with applications to streamflow prediction. <i>Journal of Hydrology</i> , 2017, 555, 983-994.	2.3	30
50	Projecting future nonstationary extreme streamflow for the Fraser River, Canada. <i>Climatic Change</i> , 2017, 145, 289-303.	1.7	20
51	Attributing extreme fire risk in Western Canada to human emissions. <i>Climatic Change</i> , 2017, 144, 365-379.	1.7	92
52	Intercomparison of multiple statistical downscaling methods: multi-criteria model selection for South Korea. <i>Stochastic Environmental Research and Risk Assessment</i> , 2017, 31, 683-703.	1.9	18
53	Evaluating hourly air quality forecasting in Canada with nonlinear updatable machine learning methods. <i>Air Quality, Atmosphere and Health</i> , 2017, 10, 195-211.	1.5	47
54	Intercomparison of projected changes in climate extremes for South Korea: application of trend preserving statistical downscaling methods to the CMIP5 ensemble. <i>International Journal of Climatology</i> , 2017, 37, 3381-3397.	1.5	81

#	ARTICLE	IF	CITATIONS
55	Hydrologic extremes – an intercomparison of multiple gridded statistical downscaling methods. <i>Hydrology and Earth System Sciences</i> , 2016, 20, 1483-1508.	1.9	109
56	Multivariate Bias Correction of Climate Model Output: Matching Marginal Distributions and Interveriable Dependence Structure. <i>Journal of Climate</i> , 2016, 29, 7045-7064.	1.2	134
57	Comparison of gridded snow water equivalent products with in situ measurements in British Columbia, Canada. <i>Journal of Hydrology</i> , 2016, 541, 714-726.	2.3	33
58	Forecasting daily streamflow using online sequential extreme learning machines. <i>Journal of Hydrology</i> , 2016, 537, 431-443.	2.3	92
59	Crop yield forecasting on the Canadian Prairies by remotely sensed vegetation indices and machine learning methods. <i>Agricultural and Forest Meteorology</i> , 2016, 218-219, 74-84.	1.9	188
60	Bayesian Neural Networks Based Bootstrap Aggregating for Tropical Cyclone Tracks Prediction in South China Sea. <i>Lecture Notes in Computer Science</i> , 2016, , 475-482.	1.0	4
61	Future changes in autumn atmospheric river events in British Columbia, Canada, as projected by CMIP5 global climate models. <i>Journal of Geophysical Research D: Atmospheres</i> , 2015, 120, 9279-9302.	1.2	64
62	Revisiting the nonlinear relationship between ENSO and winter extreme station precipitation in North America. <i>International Journal of Climatology</i> , 2015, 35, 4001-4014.	1.5	24
63	A Dynamical Climate Model-Driven Hydrologic Prediction System for the Fraser River, Canada. <i>Journal of Hydrometeorology</i> , 2015, 16, 1273-1292.	0.7	11
64	Historical trends and extremes in boreal Alaska river basins. <i>Journal of Hydrology</i> , 2015, 527, 590-607.	2.3	42
65	An intercomparison of regional and at-site rainfall extreme value analyses in southern British Columbia, Canada. <i>Canadian Journal of Civil Engineering</i> , 2015, 42, 107-119.	0.7	7
66	Selecting GCM Scenarios that Span the Range of Changes in a Multimodel Ensemble: Application to CMIP5 Climate Extremes Indices*. <i>Journal of Climate</i> , 2015, 28, 1260-1267.	1.2	132
67	Bias Correction of GCM Precipitation by Quantile Mapping: How Well Do Methods Preserve Changes in Quantiles and Extremes?. <i>Journal of Climate</i> , 2015, 28, 6938-6959.	1.2	743
68	Nonlinear regression in environmental sciences using extreme learning machines: A comparative evaluation. <i>Environmental Modelling and Software</i> , 2015, 73, 175-188.	1.9	68
69	Maize yield forecasting by linear regression and artificial neural networks in Jilin, China. <i>Journal of Agricultural Science</i> , 2015, 153, 399-410.	0.6	61
70	An evaluation of single-site statistical downscaling techniques in terms of indices of climate extremes for the Midwest of Iran. <i>Theoretical and Applied Climatology</i> , 2015, 120, 377-390.	1.3	13
71	Evaluation of Linear and Non-Linear Downscaling Methods in Terms of Daily Variability and Climate Indices: Surface Temperature in Southern Ontario and Quebec, Canada. <i>Atmosphere - Ocean</i> , 2014, 52, 211-221.	0.6	14
72	Comparison of statistically downscaled precipitation in terms of future climate indices and daily variability for southern Ontario and Quebec, Canada. <i>Climate Dynamics</i> , 2014, 43, 3201-3217.	1.7	35

#	ARTICLE	IF	CITATIONS
73	Statistical emulation of streamflow projections from a distributed hydrological model: Application to CMIP3 and CMIP5 climate projections for British Columbia, Canada. <i>Water Resources Research</i> , 2014, 50, 8907-8926.	1.7	31
74	Classification and Conceptual Models for Heavy Snowfall Events over East Vancouver Island of British Columbia, Canada. <i>Weather and Forecasting</i> , 2013, 28, 1219-1240.	0.5	6
75	Validation of historical and future statistically downscaled pseudo-observed surface wind speeds in terms of annual climate indices and daily variability. <i>Renewable Energy</i> , 2013, 51, 489-496.	4.3	12
76	Nonlinear regression in environmental sciences by support vector machines combined with evolutionary strategy. <i>Computers and Geosciences</i> , 2013, 50, 136-144.	2.0	31
77	Downscaling Extremes: An Intercomparison of Multiple Methods for Future Climate. <i>Journal of Climate</i> , 2013, 26, 3429-3449.	1.2	98
78	Downscaling Extremes—An Intercomparison of Multiple Statistical Methods for Present Climate. <i>Journal of Climate</i> , 2012, 25, 4366-4388.	1.2	154
79	Lapse Rate Adjustments of Gridded Surface Temperature Normals in an Area of Complex Terrain: Atmospheric Reanalysis versus Statistical Up-Sampling. <i>Atmosphere - Ocean</i> , 2012, 50, 9-16.	0.6	3
80	Downscaling temperature and precipitation using support vector regression with evolutionary strategy. , 2012, , .		5
81	Regression-Guided Clustering: A Semisupervised Method for Circulation-to-Environment Synoptic Classification. <i>Journal of Applied Meteorology and Climatology</i> , 2012, 51, 185-190.	0.6	20
82	KÄppen versus the computer: comparing KÄppen-Geiger and multivariate regression tree climate classifications in terms of climate homogeneity. <i>Hydrology and Earth System Sciences</i> , 2012, 16, 217-229.	1.9	15
83	Using a Down-Scaled Bioclimate Envelope Model to Determine Long-Term Temporal Connectivity of Garry oak ( <i>Quercus garryana</i> ) Habitat in Western North America: Implications for Protected Area Planning. <i>Environmental Management</i> , 2012, 49, 802-815.	1.2	17
84	Neural networks for probabilistic environmental prediction: Conditional Density Estimation Network Creation and Evaluation (CaDENCE) in R. <i>Computers and Geosciences</i> , 2012, 41, 126-135.	2.0	31
85	Daily streamflow forecasting by machine learning methods with weather and climate inputs. <i>Journal of Hydrology</i> , 2012, 414-415, 284-293.	2.3	190
86	Semi-supervised multivariate regression trees: putting the "circulation" back into a "circulation-to-environment" synoptic classifier. <i>International Journal of Climatology</i> , 2012, 32, 2251-2254.	1.5	2
87	Downscaling and visioning of mountain snow packs and other climate change implications in North Vancouver, British Columbia. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2012, 17, 25-49.	1.0	21
88	Quantile regression neural networks: Implementation in R and application to precipitation downscaling. <i>Computers and Geosciences</i> , 2011, 37, 1277-1284.	2.0	256
89	GEVcdn: An R package for nonstationary extreme value analysis by generalized extreme value conditional density estimation network. <i>Computers and Geosciences</i> , 2011, 37, 1532-1533.	2.0	22
90	Seasonal Modulations of the Active MJO Cycle Characterized by Nonlinear Principal Component Analysis. <i>Monthly Weather Review</i> , 2011, 139, 2259-2275.	0.5	3

#	ARTICLE	IF	CITATIONS
91	The potential impact of climate change on the occurrence of winter freeze events in six fruit crops grown in the Okanagan Valley. <i>Canadian Journal of Plant Science</i> , 2010, 90, 85-93.	0.3	20
92	A flexible nonlinear modelling framework for nonstationary generalized extreme value analysis in hydroclimatology. <i>Hydrological Processes</i> , 2010, 24, 673-685.	1.1	110
93	Short Lead-Time Streamflow Forecasting by Machine Learning Methods, with Climate Variability Incorporated. , 2010, , .		3
94	Variability in simulated recharge using different GCMs. <i>Water Resources Research</i> , 2010, 46, .	1.7	70
95	Negative ridge regression parameters for improving the covariance structure of multivariate linear downscaling models. <i>International Journal of Climatology</i> , 2009, 29, 761-769.	1.5	17
96	Coupled modelling of glacier and streamflow response to future climate scenarios. <i>Water Resources Research</i> , 2008, 44, .	1.7	199
97	A comparison of bayesian and conditional density models in probabilistic ozone forecasting. , 2008, , .		0
98	Probabilistic Multisite Precipitation Downscaling by an Expanded Bernoulliâ€Gamma Density Network. <i>Journal of Hydrometeorology</i> , 2008, 9, 1284-1300.	0.7	95
99	Robust nonlinear canonical correlation analysis: application to seasonal climate forecasting. <i>Nonlinear Processes in Geophysics</i> , 2008, 15, 221-232.	0.6	25
100	Towards Robust Nonlinear Multivariate Analysis by Neural Network Methods. <i>Lecture Notes in Earth Sciences</i> , 2008, , 97-124.	0.5	6
101	Groundwaterâ€surface water interaction under scenarios of climate change using a high-resolution transient groundwater model. <i>Journal of Hydrology</i> , 2007, 333, 165-181.	2.3	207
102	Multi-site precipitation downscaling via an expanded conditional density network. <i>Nature Precedings</i> , 2007, , .	0.1	1
103	Nonlinear analog predictor analysis: A coupled neural network/analog model for climate downscaling. <i>Neural Networks</i> , 2007, 20, 444-453.	3.3	16
104	Changes in seasonal patterns of temperature and precipitation in China during 1971â€2000. <i>Advances in Atmospheric Sciences</i> , 2007, 24, 459-473.	1.9	13
105	Recent Variations in Temperature, Precipitation, and Streamflow in the Rio Grande and Pecos River Basins of New Mexico and Colorado. <i>Reviews in Fisheries Science</i> , 2006, 14, 51-78.	2.1	4
106	Nonlinear Principal Predictor Analysis: Application to the Lorenz System. <i>Journal of Climate</i> , 2006, 19, 579-589.	1.2	8
107	Influence of Pacific Climate Patterns on Low-Flows in British Columbia and Yukon, Canada. <i>Canadian Water Resources Journal</i> , 2006, 31, 25-40.	0.5	26
108	A Hybrid Neural Network/Analog Model for Climate Downscaling. , 2006, , .		0



#	ARTICLE	IF	CITATIONS
109	Defining climatological seasons using radially constrained clustering. <i>Geophysical Research Letters</i> , 2005, 32, n/a-n/a.	1.5	5
110	Changes in the Seasonal Cycle in the Circumpolar Arctic, 1976-95: Temperature and Precipitation. <i>Arctic</i> , 2004, 57, .	0.2	13
111	Modelling Future Streamflow Extremes " Floods and Low Flows in Georgia Basin, British Columbia. <i>Canadian Water Resources Journal</i> , 2003, 28, 633-656.	0.5	34
112	Modelling Streamflow in Present and Future Climates: Examples from the Georgia Basin, British Columbia. <i>Canadian Water Resources Journal</i> , 2002, 27, 427-456.	0.5	44
113	Synoptic Map-Pattern Classification Using Recursive Partitioning and Principal Component Analysis. <i>Monthly Weather Review</i> , 2002, 130, 1187-1206.	0.5	47
114	Downscaling recent streamflow conditions in British Columbia, Canada using ensemble neural network models. <i>Journal of Hydrology</i> , 2002, 259, 136-151.	2.3	171
115	A graphical sensitivity analysis for statistical climate models: application to Indian monsoon rainfall prediction by artificial neural networks and multiple linear regression models. <i>International Journal of Climatology</i> , 2002, 22, 1687-1708.	1.5	47
116	Recent variations in seasonality of temperature and precipitation in Canada, 1976-95. <i>International Journal of Climatology</i> , 2002, 22, 1617-1644.	1.5	38
117	MODELING TRANSIENT pH DEPRESSIONS IN COASTAL STREAMS OF BRITISH COLUMBIA USING NEURAL NETWORKS. <i>Journal of the American Water Resources Association</i> , 2001, 37, 73-89.	1.0	17
118	Recent Variations in Climate and Hydrology in Canada. <i>Canadian Water Resources Journal</i> , 2000, 25, 19-65.	0.5	135
119	Forecasting Summertime Surface-Level Ozone Concentrations in the Lower Fraser Valley of British Columbia: An Ensemble Neural Network Approach. <i>Journal of the Air and Waste Management Association</i> , 2000, 50, 322-339.	0.9	39
120	Forecasting all-India summer monsoon rainfall using regional circulation principal components: a comparison between neural network and multiple regression models. <i>International Journal of Climatology</i> , 1999, 19, 1561-1578.	1.5	19
121	Nonlinear principal predictor analysis using neural networks. , 0, , .		1
122	The occurrence of winter-freeze events in fruit crops grown in the Okanagan Valley and the potential impact of climate change.. , 0, , 190-197.		2
123	Climate change impacts on linkages between atmospheric blocking and North American winter cold spells in CanESM2 and CanESM5. <i>Climate Dynamics</i> , 0, , .	1.7	2