Jerzy Gasowski

List of Publications by Citations

Source: https://exaly.com/author-pdf/6236024/jerzy-gasowski-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72 2,419 15 48 g-index

83 2,867 4.4 4.24 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
72	Risks of untreated and treated isolated systolic hypertension in the elderly: meta-analysis of outcome trials. <i>Lancet, The</i> , 2000 , 355, 865-72	40	940
71	Pulse pressure not mean pressure determines cardiovascular risk in older hypertensive patients. <i>Archives of Internal Medicine</i> , 2000 , 160, 1085-9		415
70	Response to antihypertensive therapy in older patients with sustained and nonsustained systolic hypertension. Systolic Hypertension in Europe (Syst-Eur) Trial Investigators. <i>Circulation</i> , 2000 , 102, 113	39-44 ⁷	232
69	Pulsatile blood pressure component as predictor of mortality in hypertension: a meta-analysis of clinical trial control groups. <i>Journal of Hypertension</i> , 2002 , 20, 145-51	1.9	104
68	Arterial stiffness, central hemodynamics, and cardiovascular risk in hypertension. <i>Vascular Health and Risk Management</i> , 2011 , 7, 725-39	4.4	73
67	Severe frailty and cognitive impairment are related to higher mortality in 12-month follow-up of nursing home residents. <i>Archives of Gerontology and Geriatrics</i> , 2012 , 55, 22-4	4	60
66	Reference values in white Europeans for the arterial pulse wave recorded by means of the SphygmoCor device. <i>Hypertension Research</i> , 2006 , 29, 475-83	4.7	57
65	Treatment of isolated systolic hypertension in the elderly: further evidence from the systolic hypertension in Europe (Syst-Eur) trial. <i>American Journal of Cardiology</i> , 1998 , 82, 20R-22R	3	52
64	High disease activity in ankylosing spondylitis is associated with increased serum sclerostin level and decreased wingless protein-3a signaling but is not linked with greater structural damage. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 99	2.8	37
63	The prevalence of falls and their relation to visual and hearing impairments among a nation-wide cohort of older Poles. <i>Experimental Gerontology</i> , 2013 , 48, 140-6	4.5	37
62	Application of ultrasound for muscle assessment in sarcopenia: 2020 SARCUS update. <i>European Geriatric Medicine</i> , 2021 , 12, 45-59	3	29
61	Post-COVID-19 acute sarcopenia: physiopathology and management. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 2887-2898	4.8	28
60	Hypertension in the elderly: some practical considerations. <i>Cleveland Clinic Journal of Medicine</i> , 2012 , 79, 694-704	2.8	27
59	Arterial characteristics in normotensive offspring of parents with or without a history of hypertension. <i>American Journal of Hypertension</i> , 2006 , 19, 264-9	2.3	27
58	2015 guidelines for the management of hypertension. Recommendations of the Polish Society of Hypertension - short version. <i>Kardiologia Polska</i> , 2015 , 73, 676-700	0.9	17
57	Is "usual" blood pressure a proxy for 24-h ambulatory blood pressure in predicting cardiovascular outcomes?. <i>American Journal of Hypertension</i> , 2008 , 21, 994-1000	2.3	15
56	Subclinical arterial and cardiac damage in white-coat and masked hypertension. <i>Blood Pressure</i> , 2016 , 25, 249-56	1.7	14

55	Risk Factors for Frailty and Cardiovascular Diseases: Are They the Same?. <i>Advances in Experimental Medicine and Biology</i> , 2020 , 1216, 39-50	3.6	12
54	Reduction of 24-h blood pressure variability in extreme obese patients 10 days and 6 months after bariatric surgery depending on pre-existing hypertension. <i>European Journal of Internal Medicine</i> , 2019 , 60, 39-45	3.9	12
53	Unmet needs, health policies, and actions during the COVID-19 pandemic: a report from six European countries. <i>European Geriatric Medicine</i> , 2021 , 12, 193-204	3	12
52	Disparate effects of anti-TNF-Itherapies on measures of disease activity and mediators of endothelial damage in ankylosing spondylitis. <i>Pharmacological Reports</i> , 2013 , 65, 891-7	3.9	11
51	Antioxidative protection in hypertensive patients treated with diuretics. <i>American Journal of Hypertension</i> , 2005 , 18, 1130-2	2.3	11
50	Benefit of antihypertensive treatment in the diabetic patients enrolled in the Systolic Hypertension in Europe (Syst-Eur) trial. <i>Cardiovascular Drugs and Therapy</i> , 2000 , 14, 49-53	3.9	11
49	The comparison of the 1972 Hodkinson's Abbreviated Mental Test Score (AMTS) and its variants in screening for cognitive impairment. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 561-566	4.8	10
48	Subclinical Mood and Cognition Impairments and Blood Pressure Control in a Large Cohort of Elderly Hypertensives. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 864.e17-22	5.9	10
47	Sarcopenia in Acute Care Patients: Protocol for the European Collaboration of Geriatric Surveys: Sarcopenia 9+ EAMA Project. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, e1-e3	5.9	9
46	The FGA Thr312Ala polymorphism and risk of intracerebral haemorrhage in Polish and Greek populations. <i>Neurologia I Neurochirurgia Polska</i> , 2014 , 48, 105-10	1	9
45	The relation of rapid changes in obesity measures to lipid profile - insights from a nationwide metabolic health survey in 444 Polish cities. <i>PLoS ONE</i> , 2014 , 9, e86837	3.7	8
44	Toward a geriatric approach to patients with advanced age and cardiovascular diseases: position statement of the EuGMS Special Interest Group on Cardiovascular Medicine. <i>European Geriatric Medicine</i> , 2020 , 11, 179-184	3	7
43	Vitamin D serum concentration is not related to the activity of spondyloarthritis - preliminary study. <i>Reumatologia</i> , 2018 , 56, 388-391	1.7	7
42	Twenty-four-hour and conventional blood pressure components and risk of preterm delivery or neonatal complications in gestational hypertension. <i>Blood Pressure</i> , 2009 , 18, 36-43	1.7	6
41	Antioxidants modify the relationship between endothelin-1 level and glucose metabolism-associated parameters. <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 1229-33	12.7	6
40	The absolute number of circulating nonclassical (CD14+CD16++) monocytes negatively correlates with DAS28 and swollen joint count in patients with peripheral spondyloarthritis. <i>Polish Archives of Internal Medicine</i> , 2017 , 127, 846-853	1.9	6
39	Insulin Resistance and Renal Sodium Handling Influence Arterial Stiffness in Hypertensive Patients with Prevailing Sodium Intake. <i>American Journal of Hypertension</i> , 2019 , 32, 848-857	2.3	5
38	The relation between blood pressure components and left atrial volume in the context of left ventricular mass index. <i>Medicine (United States)</i> , 2017 , 96, e9459	1.8	5

37	Factors associated with resistant hypertension in a large cohort of hypertensive patients: the Pol-Fokus study. <i>Polish Archives of Internal Medicine</i> , 2015 , 125, 249-59	1.9	5
36	Relationship between gender and clinical characteristics, associated factors, and hypertension treatment in patients with resistant hypertension. <i>Kardiologia Polska</i> , 2017 , 75, 421-431	0.9	5
35	High Leukocyte Count and Risk of Poor Outcome After Subarachnoid Hemorrhage: AlMeta-Analysis. <i>World Neurosurgery</i> , 2020 , 135, e541-e547	2.1	5
34	Blood pressure, arterial stiffness and endogenous lithium clearance in relation to AGTR1 A1166C and AGTR2 G1675A gene polymorphisms. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2016 , 17, 1470320316655669	3	5
33	Analysis of Anterior Cerebral Artery Tortuosity: Association with Anterior Communicating Artery Aneurysm Rupture. <i>World Neurosurgery</i> , 2019 , 122, e480-e486	2.1	5
32	SARC-F as a case-finding tool for sarcopenia according to the EWGSOP2. National validation and comparison with other diagnostic standards. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 1821-1	18 2 9	5
31	Increased tortuosity of basilar artery might be associated with higher risk of aneurysm development. <i>European Radiology</i> , 2020 , 30, 5625-5632	8	4
30	Clinical trials in isolated systolic hypertension. Current Hypertension Reports, 1999 , 1, 387-93	4.7	4
29	Sera of patients with axial spondyloarthritis (axSpA) enhance osteoclastogenic potential of monocytes isolated from healthy individuals. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 434	2.8	4
28	Increased tortuosity of ACA might be associated with increased risk of ACoA aneurysm development and less aneurysm dome size: a computer-aided analysis. <i>European Radiology</i> , 2019 , 29, 6309-6318	8	3
27	Are ACE inhibitors acceptable ingredients in polypills?. Lancet, The, 2017, 390, 26	40	3
26	Heart failure and atrial fibrillationdoes practice meet the anticoagulation guidelines?. <i>International Journal of Cardiology</i> , 2012 , 157, 274-5	3.2	3
25	Pulse wave velocity in patients with coronary artery disease or type 2 diabetes mellitus. <i>Acta Cardiologica</i> , 2006 , 61, 421-6	0.9	3
24	The usefulness of SARC-F. Aging Clinical and Experimental Research, 2021, 33, 2307	4.8	3
23	Acute sarcopenia changes following hospitalization: influence of pre-admission care dependency level. <i>Age and Ageing</i> , 2021 , 50, 2140-2146	3	3
22	Arterial stiffness and frailty - A systematic review and metaanalysis. <i>Experimental Gerontology</i> , 2021 , 153, 111480	4.5	3
21	The relation between ACE D/I and CYP11B2 C-344T polymorphisms and parameters of arterial stiffness in the context of renal sodium handling. <i>Blood Pressure</i> , 2015 , 24, 306-16	1.7	2
20	Identification of potential prognostic factors for absence of residual disease in the second resection of T1 bladder cancer. <i>Central European Journal of Urology</i> , 2019 , 72, 252-257	0.9	2

19	Hypertension in the elderly: Change of, or new implications within the existing, paradigm?. <i>European Geriatric Medicine</i> , 2017 , 8, 289-292	3	2
18	Potentially positive ageing-related variations of medial smooth muscle cells in the saphenous veins used as aortocoronary bypass grafts. <i>Folia Histochemica Et Cytobiologica</i> , 2016 , 54, 91-98	1.4	2
17	Post-occlusive reactive hyperemic response of skin microcirculation among extremely obese patients in the short and long term after bariatric surgery. <i>Microcirculation</i> , 2020 , 27, e12600	2.9	2
16	Clinical examination of peripheral arterial disease and ankle-brachial index in a nationwide cohort of older subjects: practical implications. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 1443-1449	4.8	2
15	Computer-Assisted Analysis of Intracerebral Hemorrhage Shape and Density. <i>World Neurosurgery</i> , 2018 , 120, e863-e869	2.1	2
14	Short-term antihypertensive efficacy of perindopril according to clinical profile of 3,188 patients: A meta-analysis. <i>Cardiology Journal</i> , 2010 , 17, 259-66	1.4	2
13	Highlights of the 14th International Congress of the European Geriatric Medicine Society. <i>European Geriatric Medicine</i> , 2019 , 10, 995-998	3	1
12	Cardiovascular risk factors as determinants of cerebral blood flow - a cross-sectional and 6-year follow-up study. <i>Blood Pressure</i> , 2020 , 29, 182-190	1.7	1
11	Daytime, home and office blood pressures in treated hypertensive patients according to accretion of cardiovascular risk. <i>Blood Pressure</i> , 2006 , 15, 354-61	1.7	1
10	Disparate effects of ankle-brachial index on mortality in the Tvery oldTand Tyounger oldT populations-the PolSenior survey. <i>Heart and Vessels</i> , 2021 , 1	2.1	1
9	Pharmacological management of hypertension in the elderlycertitudes and controversies. <i>Current Pharmaceutical Design</i> , 2014 , 20, 5963-7	3.3	1
8	Pulse Wave Velocity and Sarcopenia in Older Persons Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6477	4.6	1
7	Safety vs Efficacy of Lowering Blood Pressure. <i>JAMA Cardiology</i> , 2017 , 2, 1398	16.2	
6	Author's Reply: Issues regarding ambulatory blood pressure measurement in severely obese population: The guilty upper-arm's cover sheet has been updated accordingly. <i>European Journal of Internal Medicine</i> , 2019 , 64, e13	3.9	
5	Results from Polish Spondyloarthritis Initiative registry (PolSPI) - methodology and data from - the first year of observation. <i>Reumatologia</i> , 2017 , 55, 59-64	1.7	
4	Systolic swing of the pendulum: relation between hypertension and heart failure revisited. <i>Hypertension</i> , 2009 , 53, 452-3	8.5	
3	Conventional and 24-h ambulatory blood pressure as independent predictors of elastic arterial properties. <i>Blood Pressure Monitoring</i> , 2009 , 14, 12-9	1.3	
2	Treatment of isolated systolic hypertension in the elderly: evidence from three clinical trials. European Journal of Internal Medicine, 1999 , 10, 82-87	3.9	

EuGMS 2019 Congress report: evidence-based medicine in geriatrics. *European Geriatric Medicine*, **2020**, 11, 915-918

3