

Jerzy Gasowski

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6236024/jerzy-gasowski-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

2,419
citations

15
h-index

48
g-index

83
ext. papers

2,867
ext. citations

4.4
avg, IF

4.24
L-index

#	Paper	IF	Citations
72	Pulse Wave Velocity and Sarcopenia in Older Persons – A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6477	4.6	1
71	Disparate effects of ankle-brachial index on mortality in the Very old and Younger old populations-the PolSenior survey. <i>Heart and Vessels</i> , 2021 , 1	2.1	1
70	The usefulness of SARC-F. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 2307	4.8	3
69	Unmet needs, health policies, and actions during the COVID-19 pandemic: a report from six European countries. <i>European Geriatric Medicine</i> , 2021 , 12, 193-204	3	12
68	SARC-F as a case-finding tool for sarcopenia according to the EWGSOP2. National validation and comparison with other diagnostic standards. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 1821-1829	4.8	5
67	Application of ultrasound for muscle assessment in sarcopenia: 2020 SARCUS update. <i>European Geriatric Medicine</i> , 2021 , 12, 45-59	3	29
66	Post-COVID-19 acute sarcopenia: physiopathology and management. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 2887-2898	4.8	28
65	Acute sarcopenia changes following hospitalization: influence of pre-admission care dependency level. <i>Age and Ageing</i> , 2021 , 50, 2140-2146	3	3
64	Arterial stiffness and frailty - A systematic review and metaanalysis. <i>Experimental Gerontology</i> , 2021 , 153, 111480	4.5	3
63	Increased tortuosity of basilar artery might be associated with higher risk of aneurysm development. <i>European Radiology</i> , 2020 , 30, 5625-5632	8	4
62	Cardiovascular risk factors as determinants of cerebral blood flow - a cross-sectional and 6-year follow-up study. <i>Blood Pressure</i> , 2020 , 29, 182-190	1.7	1
61	Risk Factors for Frailty and Cardiovascular Diseases: Are They the Same?. <i>Advances in Experimental Medicine and Biology</i> , 2020 , 1216, 39-50	3.6	12
60	High Leukocyte Count and Risk of Poor Outcome After Subarachnoid Hemorrhage: A Meta-Analysis. <i>World Neurosurgery</i> , 2020 , 135, e541-e547	2.1	5
59	Toward a geriatric approach to patients with advanced age and cardiovascular diseases: position statement of the EuGMS Special Interest Group on Cardiovascular Medicine. <i>European Geriatric Medicine</i> , 2020 , 11, 179-184	3	7
58	Post-occlusive reactive hyperemic response of skin microcirculation among extremely obese patients in the short and long term after bariatric surgery. <i>Microcirculation</i> , 2020 , 27, e12600	2.9	2
57	EuGMS 2019 Congress report: evidence-based medicine in geriatrics. <i>European Geriatric Medicine</i> , 2020 , 11, 915-918	3	
56	Highlights of the 14th International Congress of the European Geriatric Medicine Society. <i>European Geriatric Medicine</i> , 2019 , 10, 995-998	3	1

55	Author's Reply: Issues regarding ambulatory blood pressure measurement in severely obese population: The guilty upper-arm item cover sheet has been updated accordingly. <i>European Journal of Internal Medicine</i> , 2019 , 64, e13	3.9	
54	Sarcopenia in Acute Care Patients: Protocol for the European Collaboration of Geriatric Surveys: Sarcopenia 9+ EAMA Project. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, e1-e3	5.9	9
53	Increased tortuosity of ACA might be associated with increased risk of ACoA aneurysm development and less aneurysm dome size: a computer-aided analysis. <i>European Radiology</i> , 2019 , 29, 6309-6318	8	3
52	Insulin Resistance and Renal Sodium Handling Influence Arterial Stiffness in Hypertensive Patients with Prevailing Sodium Intake. <i>American Journal of Hypertension</i> , 2019 , 32, 848-857	2.3	5
51	The comparison of the 1972 Hodkinson's Abbreviated Mental Test Score (AMTS) and its variants in screening for cognitive impairment. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 561-566	4.8	10
50	Identification of potential prognostic factors for absence of residual disease in the second resection of T1 bladder cancer. <i>Central European Journal of Urology</i> , 2019 , 72, 252-257	0.9	2
49	Clinical examination of peripheral arterial disease and ankle-brachial index in a nationwide cohort of older subjects: practical implications. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 1443-1449	4.8	2
48	Analysis of Anterior Cerebral Artery Tortuosity: Association with Anterior Communicating Artery Aneurysm Rupture. <i>World Neurosurgery</i> , 2019 , 122, e480-e486	2.1	5
47	Reduction of 24-h blood pressure variability in extreme obese patients 10 days and 6 months after bariatric surgery depending on pre-existing hypertension. <i>European Journal of Internal Medicine</i> , 2019 , 60, 39-45	3.9	12
46	Vitamin D serum concentration is not related to the activity of spondyloarthritis - preliminary study. <i>Reumatologia</i> , 2018 , 56, 388-391	1.7	7
45	Sera of patients with axial spondyloarthritis (axSpA) enhance osteoclastogenic potential of monocytes isolated from healthy individuals. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 434	2.8	4
44	Computer-Assisted Analysis of Intracerebral Hemorrhage Shape and Density. <i>World Neurosurgery</i> , 2018 , 120, e863-e869	2.1	2
43	Safety vs Efficacy of Lowering Blood Pressure. <i>JAMA Cardiology</i> , 2017 , 2, 1398	16.2	
42	Are ACE inhibitors acceptable ingredients in polypills?. <i>Lancet, The</i> , 2017 , 390, 26	4.0	3
41	The relation between blood pressure components and left atrial volume in the context of left ventricular mass index. <i>Medicine (United States)</i> , 2017 , 96, e9459	1.8	5
40	Results from Polish Spondyloarthritis Initiative registry (PolSPI) - methodology and data from - the first year of observation. <i>Reumatologia</i> , 2017 , 55, 59-64	1.7	
39	The absolute number of circulating nonclassical (CD14+CD16++) monocytes negatively correlates with DAS28 and swollen joint count in patients with peripheral spondyloarthritis. <i>Polish Archives of Internal Medicine</i> , 2017 , 127, 846-853	1.9	6
38	Hypertension in the elderly: Change of, or new implications within the existing, paradigm?. <i>European Geriatric Medicine</i> , 2017 , 8, 289-292	3	2

37	Relationship between gender and clinical characteristics, associated factors, and hypertension treatment in patients with resistant hypertension. <i>Kardiologia Polska</i> , 2017 , 75, 421-431	0.9	5
36	Subclinical arterial and cardiac damage in white-coat and masked hypertension. <i>Blood Pressure</i> , 2016 , 25, 249-56	1.7	14
35	Potentially positive ageing-related variations of medial smooth muscle cells in the saphenous veins used as aortocoronary bypass grafts. <i>Folia Histochemica Et Cytobiologica</i> , 2016 , 54, 91-98	1.4	2
34	Subclinical Mood and Cognition Impairments and Blood Pressure Control in a Large Cohort of Elderly Hypertensives. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 864.e17-22	5.9	10
33	Blood pressure, arterial stiffness and endogenous lithium clearance in relation to AGTR1 A1166C and AGTR2 G1675A gene polymorphisms. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2016 , 17, 1470320316655669	3	5
32	The relation between ACE D/I and CYP11B2 C-344T polymorphisms and parameters of arterial stiffness in the context of renal sodium handling. <i>Blood Pressure</i> , 2015 , 24, 306-16	1.7	2
31	2015 guidelines for the management of hypertension. Recommendations of the Polish Society of Hypertension - short version. <i>Kardiologia Polska</i> , 2015 , 73, 676-700	0.9	17
30	Factors associated with resistant hypertension in a large cohort of hypertensive patients: the Pol-Fokus study. <i>Polish Archives of Internal Medicine</i> , 2015 , 125, 249-59	1.9	5
29	The FGA Thr312Ala polymorphism and risk of intracerebral haemorrhage in Polish and Greek populations. <i>Neurologia I Neurochirurgia Polska</i> , 2014 , 48, 105-10	1	9
28	The relation of rapid changes in obesity measures to lipid profile - insights from a nationwide metabolic health survey in 444 Polish cities. <i>PLoS ONE</i> , 2014 , 9, e86837	3.7	8
27	Pharmacological management of hypertension in the elderly--certitudes and controversies. <i>Current Pharmaceutical Design</i> , 2014 , 20, 5963-7	3.3	1
26	High disease activity in ankylosing spondylitis is associated with increased serum sclerostin level and decreased wingless protein-3a signaling but is not linked with greater structural damage. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 99	2.8	37
25	The prevalence of falls and their relation to visual and hearing impairments among a nation-wide cohort of older Poles. <i>Experimental Gerontology</i> , 2013 , 48, 140-6	4.5	37
24	Disparate effects of anti-TNF- α therapies on measures of disease activity and mediators of endothelial damage in ankylosing spondylitis. <i>Pharmacological Reports</i> , 2013 , 65, 891-7	3.9	11
23	Hypertension in the elderly: some practical considerations. <i>Cleveland Clinic Journal of Medicine</i> , 2012 , 79, 694-704	2.8	27
22	Severe frailty and cognitive impairment are related to higher mortality in 12-month follow-up of nursing home residents. <i>Archives of Gerontology and Geriatrics</i> , 2012 , 55, 22-4	4	60
21	Heart failure and atrial fibrillation--does practice meet the anticoagulation guidelines?. <i>International Journal of Cardiology</i> , 2012 , 157, 274-5	3.2	3
20	Arterial stiffness, central hemodynamics, and cardiovascular risk in hypertension. <i>Vascular Health and Risk Management</i> , 2011 , 7, 725-39	4.4	73

19	Short-term antihypertensive efficacy of perindopril according to clinical profile of 3,188 patients: A meta-analysis. <i>Cardiology Journal</i> , 2010 , 17, 259-66	1.4	2
18	Twenty-four-hour and conventional blood pressure components and risk of preterm delivery or neonatal complications in gestational hypertension. <i>Blood Pressure</i> , 2009 , 18, 36-43	1.7	6
17	Systolic swing of the pendulum: relation between hypertension and heart failure revisited. <i>Hypertension</i> , 2009 , 53, 452-3	8.5	
16	Antioxidants modify the relationship between endothelin-1 level and glucose metabolism-associated parameters. <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 1229-33	12.7	6
15	Conventional and 24-h ambulatory blood pressure as independent predictors of elastic arterial properties. <i>Blood Pressure Monitoring</i> , 2009 , 14, 12-9	1.3	
14	Is "usual" blood pressure a proxy for 24-h ambulatory blood pressure in predicting cardiovascular outcomes?. <i>American Journal of Hypertension</i> , 2008 , 21, 994-1000	2.3	15
13	Daytime, home and office blood pressures in treated hypertensive patients according to accretion of cardiovascular risk. <i>Blood Pressure</i> , 2006 , 15, 354-61	1.7	1
12	Reference values in white Europeans for the arterial pulse wave recorded by means of the SphygmoCor device. <i>Hypertension Research</i> , 2006 , 29, 475-83	4.7	57
11	Arterial characteristics in normotensive offspring of parents with or without a history of hypertension. <i>American Journal of Hypertension</i> , 2006 , 19, 264-9	2.3	27
10	Pulse wave velocity in patients with coronary artery disease or type 2 diabetes mellitus. <i>Acta Cardiologica</i> , 2006 , 61, 421-6	0.9	3
9	Antioxidative protection in hypertensive patients treated with diuretics. <i>American Journal of Hypertension</i> , 2005 , 18, 1130-2	2.3	11
8	Pulsatile blood pressure component as predictor of mortality in hypertension: a meta-analysis of clinical trial control groups. <i>Journal of Hypertension</i> , 2002 , 20, 145-51	1.9	104
7	Benefit of antihypertensive treatment in the diabetic patients enrolled in the Systolic Hypertension in Europe (Syst-Eur) trial. <i>Cardiovascular Drugs and Therapy</i> , 2000 , 14, 49-53	3.9	11
6	Response to antihypertensive therapy in older patients with sustained and nonsustained systolic hypertension. Systolic Hypertension in Europe (Syst-Eur) Trial Investigators. <i>Circulation</i> , 2000 , 102, 1139-44	16.7	232
5	Pulse pressure not mean pressure determines cardiovascular risk in older hypertensive patients. <i>Archives of Internal Medicine</i> , 2000 , 160, 1085-9		415
4	Risks of untreated and treated isolated systolic hypertension in the elderly: meta-analysis of outcome trials. <i>Lancet, The</i> , 2000 , 355, 865-72	4.0	94.0
3	Clinical trials in isolated systolic hypertension. <i>Current Hypertension Reports</i> , 1999 , 1, 387-93	4.7	4
2	Treatment of isolated systolic hypertension in the elderly: evidence from three clinical trials. <i>European Journal of Internal Medicine</i> , 1999 , 10, 82-87	3.9	

- 1 Treatment of isolated systolic hypertension in the elderly: further evidence from the systolic hypertension in Europe (Syst-Eur) trial. *American Journal of Cardiology*, **1998**, 82, 20R-22R

3 52