Xiayuan Wu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6238041/publications.pdf Version: 2024-02-01



Χιανιιανι λλη

#	Article	IF	CITATIONS
1	Biogas production and microbial community shift through neutral pH control during the anaerobic digestion of pig manure. Bioresource Technology, 2016, 217, 44-49.	9.6	99
2	Effect of acclimatization on hexavalent chromium reduction in a biocathode microbial fuel cell. Bioresource Technology, 2015, 180, 185-191.	9.6	96
3	Odor emission and microbial community succession during biogas residue composting covered with a molecular membrane. Bioresource Technology, 2020, 297, 122518.	9.6	93
4	Anode modification by biogenic gold nanoparticles for the improved performance of microbial fuel cells and microbial community shift. Bioresource Technology, 2018, 270, 11-19.	9.6	77
5	Î ³ -Aminobutyric Acid (GABA) Accumulation in Tea (<i>Camellia sinensis</i> L.) through the GABA Shunt and Polyamine Degradation Pathways under Anoxia. Journal of Agricultural and Food Chemistry, 2017, 65, 3013-3018.	5.2	74
6	Effects of copper salts on performance, antibiotic resistance genes, and microbial community during thermophilic anaerobic digestion of swine manure. Bioresource Technology, 2020, 300, 122728.	9.6	53
7	Effect of NaX zeolite-modified graphite felts on hexavalent chromium removal in biocathode microbial fuel cells. Journal of Hazardous Materials, 2016, 308, 303-311.	12.4	50
8	Biosynthesized iron sulfide nanoparticles by mixed consortia for enhanced extracellular electron transfer in a microbial fuel cell. Bioresource Technology, 2020, 318, 124095.	9.6	44
9	Metal transport protein 8 in Camellia sinensis confers superior manganese tolerance when expressed in yeast and Arabidopsis thaliana. Scientific Reports, 2017, 7, 39915.	3.3	32
10	Biogas Production and Microbial Community Dynamics during the Anaerobic Digestion of Rice Straw at 39–50 °C: A Pilot Study. Energy & Fuels, 2018, 32, 5157-5163.	5.1	30
11	Anaerobic biodegradation of pyrene by <i>Klebsiella</i> sp. LZ6 and its proposed metabolic pathway. Environmental Technology (United Kingdom), 2020, 41, 2130-2139.	2.2	25
12	A Facultative Electroactive Chromium(VI)-Reducing Bacterium Aerobically Isolated From a Biocathode Microbial Fuel Cell. Frontiers in Microbiology, 2018, 9, 2883.	3.5	21
13	Effect of one step temperature increment from mesophilic to thermophilic anaerobic digestion on the linked pattern between bacterial and methanogenic communities. Bioresource Technology, 2019, 292, 121968.	9.6	19
14	N-acyl-homoserine lactones in extracellular polymeric substances from sludge for enhanced chloramphenicol-degrading anode biofilm formation in microbial fuel cells. Environmental Research, 2022, 207, 112649.	7.5	19
15	Effect of MWCNT-modified graphite felts on hexavalent chromium removal in biocathode microbial fuel cells. RSC Advances, 2017, 7, 53932-53940.	3.6	12
16	Positive effects of concomitant heavy metals and their reduzates on hexavalent chromium removal in microbial fuel cells. RSC Advances, 2020, 10, 15107-15115.	3.6	11
17	The fate of anaerobic syntrophy in anaerobic digestion facing propionate and acetate accumulation. Waste Management, 2021, 124, 128-135.	7.4	11
18	Effects of different carriers on biogas production and microbial community structure during anaerobic digestion of cassava ethanol wastewater. Environmental Technology (United Kingdom), 2017, 38, 2253-2262.	2.2	7

XIAYUAN WU

#	Article	IF	CITATIONS
19	Temperature regulations impose positive influence on the biomethane potential versus digesting modes treating agricultural residues. Bioresource Technology, 2020, 301, 122747.	9.6	6
20	Genome sequence of a microbial lipid producing fungus Cryptococcus albidus NT2002. Journal of Biotechnology, 2016, 223, 6-7.	3.8	4
21	Effects of amino-modified biofilm carriers on biogas production in the anaerobic digestion of corn straw. Environmental Technology (United Kingdom), 2020, 41, 2806-2816.	2.2	4