
Dipanwita Pati

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/623813/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Kappa opioid receptor and dynorphin signaling in the central amygdala regulates alcohol intake. Molecular Psychiatry, 2021, 26, 2187-2199.	7.9	49
2	Periaqueductal gray/dorsal raphe dopamine neurons contribute to sex differences in pain-related behaviors. Neuron, 2021, 109, 1365-1380.e5.	8.1	66
3	Tumor necrosis factor-α modulates GABAergic and dopaminergic neurons in the ventrolateral periaqueductal gray of female mice. Journal of Neurophysiology, 2021, 126, 2119-2129.	1.8	4
4	Inhibitory transmission in the bed nucleus of the stria terminalis in male and female mice following morphine withdrawal. Addiction Biology, 2020, 25, e12748.	2.6	35
5	Chronic intermittent ethanol exposure dysregulates a GABAergic microcircuit in the bed nucleus of the stria terminalis. Neuropharmacology, 2020, 168, 107759.	4.1	40
6	The kappa opioid receptor modulates GABA neuron excitability and synaptic transmission in midbrain projections from the insular cortex. Neuropharmacology, 2020, 165, 107831.	4.1	19
7	Endogenous oxytocin inhibits hypothalamic corticotrophinâ€releasing hormone neurones following acute hypernatraemia. Journal of Neuroendocrinology, 2020, 32, e12839.	2.6	16
8	Sex-Dependent Modulation of Anxiety and Fear by 5-HT _{1A} Receptors in the Bed Nucleus of the Stria Terminalis. ACS Chemical Neuroscience, 2019, 10, 3154-3166.	3.5	22
9	Central Amygdala Prepronociceptin-Expressing Neurons Mediate Palatable Food Consumption and Reward. Neuron, 2019, 102, 1037-1052.e7.	8.1	95
10	Ethanol-induced conditioned place preference and aversion differentially alter plasticity in the bed nucleus of stria terminalis. Neuropsychopharmacology, 2019, 44, 1843-1854.	5.4	25
11	Dynorphin-kappa opioid receptor activity in the central amygdala modulates binge-like alcohol drinking in mice. Neuropsychopharmacology, 2019, 44, 1084-1092.	5.4	58
12	Stress-Induced Alterations of Norepinephrine Release in the Bed Nucleus of the Stria Terminalis of Mice. ACS Chemical Neuroscience, 2019, 10, 1908-1914.	3.5	32
13	Metabolic mapping of downstream network activity following CNO-induced activation of hM3Dq in BNST VGAT neurons. Molecular Psychiatry, 2018, 23, 1-1.	7.9	61
14	Acute engagement of Gq-mediated signaling in the bed nucleus of the stria terminalis induces anxiety-like behavior. Molecular Psychiatry, 2018, 23, 143-153.	7.9	72
15	NMDA receptor GluN2A subunit deletion protects against dependence-like ethanol drinking. Behavioural Brain Research, 2018, 353, 124-128.	2.2	10
16	DREADD Agonist 21 Is an Effective Agonist for Muscarinic-Based DREADDs <i>in Vitro</i> and <i>in Vivo</i> . ACS Pharmacology and Translational Science, 2018, 1, 61-72.	4.9	143
17	Chronic salt-loading reduces basal excitatory input to CRH neurons in the paraventricular nucleus and accelerates recovery from restraint stress in male mice. Physiology and Behavior, 2017, 176, 189-194.	2.1	11
18	Withdrawal from chronic intermittent ethanol engages a circuit in the bed nucleus of the stria terminalis that promotes anxiety and fear-related behavior. Alcohol, 2017, 60, 243.	1.7	0

DIPANWITA PATI

#	Article	IF	CITATIONS
19	Alcohol consumption increases basal extracellular glutamate in the nucleus accumbens core of <scp>S</scp> prague– <scp>D</scp> awley rats without increasing spontaneous glutamate release. European Journal of Neuroscience, 2016, 44, 1896-1905.	2.6	43
20	Increasing brain angiotensin converting enzyme 2 activity decreases anxiety-like behavior in male mice by activating central Mas receptors. Neuropharmacology, 2016, 105, 114-123.	4.1	91
21	Hydration and beyond: neuropeptides as mediators of hydromineral balance, anxiety and stress-responsiveness. Frontiers in Systems Neuroscience, 2015, 9, 46.	2.5	20
22	Chronic Saltâ€Loading Alters Preâ€Autonomic Neuropeptide Expression in the Paraventricular Nucleus. FASEB Journal, 2015, 29, 652.22.	0.5	0
23	Angiotensin Type 1a Receptors in the Paraventricular Nucleus of the Hypothalamus Protect against Diet-Induced Obesity. Journal of Neuroscience, 2013, 33, 4825-4833.	3.6	70
24	Acute Hypernatremia Exerts an Inhibitory Oxytocinergic Tone That Is Associated With Anxiolytic Mood in Male Rats. Endocrinology, 2013, 154, 2457-2467.	2.8	25
25	Poisoning severity score, APACHE II and GCS: Effective clinical indices for estimating severity and predicting outcome of acute organophosphorus and carbamate poisoning. Journal of Clinical Forensic and Legal Medicine, 2009, 16, 239-247.	1.0	69