

List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6239447/songmun-kim-publications-by-citations.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 papers	1,045 citations	17 h-index	29 g-index
71 ext. papers	1,328 ext. citations	3 avg, IF	4.81 L-index

#	Paper	IF	Citations
66	Free radical scavenging activity from different extracts of leaves of Bauhinia vahlii Wight & Arn. <i>Saudi Journal of Biological Sciences</i> , <b>2013</b> , 20, 319-25	4	100
65	An overview of neuroprotective and cognitive enhancement properties of lignans from Schisandra chinensis. <i>Biomedicine and Pharmacotherapy</i> , <b>2018</b> , 97, 958-968	7.5	72
64	Inhibition of nitric oxide production in LPS-stimulated RAW 264.7 cells by stem bark of Ulmus pumila L. <i>Saudi Journal of Biological Sciences</i> , <b>2014</b> , 21, 427-35	4	70
63	Influence of Fragrances on Human Psychophysiological Activity: With Special Reference to Human Electroencephalographic Response. <i>Scientia Pharmaceutica</i> , <b>2016</b> , 84, 724-751	4.3	69
62	Neuroprotective and Cognitive Enhancement Potentials of Baicalin: A Review. <i>Brain Sciences</i> , <b>2018</b> , 8,	3.4	62
61	Baicalein as a potent neuroprotective agent: A review. <i>Biomedicine and Pharmacotherapy</i> , <b>2017</b> , 95, 1021-1032	7.5	55
60	A role of Ficus species in the management of diabetes mellitus: A review. <i>Journal of Ethnopharmacology</i> , <b>2018</b> , 215, 210-232	5	46
59	Comparison of Acidic and Enzymatic Pectin Extraction from Passion Fruit Peels and Its Gel Properties. <i>Journal of Food Process Engineering</i> , <b>2016</b> , 39, 501-511	2.4	35
58	Protective effect of ethyl acetate fraction of Acacia ferruginea DC. against ethanol-induced gastric ulcer in rats. <i>Journal of Ethnopharmacology</i> , <b>2013</b> , 148, 175-81	5	31
57	Neuroprotective and Cognitive Enhancement Potentials of Angelica gigas Nakai Root: A Review. <i>Scientia Pharmaceutica</i> , <b>2017</b> , 85,	4.3	30
56	Antioxidant and Free Radical Scavenging Activities of Indian Acacias: Acacia Leucophloea (Roxb.) Willd., Acacia Ferruginea Dc., Acacia Dealbata Link. and Acacia Pennata (L.) Willd. <i>International Journal of Food Properties</i> , <b>2013</b> , 16, 1717-1729	3	28
55	Antioxidant and free radical scavenging capacity of the underutilized legume, Vigna vexillata (L.) A. Rich. <i>Journal of Food Composition and Analysis</i> , <b>2011</b> , 24, 160-165	4.1	28
54	Biocontrol potential of phylloplane bacterium Ochrobactrum anthropi BMO-111 against blister blight disease of tea. <i>Journal of Applied Microbiology</i> , <b>2013</b> , 114, 209-18	4.7	24
53	Effect of olfactory stimulation of isomeric aroma compounds, (+)-limonene and terpinolene on human electroencephalographic activity. <i>European Journal of Integrative Medicine</i> , <b>2015</b> , 7, 561-566	1.7	24
52	In vitro evaluation of the antioxidant activities in the differentially processed seeds from underutilized legume, Bauhinia vahlii Wight & Arn. <i>Food Science and Biotechnology</i> , <b>2010</b> , 19, 503-509	3	21
51	Effect of inhalation of essential oil from Inula helenium L. root on electroencephalographic (EEG) activity of the human brain. <i>European Journal of Integrative Medicine</i> , <b>2016</b> , 8, 453-457	1.7	18
50	Antioxidant, inhibition of $\beta$ -glucosidase and suppression of nitric oxide production in LPS-induced murine macrophages by different fractions of Actinidia arguta stem. <i>Saudi Journal of Biological Sciences</i> , <b>2014</b> , 21, 532-8	4	17

49	A Review of the Composition of the Essential Oils and Biological Activities of Angelica Species. <i>Scientia Pharmaceutica</i> , <b>2017</b> , 85,	4.3	17
48	Ethanol and supercritical fluid extracts of hemp seed ( <i>Cannabis sativa</i> L.) increase gene expression of antioxidant enzymes in HepG2 cells. <i>Asian Pacific Journal of Reproduction</i> , <b>2015</b> , 4, 147-152	1.1	16
47	Effect of acetone extract from stem bark of Acacia species ( <i>A. dealbata</i> , <i>A. ferruginea</i> and <i>A. leucophloea</i> ) on antioxidant enzymes status in hydrogen peroxide-induced HepG2 cells. <i>Saudi Journal of Biological Sciences</i> , <b>2015</b> , 22, 685-91	4	16
46	Application of the P300 Event-Related Potential in the Diagnosis of Epilepsy Disorder: A Review. <i>Scientia Pharmaceutica</i> , <b>2018</b> , 86,	4.3	14
45	Evaluation of in vitro free radical scavenging potential of <i>Streptomyces</i> sp. AM-S1 culture filtrate. <i>Saudi Journal of Biological Sciences</i> , <b>2013</b> , 20, 227-33	4	14
44	Effect of inhalation of isomers, (+)- $\alpha$ -pinene and (+)- $\beta$ -pinene on human electroencephalographic activity according to gender difference. <i>European Journal of Integrative Medicine</i> , <b>2018</b> , 17, 33-39	1.7	14
43	Influence of Binasal and Uninasal Inhalations of Essential Oil of Twigs on Electroencephalographic Activity of Human. <i>Behavioural Neurology</i> , <b>2016</b> , 2016, 9250935	3	13
42	Danshensu attenuates scopolamine and amyloid- $\beta$ -induced cognitive impairments through the activation of PKA-CREB signaling in mice. <i>Neurochemistry International</i> , <b>2019</b> , 131, 104537	4.4	12
41	In vitro xanthine oxidase inhibitory activity of methanol extracts of <i>Erythrina indica</i> Lam. leaves and stem bark. <i>Asian Pacific Journal of Tropical Biomedicine</i> , <b>2012</b> , 2, S1415-S1417	1.4	12
40	Evaluation of analgesic and anti-inflammatory potential of <i>Hedyotis puberula</i> (G. Don) R. Br. ex Arn. in experimental animal models. <i>Food and Chemical Toxicology</i> , <b>2010</b> , 48, 1876-80	4.7	10
39	Evaluation of <i>Merremia tridentata</i> (L.) Hallier f. for in vitro antioxidant activity. <i>Food Science and Biotechnology</i> , <b>2010</b> , 19, 663-669	3	10
38	Effect of chlorsulfuron on assimilate transport: ultrastructural implications. <i>Weed Science</i> , <b>1997</b> , 45, 470-473	10	
37	Effect of essential oil and supercritical carbon dioxide extract from the root of <i>Angelica gigas</i> on human EEG activity. <i>Complementary Therapies in Clinical Practice</i> , <b>2017</b> , 28, 161-168	3.5	9
36	Antioxidant activity of the differentially processed seeds of Jack bean ( <i>Canavalia ensiformis</i> L. DC). <i>Food Science and Biotechnology</i> , <b>2011</b> , 20, 585-591	3	8
35	Chlorsulfuron Decreases both Assimilate Export by Source Leaves and Import by Sink Leaves in Canola ( <i>Brassica napus</i> L.) Seedlings. <i>Pesticide Biochemistry and Physiology</i> , <b>1996</b> , 56, 141-148	4.9	8
34	Suppressive effects of acetone extract from the stem bark of three Acacia species on nitric oxide production in lipopolysaccharide-stimulated RAW 264.7 macrophage cells. <i>Asian Pacific Journal of Tropical Biomedicine</i> , <b>2016</b> , 6, 658-664	1.4	8
33	Comparison of Fragrance and Chemical Composition of Essential Oils in Gom-chewi ( <i>Ligularia fischeri</i> ) and Handaeri Gom-chewi ( <i>Ligularia fischeri</i> var. <i>spicifolmis</i> ). <i>Journal of the Korean Society of Food Science and Nutrition</i> , <b>2012</b> , 41, 1758-1763	1.5	7
32	Evaluation of Herbicidal Potential of Essential Oils and their Components under In vitro and Greenhouse Experiments. <i>Weed &amp; Turfgrass Science</i> , <b>2015</b> , 4, 321-329		7

31	A Review on Analytical Methods for Honey Classification, Identification and Authentication <b>2020</b> ,		7
30	Eupatorium makinoi suppresses toll-like receptor signaling pathways. <i>Food and Agricultural Immunology</i> , <b>2016</b> , 27, 242-250	2.9	6
29	Olfactory Stimulation Effect of Aldehydes, Nonanal, and Decanal on the Human Electroencephalographic Activity, According to Nostril Variation. <i>Biomedicines</i> , <b>2019</b> , 7,	4.8	6
28	Integrated control of blister blight disease in tea using the biocontrol agent <i>Ochrobactrum anthropi</i> strain BMO-111 with chemical fungicides. <i>Journal of Applied Microbiology</i> , <b>2013</b> , 114, 1491-9	4.7	6
27	Protective effects of methanolic extract of <i>Hedyotis puberula</i> (G. Don) R. Br. ex Arn. against experimentally induced gastric ulcers in rat. <i>Journal of Ethnopharmacology</i> , <b>2010</b> , 131, 216-9	5	6
26	Herbicidal Activities of Essential Oils from Pine, Nut Pine, Larch and Khingan Fir in Korea. <i>Weed &amp; Turfgrass Science</i> , <b>2013</b> , 2, 30-37		6
25	Eupatorium makinoi suppresses lipopolysaccharide-induced inducible nitric oxide synthase and cyclooxygenase-2 expression. <i>Food and Agricultural Immunology</i> , <b>2015</b> , 26, 496-503	2.9	5
24	Fragrant Chemicals in the Supercritical Carbon Dioxide Extract of <i>Magnolia kobus</i> DC. Flower Buds Increase the Concentration State of Brain Function. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , <b>2015</b> , 18, 1059-1069	1.7	5
23	Antioxidant and Anti-ulcer Effects of Ethyl Acetate Fraction of <i>Merremia tridentata</i> (L.) Hallier F. Root. <i>Agriculture and Agricultural Science Procedia</i> , <b>2014</b> , 2, 406-414		5
22	Fragrance Chemicals in the Essential Oil of <i>Mentha arvensis</i> Reduce Levels of Mental Stress. <i>Journal of Life Science</i> , <b>2013</b> , 23, 933-940		5
21	Morphological, Chemical, and Genetic Characteristics of Korean Native Thyme <i>Bak-Ri-Hyang</i> (Celak.). <i>Antibiotics</i> , <b>2020</b> , 9,	4.9	4
20	Gender Differences in Electroencephalographic Activity in Response to the Earthy Odorants Geosmin and 2-Methylisoborneol. <i>Applied Sciences (Switzerland)</i> , <b>2017</b> , 7, 876	2.6	4
19	Effect of Essential Oil from San-Jo-In ( <i>Zizyphus jujuba</i> Mill. seeds) on Human Electroencephalographic Activity. <i>Journal of Life Science</i> , <b>2013</b> , 23, 1170-1176		4
18	Comparison of essential oil compositions of fresh and dried fruits of <i>Magnolia kobus</i> DC.. <i>Journal of Applied Pharmaceutical Science</i> , 146-149	2	4
17	<i>Eupatorium japonicum</i> extract regulates inflammation through suppression of the TRIF-dependent signaling pathway of toll-like receptors. <i>Food Science and Biotechnology</i> , <b>2014</b> , 23, 587-592	3	3
16	Japanese bog orchid ( <i>Eupatorium japonicum</i> ) extract suppresses expression of inducible nitric oxide synthase and cyclooxygenase-2 induced by toll-like receptor agonists. <i>Food Science and Biotechnology</i> , <b>2013</b> , 22, 811-815	3	3
15	<i>Carpesium abrotanoides</i> extract inhibits inducible nitric oxide synthase expression induced by toll-like receptor agonists. <i>Food Science and Biotechnology</i> , <b>2014</b> , 23, 1637-1641	3	3
14	In vitro antioxidant potential of different parts of <i>Solanum surattense</i> Burm. f.. <i>Food Science and Biotechnology</i> , <b>2011</b> , 20, 477-483	3	3

13	A time series analysis to investigate the effect of inhalation of aldehyde C10 on the human EEG activity. <i>European Journal of Integrative Medicine</i> , <b>2019</b> , 25, 20-27	1.7	3
12	Effect of Blender and Blending Time on Color and Aroma Characteristics of Juice and Its Freeze-Dried Powder of Pandanus amaryllifolius Roxb. Leaves (Pandan). <i>International Journal of Food Engineering</i> , <b>2016</b> , 12, 75-81	1.9	2
11	Protective effect of polyamine extract of salt stressed and sprouted soybean seeds against ethanol-induced gastric ulcer in rats. <i>Food Science and Biotechnology</i> , <b>2014</b> , 23, 711-716	3	2
10	Isolation and Identification of Glucosidase Inhibitory Compounds, Hyperoside, and Isoquercetin from Eleutherococcus senticosus Leaves. <i>Journal of the Korean Society of Food Science and Nutrition</i> , <b>2014</b> , 43, 1858-1864	1.5	2
9	Evaluation of proximate composition, bioactive lignans and volatile composition of Schisandra chinensis fruits from Inje and Mungyeong, Republic of Korea. <i>Journal of Applied Pharmaceutical Science</i> , 001-008	2	2
8	Changes in the Electroencephalographic Activity in Response to Odors Produced by Organic Compounds. <i>Journal of Psychophysiology</i> , <b>2020</b> , 34, 35-49	1	2
7	Comparison of Volatile Compounds from Thymus Magnus Nakai by Three Different Extraction Methods. <i>Journal of the Society of Cosmetic Scientists of Korea</i> , <b>2014</b> , 40, 171-178		2
6	Polyploidy-promoted phenolic metabolism confers the increased competitive ability of Solidago canadensis. <i>Oikos</i> , <b>2021</b> , 130, 1014-1025	4	2
5	Carpesium abrotanoides extract inhibits cyclooxygenase-2 expression induced by toll-like receptor agonists. <i>Toxicology and Environmental Health Sciences</i> , <b>2013</b> , 5, 92-96	1.9	1
4	Herbicidal Activity of Essential Oil from Amyris (Amyris balsamifera). <i>Weed &amp; Turfgrass Science</i> , <b>2012</b> , 1, 44-49		1
3	<i>In vitro</i> antagonistic potential of <i>Streptomyces</i> sp. AM-S1 against plant and human pathogens. <i>Journal of Agricultural Chemistry and Environment</i> , <b>2012</b> , 01, 41-47	0.4	0
2	The gender variation on the electroencephalographic activity in response to the exposure of black pepper essential oil from Kampong Cham, Cambodia. <i>Flavour and Fragrance Journal</i> , <b>2020</b> , 35, 284-293	2.5	0
1	Chemical components of male and female flowers of Schisandra chinensis. <i>Biochemical Systematics and Ecology</i> , <b>2020</b> , 92, 104121	1.4	0