

Zbigniew Siudak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6239772/publications.pdf>

Version: 2024-02-01

136
papers

1,689
citations

331538

21
h-index

395590

33
g-index

143
all docs

143
docs citations

143
times ranked

2146
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparación de seguridad y efectividad entre los accesos radiales derecho e izquierdo en la intervención coronaria percutánea. Revista Espanola De Cardiologia, 2022, 75, 119-128.	0.6	4
2	Cost-effectiveness of a photoplethysmographic procedure for screening for atrial fibrillation in 6 European countries. Health Economics Review, 2022, 12, 17.	0.8	5
3	Procedural Outcomes in Patients Treated with Percutaneous Coronary Interventions within Chronic Total Occlusions Stratified by Gender. Journal of Clinical Medicine, 2022, 11, 1419.	1.0	1
4	Annual operator volume among patients treated using percutaneous coronary interventions with rotational atherectomy and procedural outcomes: Analysis based on a large national registry. Catheterization and Cardiovascular Interventions, 2022, , .	0.7	4
5	Concomitant multi-vessel disease is associated with a lower procedural death rate in patients treated with percutaneous coronary interventions within the left main coronary artery (from the ORPKI) Tj ETQq1 1 0.784304 rgBT /Overlock 10	0.7	4
6	Long-term outcomes of percutaneous coronary interventions within coronary artery bypass grafts. Archives of Medical Science, 2021, 17, 628-637.	0.4	3
7	Nurse-managed education: the effectiveness of secondary prevention after acute coronary syndromes and the prevalence and predictors of dropout from a cardiac rehabilitation programme. Postepy W Kardiologii Interwencyjnej, 2021, 17, 46-53.	0.1	2
8	Interventional cardiology in Poland in 2020 – impact of the COVID-19 pandemic. Annual summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society and Jagiellonian University Medical College*. Postepy W Kardiologii Interwencyjnej, 2021, 17, 131-134.	0.1	11
9	Percutaneous coronary intervention during on- and off-hours in patients with ST-segment elevation myocardial infarction. Hellenic Journal of Cardiology, 2021, 62, 212-218.	0.4	20
10	Radial approach reduces mortality in ST-segment elevation myocardial infarction with cardiogenic shock. Polish Archives of Internal Medicine, 2021, 131, 421-428.	0.3	8
11	Impact of acute total occlusion of the culprit artery on outcome in NSTEMI based on the results of a large national registry. BMC Cardiovascular Disorders, 2021, 21, 297.	0.7	6
12	ST-segment elevation myocardial infarction with non-obstructive coronary arteries: Score derivation for prediction based on a large national registry. PLoS ONE, 2021, 16, e0254427.	1.1	2
13	Treatment Delay and Clinical Outcomes in Patients with ST-Segment Elevation Myocardial Infarction during the COVID-19 Pandemic. Journal of Clinical Medicine, 2021, 10, 3920.	1.0	10
14	The Most Relevant Factors Affecting the Perioperative Death Rate in Patients with Acute Coronary Syndrome and COVID-19, Based on Annual Follow-Up in the ORPKI Registry. Biomedicines, 2021, 9, 1813.	1.4	8
15	The Effect of Periprocedural Clinical Factors Related to the Course of STEMI in Men and Women Based on the National Registry of Invasive Cardiology Procedures (ORPKI) between 2014 and 2019. Journal of Clinical Medicine, 2021, 10, 5716.	1.0	5
16	Long-term clinical outcomes in patients with unstable angina undergoing percutaneous coronary interventions in a contemporary registry data from Poland. Coronary Artery Disease, 2020, 31, 215-221.	0.3	9
17	TCT CONNECT-233 Coronary Artery Perforations in Patients Treated Using Percutaneous Coronary Interventions Within Chronic Total Occlusions: Analysis Based on a Large National Registry. Journal of the American College of Cardiology, 2020, 76, B102-B103.	1.2	0
18	Clinical and procedural characteristics of COVID-19 patients treated with percutaneous coronary interventions. Catheterization and Cardiovascular Interventions, 2020, 96, E568-E575.	0.7	26

#	ARTICLE	IF	CITATIONS
19	Comparison of safety and effectiveness between the right and left radial artery approach in percutaneous coronary intervention. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020, 75, 119-119.	0.4	3
20	Aspiration Thrombectomy in Patients with Acute Myocardial Infarction—5-Year Analysis Based on a Large National Registry (ORPKI). <i>Journal of Clinical Medicine</i> , 2020, 9, 3610.	1.0	7
21	Interventional cardiology in Poland in 2019. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society (AISN PTK) and Jagiellonian University Medical College*. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 123-126.	0.1	8
22	Cardiovascular risk in patients with plaque psoriasis and psoriatic arthritis without a clinically overt cardiovascular disease: the role of endothelial progenitor cells. <i>Postepy Dermatologii I Alergologii</i> , 2020, 37, 299-305.	0.4	3
23	Clinical presentation and 3-year outcomes of patients with acute coronary syndromes and non-obstructive coronary arteries on angiography. <i>PLoS ONE</i> , 2020, 15, e0234735.	1.1	6
24	Transradial and Transfemoral Approach in Patients with Prior Coronary Artery Bypass Grafting. <i>Journal of Clinical Medicine</i> , 2020, 9, 764.	1.0	2
25	The relationship between increased air pollution expressed as PM10 concentration and the frequency of percutaneous coronary interventions in patients with acute coronary syndromes—a seasonal differences. <i>Environmental Science and Pollution Research</i> , 2020, 27, 21320-21330.	2.7	8
26	Knowledge and prevalence of risk factors for coronary artery disease in patients after the first and repeated percutaneous coronary intervention. <i>Kardiologia Polska</i> , 2020, 78, 147-153.	0.3	7
27	Predictors of periprocedural complications in patients undergoing percutaneous coronary interventions within coronary artery bypass grafts. <i>Cardiology Journal</i> , 2020, 26, 633-644.	0.5	8
28	Diabetes and periprocedural outcomes in patients treated with rotablation during percutaneous coronary interventions. <i>Cardiology Journal</i> , 2020, 27, 152-161.	0.5	4
29	Association between the mortality rate and operator volume in patients undergoing emergency or elective percutaneous coronary interventions. <i>Kardiologia Polska</i> , 2020, 78, 138-146.	0.3	15
30	Psoriasis is an independent predictor of increased risk of allergic reaction during percutaneous coronary interventions. Big data analysis from the Polish National PCI Registry (ORPKI). <i>Cardiology Journal</i> , 2020, 27, 278-284.	0.5	2
31	Five-year report from the Polish national registry on percutaneous coronary interventions with a focus on coronary artery perforations within chronic total occlusions. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 399-409.	0.1	3
32	Prevalence and Predictors of Coronary Artery Perforation During Percutaneous Coronary Interventions (from the ORPKI National Registry in Poland). <i>American Journal of Cardiology</i> , 2019, 124, 1186-1189.	0.7	17
33	Current trends and procedural outcomes in the era of rotational atherectomy expansion in Poland in the period 2014–2017 (based on the nationwide ORPKI registry). <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 158-166.	0.1	6
34	TCT-250 Prevalence and Predictors of Coronary Artery Perforation During Percutaneous Coronary Interventions: Data From the ORPKI National Registry in Poland. <i>Journal of the American College of Cardiology</i> , 2019, 74, B249.	1.2	1
35	TCT-839 The Relationship Between Winter Time and Increased Air Pollution Expressed as PM10 Concentration and the Frequency of Percutaneous Coronary Interventions in Patients With Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2019, 74, B822.	1.2	1
36	Radial Approach Expertise and Clinical Outcomes of Percutaneous Coronary Interventions Performed Using Femoral Approach. <i>Journal of Clinical Medicine</i> , 2019, 8, 1484.	1.0	20

#	ARTICLE	IF	CITATIONS
37	Safety of dental extractions in patients on dual antiplatelet therapy – a meta-analysis. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 68-73.	0.1	3
38	Interventional cardiology procedures in Poland in 2018. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society (AISN PTK) and Jagiellonian University Medical College. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 391-393.	0.1	9
39	Characteristics of patients presenting with myocardial infarction with non-obstructive coronary arteries (MINOCA) in Poland: data from the ORPKI national registry. <i>Journal of Thrombosis and Thrombolysis</i> , 2019, 47, 462-466.	1.0	27
40	Prevalence and clinical presentation of myocardial bridge on the basis of the National Polish Percutaneous Interventions Registry and the Classification of Rare Cardiovascular Diseases. <i>Kardiologia Polska</i> , 2019, 77, 465-470.	0.3	10
41	Presence and characteristics of coronary artery fistulas among patients undergoing coronary angiography. <i>Kardiologia Polska</i> , 2019, 77, 1034-1039.	0.3	4
42	Prevention of infective endocarditis during dental extractions among Polish dentists - a contemporary nationwide survey. <i>Folia Medica Cracoviensia</i> , 2019, 59, 5-12.	0.3	5
43	Anatomy of the mitral subvalvular apparatus. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 155, 2002-2010.	0.4	23
44	Contemporary use of P2Y12 inhibitors in patients with ST-segment elevation myocardial infarction referred to primary percutaneous coronary interventions in Poland: Data from ORPKI national registry. <i>Journal of Thrombosis and Thrombolysis</i> , 2018, 45, 151-157.	1.0	13
45	Predictors of in-hospital effectiveness and complications of rotational atherectomy (from the ORPKI) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5</i> E278-E287.	0.7	23
46	Percutaneous interventions in cardiology in Poland in the year 2017. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society AISN PTK and Jagiellonian University Medical College. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 422-424.	0.1	8
47	Bailout rotational atherectomy in patients with myocardial infarction is not associated with an increased periprocedural complication rate or poorer angiographic outcomes in comparison to elective procedures (from the ORPKI Polish National Registry 2015–2016). <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 135-143.	0.1	7
48	Clinical outcomes in nonagenarians undergoing a percutaneous coronary intervention. <i>Coronary Artery Disease</i> , 2018, 29, 573-578.	0.3	8
49	Comparison of clinical and echocardiographic outcomes and quality of life in patients with severe mitral regurgitation treated by MitraClip implantation or treated conservatively. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 291-298.	0.1	1
50	Chronic obstructive pulmonary disease and periprocedural complications in patients undergoing percutaneous coronary interventions. <i>PLoS ONE</i> , 2018, 13, e0204257.	1.1	6
51	Impact of On-Site Surgical Backup on Periprocedural Outcomes of Primary Percutaneous Interventions in Patients Presenting With ST-Segment Elevation Myocardial Infarction (From the ORPKI) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5</i>	0.7	23
52	Impact of percutaneous invasive coronary procedures using a radial approach on endothelial function of radial artery. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 95-98.	0.1	1
53	Intima-media thickness and ankle-brachial index are correlated with the extent of coronary artery disease measured by the SYNTAX score. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 52-58.	0.1	8
54	The network of invasive cardiology facilities in Poland in 2016 (data from the ORPKI Polish National) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	0.3	12

#	ARTICLE	IF	CITATIONS
55	“Heart without smoke” educational campaign – the role of patient education in secondary prevention of cardiovascular disease. <i>Kardiologia Polska</i> , 2018, 76, 125-129.	0.3	4
56	Chronic obstructive pulmonary disease affects angiographic presentation and outcomes. Authors' reply.. <i>Polish Archives of Internal Medicine</i> , 2018, 128, 195-196.	0.3	2
57	Transradial access and the risk of periprocedural stroke. <i>American Heart Journal</i> , 2017, 186, e5-e6.	1.2	1
58	Morphologic variability of the mitral valve leaflets. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2017, 154, 1927-1935.	0.4	26
59	Single and dual chamber pacemaker implantation in patients with left superior vena cava persistence – own experiences. <i>Postepy W Kardiologii Interwencyjnej</i> , 2017, 2, 170-172.	0.1	1
60	The ACEF (age, creatinine, ejection fraction) score predicts ischemic and bleeding outcomes of patients with acute coronary syndromes treated conservatively. <i>Postepy W Kardiologii Interwencyjnej</i> , 2017, 2, 160-164.	0.1	5
61	The Polish Interventional Cardiology TAVI Survey (PICTS): adoption and practice of transcatheter aortic valve implantation in Poland. <i>Postepy W Kardiologii Interwencyjnej</i> , 2017, 1, 10-17.	0.1	8
62	Chronic obstructive pulmonary disease affects the angiographic presentation and outcomes of patients with coronary artery disease treated with percutaneous coronary interventions. <i>Polish Archives of Internal Medicine</i> , 2017, 128, 24-34.	0.3	11
63	Poland: coronary and structural heart interventions from 2010 to 2015. <i>EuroIntervention</i> , 2017, 13, Z51-Z54.	1.4	13
64	Reduced periprocedural mortality and bleeding rates of radial approach in ST-segment elevation myocardial infarction. Propensity score analysis of data from the ORPKI Polish National Registry. <i>EuroIntervention</i> , 2017, 13, 843-850.	1.4	22
65	Twelve months clinical outcome after bioresorbable vascular scaffold implantation in patients with stable angina and acute coronary syndrome. Data from the Polish National Registry. <i>Postepy W Kardiologii Interwencyjnej</i> , 2016, 2, 108-115.	0.1	11
66	Long-term quality of life and clinical outcomes in patients with resistant hypertension treated with renal denervation. <i>Postepy W Kardiologii Interwencyjnej</i> , 2016, 4, 329-333.	0.1	4
67	No clinical benefit from manual thrombus aspiration in patients with non-ST-elevation myocardial infarction. <i>Postepy W Kardiologii Interwencyjnej</i> , 2016, 1, 32-40.	0.1	0
68	Patient profile and periprocedural outcomes of bioresorbable vascular scaffold implantation in comparison with drug-eluting and bare-metal stent implantation. Experience from ORPKI Polish National Registry 2014–2015. <i>Postepy W Kardiologii Interwencyjnej</i> , 2016, 4, 321-328.	0.1	9
69	Assessment of quality of life in patients after surgical and transcatheter aortic valve replacement. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 88, E80-8.	0.7	23
70	Determinants of stroke following percutaneous coronary intervention in acute myocardial infarction (from ORPKI Polish National Registry). <i>International Journal of Cardiology</i> , 2016, 223, 236-238.	0.8	16
71	Comparison of patient comfort after coronary angiography by standard arterial access approaches. <i>Kardiologia Polska</i> , 2016, 74, 68-74.	0.3	5
72	The efficacy of an education-based secondary outpatient prevention programme after acute coronary syndrome hospitalisations and treatment in Poland. The Patient Club initiative. <i>Kardiologia Polska</i> , 2016, 74, 185-191.	0.3	7

#	ARTICLE	IF	CITATIONS
73	New model of secondary cardiovascular prevention for patients after acute coronary syndromes in Poland with regard to Norwegian experiences. <i>Kardiologia Polska</i> , 2016, 74, 101-103.	0.3	2
74	The impact of multiple stent implantation in the infarct-related artery on one-year clinical outcomes of patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. Data from the Polish NRDES Registry. <i>Kardiologia Polska</i> , 2016, 74, 717-725.	0.3	1
75	Prehospital Clopidogrel Administration in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary PCI: Real-Life Experience From the Multicenter NRDES Registry. <i>Journal of Invasive Cardiology</i> , 2016, 28, E56-8.	0.4	3
76	Complete infarct-related artery revascularization in acute myocardial infarction patients. <i>CORAMI Registry. Postepy W Kardiologii Interwencyjnej</i> , 2015, 2, 84-88.	0.1	1
77	Knowledge of chronic total occlusion among Polish interventional cardiologists. <i>Postepy W Kardiologii Interwencyjnej</i> , 2015, 2, 89-94.	0.1	4
78	Percutaneous interventions in cardiology in Poland in the year 2014. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society AISN PTK. <i>Postepy W Kardiologii Interwencyjnej</i> , 2015, 3, 177-181.	0.1	11
79	A Prospective, Multicenter Study of a Novel Mesh-Covered Carotid Stent. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1229-1234.	1.1	108
80	No long-term clinical benefit from manual aspiration thrombectomy in ST-elevation myocardial infarction patients. Data from NRDES registry. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 85, E16-22.	0.7	6
81	Temporal trends and patterns in percutaneous treatment of coronary artery disease in Poland in the years 2005-2011. <i>Kardiologia Polska</i> , 2015, 73, 485-492.	0.3	7
82	What do Polish interventional cardiologists know about indications and qualification for recanalisation of chronic total coronary artery occlusions?. <i>Kardiologia Polska</i> , 2015, 73, 722-729.	0.3	4
83	Impact of intra-aortic balloon pump on long-term mortality of unselected patients with ST-segment elevation myocardial infarction complicated by cardiogenic shock. <i>Postepy W Kardiologii Interwencyjnej</i> , 2014, 3, 175-180.	0.1	6
84	Borderline trend towards long-term mortality benefit from drug eluting stents implantation in ST-elevation myocardial infarction patients in Poland - data from NRDES registry. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 83, 436-442.	0.7	13
85	Impact of direct stenting on outcome of patients with ST-elevation myocardial infarction transferred for primary percutaneous coronary intervention (from the EUROTRANSFER registry). <i>Catheterization and Cardiovascular Interventions</i> , 2014, 84, 925-931.	0.7	27
86	Introduction of new oral antiplatelet drugs in myocardial infarction hospital network: initial experience. <i>Journal of Thrombosis and Thrombolysis</i> , 2014, 37, 243-245.	1.0	2
87	Bioresorbable vascular scaffolds in patients with acute coronary syndromes : the POLAR ACS study. <i>Polish Archives of Internal Medicine</i> , 2014, 124, 669-677.	0.3	22
88	Long-term follow-up of mesh-covered stent implantation in patients with ST-segment elevation myocardial infarction. <i>Kardiologia Polska</i> , 2014, 72, 140-145.	0.3	9
89	Similar outcome of ST-elevation myocardial infarction patients treated with primary percutaneous coronary intervention regardless of presence of cardiac surgery on-site. <i>Kardiologia Polska</i> , 2014, 72, 949-953.	0.3	3
90	Use of bioresorbable vascular scaffolds in patients with stable angina and acute coronary syndromes. <i>Polish National Registry. Kardiologia Polska</i> , 2014, 72, 1394-1399.	0.3	18

#	ARTICLE	IF	CITATIONS
91	Authors'™ response. <i>Kardiologia Polska</i> , 2014, 72, 476-477.	0.3	0
92	Statistics regarding interventional cardiology in Poland in 2013. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society (AISN PTK). <i>Kardiologia Polska</i> , 2014, 72, 1402-1407.	0.3	1
93	Early administration of abciximab reduces mortality in female patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention (from the EUROTRANSFER) <i>Tj ETQq1 1 0.7843140gBT /Overlock 1</i>	1.0	10
94	Predictive Utility of NT-pro BNP for Infarct Size and Left Ventricle Function after Acute Myocardial Infarction in Long-Term Follow-Up. <i>Disease Markers</i> , 2013, 34, 199-204.	0.6	12
95	Predictive utility of NT-pro BNP for infarct size and left ventricle function after acute myocardial infarction in long-term follow-up. <i>Disease Markers</i> , 2013, 34, 199-204.	0.6	13
96	Interventional cardiology in Poland in the year 2011. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Postępy W Kardiologii Interwencyjnej</i> , 2012, 2, 102-113.	0.1	1
97	Impact of smoking status on outcome in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>Journal of Thrombosis and Thrombolysis</i> , 2012, 34, 397-403.	1.0	33
98	Early abciximab administration before primary percutaneous coronary intervention improves clinical outcome in diabetic patients with ST-segment elevation myocardial infarction (EUROTRANSFER) <i>Tj ETQq0 0 0 rgBT /Overlock5 10 Tf 50 4</i>	1.0	10
99	Out-of-hospital cardiac arrest in patients treated with primary PCI for STEMI. Long-term follow up data from EUROTRANSFER registry. <i>Resuscitation</i> , 2012, 83, 303-306.	1.3	24
100	Simvastatin administration reduces thromboxane production in subjects taking aspirin: Links between aspirin resistance and thrombin generation. <i>International Journal of Cardiology</i> , 2012, 154, 59-64.	0.8	13
101	ST-elevation myocardial infarction with local infusion of abciximab using thrombectomy catheter in a patient with very late stent thrombosis. <i>Postępy W Kardiologii Interwencyjnej</i> , 2012, 4, 338-341.	0.1	1
102	Age-related differences in treatment strategies and clinical outcomes in unselected cohort of patients with ST-segment elevation myocardial infarction transferred for primary angioplasty. <i>Journal of Thrombosis and Thrombolysis</i> , 2012, 34, 214-221.	1.0	26
103	From pharmacologically assisted early transfer to a universal primary angioplasty service: the experience of the Malopolska region. <i>EuroIntervention</i> , 2012, 8, P51-P54.	1.4	1
104	Impact of infarct related artery patency after early abciximab administration on one-year mortality in patients with ST-segment elevation myocardial infarction (data from the EUROTRANSFER Registry). <i>Kardiologia Polska</i> , 2012, 70, 215-21.	0.3	2
105	Drug-eluting versus bare-metal stents in ST-segment elevation myocardial infarction: a mortality analysis from the EUROTRANSFER Registry. <i>Clinical Research in Cardiology</i> , 2011, 100, 139-145.	1.5	12
106	Predictors of infarct-related artery patency following combined lytic therapy in patients with ST-segment elevation myocardial infarction treated with immediate percutaneous coronary intervention. <i>Kardiologia Polska</i> , 2011, 69, 452-7.	0.3	1
107	Primary percutaneous coronary intervention during on- vs off-hours in patients with ST-elevation myocardial infarction. Results from EUROTRANSFER Registry. <i>Kardiologia Polska</i> , 2011, 69, 1017-22.	0.3	8
108	Transradial approach in patients with ST-elevation myocardial infarction treated with abciximab results in fewer bleeding complications: data from EUROTRANSFER registry. <i>Coronary Artery Disease</i> , 2010, 21, 292-297.	0.3	31

#	ARTICLE	IF	CITATIONS
109	Admission glucose level and in-hospital outcomes in diabetic and non-diabetic patients with acute myocardial infarction. <i>Clinical Research in Cardiology</i> , 2010, 99, 715-721.	1.5	27
110	Angiographic perfusion score assessed in patients with acute myocardial infarction is correlated with cardiac magnetic resonance infarct size and N-terminal pro-brain natriuretic peptide in 6-month follow-up. <i>Journal of Thrombosis and Thrombolysis</i> , 2010, 30, 441-445.	1.0	2
111	Impact of Multivessel Coronary Artery Disease and Noninfarct-Related Artery Revascularization on Outcome of Patients With ST-Elevation Myocardial Infarction Transferred for Primary Percutaneous Coronary Intervention (from the EUROTRANSFER Registry). <i>American Journal of Cardiology</i> , 2010, 106, 342-347.	0.7	109
112	Long-term follow-up of percutaneous peripheral interventions in lower limb arteries in patients with acute coronary syndrome and diabetes. <i>Postępy W Kardiologii Interwencyjnej</i> , 2010, 3, 117-121.	0.1	1
113	Altered Plasma Fibrin Clot Properties Are Associated With In-Stent Thrombosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 276-282.	1.1	55
114	Predictors and in-hospital outcomes of cardiogenic shock on admission in patients with acute coronary syndromes admitted to hospitals without on-site invasive facilities. <i>Acute Cardiac Care</i> , 2010, 12, 3-9.	0.2	12
115	Transportation with very long transfer delays (>90 min) for facilitated PCI with reduced-dose fibrinolysis in patients with ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2010, 139, 218-227.	0.8	4
116	Early abciximab administration before primary percutaneous coronary intervention improves clinical outcome in elderly patients transferred with ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2010, 143, 147-153.	0.8	7
117	Prothrombinase formation at the site of microvascular injury and aspirin resistance: The effect of simvastatin. <i>Thrombosis Research</i> , 2010, 125, 283-285.	0.8	4
118	Thrombus aspiration followed by direct stenting: A novel strategy of primary percutaneous coronary intervention in ST-segment elevation myocardial infarction. Results of the Polish-Italian-Hungarian RAndomized ThrombEctomy Trial (PIHRATE Trial). <i>American Heart Journal</i> , 2010, 160, 966-972.	1.2	83
119	Mesh covered stent in ST-segment elevation myocardial infarction. <i>EuroIntervention</i> , 2010, 6, 582-589.	1.4	33
120	How to Organize Networks for Invasive Treatment of STEMI. , 2010, , 30-35.		0
121	Prognostic significance of new onset atrial fibrillation in acute coronary syndrome patients treated conservatively. <i>Cardiology Journal</i> , 2010, 17, 57-64.	0.5	16
122	Early abciximab use in ST-elevation myocardial infarction treated with primary percutaneous coronary intervention improves long-term outcome. Data from EUROTRANSFER Registry. <i>Kardiologia Polska</i> , 2010, 68, 539-43.	0.3	10
123	ST-segment resolution assessed immediately after primary percutaneous coronary intervention correlates with infarct size and left ventricular function in cardiac magnetic resonance at 1-year follow-up. <i>Journal of Electrocardiology</i> , 2009, 42, 152-156.	0.4	11
124	Impact of Admission Glucose Level and Presence of Diabetes Mellitus on Mortality in Patients With Non-ST-Segment Elevation Acute Coronary Syndrome Treated Conservatively. <i>American Journal of Cardiology</i> , 2009, 103, 954-958.	0.7	14
125	Thr715Pro P-selectin polymorphism and P-selectin release in blood obtained from the bleeding time wounds in patients with deep-vein thrombosis. <i>Thrombosis Research</i> , 2009, 124, 248-250.	0.8	4
126	Early abciximab administration before transfer for primary percutaneous coronary interventions for ST-elevation myocardial infarction reduces 1-year mortality in patients with high-risk profile. Results from EUROTRANSFER Registry. <i>American Heart Journal</i> , 2009, 158, 569-575.	1.2	35

#	ARTICLE	IF	CITATIONS
127	Management and mortality in patients with non-ST-segment elevation vs. ST-segment elevation myocardial infarction. Data from the Malopolska Registry of Acute Coronary Syndromes. <i>Kardiologia Polska</i> , 2009, 67, 115-20; discussion 121-2.	0.3	12
128	Recanalization of peripheral arteries by interventional cardiologists: Rationale and results. <i>International Journal of Cardiology</i> , 2008, 129, 304-306.	0.8	1
129	European registry on patients with ST-elevation myocardial infarction transferred for mechanical reperfusion with a special focus on early administration of abciximab – EUROTRANSFER Registry. <i>American Heart Journal</i> , 2008, 156, 1147-1154.	1.2	60
130	Spontaneous closure of aorta-to-right atrium fistula after septal occluder implantation. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 744-746.	0.6	4
131	Renal insufficiency increases mortality in acute coronary syndromes regardless of TIMI risk score. <i>Kardiologia Polska</i> , 2008, 66, 28-34; discussion 35-6.	0.3	8
132	Local hospital networks for STEMI treatment for a population of half a million inhabitants increase the use of invasive treatment of acute coronary syndromes to the European recommended level. The Małopolska Registry of Acute Coronary Syndromes 2005-2006. <i>Kardiologia Polska</i> , 2008, 66, 489-97, discussion 498-9.	0.3	6
133	In-hospital management and mortality in elderly patients with non-ST-segment elevation acute coronary syndromes treated in centers without on-site invasive facilities. <i>Cardiology Journal</i> , 2008, 15, 451-7.	0.5	8
134	More aggressive pharmacological treatment may improve clinical outcome in patients with non-ST-elevation acute coronary syndromes treated conservatively. <i>Coronary Artery Disease</i> , 2007, 18, 299-303.	0.3	12
135	Plasma Homocysteine Affects Fibrin Clot Permeability and Resistance to Lysis in Human Subjects. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 1397-1404.	1.1	107
136	Management of myocardial infarction with ST-segment elevation in district hospitals without catheterisation laboratory – Acute Coronary Syndromes Registry of Małopolska 2002-2003. <i>Kardiologia Polska</i> , 2006, 64, 1053-60; discussion 1061-2.	0.3	6