

Michele Zoli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6240188/publications.pdf>

Version: 2024-02-01

221
papers

16,973
citations

20759

60
h-index

16127

124
g-index

221
all docs

221
docs citations

221
times ranked

11514
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Evidence of a dual mechanism of action underlying the anti-proliferative and cytotoxic effects of ammonium-alkyloxy-stilbene-based $\hat{1}\pm 7$ - and $\hat{1}\pm 9$ -nicotinic ligands on glioblastoma cells. <i>Pharmacological Research</i> , 2022, 175, 105959. | 3.1 | 9 |
| 2 | Choline and nicotine increase glioblastoma cell proliferation by binding and activating $\hat{1}\pm 7$ - and $\hat{1}\pm 9$ -containing nicotinic receptors. <i>Pharmacological Research</i> , 2021, 163, 105336. | 3.1 | 30 |
| 3 | Altered mRNA Levels of Stress-Related Peptides in Mouse Hippocampus and Caudate-Putamen in Withdrawal after Long-Term Intermittent Exposure to Tobacco Smoke or Electronic Cigarette Vapour. <i>International Journal of Molecular Sciences</i> , 2021, 22, 599. | 1.8 | 9 |
| 4 | Mild to Severe Neurological Manifestations of COVID-19: Cases Reports. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3673. | 1.2 | 16 |
| 5 | A regional and cellular analysis of the early intracellular and extracellular accumulation of $\hat{A}\hat{1}^2$ in the brain of 5XFAD mice. <i>Neuroscience Letters</i> , 2021, 754, 135869. | 1.0 | 7 |
| 6 | Dorsal and ventral striatal neuronal subpopulations differentially disrupt male mouse copulatory behavior. <i>European Neuropsychopharmacology</i> , 2021, 49, 23-37. | 0.3 | 3 |
| 7 | S100B dysregulation during brain development affects synaptic SHANK protein networks via alteration of zinc homeostasis. <i>Translational Psychiatry</i> , 2021, 11, 562. | 2.4 | 7 |
| 8 | $\hat{1}\pm 9$ -Containing Nicotinic Receptors in Cancer. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 805123. | 1.8 | 8 |
| 9 | Novel peptide-conjugated nanomedicines for brain targeting: In vivo evidence. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2020, 28, 102226. | 1.7 | 20 |
| 10 | Persistent cognitive and affective alterations at late withdrawal stages after long-term intermittent exposure to tobacco smoke or electronic cigarette vapour: Behavioural changes and their neurochemical correlates. <i>Pharmacological Research</i> , 2020, 158, 104941. | 3.1 | 12 |
| 11 | Neuromorphic Organic Devices that Specifically Discriminate Dopamine from Its Metabolites by Nonspecific Interactions. <i>Advanced Functional Materials</i> , 2020, 30, 2002141. | 7.8 | 21 |
| 12 | Distribution and Relative Abundance of S100 Proteins in the Brain of the APP23 Alzheimer's Disease Model Mice. <i>Frontiers in Neuroscience</i> , 2019, 13, 640. | 1.4 | 31 |
| 13 | Nanomedicine Against $\hat{A}\hat{1}^2$ Aggregation by $\hat{1}^2$ Sheet Breaker Peptide Delivery: In Vitro Evidence. <i>Pharmaceutics</i> , 2019, 11, 572. | 2.0 | 18 |
| 14 | Application of CRISPR/Cas9 editing and digital droplet PCR in human iPSCs to generate novel knock-in reporter lines to visualize dopaminergic neurons. <i>Stem Cell Research</i> , 2019, 41, 101656. | 0.3 | 11 |
| 15 | The novel hybrid agonist HyNDA-1 targets the D3R-nAChR heteromeric complex in dopaminergic neurons. <i>Biochemical Pharmacology</i> , 2019, 163, 154-168. | 2.0 | 14 |
| 16 | Increased sensitivity to $\hat{1}^9$ -THC-induced rewarding effects after seven-week exposure to electronic and tobacco cigarettes in mice. <i>European Neuropsychopharmacology</i> , 2019, 29, 566-576. | 0.3 | 14 |
| 17 | Reduced plaque size and inflammation in the APP23 mouse model for Alzheimer's disease after chronic application of polymeric nanoparticles for CNS targeted zinc delivery. <i>Journal of Trace Elements in Medicine and Biology</i> , 2018, 49, 210-221. | 1.5 | 64 |
| 18 | Exploiting interfacial phenomena in organic bioelectronics: Conformable devices for bidirectional communication with living systems. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018, 168, 143-147. | 2.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Development of a simple and sensitive liquid chromatography triple quadrupole mass spectrometry (LC-MS/MS) method for the determination of cannabidiol (CBD), Δ^9 -tetrahydrocannabinol (THC) and its metabolites in rat whole blood after oral administration of a single high dose of CBD. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 150, 25-32. | 1.4 | 50 |
| 20 | LPS-induced histone H3 phospho(Ser10)-acetylation(Lys14) regulates neuronal and microglial neuroinflammatory response. <i>Brain, Behavior, and Immunity</i> , 2018, 74, 277-290. | 2.0 | 39 |
| 21 | Increased expression of CRF and CRF-receptors in dorsal striatum, hippocampus, and prefrontal cortex after the development of nicotine sensitization in rats. <i>Drug and Alcohol Dependence</i> , 2018, 189, 12-20. | 1.6 | 16 |
| 22 | Analysis and Quantification of GPCR Allosteric Receptor-Receptor Interactions Using Radioligand Binding Assays: The A2AR-D2R Heteroreceptor Complex Example. <i>Neuromethods</i> , 2018, , 1-14. | 0.2 | 0 |
| 23 | Alpha6-Containing Nicotinic Acetylcholine Receptors Mediate Nicotine-Induced Structural Plasticity in Mouse and Human iPSC-Derived Dopaminergic Neurons. <i>Frontiers in Pharmacology</i> , 2018, 9, 572. | 1.6 | 7 |
| 24 | Deletion of <i>Maged1</i> in mice abolishes locomotor and reinforcing effects of cocaine. <i>EMBO Reports</i> , 2018, 19, . | 2.0 | 16 |
| 25 | Untargeted rat brain metabolomics after oral administration of a single high dose of cannabidiol. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 161, 1-11. | 1.4 | 21 |
| 26 | Genetic variation in <i>CHRNA7</i> and <i>CHRFAM7A</i> is associated with nicotine dependence and response to varenicline treatment. <i>European Journal of Human Genetics</i> , 2018, 26, 1824-1831. | 1.4 | 13 |
| 27 | Neuronal and Extraneuronal Nicotinic Acetylcholine Receptors. <i>Current Neuropharmacology</i> , 2018, 16, 338-349. | 1.4 | 172 |
| 28 | Serum protein changes in a rat model of chronic pain show a correlation between animal and humans. <i>Scientific Reports</i> , 2017, 7, 41723. | 1.6 | 26 |
| 29 | In <i>in vivo</i> study of the role of $\alpha 6$ -containing nicotinic acetylcholine receptor in retinal function using subtype-specific RDP α MII(E11R) toxin. <i>FASEB Journal</i> , 2017, 31, 192-202. | 0.2 | 2 |
| 30 | Nicotine inside neurons. <i>Oncotarget</i> , 2016, 7, 81977-81978. | 0.8 | 1 |
| 31 | Activity and circadian rhythm influence synaptic Shank3 protein levels in mice. <i>Journal of Neurochemistry</i> , 2016, 138, 887-895. | 2.1 | 21 |
| 32 | Alterations in $\alpha 5^*$ nicotinic acetylcholine receptors result in midbrain- and hippocampus-dependent behavioural and neural impairments. <i>Psychopharmacology</i> , 2016, 233, 3297-3314. | 1.5 | 18 |
| 33 | MicroRNA-101 Regulates Multiple Developmental Programs to Constrain Excitation in Adult Neural Networks. <i>Neuron</i> , 2016, 92, 1337-1351. | 3.8 | 73 |
| 34 | A genome-wide analysis in cluster headache points to neprilysin and PACAP receptor gene variants. <i>Journal of Headache and Pain</i> , 2016, 17, 114. | 2.5 | 38 |
| 35 | Repeated nicotine exposure modulates prodynorphin and pronociceptin levels in the reward pathway. <i>Drug and Alcohol Dependence</i> , 2016, 166, 150-158. | 1.6 | 8 |
| 36 | Whole organic electronic synapses for dopamine detection. , 2016, , . | | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Heterosynaptic GABAergic plasticity bidirectionally driven by the activity of pre- and postsynaptic NMDA receptors. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 9898-9903. | 3.3 | 23 |
| 38 | Chronic nicotine and withdrawal affect glutamatergic but not nicotinic receptor expression in the mesocorticolimbic pathway in a region-specific manner. Pharmacological Research, 2016, 103, 167-176. | 3.1 | 32 |
| 39 | Heart-cut bidimensional achiral-chiral liquid chromatography applied to the evaluation of stereoselective metabolism, in vivo biological activity and brain response to chiral drug candidates targeting the central nervous system. Journal of Chromatography A, 2016, 1443, 152-161. | 1.8 | 15 |
| 40 | 7-Chloro-5-(furan-3-yl)-3-methyl-4-hydroxy-1,2,4-thiadiazine 1,1-Dioxide as Positive Allosteric Modulator of α -Amino-3-hydroxy-5-methyl-4-isoxazolepropionic Acid (AMPA) Receptor. The End of the Unsaturated-Inactive Paradigm?. ACS Chemical Neuroscience, 2016, 7, 149-160. | 1.7 | 15 |
| 41 | O015. Evaluation of the genetic polymorphism of the α 3 (CHRNA3) and α 5 (CHRNA5) nicotinic receptor subunits, in patients with cluster headache. Journal of Headache and Pain, 2015, 16, A88. | 2.5 | 4 |
| 42 | Proteomic research of proteins involved in pain expression in an animal model of chronic pain. Journal of Headache and Pain, 2015, 16, A8. | 2.5 | 0 |
| 43 | Endocytosis of Nanomedicines: The Case of Glycopeptide Engineered PLGA Nanoparticles. Pharmaceutics, 2015, 7, 74-89. | 2.0 | 46 |
| 44 | Different physiological and behavioural effects of e-cigarette vapour and cigarette smoke in mice. European Neuropsychopharmacology, 2015, 25, 1775-1786. | 0.3 | 76 |
| 45 | Bifunctional compounds targeting both D2 and non- α 7 nACh receptors: Design, synthesis and pharmacological characterization. European Journal of Medicinal Chemistry, 2015, 101, 367-383. | 2.6 | 12 |
| 46 | PEG-g-chitosan nanoparticles functionalized with the monoclonal antibody OX26 for brain drug targeting. Nanomedicine, 2015, 10, 1735-1750. | 1.7 | 60 |
| 47 | Exploiting Bacterial Pathways for BBB Crossing with PLGA Nanoparticles Modified with a Mutated Form of Diphtheria Toxin (CRM197): In Vivo Experiments. Molecular Pharmaceutics, 2015, 12, 3672-3684. | 2.3 | 36 |
| 48 | Diversity of native nicotinic receptor subtypes in mammalian brain. Neuropharmacology, 2015, 96, 302-311. | 2.0 | 209 |
| 49 | Nicotinic, glutamatergic and dopaminergic synaptic transmission and plasticity in the mesocorticolimbic system: Focus on nicotine effects. Progress in Neurobiology, 2015, 124, 1-27. | 2.8 | 81 |
| 50 | Application of Polymeric Nanoparticles for CNS Targeted Zinc Delivery In Vivo. CNS and Neurological Disorders - Drug Targets, 2015, 14, 1041-1053. | 0.8 | 12 |
| 51 | Insight on the fate of CNS-targeted nanoparticles. Part I: Rab5-dependent cell-specific uptake and distribution. Journal of Controlled Release, 2014, 174, 195-201. | 4.8 | 63 |
| 52 | Insight on the fate of CNS-targeted nanoparticles. Part II: Intercellular neuronal cell-to-cell transport. Journal of Controlled Release, 2014, 177, 96-107. | 4.8 | 48 |
| 53 | The Novel α 7 β 2-Nicotinic Acetylcholine Receptor Subtype Is Expressed in Mouse and Human Basal Forebrain: Biochemical and Pharmacological Characterization. Molecular Pharmacology, 2014, 86, 306-317. | 1.0 | 68 |
| 54 | CC4, a dimer of cytosine, is a selective partial agonist at α 4 β 2/ α 6 β 2 nAChR with improved selectivity for tobacco smoking cessation. British Journal of Pharmacology, 2013, 168, 835-849. | 2.7 | 31 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Brain-targeted polymeric nanoparticles: <i>in vivo</i> evidence of different routes of administration in rodents. <i>Nanomedicine</i> , 2013, 8, 1373-1383. | 1.7 | 26 |
| 56 | Nicotine-Induced Structural Plasticity in Mesencephalic Dopaminergic Neurons Is Mediated by Dopamine D3 Receptors and Akt-mTORC1 Signaling. <i>Molecular Pharmacology</i> , 2013, 83, 1176-1189. | 1.0 | 61 |
| 57 | Calcineurin A versus NS5A-TP2/HD Domain Containing 2: A Case Study of Site-directed Low-frequency Random Mutagenesis for Dissecting Target Specificity of Peptide Aptamers. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 1939-1952. | 2.5 | 1 |
| 58 | Nicotinic Regulation of Energy Homeostasis. <i>Nicotine and Tobacco Research</i> , 2012, 14, 1270-1290. | 1.4 | 62 |
| 59 | An improved LC-ESI/MS method for the quantitation of adenosine concentration in mice brain microdialysates. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012, 70, 563-566. | 1.4 | 9 |
| 60 | Simultaneous measurement of adenosine, dopamine, acetylcholine and 5-hydroxytryptamine in cerebral mice microdialysis samples by LC-ESI-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012, 71, 183-186. | 1.4 | 39 |
| 61 | Developmental overfeeding alters hypothalamic neuropeptide mRNA levels and response to a high-fat diet in adult mice. <i>Peptides</i> , 2011, 32, 1371-1383. | 1.2 | 19 |
| 62 | Ryanodine receptor-2 upregulation and nicotine-mediated plasticity. <i>EMBO Journal</i> , 2011, 30, 194-204. | 3.5 | 52 |
| 63 | Targeting of the Arpc3 actin nucleation factor by miR-29a/b regulates dendritic spine morphology. <i>Journal of Cell Biology</i> , 2011, 194, 889-904. | 2.3 | 125 |
| 64 | The encapsulated strain TIGR4 of <i>Streptococcus pneumoniae</i> is phagocytosed but is resistant to intracellular killing by mouse microglia. <i>Microbes and Infection</i> , 2010, 12, 990-1001. | 1.0 | 15 |
| 65 | A Comparative Study of the Effects of the Intravenous Self-Administration or Subcutaneous Minipump Infusion of Nicotine on the Expression of Brain Neuronal Nicotinic Receptor Subtypes. <i>Molecular Pharmacology</i> , 2010, 78, 287-296. | 1.0 | 51 |
| 66 | Nicotinic Acetylcholine Receptors in the Mesolimbic Pathway: Primary Role of Ventral Tegmental Area $\alpha 6 \beta 2^*$ Receptors in Mediating Systemic Nicotine Effects on Dopamine Release, Locomotion, and Reinforcement. <i>Journal of Neuroscience</i> , 2010, 30, 5311-5325. | 1.7 | 208 |
| 67 | Rodent Habenulo-Interpeduncular Pathway Expresses a Large Variety of Uncommon nAChR Subtypes, But Only the $\alpha 3 \beta 4$ and $\alpha 3 \beta 2 \beta 4$ Subtypes Mediate Acetylcholine Release. <i>Journal of Neuroscience</i> , 2009, 29, 2272-2282. | 1.7 | 205 |
| 68 | Structural and functional diversity of native brain neuronal nicotinic receptors. <i>Biochemical Pharmacology</i> , 2009, 78, 703-711. | 2.0 | 422 |
| 69 | Functional interaction between presynaptic nicotinic and D2 receptors on dopaminergic nerve endings of rat and mouse nucleus accumbens. <i>Biochemical Pharmacology</i> , 2009, 78, 916. | 2.0 | 1 |
| 70 | D2R striatopallidal neurons inhibit both locomotor and drug reward processes. <i>Nature Neuroscience</i> , 2009, 12, 393-395. | 7.1 | 251 |
| 71 | Neurosteroids and epileptogenesis in the pilocarpine model: Evidence for a relationship between P450 δ induction and length of the latent period. <i>Epilepsia</i> , 2009, 50, 53-58. | 2.6 | 50 |
| 72 | Pre-synaptic nicotinic and D ₂ receptors functionally interact on dopaminergic nerve endings of rat and mouse nucleus accumbens. <i>Journal of Neurochemistry</i> , 2009, 108, 1507-1514. | 2.1 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Exposure to an enriched environment selectively increases the functional response of the pre-synaptic NMDA receptors which modulate noradrenaline release in mouse hippocampus. <i>Journal of Neurochemistry</i> , 2009, 110, 1598-1606. | 2.1 | 54 |
| 74 | Can the role of genetic factors in schizophrenia be enlightened by studies of candidate gene mutant mice behaviour?. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 778-797. | 1.3 | 8 |
| 75 | Serum proteomic analysis during nicotine self-administration, extinction and relapse in rats. <i>Electrophoresis</i> , 2008, 29, 1525-1533. | 1.3 | 10 |
| 76 | Regional patterns and clinical correlates of basal ganglia morphology in non-medicated schizophrenia. <i>Schizophrenia Research</i> , 2008, 106, 140-147. | 1.1 | 73 |
| 77 | Synapsin-I- and synapsin-II-null mice display an increased age-dependent cognitive impairment. <i>Journal of Cell Science</i> , 2008, 121, 3042-3051. | 1.2 | 102 |
| 78 | Neuroprotection via nAChRs: the role of nAChRs in neurodegenerative disorders such as Alzheimer's and Parkinson's disease. <i>Frontiers in Bioscience - Landmark</i> , 2008, 13, 492. | 3.0 | 187 |
| 79 | Cannabinoid Receptor Antagonists Counteract Sensorimotor Gating Deficits in the Phencyclidine Model of Psychosis. <i>Neuropsychopharmacology</i> , 2007, 32, 2098-2107. | 2.8 | 64 |
| 80 | Loss of high-affinity nicotinic receptors increases the vulnerability to excitotoxic lesion and decreases the positive effects of an enriched environment. <i>FASEB Journal</i> , 2007, 21, 4028-4037. | 0.2 | 18 |
| 81 | Selective disarrangement of the rostral telencephalic cholinergic system in heterozygous reeler mice. <i>Neuroscience</i> , 2007, 144, 834-844. | 1.1 | 12 |
| 82 | Nicotine withdrawal increases body weight, neuropeptide Y and Agouti-related protein expression in the hypothalamus and decreases uncoupling protein-3 expression in the brown adipose tissue in high-fat fed mice. <i>Neuroscience Letters</i> , 2007, 411, 72-76. | 1.0 | 43 |
| 83 | Heterogeneity and complexity of native brain nicotinic receptors. <i>Biochemical Pharmacology</i> , 2007, 74, 1102-1111. | 2.0 | 260 |
| 84 | Brain nicotinic acetylcholine receptors: native subtypes and their relevance. <i>Trends in Pharmacological Sciences</i> , 2006, 27, 482-491. | 4.0 | 782 |
| 85 | Inhibition of both $\alpha 7^*$ and $\alpha 2^*$ nicotinic acetylcholine receptors is necessary to prevent development of sensitization to cocaine-elicited increases in extracellular dopamine levels in the ventral striatum. <i>Psychopharmacology</i> , 2006, 187, 181-188. | 1.5 | 34 |
| 86 | Differential effects of nicotinic antagonists perfused into the nucleus accumbens or the ventral tegmental area on cocaine-induced dopamine release in the nucleus accumbens of mice. <i>Psychopharmacology</i> , 2006, 190, 189-199. | 1.5 | 32 |
| 87 | Neuronal nicotinic acetylcholine receptors. , 2006, , 141-157. | | 0 |
| 88 | Heterogeneity and Selective Targeting of Neuronal Nicotinic Acetylcholine Receptor (nAChR) Subtypes Expressed on Retinal Afferents of the Superior Colliculus and Lateral Geniculate Nucleus: Identification of a New Native nAChR Subtype $\alpha 3\beta 2$ ($\alpha 5$ or $\beta 3$) Enriched in Retinocollicular Afferents. <i>Molecular Pharmacology</i> , 2005, 68, 1162-1171. | 1.0 | 68 |
| 89 | Nicotinic Acetylcholine Receptor Subtypes Expression during Rat Retina Development and Their Regulation by Visual Experience. <i>Molecular Pharmacology</i> , 2004, 66, 85-96. | 1.0 | 84 |
| 90 | Alteration of hippocampal cell proliferation in mice lacking the $\beta 2$ subunit of the neuronal nicotinic acetylcholine receptor. <i>Synapse</i> , 2004, 54, 200-206. | 0.6 | 71 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Localization of [3H]nicotine, [3H]cytisine, [3H]epibatidine, and [125I]α-bungarotoxin binding sites in the brain of <i>Macaca mulatta</i> . <i>Journal of Comparative Neurology</i> , 2003, 461, 49-60. | 0.9 | 91 |
| 92 | Effects of nicotine in the dopaminergic system of mice lacking the alpha4 subunit of neuronal nicotinic acetylcholine receptors. <i>European Journal of Neuroscience</i> , 2003, 17, 1329-1337. | 1.2 | 224 |
| 93 | Ontogeny and Tissue-Specific Regulation of Ghrelin mRNA Expression Suggest that Ghrelin Is Primarily Involved in the Control of Extraendocrine Functions in the Rat. <i>Neuroendocrinology</i> , 2003, 77, 91-99. | 1.2 | 34 |
| 94 | Selective activation of central subtypes of the nicotinic acetylcholine receptor has opposite effects on neonatal excitotoxic brain injuries. <i>FASEB Journal</i> , 2002, 16, 423-425. | 0.2 | 94 |
| 95 | Coaggregation, Cointernalization, and Codesensitization of Adenosine A2A Receptors and Dopamine D2 Receptors. <i>Journal of Biological Chemistry</i> , 2002, 277, 18091-18097. | 1.6 | 450 |
| 96 | Nicotine and neurodegeneration in ageing. <i>Toxicology Letters</i> , 2002, 127, 207-215. | 0.4 | 63 |
| 97 | Diet-induced changes in hypothalamic pro-opio-melanocortin mRNA in the rat hypothalamus. <i>Peptides</i> , 2002, 23, 1063-1068. | 1.2 | 42 |
| 98 | Rivastigmine antagonizes deficits in prepulse inhibition induced by selective immunolesioning of cholinergic neurons in nucleus basalis magnocellularis. <i>Neuroscience</i> , 2002, 114, 91-98. | 1.1 | 32 |
| 99 | Identification of the Nicotinic Receptor Subtypes Expressed on Dopaminergic Terminals in the Rat Striatum. <i>Journal of Neuroscience</i> , 2002, 22, 8785-8789. | 1.7 | 369 |
| 100 | Distribution and Pharmacology of α6-Containing Nicotinic Acetylcholine Receptors Analyzed with Mutant Mice. <i>Journal of Neuroscience</i> , 2002, 22, 1208-1217. | 1.7 | 330 |
| 101 | Nicotinic receptors in aging and dementia. <i>Journal of Neurobiology</i> , 2002, 53, 641-655. | 3.7 | 193 |
| 102 | Pharmacological manipulation of brain galaninergic system and sexual behavior in male mice. <i>Psychopharmacology</i> , 2002, 160, 325-330. | 1.5 | 12 |
| 103 | Characterisation of gastric ghrelin cells in man and other mammals: studies in adult and fetal tissues. <i>Histochemistry and Cell Biology</i> , 2002, 117, 511-519. | 0.8 | 188 |
| 104 | Ghrelin expression in gut endocrine growths. <i>Histochemistry and Cell Biology</i> , 2002, 117, 521-525. | 0.8 | 57 |
| 105 | Acute and long-term changes in the mesolimbic dopamine pathway after systemic or local single nicotine injections. <i>European Journal of Neuroscience</i> , 2002, 15, 1810-1818. | 1.2 | 112 |
| 106 | Preferential alterations in the mesolimbic dopamine pathway of heterozygous reeler mice: an emerging animal-based model of schizophrenia. <i>European Journal of Neuroscience</i> , 2002, 15, 1197-1205. | 1.2 | 60 |
| 107 | Heteromerization of Adenosine and Dopamine Receptor Subtypes: Relevance for Neuronal Integration in Normal and Pathological States. <i>Advances in Behavioral Biology</i> , 2002, , 199-204. | 0.2 | 2 |
| 108 | Selective immunolesioning of cholinergic neurons in nucleus basalis magnocellularis impairs prepulse inhibition of acoustic startle. <i>Neuroscience</i> , 2001, 108, 299-305. | 1.1 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Molecular and Physiological Diversity of Nicotinic Acetylcholine Receptors in the Midbrain Dopaminergic Nuclei. <i>Journal of Neuroscience</i> , 2001, 21, 1452-1463. | 1.7 | 626 |
| 110 | Adenosine A2A agonist CGS 21680 decreases the affinity of dopamine D2 receptors for dopamine in human striatum. <i>NeuroReport</i> , 2001, 12, 1831-1834. | 0.6 | 78 |
| 111 | Combined $\hat{1}\pm 2$ -adrenergic/D2 dopamine receptor blockade fails to reproduce the ability of clozapine to reverse phencyclidine-induced deficits in prepulse inhibition of startle. <i>Psychopharmacology</i> , 2001, 159, 105-110. | 1.5 | 16 |
| 112 | Functional striatal hypodopaminergic activity in mice lacking adenosine A2A receptors. <i>Journal of Neurochemistry</i> , 2001, 78, 183-198. | 2.1 | 68 |
| 113 | Evidence for the existence of pulses of dopamine in the extracellular space of the rat striatum. <i>Progress in Brain Research</i> , 2000, 125, 303-308. | 0.9 | 4 |
| 114 | Localization of nAChR subunit mRNAs in the brain of <i>Macaca mulatta</i> . <i>European Journal of Neuroscience</i> , 2000, 12, 3664-3674. | 1.2 | 139 |
| 115 | Evidence for Adenosine/Dopamine Receptor Interactions Indications for Heteromerization. <i>Neuropsychopharmacology</i> , 2000, 23, S50-S59. | 2.8 | 147 |
| 116 | Dopamine D1 and adenosine A1 receptors form functionally interacting heteromeric complexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 8606-8611. | 3.3 | 419 |
| 117 | Protective Effects of Delapril Combined with Indapamide or Hydrochlorothiazide in Spontaneously Hypertensive Stroke-Prone Rats: A Comparative Dose-Response Analysis. <i>Journal of Cardiovascular Pharmacology</i> , 2000, 36, 321-328. | 0.8 | 4 |
| 118 | Use of knock-out mice to determine the molecular basis for the actions of nicotine. <i>Nicotine and Tobacco Research</i> , 1999, 1, 121-125. | 1.4 | 28 |
| 119 | Changes in nicotinic acetylcholine receptor subunit mRNAs and nicotinic binding in spontaneously hypertensive stroke prone rats. <i>Neuroscience Letters</i> , 1999, 277, 169-172. | 1.0 | 28 |
| 120 | On the distribution patterns of D1, D2, tyrosine hydroxylase and dopamine transporter immunoreactivities in the ventral striatum of the rat. <i>Neuroscience</i> , 1999, 89, 473-489. | 1.1 | 53 |
| 121 | Effects of nitric oxide inhibition on the spread of biotinylated dextran and on extracellular space parameters in the neostriatum of the male rat. <i>Neuroscience</i> , 1999, 91, 69-80. | 1.1 | 22 |
| 122 | Volume transmission in the CNS and its relevance for neuropsychopharmacology. <i>Trends in Pharmacological Sciences</i> , 1999, 20, 142-150. | 4.0 | 304 |
| 123 | Subunit and region-specific decreases in nicotinic acetylcholine receptor mRNA in the aged rat brain. <i>Neurobiology of Aging</i> , 1999, 20, 37-46. | 1.5 | 25 |
| 124 | Increased neurodegeneration during ageing in mice lacking high-affinity nicotine receptors. <i>EMBO Journal</i> , 1999, 18, 1235-1244. | 3.5 | 193 |
| 125 | Involvement of $\hat{1}\pm 6$ nicotinic receptor subunit in nicotine-elicited locomotion, demonstrated by in vivo antisense oligonucleotide infusion. <i>NeuroReport</i> , 1999, 10, 2497-2501. | 0.6 | 78 |
| 126 | Promoter analysis of the neuronal nicotinic acetylcholine receptor $\hat{1}\pm 4$ gene: methylation and expression of the transgene. <i>European Journal of Neuroscience</i> , 1998, 10, 2244-2253. | 1.2 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Brain nicotinic receptors: structure and regulation, role in learning and reinforcement1Published on the World Wide Web on 24 October 1997.1. Brain Research Reviews, 1998, 26, 198-216. | 9.1 | 280 |
| 128 | The emergence of the volume transmission concept1Published on the World Wide Web on 12 January 1998.1. Brain Research Reviews, 1998, 26, 136-147. | 9.1 | 209 |
| 129 | Integrated events in central dopamine transmission as analyzed at multiple levels. Evidence for intramembrane adenosine A2A/dopamine D2 and adenosine A1/dopamine D1 receptor interactions in the basal ganglia1Published on the World Wide Web on 12 January 1998.1. Brain Research Reviews, 1998, 26, 258-273. | 9.1 | 266 |
| 130 | Hypothalamic Neuropeptide Y and Galanin in Overweight Rats Fed a Cafeteria Diet. Peptides, 1998, 19, 157-165. | 1.2 | 28 |
| 131 | Acetylcholine receptors containing the $\hat{\alpha}2$ subunit are involved in the reinforcing properties of nicotine. Nature, 1998, 391, 173-177. | 13.7 | 1,239 |
| 132 | Identification of Four Classes of Brain Nicotinic Receptors Using $\hat{\alpha}2$ Mutant Mice. Journal of Neuroscience, 1998, 18, 4461-4472. | 1.7 | 372 |
| 133 | Contribution of nicotinic acetylcholine receptors containing the $\hat{\alpha}2$ -subunit to the behavioural effects of nicotine. Biochemical Society Transactions, 1997, 25, 824-829. | 1.6 | 33 |
| 134 | Protective Effects of Delapril, Indapamide and Their Combination Chronically Administered to Stroke-Prone Spontaneously Hypertensive Rats Fed a High-Sodium Diet. Clinical Science, 1997, 93, 401-411. | 1.8 | 27 |
| 135 | Hypothalamo-pituitary-IGF-1 axis in female rats made obese by overfeeding. Life Sciences, 1997, 61, 881-889. | 2.0 | 14 |
| 136 | Neuron-Glia Cross Talk in Rat Striatum after Transient Forebrain Ischemia. Advances in Experimental Medicine and Biology, 1997, 429, 55-68. | 0.8 | 1 |
| 137 | Short- and Long-term Changes in Striatal Neurons and Astroglia After Transient Forebrain Ischemia in Rats. Stroke, 1997, 28, 1049-1059. | 1.0 | 44 |
| 138 | Regional and cellular distribution of spermidine/spermine N1-acetyltransferase (SSAT) mRNA in the rat central nervous system. Neuroscience Letters, 1996, 207, 13-16. | 1.0 | 7 |
| 139 | Computer-assisted mapping of basic fibroblast growth factor immunoreactive nerve cell populations in the rat brain. Journal of Chemical Neuroanatomy, 1996, 11, 13-35. | 1.0 | 42 |
| 140 | Spermidine/spermine N1-acetyltransferase mRNA levels show marked and region-specific changes in the early phase after transient forebrain ischemia. Molecular Brain Research, 1996, 38, 122-134. | 2.5 | 21 |
| 141 | Wiring and volume transmission in the central nervous system: The concept of closed and open synapses. Progress in Neurobiology, 1996, 49, 363-380. | 2.8 | 125 |
| 142 | Neuronal Nicotinic Receptor $\alpha 6$ Subunit mRNA is Selectively Concentrated in Catecholaminergic Nuclei of the Rat Brain. European Journal of Neuroscience, 1996, 8, 2428-2439. | 1.2 | 358 |
| 143 | Characterization of the hypothalamo-â€ˆpituitary-â€ˆIGF-I axis in rats made obese by overfeeding. Journal of Endocrinology, 1996, 148, 347-353. | 1.2 | 37 |
| 144 | THE RECEPTOR MOSAIC HYPOTHESIS OF THE ENGRAM: POSSIBLE RELEVANCE OF BOOLEAN NETWORK MODELING. International Journal of Neural Systems, 1996, 07, 363-368. | 3.2 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Long distance pathways of diffusion for dextran along fibre bundles in brain. Relevance for volume transmission. <i>NeuroReport</i> , 1995, 6, 1005-1009. | 0.6 | 52 |
| 146 | Temporal changes in sulphated glycoprotein-2 (clusterin) and ornithine decarboxylase mRNA levels in the rat testis after ethane-dimethane sulphonate-induced degeneration of Leydig cells. <i>Journal of Developmental and Physical Disabilities</i> , 1995, 18, 46-54. | 3.6 | 6 |
| 147 | Immunochemical localization of calcium/calmodulin-dependent protein kinase I. <i>Synapse</i> , 1995, 20, 75-84. | 0.6 | 100 |
| 148 | Abnormal avoidance learning in mice lacking functional high-affinity nicotine receptor in the brain. <i>Nature</i> , 1995, 374, 65-67. | 13.7 | 612 |
| 149 | A single (α^7)-nicotine injection causes change with a time delay in the affinity of striatal D2 receptors for antagonist, but not for agonist, nor in the D2 receptor mRNA levels in the rat substantia nigra. <i>Brain Research</i> , 1995, 679, 157-167. | 1.1 | 15 |
| 150 | Age-related alterations in tanycytes of the mediobasal hypothalamus of the male rat. <i>Neurobiology of Aging</i> , 1995, 16, 77-83. | 1.5 | 32 |
| 151 | Intercellular communication in the brain: Wiring versus volume transmission. <i>Neuroscience</i> , 1995, 69, 711-726. | 1.1 | 496 |
| 152 | Promoter elements conferring neuron-specific expression of the $\beta 2$ -subunit of the neuronal nicotinic acetylcholine receptor studied in vitro and in transgenic mice. <i>Neuroscience</i> , 1995, 69, 807-819. | 1.1 | 58 |
| 153 | Mapping and computer assisted morphometry and microdensitometry of glucocorticoid receptor immunoreactive neurons and glial cells in the rat central nervous system. <i>Neuroscience</i> , 1994, 62, 843-897. | 1.1 | 163 |
| 154 | Neurochemical and Behavioral Studies on L-dopa Toxicity in the Model of Manganese Lesioned Nigrostriatal Pathway in the Rat: Evidence for a Protective Effect of the GM1 Lactone Siagoside. , 1994, , 381-407. | | 2 |
| 155 | Receptor-receptor interactions as an integrative mechanism in nerve cells. <i>Molecular Neurobiology</i> , 1993, 7, 293-334. | 1.9 | 124 |
| 156 | Neurochemical alterations but not nerve cell loss in aged rat neostriatum. <i>Journal of Chemical Neuroanatomy</i> , 1993, 6, 131-145. | 1.0 | 17 |
| 157 | Distribution of dopamine-immunoreactive neurons and their relationships to transmitter and hypothalamic hormone-immunoreactive neuronal systems in the rat mediobasal hypothalamus. A morphometric and microdensitometric analysis. <i>Journal of Chemical Neuroanatomy</i> , 1993, 6, 293-310. | 1.0 | 57 |
| 158 | Increases in sulphated glycoprotein-2 mRNA levels in the rat brain after transient forebrain ischemia or partial mesodiencephalic hemitranssection. <i>Molecular Brain Research</i> , 1993, 18, 163-177. | 2.5 | 22 |
| 159 | Effects of polyamine synthesis blockade on neuronal loss and astroglial reaction after transient forebrain ischemia. <i>International Journal of Developmental Neuroscience</i> , 1993, 11, 175-187. | 0.7 | 17 |
| 160 | Indole-pyruvic acid treatment reduces damage in striatum but not in hippocampus after transient forebrain ischemia in the rat. <i>Neurochemistry International</i> , 1993, 23, 139-148. | 1.9 | 7 |
| 161 | Chicken neuronal acetylcholine receptor alpha 2-subunit gene exhibits neuron-specific expression in the brain and spinal cord of transgenic mice.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 2237-2241. | 3.3 | 20 |
| 162 | Corticosterone increases FGF-2 (bFGF) immunoreactivity in the substantia nigra of the rat. <i>NeuroReport</i> , 1993, 4, 783-786. | 0.6 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | L-Deprenyl increases GFAP immunoreactivity selectively in activated astrocytes in rat brain. <i>NeuroReport</i> , 1993, 4, 955-958. | 0.6 | 42 |
| 164 | Regional and cellular distribution within the rat prostate of two mRNA species undergoing opposite regulation by androgens. <i>Journal of Endocrinology</i> , 1992, 132, 361-NP. | 1.2 | 23 |
| 165 | Feeding and drinking responses to neuropeptide Y injections in the paraventricular hypothalamic nucleus of aged rats. <i>Brain Research</i> , 1992, 575, 265-271. | 1.1 | 52 |
| 166 | Central Mechanisms Subserving the Impaired Growth Hormone Secretion Induced by Persistent Blockade of NMDA Receptors in Immature Male Rats. <i>Neuroendocrinology</i> , 1992, 55, 416-421. | 1.2 | 37 |
| 167 | Neuronal plasticity and ageing processes in the frame of the "Red Queen Theory". <i>Acta Physiologica Scandinavica</i> , 1992, 145, 301-309. | 2.3 | 25 |
| 168 | Morphometric evaluation of populations of neuronal profiles (cell bodies, dendrites, and nerve) in the rat brain. <i>Journal of Neurocytology</i> , 1991, 20, 50-54. | 1.2 | 19 |
| 169 | Decrease in mRNA levels but not in the density of D2 dopamine receptors in rat striatum after transient forebrain ischemia. <i>Neuroscience Letters</i> , 1991, 126, 6-8. | 1.0 | 17 |
| 170 | Regional increases in ornithine decarboxylase mRNA levels in the rat brain after partial mesodiencephalic hemitranssection as revealed by in situ hybridization histochemistry. <i>Neurochemistry International</i> , 1991, 18, 347-352. | 1.9 | 18 |
| 171 | Changes in striatal δ and κ opioid receptors after transient forebrain ischemia: a quantitative autoradiographic study. <i>Brain Research</i> , 1991, 546, 171-175. | 1.1 | 13 |
| 172 | Selective reduction of glucocorticoid receptor immunoreactivity in the hippocampal formation and central amygdaloid nucleus of the aged rat. <i>Brain Research</i> , 1991, 545, 199-207. | 1.1 | 20 |
| 173 | Differential ontogenetic expression and regulation of proenkephalin and preprosomatostatin mRNAs in rat caudate-putamen as studied by in situ hybridization histochemistry. <i>Developmental Brain Research</i> , 1991, 60, 115-122. | 2.1 | 24 |
| 174 | Corticosterone treatment counteracts lesions induced by neonatal treatment with monosodium glutamate in the mediobasal hypothalamus of the male rat. <i>Neuroscience Letters</i> , 1991, 132, 225-228. | 1.0 | 12 |
| 175 | Morphometric Evaluation of Populations of Neuronal Profiles in the Central Nervous System. , 1991, , 183-195. | | 1 |
| 176 | Long-lasting reduction of glucocorticoid receptor immunoreactivity in the hippocampal field CA1 but not in the dentate gyrus after neonatal treatment with corticosterone in the rat. <i>Acta Physiologica Scandinavica</i> , 1990, 138, 577-579. | 2.3 | 20 |
| 177 | Effects of transient forebrain ischemia on peptidergic neurons and astroglial cells: evidence for recovery of peptide immunoreactivities in neocortex and striatum but not hippocampal formation. <i>Experimental Brain Research</i> , 1990, 82, 123-36. | 0.7 | 41 |
| 178 | Evidence for a role of neosynthesized putrescine in the increase of glial fibrillary acidic protein immunoreactivity induced by a mechanical lesion in the rat brain. <i>Neuroscience Letters</i> , 1990, 120, 13-16. | 1.0 | 31 |
| 179 | Aspects of neural plasticity in the central nervous system"II. Numerical classification in neuroanatomy. <i>Neurochemistry International</i> , 1990, 16, 419-425. | 1.9 | 4 |
| 180 | Aspects of neural plasticity in the central nervous system"VI. Studies of the effects of gangliosides on brain metabolic lesions. <i>Neurochemistry International</i> , 1990, 16, 469-478. | 1.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Aspects of neural plasticity in the central nervous systemâ€”I. Computer-assisted image analysis methods. <i>Neurochemistry International</i> , 1990, 16, 383-418. | 1.9 | 94 |
| 182 | Aspects of neural plasticity in the central nervous systemâ€”V. Studies on a model of transient forebrain ischemia in male Sprague-Dawley rats. <i>Neurochemistry International</i> , 1990, 16, 451-468. | 1.9 | 25 |
| 183 | Aspects of neural plasticity in the central nervous systemâ€”IV. Chemical anatomical studies on the aging brain. <i>Neurochemistry International</i> , 1990, 16, 437-449. | 1.9 | 14 |
| 184 | On the Role of Neuropeptide Y in Information Handling in the Central Nervous System in Normal and Physiopathological States.. <i>Annals of the New York Academy of Sciences</i> , 1990, 579, 28-67. | 1.8 | 40 |
| 185 | Morphometrical and microdensitometrical studies on peptide- and tyrosine hydroxylase-like immunoreactivities in the forebrain of rats prenatally exposed to methylazoxymethanol acetate. <i>Developmental Brain Research</i> , 1990, 51, 45-61. | 2.1 | 37 |
| 186 | Aspects of neural plasticity in the central nervous systemâ€”III. Methodological studies on the microdialysis technique. <i>Neurochemistry International</i> , 1990, 16, 427-435. | 1.9 | 23 |
| 187 | Aspects of neural plasticity in the central nervous systemâ€”VII. Theoretical aspects of brain communication and computationâ†. <i>Neurochemistry International</i> , 1990, 16, 479-500. | 1.9 | 37 |
| 188 | Repeated electroconvulsive shock increases glial fibrillary acidic protein, ornithine decarboxylase, somatostatin and cholecystokinin immunoreactivities in the hippocampal formation of the rat. <i>Brain Research</i> , 1990, 533, 223-231. | 1.1 | 44 |
| 189 | Demonstration of NPY transmitter receptor mismatches in the central nervous system of the male rat. <i>Acta Physiologica Scandinavica</i> , 1989, 135, 201-202. | 2.3 | 9 |
| 190 | Some aspects of the communicational and computational organization of the brain. <i>Acta Physiologica Scandinavica</i> , 1989, 135, 203-216. | 2.3 | 20 |
| 191 | Effects of transient forebrain ischaemia on vasoactive intestinal polypeptideâ€”immunoreactive neuronal populations in the frontoparietal cortex and hippocampal formation of the male rat. <i>Acta Physiologica Scandinavica</i> , 1989, 136, 289-290. | 2.3 | 7 |
| 192 | Morphometrical and microdensitometrical studies on peptide immunoreactivities in methylazoxymethanol prenatal treated rats. <i>Pharmacological Research</i> , 1989, 21, 481-482. | 3.1 | 0 |
| 193 | Reduced growth hormone releasing factor (GHRF)-like immunoreactivity and GHRF gene expression in the hypothalamus of aged rats. <i>Peptides</i> , 1989, 10, 705-708. | 1.2 | 110 |
| 194 | Transient forebrain ischemia produces multiple deficits in dopamine D1 transmission in the lateral neostriatum of the rat. <i>Brain Research</i> , 1989, 498, 376-380. | 1.1 | 49 |
| 195 | Effects of transient forebrain ischemia on vasoactive intestinal polypeptide immunoreactive neuronal populations in the frontoparietal cortex and hippocampal formation of the male rat. <i>Regulatory Peptides</i> , 1989, 26, 160. | 1.9 | 1 |
| 196 | Morphometrical and microdensitometrical studies on VIP and tyrosine hydroxylase-like immunoreactivities in the forebrain of rats prenatally exposed to methylazoxymethanol acetate. <i>Regulatory Peptides</i> , 1989, 26, 187. | 1.9 | 0 |
| 197 | Polyamines, Ornithine Decarboxylase, and Diamine Oxidase in the Substantia Nigra and Striatum of the Male Rat After Hemitransection. <i>Journal of Neurochemistry</i> , 1988, 51, 25-31. | 2.1 | 48 |
| 198 | Effects of chronic uridine treatment on regional neuropeptide and tyrosine hydroxylase-like immunoreactivities in the brain of 12 month-old male rats. <i>Neurochemistry International</i> , 1988, 13, 499-508. | 1.9 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | D1 receptor mechanisms in the median eminence and their inhibitory regulation of LHRH release. <i>Neurochemistry International</i> , 1988, 13, 165-178. | 1.9 | 13 |
| 200 | Morphometrical evidence for a complex organization of tyrosine hydroxylase-,enkephalin- and darpp-32-like immunoreactive patches and their codistribution at three rostrocaudal levels in the rat neostriatum. <i>Neuroscience</i> , 1988, 27, 785-797. | 1.1 | 26 |
| 201 | Morphometrical and microdensitometrical studies on phenylethanolamine-N-methyltransferase- and neuropeptide Y-immunoreactive nerve terminals and on glucocorticoid receptor-immunoreactive nerve cell nuclei in the paraventricular hypothalamic nucleus in adult and old male rats. <i>Neuroscience</i> , 1988, 26, 479-492. | 1.1 | 31 |
| 202 | Morphometrical and microdensitometrical studies on phenylethanolamine-N-methyltransferase- and neuropeptide Y-immunoreactive neurons in the rostral medulla oblongata of the adult and old male rat. <i>Neuroscience</i> , 1988, 26, 461-478. | 1.1 | 96 |
| 203 | Central Glucocorticoid Receptor Immunoreactive Neurons: New Insights into the Endocrine Regulation of the Brain. <i>Annals of the New York Academy of Sciences</i> , 1987, 512, 362-393. | 1.8 | 70 |
| 204 | Studies on the cellular localization and distribution of glucocorticoid receptor and estrogen receptor immunoreactivity in the central nervous system of the rat and their relationship to the monoaminergic and peptidergic neurons of the brain. <i>The Journal of Steroid Biochemistry</i> , 1987, 27, 159-170. | 1.3 | 89 |
| 205 | Evidence for the existence of ornithine decarboxylase-immunoreactive neurons in the rat brain. <i>Neuroscience Letters</i> , 1987, 76, 269-274. | 1.0 | 44 |
| 206 | Studies on neuropeptide Y-catecholamine interactions in the hypothalamus and in the forebrain of the male rat. Relationship to neuroendocrine function. <i>Neurochemistry International</i> , 1986, 8, 355-376. | 1.9 | 87 |
| 207 | Chapter 19 Aspects on the information handling by the central nervous system: focus on cotransmission in the aged rat brain. <i>Progress in Brain Research</i> , 1986, 68, 291-301. | 0.9 | 53 |
| 208 | Chapter 20 Morphofunctional studies on the neuropeptide Y/adrenaline costoring terminal systems in the dorsal cardiovascular region of the medulla oblongata. Focus on receptor-receptor interactions in cotransmission. <i>Progress in Brain Research</i> , 1986, 68, 303-320. | 0.9 | 56 |
| 209 | Chapter 15 Studies on peptide comodulator transmission. New perspective on the treatment of disorders of the central nervous system. <i>Progress in Brain Research</i> , 1986, 66, 341-368. | 0.9 | 6 |
| 210 | Intravenous uridine treatment antagonizes hypoglycaemia-induced reduction in brain somatostatin-like immunoreactivity. <i>Acta Physiologica Scandinavica</i> , 1986, 126, 525-531. | 2.3 | 14 |
| 211 | A correlation analysis of the regional distribution of central enkephalin and δ -endorphin immunoreactive terminals and of opiate receptors in adult and old male rats. Evidence for the existence of two main types of communication in the central nervous system: the volume transmission and the wiring transmission. <i>Acta Physiologica Scandinavica</i> , 1986, 128, 201-207. | 2.3 | 260 |
| 212 | Effects of ganglioside GM1 treatment on striatal glucose metabolism, blood flow, and protein phosphorylation of the rat. <i>Acta Physiologica Scandinavica</i> , 1985, 125, 43-53. | 2.3 | 16 |
| 213 | Striatal ornithine decarboxylase activity following neurotoxic and mechanical lesions of the mesostriatal dopamine system of the male rat. <i>Acta Physiologica Scandinavica</i> , 1985, 125, 173-175. | 2.3 | 22 |
| 214 | Effects of lesions and ganglioside GM1 treatment on striatal polyamine levels and nigral DA neurons. A role of putrescine in the neurotropic activity of gangliosides. <i>Acta Physiologica Scandinavica</i> , 1985, 124, 499-506. | 2.3 | 26 |
| 215 | Evidence for Cholecystokinin-Dopamine Receptor Interactions in the Central Nervous System of the Adult and Old Rat. <i>Annals of the New York Academy of Sciences</i> , 1985, 448, 315-333. | 1.8 | 35 |
| 216 | Effects of neurotoxic and mechanical lesions of the mesostriatal dopamine pathway on striatal polyamine levels in the rat: Modulation by chronic ganglioside GM1 treatment. <i>Neuroscience Letters</i> , 1985, 61, 339-344. | 1.0 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Morphometrical analysis of the distribution of corticotrophin releasing factor, glucocorticoid receptor and phenylethanolamine-N-methyltransferase immunoreactive structures in the paraventricular hypothalamic nucleus of the rat. <i>Neuroscience Letters</i> , 1985, 54, 147-152. | 1.0 | 131 |
| 218 | Studies on neurotensin catecholamine interactions in the hypothalamus and in the forebrain of the male rat. <i>Neurochemistry International</i> , 1984, 6, 737-750. | 1.9 | 53 |
| 219 | l-glutamate reduces the affinity of [3H]N-propylnorapomorphine binding sites in striatal membranes. <i>European Journal of Pharmacology</i> , 1984, 100, 127-130. | 1.7 | 29 |
| 220 | Evidence for the existence of a dopamine receptor of the D-1 type in the rat median eminence. <i>Neuroscience Letters</i> , 1983, 43, 185-190. | 1.0 | 32 |
| 221 | A new approach to quantitate the density and antigen contents of high densities of transmitter-identified terminals. Immunocytochemical studies on different types of tyrosine hydroxylase immunoreactive nerve terminals in nucleus caudatus putamen of the rat. <i>Neuroscience Letters</i> , 1982, 32, 253-258. | 1.0 | 25 |