

# Sunil Sazawal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6240957/publications.pdf>

Version: 2024-02-01

24  
papers

3,015  
citations

471371

17  
h-index

610775

24  
g-index

24  
all docs

24  
docs citations

24  
times ranked

3671  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of routine prophylactic supplementation with iron and folic acid on admission to hospital and mortality in preschool children in a high malaria transmission setting: community-based, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2006, 367, 133-143.	6.3	864
2	Zinc Supplementation Reduces the Incidence of Acute Lower Respiratory Infections in Infants and Preschool Children: A Double-blind, Controlled Trial. <i>Pediatrics</i> , 1998, 102, 1-5.	1.0	594
3	Efficacy of probiotics in prevention of acute diarrhoea: a meta-analysis of masked, randomised, placebo-controlled trials. <i>Lancet Infectious Diseases, The</i> , 2006, 6, 374-382.	4.6	463
4	Population-based rates, timing, and causes of maternal deaths, stillbirths, and neonatal deaths in south Asia and sub-Saharan Africa: a multi-country prospective cohort study. <i>The Lancet Global Health</i> , 2018, 6, e1297-e1308.	2.9	195
5	Effect of zinc supplementation on mortality in children aged 1–48 months: a community-based randomised placebo-controlled trial. <i>Lancet, The</i> , 2007, 369, 927-934.	6.3	125
6	Zinc Supplementation Reduces the Incidence of Persistent Diarrhea and Dysentery among Low Socioeconomic Children in India. <i>Journal of Nutrition</i> , 1996, 126, 443-450.	1.3	116
7	Prebiotic and Probiotic Fortified Milk in Prevention of Morbidities among Children: Community-Based, Randomized, Double-Blind, Controlled Trial. <i>PLoS ONE</i> , 2010, 5, e12164.	1.1	95
8	Improving performance of the Tariff Method for assigning causes of death to verbal autopsies. <i>BMC Medicine</i> , 2015, 13, 291.	2.3	80
9	Micronutrient Fortified Milk Improves Iron Status, Anemia and Growth among Children 1–4 Years: A Double Masked, Randomized, Controlled Trial. <i>PLoS ONE</i> , 2010, 5, e12167.	1.1	79
10	A shortened verbal autopsy instrument for use in routine mortality surveillance systems. <i>BMC Medicine</i> , 2015, 13, 302.	2.3	70
11	Effects of fortified milk on morbidity in young children in north India: community based, randomised, double masked placebo controlled trial. <i>BMJ: British Medical Journal</i> , 2007, 334, 140.	2.4	62
12	Effects of <i>Bifidobacterium lactis</i> HN019 and Prebiotic Oligosaccharide Added to Milk on Iron Status, Anemia, and Growth Among Children 1 to 4 Years Old. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010, 51, 341-346.	0.9	56
13	Multiomics Characterization of Preterm Birth in Low- and Middle-Income Countries. <i>JAMA Network Open</i> , 2020, 3, e2029655.	2.8	53
14	Impact of micronutrient fortification of yoghurt on micronutrient status markers and growth – a randomized double blind controlled trial among school children in Bangladesh. <i>BMC Public Health</i> , 2013, 13, 514.	1.2	37
15	Efficacy of chlorhexidine application to umbilical cord on neonatal mortality in Pemba, Tanzania: a community-based randomised controlled trial. <i>The Lancet Global Health</i> , 2016, 4, e837-e844.	2.9	31
16	Understanding biological mechanisms underlying adverse birth outcomes in developing countries: protocol for a prospective cohort (AMANHI bio-banking) study. <i>Journal of Global Health</i> , 2017, 7, 021202.	1.2	27
17	Delivery, immediate newborn and cord care practices in Pemba Tanzania: a qualitative study of community, hospital staff and community level care providers for knowledge, attitudes, belief systems and practices. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 173.	0.9	25
18	Effect of zinc added to multi-vitamin supplementation containing low-dose vitamin A on plasma retinol level in children—a double-blind randomized, controlled trial. <i>Journal of Health, Population and Nutrition</i> , 2007, 25, 62-6.	0.7	14

#	ARTICLE	IF	CITATIONS
19	Direct maternal morbidity and the risk of pregnancy-related deaths, stillbirths, and neonatal deaths in South Asia and sub-Saharan Africa: A population-based prospective cohort study in 8 countries. PLoS Medicine, 2021, 18, e1003644.	3.9	13
20	Effect of Iron/Folic Acid Supplementation on the Outcome of Malaria Episodes Treated with Sulfadoxine-Pyrimethamine. Malaria Research and Treatment, 2014, 2014, 1-5.	2.0	5
21	Effect of 4% chlorhexidine on cord colonization among hospital and community births in India: a randomized controlled study. BMC Pediatrics, 2016, 16, 121.	0.7	4
22	Trial of improved practices approach to explore the acceptability and feasibility of different modes of chlorhexidine application for neonatal cord care in Pemba, Tanzania. BMC Pregnancy and Childbirth, 2015, 15, 354.	0.9	3
23	Inflammation is strongly associated with Plasmodium falciparum malaria and predicts erythropoietin, soluble transferrin receptor, and zinc protoporphyrin concentrations in severely anemic Zanzibari preschool children. FASEB Journal, 2008, 22, 873.12.	0.2	2
24	Performance of a validated spontaneous preterm delivery predictor in South Asian and Sub-Saharan African women: a nested case control study. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 8878-8886.	0.7	2