

# George Goussetis

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6243955/george-goussetis-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142  
papers

2,406  
citations

23  
h-index

44  
g-index

167  
ext. papers

3,143  
ext. citations

3.7  
avg, IF

5.28  
L-index

#	Paper	IF	Citations
142	Advances in Wirelessly Powered Backscatter Communications: From Antenna/RF Circuitry Design to Printed Flexible Electronics. <i>Proceedings of the IEEE</i> , <b>2022</b> , 110, 171-192	14.3	7
141	Quad-Furcated Profiled Horn: The Next Generation Highly Efficient GEO Antenna in Additive Manufacturing. <i>IEEE Open Journal of Antennas and Propagation</i> , <b>2022</b> , 3, 69-82	1.9	4
140	A Methodology for Remote Microwave Sterilization Applicable to the Coronavirus and Other Pathogens Using Retrodirective Antenna Arrays.. <i>IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology</i> , <b>2022</b> , 6, 41-51	2.8	2
139	Joint Digital Analogue DVB-S2(X) Link Optimization in Non-linear Channel. <i>IEEE Access</i> , <b>2022</b> , 1-1	3.5	0
138	An Atmosphere Data Driven Q Band Satellite Channel Model with Feature Selection. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 1-1	4.9	1
137	Optimal Power Splitting of Wireless Information and Power Transmission using a Novel Dual-Channel Rectenna. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 1-1	4.9	4
136	Signal Modulation Schemes in Backscatter Communications <b>2021</b> , 19-40		1
135	A system approach to enable digital beamforming with direct radiating arrays: The joint use of precoding and sparse arrays. <i>International Journal of Satellite Communications and Networking</i> , <b>2021</b> , 39, 645	1.7	1
134	Satellite Communications in the New Space Era: A Survey and Future Challenges. <i>IEEE Communications Surveys and Tutorials</i> , <b>2021</b> , 23, 70-109	37.1	149
133	On the Use of the Angle of Incidence in Support Vector Regression Surrogate Models for Practical Reflectarray Design. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 69, 1787-1792	4.9	8
132	Shaped Parallel-Plate Lens for Mechanical Wide-Angle Beam Steering. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 1-1	4.9	6
131	Compact Leaky-Wave SIW Antenna with Broadside Radiation and Dual-Band Operation for CubeSats. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2021</b> , 1-1	3.8	1
130	Highly Efficient Broadband Pyramidal Horn Antenna with Integrated H-Plane Power Division. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 1-1	4.9	1
129	FMCW Radar With Enhanced Resolution and Processing Time by Beam Switching. <i>IEEE Open Journal of Antennas and Propagation</i> , <b>2021</b> , 2, 882-896	1.9	1
128	Angularly Stable Linear-to-Circular Polarizing Reflectors for Multiple Beam Antennas. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 69, 4380-4389	4.9	6
127	Efficient Rectifier for Wireless Power Transmission Systems. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2020</b> , 68, 1921-1932	4.1	16
126	Validation of a Digital Noise Power Integration Technique for Radiometric Clear Sky Attenuation Estimation at Q-Band. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2020</b> , 68, 6743-6751	4.9	2

125	<b>2020,</b>			1
124	Ambient FM Backscattering Low-Cost and Low-Power Wireless RFID Applications <b>2020,</b> 117-143			
123	Physical Limitation of Range-Domain Secrecy Using Frequency Diverse Arrays. <i>IEEE Access</i> , <b>2020,</b> 8, 63303-63309			
122	Contoured-Beam Dual-Band Dual-Linear Polarized Reflectarray Design Using a Multiobjective Multistage Optimization. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2020,</b> 68, 7682-7687	4.9		10
121	Broadband graded index Gutman lens with a wide field of view utilizing artificial dielectrics: a design methodology. <i>Optics Express</i> , <b>2020,</b> 28, 14648-14661	3.3		17
120	Enabling Multicarrier Backscattering Communications <b>2020,</b>			2
119	Wireless-powered CR-IoT with ambient backscattering: a new transmission mode. <i>IET Communications</i> , <b>2020,</b> 14, 4069-4074	1.3		
118	. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2020,</b> 68, 2743-2752	4.9		14
117	Dual-Polarized Aperture-Coupled Patch Antennas With Application to Retrodirective and Monopulse Arrays. <i>IEEE Access</i> , <b>2020,</b> 8, 7549-7557	3.5		4
116	Broadband Reflectarray With High Polarization Purity for 4K and 8K UHDTV DVB-S2. <i>IEEE Access</i> , <b>2020,</b> 8, 100712-100720	3.5		5
115	Adaptive Mode Selection and Power Allocation for D2D Underlay Cellular Networks with Dynamic Fading Channel <b>2020,</b>			2
114	Harmonic Suppression in Frequency Shifted Backscatter Communications. <i>IEEE Open Journal of the Communications Society</i> , <b>2020,</b> 1, 990-999	6.7		2
113	A Compact and Broadband Four-Way Dual Polarization Waveguide Power Divider for Antenna Arrays <b>2020,</b>			5
112	A Novel Atmosphere-Informed Data-Driven Predictive Channel Modeling for B5G/6G Satellite-Terrestrial Wireless Communication Systems at Q-Band. <i>IEEE Transactions on Vehicular Technology</i> , <b>2020,</b> 69, 14225-14237	6.8		9
111	3D Non-Stationary Wideband Tunnel Channel Models for 5G High-Speed Train Wireless Communications. <i>IEEE Transactions on Intelligent Transportation Systems</i> , <b>2020,</b> 21, 259-272	6.1		22
110	IQ Impedance Modulator Front-End for Low-Power LoRa Backscattering Devices. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2019,</b> 67, 5307-5314	4.1		11
109	Prediction of Channel Excess Attenuation for Satellite Communication Systems at Q-Band Using Artificial Neural Network. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2019,</b> 18, 2235-2239	3.8		12
108	Chirp Based Backscatter Modulation <b>2019,</b>			5

107	A Rectifier Circuit Insensitive to the Angle of Incidence of Incoming Waves Based on a Wilkinson Power Combiner. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2019</b> , 67, 3210-3218	4.1	12
106	Assessment of spatial and temporal properties of Ka/Q band earth-space radio channel across Europe using Alphasat Aldo Paraboni payload. <i>International Journal of Satellite Communications and Networking</i> , <b>2019</b> , 37, 477-501	1.7	6
105	Wideband Shaped-Beam Reflectarray Design Using Support Vector Regression Analysis. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2019</b> , 18, 2287-2291	3.8	10
104	Cross-Polarization Reduction of Linear-to-Circular Polarizing Reflective Surfaces. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2019</b> , 18, 1527-1531	3.8	8
103	Novel Data Pre-Distorter for APSK Signals in Solid-State Power Amplifiers. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , <b>2019</b> , 66, 4044-4054	3.9	4
102	Low Cost Ambient Backscatter for Agricultural Applications <b>2019</b> ,		4
101	NFC Hybrid Harvester for Battery-free Agricultural Sensor Nodes <b>2019</b> ,		3
100	Channel Modeling for Satellite Communication Channels at Q-Band in High Latitude. <i>IEEE Access</i> , <b>2019</b> , 7, 137691-137703	3.5	12
99	Compact Leaky SIW Feeder Offering TEM Parallel Plate Waveguide Launching. <i>IEEE Access</i> , <b>2019</b> , 7, 133735-13382	3.5	12
98	Antenna Array Driven by Non-Isolated Power Amplifiers for MIMO Applications <b>2019</b> ,		1
97	Helical resonator filters with improved multipactor performance exploiting rigorous modelling and the large gap approach. <i>IET Microwaves, Antennas and Propagation</i> , <b>2019</b> , 13, 1756-1759	1.6	
96	<b>2019</b> ,		4
95	Support Vector Regression to Accelerate Design and Crosspolar Optimization of Shaped-Beam Reflectarray Antennas for Space Applications. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2019</b> , 67, 1659-1668	4.9	38
94	Adaptive Sensing Schedule for Dynamic Spectrum Sharing in Time-Varying Channel. <i>IEEE Transactions on Vehicular Technology</i> , <b>2018</b> , 67, 5520-5524	6.8	9
93	Wireless channel parameter estimation algorithms: Recent advances and future challenges. <i>China Communications</i> , <b>2018</b> , 15, 211-228	3	10
92	A uW Backscatter-Morse-Leaf Sensor for Low-Power Agricultural Wireless Sensor Networks. <i>IEEE Sensors Journal</i> , <b>2018</b> , 18, 7889-7898	4	49
91	Coupling Substrate-Integrated Waveguides to Increase the Gain Bandwidth of Leaky-Wave Antennas. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2018</b> , 66, 3099-3109	4.1	8
90	Predicting Wireless MmWave Massive MIMO Channel Characteristics Using Machine Learning Algorithms. <i>Wireless Communications and Mobile Computing</i> , <b>2018</b> , 2018, 1-12	1.9	27

89	Dual-Band Bandpass Double Ground Plane Coaxial Resonators and Filters. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2018</b> , 66, 3828-3835	4.1	9
88	Four-PAM Modulation of Ambient FM Backscattering for Spectrally Efficient Low-Power Applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2018</b> , 66, 5909-5921	4.1	17
87	Asymmetrical Impedance Inverter for Quasi-Optical Bandpass Filters With Transmission Lines of Fixed Length. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2018</b> , 1-9	4.1	
86	General Framework for the Efficient Optimization of Reflectarray Antennas for Contoured Beam Space Applications. <i>IEEE Access</i> , <b>2018</b> , 6, 72295-72310	3.5	14
85	A 2.4 GHz Rectifier Insensitive to the Angle of Incidence of Incoming Waves <b>2018</b> ,		1
84	Spectrally Efficient 4-PAM Ambient FM Backscattering for Wireless Sensing and RFID Applications <b>2018</b> ,		6
83	Low-Profile Compact Dual-Band Unit Cell for Polarizing Surfaces Operating in Orthogonal Polarizations. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2017</b> , 65, 1472-1477	4.9	21
82	A Compact 12-Way Slotted Waveguide Power Combiner for Ka-Band Applications. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2017</b> , 27, 135-137	2.6	6
81	Ultra-fast reconfigurable antennas with phase change materials <b>2017</b> ,		1
80	Retrodirective antenna array for circularly polarized wireless power transmission <b>2017</b> ,		10
79	Ambient Backscatterers Using FM Broadcasting for Low Cost and Low Power Wireless Applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2017</b> , 65, 5251-5262	4.1	35
78	Coupled Split-Ring Resonator Circular Polarization Selective Surface. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2017</b> , 65, 4664-4675	4.9	14
77	Multifunctional Angular Bandpass Filter SIW Leaky-Wave Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2017</b> , 16, 936-939	3.8	13
76	An efficient rectifier for an RDA wireless power transmission system operating at 2.4 GHz <b>2017</b> ,		7
75	Experimental Validation of All-Dielectric mm-Wave Polarization Conversion Based on Form Birefringence. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2016</b> , 26, 759-761	2.6	6
74	Effects of hyperthermia as a mitigation strategy in DNA damage-based cancer therapies. <i>Seminars in Cancer Biology</i> , <b>2016</b> , 37-38, 96-105	12.7	29
73	An active retrodirective antenna element for circularly polarized wireless power transmission <b>2016</b> ,		4
72	Helical resonator with modulated radius for improved multipactor threshold: Numerical and experimental results <b>2016</b> ,		3

71	Transmission zero realization in E-plane filters by means of I/O resonator tapping <b>2016</b> ,		3
70	. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2015</b> , 63, 1949-1956	4.9	32
69	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2015</b> , 63, 1609-1620	4.1	7
68	Pencil beam radiation pattern from a single-layer substrate-integrated waveguide leaky-wave antenna with simple feeding. <i>IET Microwaves, Antennas and Propagation</i> , <b>2015</b> , 9, 24-30	1.6	5
67	Circular Polarization Frequency Selective Surface Operating in Ku and Ka Band. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2015</b> , 63, 5194-5197	4.9	15
66	Study of coupled split-ring resonator arrays for circular polarization selective surface <b>2015</b> ,		6
65	<b>2015</b> ,		1
64	Efficient Synthesis of Low-Profile Angularly-Stable and Polarization-Independent Frequency-Selective Absorbers With a Reflection Band. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2015</b> , 63, 621-629	4.9	16
63	Design Method for Circularly Polarized FabryPerot Cavity Antennas. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2014</b> , 62, 19-26	4.9	81
62	Low Noise Amplifier With Integrated Balanced Antenna for 60 GHz Wireless Communications. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2014</b> , 62, 3407-3411	4.9	8
61	Integration of microfluidic channels with frequency selective surfaces for sensing and tuning <b>2014</b> ,		1
60	Bandwidth Enhancement of 2-D Leaky-Wave Antennas With Double-Layer Periodic Surfaces. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2014</b> , 62, 586-593	4.9	48
59	. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2014</b> , 62, 5983-5991	4.9	23
58	. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2013</b> , 61, 134-142	4.9	9
57	W-Band Planar Wide-Angle Scanning Antenna Architecture. <i>Journal of Infrared, Millimeter, and Terahertz Waves</i> , <b>2013</b> , 34, 127-139	2.2	14
56	. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2013</b> , 61, 3466-3474	4.9	77
55	Small aperture evanescent-mode waveguide antenna matched using distributed coupled resonators. <i>Electronics Letters</i> , <b>2013</b> , 49, 580-582	1.1	1
54	Reconfigurable beam forming using phase-aligned Rotman lens. <i>IET Microwaves, Antennas and Propagation</i> , <b>2012</b> , 6, 326	1.6	9

53	Encapsulation of Microelectronic Components Using Open-Ended Microwave Oven. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , <b>2012</b> , 2, 799-806	1.7	6
52	Millimeter-Wave Printed Circuit Board Characterization Using Substrate Integrated Waveguide Resonators. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2012</b> , 60, 3300-3308	4.1	28
51	Anisotropic Impedance Surfaces for Linear to Circular Polarization Conversion. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2012</b> , 60, 212-219	4.9	106
50	A Simple Technique for the Dispersion Analysis of Fabry-Perot Cavity Leaky-Wave Antennas. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2012</b> , 60, 803-810	4.9	8
49	Conformal tapered microstrip leaky-wave antennas <b>2012</b> ,		3
48	Efficient Synthesis of 1-D Fabry-Perot Antennas With Low Sidelobe Levels. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2012</b> , 11, 869-872	3.8	22
47	Planar Leaky-Wave Antenna With Flexible Control of the Complex Propagation Constant. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2012</b> , 60, 1625-1630	4.9	88
46	Broadside radiation from radial arrays of substrate integrated leaky-wave antennas <b>2012</b> ,		9
45	Electrical characterisation of liquid crystals at millimetre wavelengths using frequency selective surfaces. <i>Electronics Letters</i> , <b>2012</b> , 48, 611	1.1	29
44	Flexible pattern synthesis with SIW LWAs <b>2012</b> ,		2
43	Inline Interdigital Pseudo-Elliptic Helical Resonator Filters. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2011</b> , 21, 400-402	2.6	9
42	1D-Leaky Wave Antenna Employing Parallel-Plate Waveguide Loaded With PRS and HIS. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2011</b> , 59, 3687-3694	4.9	34
41	Enhancing Frequency-Scanning Response of Leaky-Wave Antennas Using High-Impedance Surfaces. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2011</b> , 10, 7-10	3.8	35
40	Frequency Steerable Two Dimensional Focusing Using Rectilinear Leaky-Wave Lenses. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2011</b> , 59, 407-415	4.9	42
39	. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2011</b> , 59, 2205-2216	4.9	11
38	Sub-Wavelength Profile 2-D Leaky-Wave Antennas With Two Periodic Layers. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2011</b> , 59, 416-424	4.9	26
37	Design of a Salisbury screen absorber using frequency selective surfaces to improve bandwidth and angular stability performance. <i>IET Microwaves, Antennas and Propagation</i> , <b>2011</b> , 5, 149	1.6	44
36	Quality factor of E-plane periodically loaded waveguide resonators and filter applications. <i>IET Microwaves, Antennas and Propagation</i> , <b>2011</b> , 5, 818	1.6	4

35	Microstrip half-mode leaky-wave antenna operating at 94 GHz <b>2011</b> ,		1
34	Mm-wave low-profile reflection polarizer <b>2011</b> ,		1
33	Corrections to Simple and Accurate Analytical Model of Planar Grids and High-Impedance Surfaces Comprising Metal Strips or Patches [Jun 08 1624-1632]. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2010</b> , 58, 2162-2162	4.9	6
32	Artificial Impedance Surfaces for Reduced Dispersion in Antenna Feeding Systems. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2010</b> , 58, 3629-3636	4.9	9
31	Experimental realisation of electromagnetic metamaterials. <i>Journal of Modern Optics</i> , <b>2010</b> , 57, 1-16	1.1	11
30	A Modified Pole-Zero Technique for the Synthesis of Waveguide Leaky-Wave Antennas Loaded With Dipole-Based FSS. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2010</b> , 58, 1971-1979	4.9	13
29	Helical Resonator Filters With Improved Power Handling Capabilities for Space Applications. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2010</b> , 20, 598-600	2.6	12
28	Resonant Effects and Near-Field Enhancement in Perturbed Arrays of Metal Dipoles. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2010</b> , 58, 2523-2530	4.9	11
27	Perturbed frequency selective surfaces for multiband high impedance surfaces. <i>IET Microwaves, Antennas and Propagation</i> , <b>2010</b> , 4, 1105	1.6	12
26	Perturbed frequency-selective surfaces fabricated on large thin polymer membranes for multiband infrared applications. <i>Journal of Vacuum Science &amp; Technology B</i> , <b>2009</b> , 27, 3169		2
25	Leaky-mode dispersion analysis in parallel-plate waveguides loaded with FSS and AMC with application to 1D leaky-wave antennas. <i>Digest / IEEE Antennas and Propagation Society International Symposium</i> , <b>2009</b> ,		1
24	Subwavelength resolution for horizontal and vertical polarization by coupled arrays of oblate nanoellipsoids. <i>Optics Letters</i> , <b>2009</b> , 34, 2333-5	3	8
23	Simple and Accurate Analytical Model of Planar Grids and High-Impedance Surfaces Comprising Metal Strips or Patches. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2008</b> , 56, 1624-1632	4.9	489
22	Simple and accurate transverse equivalent network to model radiation from hybrid leaky-wave antennas with control of the polarization <b>2008</b> ,		1
21	Open-ended microwave oven for flip-chip assembly. <i>IET Microwaves, Antennas and Propagation</i> , <b>2008</b> , 2, 53-58	1.6	6
20	Optimization of an Open-Ended Microwave Oven for Microelectronics Packaging. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2008</b> , 56, 2635-2641	4.1	7
19	Periodic FDTD Analysis of a 2-D Leaky-Wave Planar Antenna Based on Dipole Frequency Selective Surfaces. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2007</b> , 55, 2006-2012	4.9	19
18	Correction of Dielectric Losses in Practical Leaky-wave Antenna Designs. <i>Journal of Electromagnetic Waves and Applications</i> , <b>2007</b> , 21, 1025-1036	1.3	10



17	Simple control of the polarisation in uniform hybrid waveguide-planar leaky-wave antennas. <i>IET Microwaves, Antennas and Propagation</i> , <b>2007</b> , 1, 911	1.6	5
16	Novel and simple technique to control the polarization in stub-loaded leaky-wave antennas <b>2007</b> ,		2
15	Efficient Analysis, Design, and Filter Applications of EBG Waveguide With Periodic Resonant Loads. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2006</b> , 54, 3885-3892	4.1	19
14	Higher order modes of the Ridged Coaxial Waveguide <b>2006</b> ,		4
13	Control of Leaky-Mode Propagation and Radiation Properties in Hybrid Dielectric-Waveguide Printed-Circuit Technology: Experimental Results. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2006</b> , 54, 3383-3390	4.9	34
12	Efficient modeling of novel uniplanar left-handed metamaterials. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2005</b> , 53, 1462-1468	4.1	21
11	Uniplanar left-handed artificial metamaterials. <i>Journal of Optics</i> , <b>2005</b> , 7, S44-S50		12
10	Compact ridge waveguide filter with parallel and series-coupled resonators. <i>Microwave and Optical Technology Letters</i> , <b>2005</b> , 45, 22-23	1.2	4
9	Low-profile resonant cavity antenna with artificial magnetic conductor ground plane. <i>Electronics Letters</i> , <b>2004</b> , 40, 405	1.1	35
8	Compact ridged-waveguide bandpass filters and diplexers. <i>Microwave and Optical Technology Letters</i> , <b>2004</b> , 41, 465-467	1.2	2
7	Novel periodically loaded ridged waveguide resonators. <i>Microwave and Optical Technology Letters</i> , <b>2003</b> , 37, 266-268	1.2	1
6	Novel periodically loaded E-plane filters. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2003</b> , 13, 193-195		17
5	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2003</b> , 51, 1174-1178	4.1	14
4	Novel periodically loaded multilayer resonators. <i>Microwave and Optical Technology Letters</i> , <b>2002</b> , 35, 374-375	1.2	1
3	Upper and lower bounds of 180° unit element of a ridge waveguide: Calculations and measurements. <i>Microwave and Optical Technology Letters</i> , <b>2001</b> , 31, 260-261	1.2	2
2	Mm-Wave Broadband Wireless Systems and Enabling MMIC Technologies 295-324		
1	Review of antenna technologies for very high frequency Data Exchange Systems. <i>International Journal of Satellite Communications and Networking</i> ,	1.7	1