

Isabelle Niedhammer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6244294/publications.pdf>

Version: 2024-02-01

93
papers

6,402
citations

94433

37
h-index

66911

78
g-index

102
all docs

102
docs citations

102
times ranked

5642
citing authors

#	ARTICLE	IF	CITATIONS
1	The measurement of effortâ€“reward imbalance at work: European comparisons. <i>Social Science and Medicine</i> , 2004, 58, 1483-1499.	3.8	1,704
2	Psychosocial factors at work and subsequent depressive symptoms in the Gazel cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 1998, 24, 197-205.	3.4	255
3	Effortâ€“reward imbalance model and self-reported health: cross-sectional and prospective findings from the GAZEL cohort. <i>Social Science and Medicine</i> , 2004, 58, 1531-1541.	3.8	205
4	Social Integration and Mortality: A Prospective Study of French Employees of Electricity of France-Gas of France: The GAZEL Cohort. <i>American Journal of Epidemiology</i> , 2004, 159, 167-174.	3.4	183
5	Upper-limb disorders in repetitive work. <i>Scandinavian Journal of Work, Environment and Health</i> , 2001, 27, 268-278.	3.4	173
6	Psychometric properties of the French version of the Karasek Job Content Questionnaire: a study of the scales of decision latitude, psychological demands, social support, and physical demands in the GAZEL cohort. <i>International Archives of Occupational and Environmental Health</i> , 2002, 75, 129-144.	2.3	157
7	Psychosocial work factors and sickness absence in 31 countries in Europe. <i>European Journal of Public Health</i> , 2013, 23, 622-629.	0.3	152
8	Social relations and self-reported health: a prospective analysis of the French Gazel cohort. <i>Social Science and Medicine</i> , 2003, 56, 1817-1830.	3.8	146
9	Association between workplace bullying and depressive symptoms in the French working population. <i>Journal of Psychosomatic Research</i> , 2006, 61, 251-259.	2.6	138
10	Psychosocial job stressors and suicidality: a meta-analysis and systematic review. <i>Occupational and Environmental Medicine</i> , 2018, 75, 245-253.	2.8	136
11	Work Factors and Occupational Class Disparities in Sickness Absence: Findings From the GAZEL Cohort Study. <i>American Journal of Public Health</i> , 2005, 95, 1206-1212.	2.7	133
12	Psychosocial working conditions and psychological well-being among employees in 34 European countries. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 897-907.	2.3	125
13	Workplace Bullying and Sleep Disturbances: Findings from a Large Scale Cross-Sectional Survey in the French Working Population. <i>Sleep</i> , 2009, 32, 1211-1219.	1.1	120
14	One-Year Predictive Factors for Various Aspects of Neck Disorders. <i>Spine</i> , 1999, 24, 1455.	2.0	119
15	Psychosocial Work Environment and Mental Health: Job-strain and Effort-Reward Imbalance Models in a Context of Major Organizational Changes. <i>International Journal of Occupational and Environmental Health</i> , 2006, 12, 111-119.	1.2	118
16	Importance of psychosocial work factors on general health outcomes in the national French SUMER survey. <i>Occupational Medicine</i> , 2008, 58, 15-24.	1.4	118
17	The contribution of occupational factors to social inequalities in health: Findings from the national French SUMER survey. <i>Social Science and Medicine</i> , 2008, 67, 1870-1881.	3.8	115
18	Health problems were the strongest predictors of attrition during follow-up of the GAZEL cohort. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 1213-1221.	5.0	109

#	ARTICLE	IF	CITATIONS
19	Psychosocial work exposures and health outcomes: a meta-review of 72 literature reviews with meta-analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 489-508.	3.4	108
20	Occupational and behavioural factors in the explanation of social inequalities in premature and total mortality: a 12.5-year follow-up in the Lorhandicap study. <i>European Journal of Epidemiology</i> , 2011, 26, 1-12.	5.7	101
21	Psychosocial work factors and long sickness absence in Europe. <i>International Journal of Occupational and Environmental Health</i> , 2014, 20, 16-25.	1.2	91
22	Exposure to psychosocial work factors in 31 European countries. <i>Occupational Medicine</i> , 2012, 62, 196-202.	1.4	77
23	The mental health effects of multiple work and family demands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 573-582.	3.1	75
24	Level of education and back pain in France: the role of demographic, lifestyle and physical work factors. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 643-652.	2.3	73
25	Occupational factors and subsequent major depressive and generalized anxiety disorders in the prospective French national SIP study. <i>BMC Public Health</i> , 2015, 15, 200.	2.9	67
26	Suicide among agricultural, forestry, and fishery workers: a systematic literature review and meta-analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 3-15.	3.4	67
27	Occupational predictors of pregnancy outcomes in Irish working women in the Lifeways cohort. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 943-952.	2.3	66
28	Psychosocial work factors, major depressive and generalised anxiety disorders: Results from the French national SIP study. <i>Journal of Affective Disorders</i> , 2013, 146, 319-327.	4.1	60
29	Economic activities and occupations at high risk for workplace bullying: results from a large-scale cross-sectional survey in the general working population in France. <i>International Archives of Occupational and Environmental Health</i> , 2007, 80, 346-353.	2.3	59
30	Explanations of educational differences in major depression and generalised anxiety disorder in the Irish population. <i>Journal of Affective Disorders</i> , 2011, 134, 304-314.	4.1	58
31	Psychosocial factors at work and sickness absence: Results from the French National SUMER Survey. <i>American Journal of Industrial Medicine</i> , 2014, 57, 695-708.	2.1	57
32	Insomniac complaints interfere with quality of life but not with absenteeism: Respective role of depressive and organic comorbidity. <i>Sleep Medicine</i> , 2006, 7, 585-591.	1.6	44
33	Fractions of cardiovascular diseases, mental disorders, and musculoskeletal disorders attributable to job strain. <i>International Archives of Occupational and Environmental Health</i> , 2011, 84, 911-925.	2.3	44
34	Fractions of cardiovascular diseases and mental disorders attributable to psychosocial work factors in 31 countries in Europe. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 403-411.	2.3	43
35	Study of the validity of a job-exposure matrix for psychosocial work factors: results from the national French SUMER survey. <i>International Archives of Occupational and Environmental Health</i> , 2008, 82, 87-97.	2.3	42
36	Shoulder Disorders Related to Work Organization and Other Occupational Factors among Supermarket Cashiers. <i>International Journal of Occupational and Environmental Health</i> , 1998, 4, 168-178.	1.2	39

#	ARTICLE	IF	CITATIONS
37	Application of item response theory to achieve cross-cultural comparability of occupational stress measurement. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 58-67.	2.1	35
38	Biomechanical and Psychosocial Work Exposures and Musculoskeletal Symptoms among Vineyard Workers. <i>Journal of Occupational Health</i> , 2011, 53, 297-311.	2.1	34
39	Social differences in self-reported health among men and women in 31 countries in Europe. <i>Scandinavian Journal of Public Health</i> , 2013, 41, 51-57.	2.3	32
40	Classic and emergent psychosocial work factors and mental health. <i>Occupational Medicine</i> , 2015, 65, 126-134.	1.4	32
41	Low Control and High Demands at Work as Risk Factors for Suicide: An Australian National Population-Level Case-Control Study. <i>Psychosomatic Medicine</i> , 2017, 79, 358-364.	2.0	32
42	Manual materials handling and related occupational hazards: a national survey in France. <i>International Journal of Industrial Ergonomics</i> , 1999, 24, 365-377.	2.6	30
43	The annual costs of cardiovascular diseases and mental disorders attributable to job strain in France. <i>BMC Public Health</i> , 2013, 13, 748.	2.9	30
44	Occupational factors associated with major depressive disorder: A Brazilian population-based study. <i>Journal of Affective Disorders</i> , 2018, 240, 48-56.	4.1	28
45	Changes in psychosocial work factors in the French working population between 2006 and 2010. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 235-246.	2.3	27
46	Psychosocial work factors and sleep problems: findings from the French national SIP survey. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 485-495.	2.3	27
47	Working conditions and depression in the French national working population: Results from the SUMER study. <i>Journal of Psychiatric Research</i> , 2020, 123, 178-186.	3.1	26
48	Workplace Bullying and Psychotropic Drug Use: The Mediating Role of Physical and Mental Health Status. <i>Annals of Occupational Hygiene</i> , 2011, 55, 152-63.	1.9	25
49	Association between socio-demographic, psychosocial, material and occupational factors and self-reported health among workers in Europe. <i>Journal of Public Health</i> , 2014, 36, 194-204.	1.8	25
50	Exposition aux facteurs psychosociaux au travail du modèle de Karasek en France : Étude méthodologique à l'aide de l'enquête nationale Sumer. <i>Travailler</i> , 2007, n° 17, 47-70.	0.1	23
51	Working conditions and psychotropic drug use: Cross-sectional and prospective results from the French national SIP study. <i>Journal of Psychiatric Research</i> , 2015, 63, 50-57.	3.1	23
52	Educational inequalities in major depressive and generalized anxiety disorders: results from the French national SIP study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 919-928.	3.1	22
53	Changes in Psychosocial Work Exposures Among Employees Between 2005 and 2010 in 30 Countries in Europe. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 1135-1141.	1.7	21
54	Update of the fractions of cardiovascular diseases and mental disorders attributable to psychosocial work factors in Europe. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 233-247.	2.3	21

#	ARTICLE	IF	CITATIONS
55	Study of the validity of a jobâ€‘exposure matrix for the job strain model factors: an update and a study of changes over time. <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 523-536.	2.3	19
56	Psychosocial work exposures among European employees: explanations for occupational inequalities in mental health. <i>Journal of Public Health</i> , 2015, 37, 373-388.	1.8	18
57	Cohort Profile: The PROspective QUÃ©bec (PROQ) Study on Work and Health. <i>International Journal of Epidemiology</i> , 2018, 47, 693-693i.	1.9	18
58	Psychosocial Exposures at Work and Mental Health. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 184-191.	1.7	17
59	Working conditions in the explanation of occupational inequalities in sickness absence in the French SUMER study. <i>European Journal of Public Health</i> , 2017, 27, 1061-1068.	0.3	17
60	Selected questions on biomechanical exposures for surveillance of upper-limb work-related musculoskeletal disorders. <i>International Archives of Occupational and Environmental Health</i> , 2007, 81, 1-8.	2.3	16
61	Psychosocial work factors and first depressive episode: retrospective results from the French national SIP survey. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 835-847.	2.3	16
62	Role of working conditions in the explanation of occupational inequalities in work injury: findings from the national French SUMER survey. <i>BMC Public Health</i> , 2018, 18, 344.	2.9	16
63	Contribution of working conditions to occupational inequalities in depressive symptoms: results from the national French SUMER survey. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 1025-1037.	2.3	15
64	Social Inequalities in Psychological Well-Being: A European Comparison. <i>Community Mental Health Journal</i> , 2014, 50, 987-990.	2.0	14
65	Psychosocial Factors at Work and Occupational Injury. <i>Journal of Occupational and Environmental Medicine</i> , 2015, 57, 262-269.	1.7	14
66	Response to letter to the editor from Dr Rahman Shiri: The challenging topic of suicide across occupational groups. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 108-110.	3.4	14
67	Psychosocial work exposures of the job strain model and cardiovascular mortality in France: results from the STRESSJEM prospective study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 542-551.	3.4	13
68	Explanations for social inequalities in preterm delivery in the prospective Lifeways cohort in the Republic of Ireland. <i>European Journal of Public Health</i> , 2012, 22, 533-538.	0.3	12
69	Exposure to job stress factors in a national survey in France. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004, 30, 379-389.	3.4	12
70	Changes in major depressive and generalized anxiety disorders in the national French working population between 2006 and 2010. <i>Journal of Affective Disorders</i> , 2015, 178, 52-59.	4.1	11
71	Associations between occupational factors and self-rated health in the national Brazilian working population. <i>BMC Public Health</i> , 2019, 19, 1381.	2.9	11
72	CatÃ©gorie socioprofessionnelle et exposition aux facteurs psychosociaux au travail dans une cohorte professionnelle. <i>Travailler</i> , 2001, nÂ° 5, 23-45.	0.1	10

#	ARTICLE	IF	CITATIONS
73	Prospective associations of psychosocial work exposures with mortality in France: STRESSJEM study protocol. <i>BMJ Open</i> , 2019, 9, e031352.	1.9	9
74	Employment and occupational outcomes following adolescent-onset mental illness: analysis of a nationally representative French cohort. <i>Journal of Public Health</i> , 2019, 41, 618-627.	1.8	9
75	Psychosocial Work Factors of the Job Strain Model and All-Cause Mortality: The STRESSJEM Prospective Cohort Study. <i>Psychosomatic Medicine</i> , 2021, 83, 62-70.	2.0	9
76	Material, psychosocial and behavioural factors associated with self-reported health in the Republic of Ireland: cross-sectional results from the SLÁN survey. <i>BMJ Open</i> , 2013, 3, e002797.	1.9	8
77	Facteurs psychosociaux au travail et santé perçue dans l'enquête nationale SUMER. <i>Sante Publique</i> , 2015, Vol. 27, 177-186.	0.1	8
78	Impact of lifetime compared to adolescent-onset mental illness on psychosocial employment quality in adulthood: analysis of a nationally representative French cohort. <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 887-900.	2.3	7
79	Contribution of occupational factors to social inequalities in self-reported health among French employees. <i>International Archives of Occupational and Environmental Health</i> , 2013, 86, 541-552.	2.3	6
80	Psychosocial work exposures and suicide ideation: a study of multiple exposures using the French national working conditions survey. <i>BMC Public Health</i> , 2020, 20, 895.	2.9	6
81	Associations between multiple occupational exposures and sleep problems: Results from the national French Working Conditions survey. <i>Journal of Sleep Research</i> , 2021, 30, e13101.	3.2	6
82	Associations of multiple occupational exposures with major depressive and generalized anxiety disorders: Findings from the French National Working Conditions Survey. <i>Depression and Anxiety</i> , 2021, 38, 337-350.	4.1	6
83	Psychosocial Work Exposures of the Job Strain Model and Suicide in France: Findings from the STRESSJEM Prospective Study of 1.5 Million Men and Women over 26 Years of Follow-Up. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 398-401.	8.8	5
84	Response to the letter to the editor by Latza et al.: Indirect evaluation of attributable fractions for psychosocial work exposures: a difficult research area. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 805-808.	2.3	4
85	Multiple psychosocial work exposures and well-being among employees: prospective associations from the French national Working Conditions Survey. <i>Scandinavian Journal of Public Health</i> , 2021, , 140349482110083.	2.3	4
86	Authors' reply: Response to: Psychosocial job stressors and suicidality: a meta-analysis and systematic review by Milner et al. <i>Occupational and Environmental Medicine</i> , 2018, 75, 318-318.	2.8	3
87	Psychosocial factors at work from the job strain model and preventable mortality in France: The STRESSJEM prospective study. <i>Preventive Medicine</i> , 2021, 153, 106178.	3.4	3
88	Différences sociales dans les troubles de la santé mentale en population salariée: résultats issus de l'enquête Samotrace. <i>Sante Publique</i> , 2012, Vol. 23, 59-73.	0.1	3
89	Le poids imputable à l'exposition au stress au travail en termes économiques et de santé publique: enjeux et méthodes. <i>Travail Et Emploi</i> , 2012, , 35-49.	0.2	3
90	Shift and Night Work and All-Cause and Cause-Specific Mortality: Prospective Results From the STRESSJEM Study. <i>Journal of Biological Rhythms</i> , 2022, , 074873042210921.	2.6	3

#	ARTICLE	IF	CITATIONS
91	Le poids imputable à l'exposition au stress au travail en termes économiques et de santé publique: enjeux et méthodes. Travail Et Emploi, 2013, , 45-54.	0.2	2
92	Overall fraction of disease attributable to multiple dependent risk factors: a new formula. Lancet Neurology, The, 2021, 20, 979-980.	10.2	2
93	Burden of cardiovascular diseases and depression attributable to psychosocial work exposures in 28 European countries. European Journal of Public Health, 2022, 32, 586-592.	0.3	1