

Anton F W Van Der Steen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6245653/publications.pdf>

Version: 2024-02-01

139
papers

5,296
citations

159525

30
h-index

95218

68
g-index

146
all docs

146
docs citations

146
times ranked

5862
citing authors

#	ARTICLE	IF	CITATIONS
1	Consensus Standards for Acquisition, Measurement, and Reporting of Intravascular Optical Coherence Tomography Studies. <i>Journal of the American College of Cardiology</i> , 2012, 59, 1058-1072.	1.2	1,530
2	Terminology for high-risk and vulnerable coronary artery plaques. <i>European Heart Journal</i> , 2004, 25, 1077-1082.	1.0	478
3	Hybrid intravascular imaging: recent advances, technical considerations, and current applications in the study of plaque pathophysiology. <i>European Heart Journal</i> , 2017, 38, 400-412.	1.0	152
4	Vascular ultrasound for atherosclerosis imaging. <i>Interface Focus</i> , 2011, 1, 565-575.	1.5	121
5	Photoacoustic imaging of human coronary atherosclerosis in two spectral bands. <i>Photoacoustics</i> , 2014, 2, 12-20.	4.4	120
6	Intravascular Photoacoustic Imaging: A New Tool for Vulnerable Plaque Identification. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 1037-1048.	0.7	104
7	Intravascular optical coherence tomography imaging at 3200 frames per second. <i>Optics Letters</i> , 2013, 38, 1715.	1.7	103
8	Vulnerable plaques and patients: state-of-the-art. <i>European Heart Journal</i> , 2020, 41, 2997-3004.	1.0	98
9	High-Definition Imaging of Carotid Artery Wall Dynamics. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 2392-2403.	0.7	90
10	Heartbeat OCT: in vivo intravascular megahertz-optical coherence tomography. <i>Biomedical Optics Express</i> , 2015, 6, 5021.	1.5	80
11	Real-time volumetric lipid imaging in vivo by intravascular photoacoustics at 20 frames per second. <i>Biomedical Optics Express</i> , 2017, 8, 943.	1.5	80
12	High shear stress relates to intraplaque haemorrhage in asymptomatic carotid plaques. <i>Atherosclerosis</i> , 2016, 251, 348-354.	0.4	79
13	Plaque at RISK (PARISK): Prospective Multicenter Study to Improve Diagnosis of High-Risk Carotid Plaques. <i>International Journal of Stroke</i> , 2014, 9, 747-754.	2.9	76
14	Viability of endothelial cells after ultrasound-mediated sonoporation: Influence of targeting, oscillation, and displacement of microbubbles. <i>Journal of Controlled Release</i> , 2016, 238, 197-211.	4.8	75
15	Lipid Shedding from Single Oscillating Microbubbles. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 1834-1846.	0.7	71
16	Multidirectional wall shear stress promotes advanced coronary plaque development: comparing five shear stress metrics. <i>Cardiovascular Research</i> , 2020, 116, 1136-1146.	1.8	66
17	Spectroscopic intravascular photoacoustic imaging of lipids in atherosclerosis. <i>Journal of Biomedical Optics</i> , 2014, 19, 026006.	1.4	63
18	Photoacoustic imaging of carotid artery atherosclerosis. <i>Journal of Biomedical Optics</i> , 2014, 19, 110504.	1.4	61

#	ARTICLE	IF	CITATIONS
19	Functional Ultrasound (fUS) During Awake Brain Surgery: The Clinical Potential of Intra-Operative Functional and Vascular Brain Mapping. <i>Frontiers in Neuroscience</i> , 2019, 13, 1384.	1.4	61
20	Specific imaging of atherosclerotic plaque lipids with two-wavelength intravascular photoacoustics. <i>Biomedical Optics Express</i> , 2015, 6, 3276.	1.5	58
21	Intraplaque Hemorrhage and the Plaque Surface in Carotid Atherosclerosis: The Plaque At RISK Study (PARISK). <i>American Journal of Neuroradiology</i> , 2015, 36, 2127-2133.	1.2	57
22	Opening of endothelial cell-cell contacts due to sonoporation. <i>Journal of Controlled Release</i> , 2020, 322, 426-438.	4.8	53
23	Non-linear Response and Viscoelastic Properties of Lipid-Coated Microbubbles: DSPC versus DPPC. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1432-1445.	0.7	51
24	Cardiac Shear Wave Velocity Detection in the Porcine Heart. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 753-764.	0.7	50
25	3D reconstruction techniques of human coronary bifurcations for shear stress computations. <i>Journal of Biomechanics</i> , 2014, 47, 39-43.	0.9	39
26	4-D Echo-Particle Image Velocimetry in a Left Ventricular Phantom. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 805-817.	0.7	38
27	Cardiac Shear Wave Elastography Using a Clinical Ultrasound System. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 1596-1606.	0.7	37
28	Assessment of carotid atherosclerosis, intraplaque neovascularization, and plaque ulceration using quantitative contrast-enhanced ultrasound in asymptomatic patients with diabetes mellitus. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 1213-1218.	0.5	36
29	DSPC or DPPC as main shell component influences ligand distribution and binding area of lipid-coated targeted microbubbles. <i>European Journal of Lipid Science and Technology</i> , 2014, 116, 1217-1227.	1.0	31
30	A 2-D Ultrasound Transducer With Front-End ASIC and Low Cable Count for 3-D Forward-Looking Intravascular Imaging: Performance and Characterization. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2018, 65, 1832-1844.	1.7	31
31	Intravascular ultrasound chirp imaging. <i>Applied Physics Letters</i> , 2012, 100, 043703.	1.5	30
32	In Vivo 3D Distribution of Lipid-Core Plaque in Human Coronary Artery as Assessed by Fusion of Near Infrared Spectroscopy-Intravascular Ultrasound and Multislice Computed Tomography Scan. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, e6-7.	1.3	29
33	Subharmonic, Non-linear Fundamental and Ultraharmonic Imaging of Microbubble Contrast at High Frequencies. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 486-497.	0.7	29
34	Real-time photoacoustic assessment of radiofrequency ablation lesion formation in the left atrium. <i>Photoacoustics</i> , 2019, 16, 100150.	4.4	29
35	Contemporary rationale for non-invasive imaging of adverse coronary plaque features to identify the vulnerable patient: A Position Paper from the European Society of Cardiology Working Group on Atherosclerosis and Vascular Biology and the European Association of Cardiovascular Imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 1177-1183.	0.5	29
36	Quantitative Contrast-Enhanced Ultrasound of Intraplaque Neovascularization in Patients with Carotid Atherosclerosis. <i>Ultraschall in Der Medizin</i> , 2015, 36, 154-161.	0.8	28

#	ARTICLE	IF	CITATIONS
37	Imaging Microvasculature with Contrast-Enhanced Ultraharmonic Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 1318-1328.	0.7	27
38	Lipid signature of advanced human carotid atherosclerosis assessed by mass spectrometry imaging. <i>Journal of Lipid Research</i> , 2021, 62, 100020.	2.0	27
39	Use of Antiplatelet Agents Is Associated With Intraplaque Hemorrhage on Carotid Magnetic Resonance Imaging. <i>Stroke</i> , 2015, 46, 3411-3415.	1.0	26
40	High-Resolution Imaging of Intracellular Calcium Fluctuations Caused by Oscillating Microbubbles. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 2017-2029.	0.7	26
41	Spectroscopic photoacoustic imaging of radiofrequency ablation in the left atrium. <i>Biomedical Optics Express</i> , 2018, 9, 1309.	1.5	25
42	Frequency Analysis of the Photoacoustic Signal Generated by Coronary Atherosclerotic Plaque. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 2017-2025.	0.7	24
43	Microbubble Composition and Preparation for High-Frequency Contrast-Enhanced Ultrasound Imaging: <i>In Vitro</i> and <i>In Vivo</i> Evaluation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2017, 64, 555-567.	1.7	24
44	The effects of plaque morphology and material properties on peak cap stress in human coronary arteries. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2016, 19, 771-779.	0.9	23
45	Naturally Occurring Shear Waves in Healthy Volunteers and Hypertrophic Cardiomyopathy Patients. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 1977-1986.	0.7	23
46	Coronary fractional flow reserve measurements of a stenosed side branch: a computational study investigating the influence of the bifurcation angle. <i>BioMedical Engineering OnLine</i> , 2016, 15, 91.	1.3	22
47	Optical coherence tomography attenuation imaging for lipid core detection: an ex-vivo validation study. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 5-11.	0.7	22
48	Data Processing Pipeline for Lipid Profiling of Carotid Atherosclerotic Plaque with Mass Spectrometry Imaging. <i>Journal of the American Society for Mass Spectrometry</i> , 2019, 30, 1790-1800.	1.2	22
49	Mapping Intravascular Ultrasound Controversies in Interventional Cardiology Practice. <i>PLoS ONE</i> , 2014, 9, e97215.	1.1	21
50	Quantification of Endothelial β 2 Expression with High-Frequency Ultrasound and Targeted Microbubbles: <i>In Vitro</i> and <i>In Vivo</i> Studies. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 2283-2293.	0.7	21
51	High Frame Rate Ultrasound Particle Image Velocimetry for Estimating High Velocity Flow Patterns in the Left Ventricle. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2018, 65, 2222-2232.	1.7	21
52	Lipoprotein(a) levels and atherosclerotic plaque characteristics in the carotid artery: The Plaque at RISK (PARISK) study. <i>Atherosclerosis</i> , 2021, 329, 22-29.	0.4	21
53	Geometry-based pressure drop prediction in mildly diseased human coronary arteries. <i>Journal of Biomechanics</i> , 2014, 47, 1810-1815.	0.9	20
54	Carotid Plaque Morphological Classification Compared With Biomechanical Cap Stress. <i>Stroke</i> , 2015, 46, 2124-2128.	1.0	20

#	ARTICLE	IF	CITATIONS
55	Temporal and spatial changes in wall shear stress during atherosclerotic plaque progression in mice. Royal Society Open Science, 2018, 5, 171447.	1.1	20
56	High-Frame-Rate Echo-Particle Image Velocimetry Can Measure the High-Velocity Diastolic Flow Patterns. Circulation: Cardiovascular Imaging, 2019, 12, e008856.	1.3	20
57	Low-Amplitude Non-linear Volume Vibrations of Single Microbubbles Measured with an "Acoustical Camera". Ultrasound in Medicine and Biology, 2014, 40, 1282-1295.	0.7	19
58	Combined Confocal Microscope and Brandaris 128 Ultra-High-Speed Camera. Ultrasound in Medicine and Biology, 2019, 45, 2575-2582.	0.7	19
59	Variation in Coronary Atherosclerosis Severity Related to a Distinct LDL (Low-Density Lipoprotein) Profile. Arteriosclerosis, Thrombosis, and Vascular Biology, 2019, 39, 2338-2352.	1.1	19
60	Peak cap stress calculations in coronary atherosclerotic plaques with an incomplete necrotic core geometry. BioMedical Engineering OnLine, 2016, 15, 48.	1.3	18
61	A Broadband Polyvinylidene Difluoride-Based Hydrophone with Integrated Readout Circuit for Intravascular Photoacoustic Imaging. Ultrasound in Medicine and Biology, 2016, 42, 1239-1243.	0.7	17
62	Structured ultrasound microscopy. Applied Physics Letters, 2018, 112, .	1.5	17
63	High Frame Rate Volumetric Imaging of Microbubbles Using a Sparse Array and Spatial Coherence Beamforming. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2021, 68, 3069-3081.	1.7	17
64	Influence of the Accuracy of Angiography-Based Reconstructions on Velocity and Wall Shear Stress Computations in Coronary Bifurcations: A Phantom Study. PLoS ONE, 2015, 10, e0145114.	1.1	16
65	Thermo-elastic optical coherence tomography. Optics Letters, 2017, 42, 3466.	1.7	16
66	Sparse Ultrasound Image Reconstruction From a Shape-Sensing Single-Element Forward-Looking Catheter. IEEE Transactions on Biomedical Engineering, 2018, 65, 2210-2218.	2.5	16
67	Intima heterogeneity in stress assessment of atherosclerotic plaques. Interface Focus, 2018, 8, 20170008.	1.5	16
68	An "acoustical camera" for <i>in vitro</i> characterization of contrast agent microbubble vibrations. Applied Physics Letters, 2012, 100, .	1.5	15
69	Plaque Components in Symptomatic Moderately Stenosed Carotid Arteries Related to Cerebral Infarcts. Stroke, 2015, 46, 568-571.	1.0	15
70	A Framework for Local Mechanical Characterization of Atherosclerotic Plaques: Combination of Ultrasound Displacement Imaging and Inverse Finite Element Analysis. Annals of Biomedical Engineering, 2016, 44, 968-979.	1.3	15
71	Acoustic Characterization of the CLINicell for Ultrasound Contrast Agent Studies. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2019, 66, 244-246.	1.7	15
72	The Correlation Between Wall Shear Stress and Plaque Composition in Advanced Human Carotid Atherosclerosis. Frontiers in Bioengineering and Biotechnology, 2021, 9, 828577.	2.0	15

#	ARTICLE	IF	CITATIONS
73	Fully Automated Carotid Plaque Segmentation in Combined Contrast-Enhanced and B-Mode Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 517-531.	0.7	14
74	Functional and anatomical measures for outflow boundary conditions in atherosclerotic coronary bifurcations. <i>Journal of Biomechanics</i> , 2016, 49, 2127-2134.	0.9	14
75	In vivo intravascular photoacoustic imaging of plaque lipid in coronary atherosclerosis. <i>EuroIntervention</i> , 2019, 15, 452-456.	1.4	14
76	Contrast-enhanced micro-CT imaging in murine carotid arteries: a new protocol for computing wall shear stress. <i>BioMedical Engineering OnLine</i> , 2016, 15, 156.	1.3	13
77	Myocardial Stretch Post-atrial Contraction in Healthy Volunteers and Hypertrophic Cardiomyopathy Patients. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 1987-1998.	0.7	13
78	Morphometric and Mechanical Analyses of Calcifications and Fibrous Plaque Tissue in Carotid Arteries for Plaque Rupture Risk Assessment. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 1429-1438.	2.5	13
79	The definition of low wall shear stress and its effect on plaque progression estimation in human coronary arteries. <i>Scientific Reports</i> , 2021, 11, 22086.	1.6	13
80	Automated Quantitative Assessment of Coronary Calcification Using Intravascular Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 2801-2809.	0.7	12
81	Imaging inflammation in atherosclerotic plaques, targeting SST2 with [111In]In-DOTA-JR11. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 2506-2513.	1.4	12
82	Internalization of targeted microbubbles by endothelial cells and drug delivery by pores and tunnels. <i>Journal of Controlled Release</i> , 2022, 347, 460-475.	4.8	12
83	Carotid plaque elasticity estimation using ultrasound elastography, MRI, and inverse FEA – A numerical feasibility study. <i>Medical Engineering and Physics</i> , 2015, 37, 801-807.	0.8	11
84	Preclinical Testing of Frequency-Tunable Capacitive Micromachined Ultrasonic Transducer Probe Prototypes. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 2079-2085.	0.7	11
85	A direct comparison of natural and acoustic-radiation-force-induced cardiac mechanical waves. <i>Scientific Reports</i> , 2020, 10, 18431.	1.6	11
86	Parasternal Versus Apical View in Cardiac Natural Mechanical Wave Speed Measurements. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2020, 67, 1590-1602.	1.7	11
87	The Impact of Lipid Handling and Phase Distribution on the Acoustic Behavior of Microbubbles. <i>Pharmaceutics</i> , 2021, 13, 119.	2.0	11
88	Vancomycin-decorated microbubbles as a theranostic agent for Staphylococcus aureus biofilms. <i>International Journal of Pharmaceutics</i> , 2021, 609, 121154.	2.6	11
89	The impact of scaled boundary conditions on wall shear stress computations in atherosclerotic human coronary bifurcations. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 310, H1304-H1312.	1.5	10
90	Lipid-rich Plaques Detected by Near-infrared Spectroscopy Are More Frequently Exposed to High Shear Stress. <i>Journal of Cardiovascular Translational Research</i> , 2021, 14, 416-425.	1.1	10

#	ARTICLE	IF	CITATIONS
91	Real-Time Coded Excitation Imaging Using a CMUT-Based Side Looking Array for Intravascular Ultrasound. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2021, 68, 2048-2058.	1.7	10
92	Plaque Composition as a Predictor of Plaque Ulceration in Carotid Artery Atherosclerosis: The Plaque At RISK Study. American Journal of Neuroradiology, 2021, 42, 144-151.	1.2	10
93	Impact of gender on the density of intraplaque neovascularization: A quantitative contrast-enhanced ultrasound study. Atherosclerosis, 2014, 233, 461-466.	0.4	9
94	Quantitative imaging performance of frequency-tunable capacitive micromachined ultrasonic transducer array designed for intracardiac application: Phantom study. Ultrasonics, 2018, 84, 421-429.	2.1	9
95	No Association between Thrombin Generation and Intra-Plaque Haemorrhage in Symptomatic Carotid Atherosclerotic Plaques: The Plaque at RISK (PARISK) Study. Thrombosis and Haemostasis, 2018, 118, 1461-1469.	1.8	9
96	Simultaneous Morphological and Flow Imaging Enabled by Megahertz Intravascular Doppler Optical Coherence Tomography. IEEE Transactions on Medical Imaging, 2020, 39, 1535-1544.	5.4	9
97	Micro Spectroscopic Photoacoustic (µsPA) imaging of advanced carotid atherosclerosis. Photoacoustics, 2021, 22, 100261.	4.4	9
98	Dynamic acousto-elastic testing applied to a highly dispersive medium and evidence of shell buckling of lipid-coated gas microbubbles. Journal of the Acoustical Society of America, 2015, 138, 2668-2677.	0.5	8
99	Live Observation of Atherosclerotic Plaque Disruption in Apolipoprotein E-Deficient Mouse. Ultrasound International Open, 2015, 01, E67-E71.	0.3	7
100	Improved Segmentation of Multiple Cavities of the Heart in Wide-View 3-D Transesophageal Echocardiograms. Ultrasound in Medicine and Biology, 2015, 41, 1991-2000.	0.7	7
101	Autoradiographical assessment of inflammation-targeting radioligands for atherosclerosis imaging: potential for plaque phenotype identification. EJNMMI Research, 2021, 11, 27.	1.1	7
102	Multicomponent material property characterization of atherosclerotic human carotid arteries through a Bayesian Optimization based inverse finite element approach. Journal of the Mechanical Behavior of Biomedical Materials, 2022, 126, 104996.	1.5	7
103	IVUS beyond the horizon. EuroIntervention, 2006, 2, 132-42.	1.4	7
104	A Computer-Simulation Study on the Effects of MRI Voxel Dimensions on Carotid Plaque Lipid-Core and Fibrous Cap Segmentation and Stress Modeling. PLoS ONE, 2015, 10, e0123031.	1.1	6
105	Photoacoustic flow velocity imaging based on complex field decorrelation. Photoacoustics, 2021, 22, 100256.	4.4	6
106	Proximal Region of Carotid Atherosclerotic Plaque Shows More Intraplaque Hemorrhage: The Plaque at Risk Study. American Journal of Neuroradiology, 2022, 43, 265-271.	1.2	6
107	On the dynamics of StemBells: Microbubble-conjugated stem cells for ultrasound-controlled delivery. Applied Physics Letters, 2017, 111, 023701.	1.5	5
108	Fast Volumetric Imaging Using a Matrix Transesophageal Echocardiography Probe with Partitioned Transmit-Receive Array. Ultrasound in Medicine and Biology, 2018, 44, 2025-2042.	0.7	5

#	ARTICLE	IF	CITATIONS
109	In-vitro and in-vivo imaging of coronary artery stents with Heartbeat OCT. International Journal of Cardiovascular Imaging, 2020, 36, 1021-1029.	0.7	5
110	The Preparation of Chicken Ex Ovo Embryos and Chorioallantoic Membrane Vessels as In Vivo Model for Contrast-Enhanced Ultrasound Imaging and Microbubble-Mediated Drug Delivery Studies. Journal of Visualized Experiments, 2021, , .	0.2	5
111	Multicomponent Mechanical Characterization of Atherosclerotic Human Coronary Arteries: An Experimental and Computational Hybrid Approach. Frontiers in Physiology, 2021, 12, 733009.	1.3	5
112	Spectroscopic thermo-elastic optical coherence tomography for tissue characterization. Biomedical Optics Express, 2022, 13, 1430.	1.5	5
113	SPIO labeling of endothelial cells using ultrasound and targeted microbubbles at diagnostic pressures. PLoS ONE, 2018, 13, e0204354.	1.1	4
114	The effect of the heart rate lowering drug Ivabradine on hemodynamics in atherosclerotic mice. Scientific Reports, 2018, 8, 14014.	1.6	4
115	Optimization of Microbubble Concentration and Acoustic Pressure for Left Ventricular High-Frame-Rate EchoPIV in Patients. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2021, 68, 2432-2443.	1.7	4
116	Dolichoarteriopathies of the extracranial internal carotid artery: The Plaque At RISK study. European Journal of Neurology, 2021, 28, 3133-3138.	1.7	4
117	Combined optical sizing and acoustical characterization of single freely-floating microbubbles. Applied Physics Letters, 2016, 109, .	1.5	3
118	Autofluorescence: A New NIR on-Block. JACC: Cardiovascular Imaging, 2016, 9, 1315-1317.	2.3	3
119	An MRI-based method to register patient-specific wall shear stress data to histology. PLoS ONE, 2019, 14, e0217271.	1.1	3
120	Association between Intraplaque Hemorrhage and Vascular Remodeling in Carotid Arteries: The Plaque at RISK (PARISK) Study. Cerebrovascular Diseases, 2021, 50, 94-99.	0.8	3
121	The Association Between Time-Varying Wall Shear Stress and the Development of Plaque Ulcerations in Carotid Arteries From the Plaque at Risk Study. Frontiers in Cardiovascular Medicine, 2021, 8, 732646.	1.1	3
122	Model-based cap thickness and peak cap stress prediction for carotid MRI. Journal of Biomechanics, 2017, 60, 175-180.	0.9	2
123	Optimal kernel sizes for 4D image reconstruction using normalized convolution from sparse fast-rotating transesophageal 2D ultrasound images. , 2012, , .		1
124	Mutual radiation impedance of circular CMUTs on a cylinder. , 2016, , .		1
125	Corrections to "Microbubble Composition and Preparation for High-Frequency Contrast-Enhanced Ultrasound Imaging: In Vitro and In Vivo Evaluation" IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2021, 68, 2321-2321.	1.7	1
126	Atherosclerotic plaque fibrous cap assessment under an oblique scan plane orientation in carotid MRI. Quantitative Imaging in Medicine and Surgery, 2014, 4, 216-24.	1.1	1

#	ARTICLE	IF	CITATIONS
127	Independent Component Analysis Filter for Small Vessel Contrast Imaging During Fast Tissue Motion. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2022, 69, 2282-2292.	1.7	1
128	INTRAVASCULAR ULTRASOUND PALPOGRAPHY: A NEW METHOD FOR THE DETECTION OF THE VULNERABLE PLAQUE. Journal of Mechanics in Medicine and Biology, 2006, 06, 35-38.	0.3	0
129	Can We Use In Vivo MRI and FEA to Determine Peak Cap Stress in Carotid Plaques? MRI Simulations Provide Answers. , 2013, , .		0
130	Nonlinear dynamics of single freely-floating microbubbles under prolonged insonation. , 2014, , .		0
131	Notice of Removal: Forward-looking IVUS transducer with front-end ASIC for 3D imaging. , 2017, , .		0
132	Diffuse shear wave elastography in a thin plate phantom. , 2017, , .		0
133	P4634 Calcifications as an indicator for an NIRS-based risk profile of coronary atherosclerotic plaques. European Heart Journal, 2018, 39, .	1.0	0
134	1350 Near infrared positive regions are most often located at areas exposed to high shear stress. European Heart Journal, 2018, 39, .	1.0	0
135	5222 A distinct LDL profile to predict the risk of cardiovascular disease in familial hypercholesterolemia subjects: initial pre-clinical results. European Heart Journal, 2019, 40, .	1.0	0
136	P3109 Coronary vulnerable plaque development is promoted by multidirectional wall shear stress. European Heart Journal, 2019, 40, .	1.0	0
137	P1538 Light exercise may induce an increase in the propagation velocity of naturally occurring shear waves. European Heart Journal Cardiovascular Imaging, 2020, 21, .	0.5	0
138	Corrections to "Vibrational Responses of Bound and Nonbound Targeted Lipid-Coated Single Microbubbles" IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2021, 68, 2319-2319.	1.7	0
139	Corrections to "Targeted Microbubble Mediated Sonoporation of Endothelial Cells In Vivo" IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2021, 68, 2320-2320.	1.7	0