

Hidenobu Suzuki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6247155/publications.pdf>

Version: 2024-02-01

38
papers

152
citations

1306789

7
h-index

1372195

10
g-index

38
all docs

38
docs citations

38
times ranked

187
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of treatment retention between risperidone long-acting injection, paliperidone palmitate, and aripiprazole once-monthly in elderly patients with schizophrenia. <i>Psychogeriatrics</i> , 2022, 22, 159-160.	0.6	2
2	The effect of lemborexant for insomnia disorder. <i>SAGE Open Medicine</i> , 2021, 9, 205031212110390.	0.7	5
3	Characteristics of patients who were able to switch from benzodiazepine hypnotics to lemborexant. <i>SAGE Open Medicine</i> , 2021, 9, 205031212110379.	0.7	12
4	Continuation rate for asenapine and brexpiprazole treatment in patients with schizophrenia. <i>Brain and Behavior</i> , 2021, 11, e02109.	1.0	5
5	Continuation rate for asenapine and brexpiprazole treatment in elderly patients with schizophrenia. <i>Psychogeriatrics</i> , 2021, 21, 950-951.	0.6	0
6	The effect of aripiprazole once-monthly 300mg in maintenance therapy for schizophrenia. <i>Asian Journal of Psychiatry</i> , 2020, 47, 101847.	0.9	0
7	Benefit of extending the dosing interval of long-acting injection in maintenance treatment of outpatients with schizophrenia. <i>Asian Journal of Psychiatry</i> , 2020, 48, 101900.	0.9	0
8	Comparisons of the effects of long-acting injectable monotherapy and combination therapy of long-acting injectable treatment with oral antipsychotics on treatment retention in patients with chronic schizophrenia. <i>Asian Journal of Psychiatry</i> , 2019, 39, 112-113.	0.9	7
9	Mortality rate is associated with aripiprazole once-monthly and oral asenapine administration. <i>Asian Journal of Psychiatry</i> , 2019, 39, 22.	0.9	1
10	The benefits of the concomitant use of antidepressants and acetyl-L-carnitine in the treatment of moderate depression. <i>Asian Journal of Psychiatry</i> , 2019, 41, 84-85.	0.9	2
11	Effect of aripiprazole monotherapy in a patient presenting with delayed sleep phase syndrome associated with depressive symptoms. <i>Psychiatry and Clinical Neurosciences</i> , 2018, 72, 375-376.	1.0	5
12	Changes in length of hospital stay and number of hospitalization before and after the administration of three second-generation antipsychotics long-acting injections in patients with schizophrenia: Mirror-image study. <i>Asian Journal of Psychiatry</i> , 2018, 34, 43.	0.9	2
13	Mortality rate is associated with paliperidone palmitate, risperidone long-acting injection, and oral paliperidone administration. <i>Asian Journal of Psychiatry</i> , 2018, 35, 28.	0.9	2
14	The advantages of introducing aripiprazole once-monthly 300mg in the bipolar disorder-II maintenance treatment regime for 2 patients. <i>Asian Journal of Psychiatry</i> , 2018, 34, 11.	0.9	0
15	Factors related to the continuation of aripiprazole once-monthly treatment at 1 year. <i>Asian Journal of Psychiatry</i> , 2018, 31, 133-134.	0.9	2
16	Treatment Continuation of 3 Second-Generation Antipsychotic Long-Acting Injections, and Oral Paliperidone in Patients With Schizophrenia for 2 Years. <i>Journal of Clinical Psychopharmacology</i> , 2018, 38, 649-650.	0.7	5
17	Comparisons of the effects of second-generation antipsychotics long-acting injections on treatment retention according to severity of patient condition. <i>Asian Journal of Psychiatry</i> , 2018, 37, 64-66.	0.9	5
18	Benefits associated with switching from benzodiazepine hypnotics to suvorexant in patients with mild primary insomnia. <i>Asian Journal of Psychiatry</i> , 2017, 29, 71-72.	0.9	0

#	ARTICLE	IF	CITATIONS
19	The effect of switching from oral low-dose aripiprazole to aripiprazole once-monthly 300 mg on the quality of life in three patients with schizophrenia. SAGE Open Medical Case Reports, 2017, 5, 2050313X1771059.	0.2	3
20	Assessments of plasma concentrations, pathology symptoms, and cognition following paliperidone treatment in schizophrenic patients previously treated with risperidone. Asian Journal of Psychiatry, 2017, 26, 56-57.	0.9	0
21	Treatment retention of risperidone long-acting injection in patients with early-onset schizophrenia in Japan. Asian Journal of Psychiatry, 2017, 27, 137-138.	0.9	4
22	Benefit of extending the dosing interval of long-acting antipsychotic injections on schizophrenics with extrapyramidal symptoms. Psychiatry and Clinical Neurosciences, 2017, 71, 212-213.	1.0	3
23	Benefit of extending the dosing interval of olanzapine on schizophrenics during maintenance treatment. Asian Journal of Psychiatry, 2017, 30, 100-101.	0.9	0
24	Benefits of switching to suvorexant for mild primary insomnia when sleepwalking episodes occur during zolpidem treatment. Asian Journal of Psychiatry, 2017, 30, 122-123.	0.9	2
25	Benefit of extending the dosing interval of paliperidone palmitate on schizophrenics with mild cognitive dysfunction. Asian Journal of Psychiatry, 2017, 28, 98-99.	0.9	1
26	Benefit of extending the dosing interval of long-acting antipsychotic injections in elderly schizophrenics with cognitive dysfunction. Psychogeriatrics, 2017, 17, 522-523.	0.6	1
27	Effect of acetyl-L-carnitine in elderly patient who presented with hyperammonemia associated with administration of sodium valproate. Asian Journal of Psychiatry, 2017, 30, 179.	0.9	2
28	Reduced insomnia following short-term administration of suvorexant during aripiprazole once-monthly treatment in a patient with schizophrenia. Asian Journal of Psychiatry, 2017, 28, 165-166.	0.9	5
29	One patient with schizophrenia showed reduced drug-induced extrapyramidal symptoms as a result of an alternative regimen of treatment with paliperidone 3 and 6 mg every other day. SAGE Open Medical Case Reports, 2017, 5, 2050313X1774283.	0.2	1
30	Comparison of hospitalization risk before and after changing from risperidone long-acting injection to another long-acting injection or oral antipsychotic in patients with schizophrenia: a mirror-image study. Psychiatry and Clinical Neurosciences, 2016, 70, 365-366.	1.0	3
31	Influence of aripiprazole once monthly on clinical symptoms and cognitive function in two schizophrenia patients: Preliminary results. Psychiatry and Clinical Neurosciences, 2016, 70, 71-72.	1.0	3
32	Comparison of Treatment Retention Between Risperidone Long-Acting Injection and First-Generation Long-Acting Injections in Patients With Schizophrenia for 5 Years. Journal of Clinical Psychopharmacology, 2016, 36, 405-406.	0.7	4
33	Changes in length of hospital stay before and after the administration of a long-acting injection in patients with schizophrenia: a mirror-image study. Psychiatry and Clinical Neurosciences, 2016, 70, 255-255.	1.0	2
34	Clinical efficacy of lamotrigine and changes in the dosages of concomitantly used psychotropic drugs in Alzheimer's disease with behavioural and psychological symptoms of dementia: a preliminary open-label trial. Psychogeriatrics, 2015, 15, 32-37.	0.6	18
35	The influence and changes in the dosages of concomitantly used psychotropic drugs associated with the discontinuation of donepezil in severe Alzheimer's disease with behavioral and psychological symptoms on dementia: a preliminary open-label trial. Therapeutic Advances in Psychopharmacology, 2014, 4, 37-42.	1.2	9
36	Relationship between the plasma concentration of paliperidone and the clinical and drug-induced extrapyramidal symptoms in elderly patients with schizophrenia. Human Psychopharmacology, 2014, 29, 244-250.	0.7	10

#	ARTICLE	IF	CITATIONS
37	A naturalistic comparison study of the efficacy and safety of intramuscular olanzapine, intramuscular haloperidol, and intramuscular levomepromazine in acute agitated patients with schizophrenia. <i>Human Psychopharmacology</i> , 2014, 29, 83-88.	0.7	18
38	Study of the efficacy and safety of switching from risperidone to paliperidone in elderly patients with schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 76-82.	1.0	8