

Wensheng Wei

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6249222/wensheng-wei-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

52
papers

2,632
citations

22
h-index

51
g-index

65
ext. papers

3,350
ext. citations

19.5
avg, IF

4.77
L-index

#	Paper	IF	Citations
52	High-throughput screening of a CRISPR/Cas9 library for functional genomics in human cells. <i>Nature</i> , 2014 , 509, 487-91	50.4	512
51	Hrp pilus: an hrp-dependent bacterial surface appendage produced by <i>Pseudomonas syringae</i> pv. tomato DC3000. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 3459-64	11.5	296
50	Genome-scale deletion screening of human long non-coding RNAs using a paired-guide RNA CRISPR-Cas9 library. <i>Nature Biotechnology</i> , 2016 , 34, 1279-1286	44.5	269
49	Adopt a moratorium on heritable genome editing. <i>Nature</i> , 2019 , 567, 165-168	50.4	213
48	hrp gene-dependent induction of hin1: a plant gene activated rapidly by both harpins and the avrPto gene-mediated signal. <i>Plant Journal</i> , 1996 , 10, 591-600	6.9	148
47	The LDL receptor-related protein LRP6 mediates internalization and lethality of anthrax toxin. <i>Cell</i> , 2006 , 124, 1141-54	56.2	113
46	The gene coding for the Hrp pilus structural protein is required for type III secretion of Hrp and Avr proteins in <i>Pseudomonas syringae</i> pv. tomato. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 2247-52	11.5	113
45	Chondroitin sulfate proteoglycan 4 functions as the cellular receptor for <i>Clostridium difficile</i> toxin B. <i>Cell Research</i> , 2015 , 25, 157-68	24.7	105
44	Long-term dual-color tracking of genomic loci by modified sgRNAs of the CRISPR/Cas9 system. <i>Nucleic Acids Research</i> , 2016 , 44, e86	20.1	93
43	Programmable RNA editing by recruiting endogenous ADAR using engineered RNAs. <i>Nature Biotechnology</i> , 2019 , 37, 1059-1069	44.5	72
42	Genome-wide screening for functional long noncoding RNAs in human cells by Cas9 targeting of splice sites. <i>Nature Biotechnology</i> , 2018 ,	44.5	71
41	Divergent roles of BECN1 in LC3 lipidation and autophagosomal function. <i>Autophagy</i> , 2015 , 11, 740-7	10.2	49
40	Complete decoding of TAL effectors for DNA recognition. <i>Cell Research</i> , 2014 , 24, 628-31	24.7	46
39	Txr1: a transcriptional regulator of thrombospondin-1 that modulates cellular sensitivity to taxanes. <i>Genes and Development</i> , 2006 , 20, 2082-95	12.6	45
38	High-throughput screens in mammalian cells using the CRISPR-Cas9 system. <i>FEBS Journal</i> , 2015 , 282, 2089-96	5.7	42
37	A Dual-reporter system for real-time monitoring and high-throughput CRISPR/Cas9 library screening of the hepatitis C virus. <i>Scientific Reports</i> , 2015 , 5, 8865	4.9	39
36	Painting a specific chromosome with CRISPR/Cas9 for live-cell imaging. <i>Cell Research</i> , 2017 , 27, 298-301	24.7	37

35	EST-based genome-wide gene inactivation identifies ARAP3 as a host protein affecting cellular susceptibility to anthrax toxin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 17246-51	11.5	37
34	Human Neonatal Fc Receptor Is the Cellular Uncoating Receptor for Enterovirus B. <i>Cell</i> , 2019 , 177, 1553-1665.e16	36.65	34
33	ULTIMATE system for rapid assembly of customized TAL effectors. <i>PLoS ONE</i> , 2013 , 8, e75649	3.7	27
32	Guide RNAs with embedded barcodes boost CRISPR-pooled screens. <i>Genome Biology</i> , 2019 , 20, 20	18.3	25
31	Attachment and Postattachment Receptors Important for Hepatitis C Virus Infection and Cell-to-Cell Transmission. <i>Journal of Virology</i> , 2017 , 91,	6.6	24
30	SAP-regulated T Cell-APC adhesion and ligation-dependent and -independent Ly108-CD3 ζ interactions. <i>Journal of Immunology</i> , 2014 , 193, 3860-71	5.3	21
29	Circular RNA vaccines against SARS-CoV-2 and emerging variants.. <i>Cell</i> , 2022 ,	56.2	21
28	Deciphering TAL effectors for 5-methylcytosine and 5-hydroxymethylcytosine recognition. <i>Nature Communications</i> , 2017 , 8, 901	17.4	19
27	Enrichment of the Ectatenin-TCF complex at the S and G2 phases ensures cell survival and cell cycle progression. <i>Journal of Cell Science</i> , 2014 , 127, 4833-45	5.3	18
26	Questions about NgAgo. <i>Protein and Cell</i> , 2016 , 7, 913-915	7.2	16
25	Genome-Wide CRISPR/Cas9 Screening for High-Throughput Functional Genomics in Human Cells. <i>Methods in Molecular Biology</i> , 2017 , 1656, 175-181	1.4	11
24	Simultaneous generation of multi-gene knockouts in human cells. <i>FEBS Letters</i> , 2016 , 590, 4343-4353	3.8	10
23	Bidirectional effect of Wnt signaling antagonist DKK1 on the modulation of anthrax toxin uptake. <i>Science China Life Sciences</i> , 2014 , 57, 469-81	8.5	9
22	Live visualization of genomic loci with BiFC-TALE. <i>Scientific Reports</i> , 2017 , 7, 40192	4.9	8
21	Sensing of cytoplasmic chromatin by cGAS activates innate immune response in SARS-CoV-2 infection. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 382	21	8
20	Genome-wide interrogation of gene functions through base editor screens empowered by barcoded sgRNAs. <i>Nature Biotechnology</i> , 2021 , 39, 1403-1413	44.5	8
19	TRIM26 is a critical host factor for HCV replication and contributes to host tropism. <i>Science Advances</i> , 2021 , 7,	14.3	7
18	Genome-wide CRISPR activation screen identifies candidate receptors for SARS-CoV-2 entry. <i>Science China Life Sciences</i> , 2021 , 1	8.5	7

17	A surrogate reporter system for multiplexable evaluation of CRISPR/Cas9 in targeted mutagenesis. <i>Scientific Reports</i> , 2018 , 8, 1042	4.9	5
16	Engineered circular ADAR-recruiting RNAs increase the efficiency and fidelity of RNA editing in vitro and in vivo.. <i>Nature Biotechnology</i> , 2022 ,	44.5	5
15	PASTMUS: mapping functional elements at single amino acid resolution in human cells. <i>Genome Biology</i> , 2019 , 20, 279	18.3	5
14	Structural Insights into the Specific Recognition of 5-methylcytosine and 5-hydroxymethylcytosine by TAL Effectors. <i>Journal of Molecular Biology</i> , 2020 , 432, 1035-1047	6.5	4
13	Reply to: Fitness effects of CRISPR/Cas9-targeting of long noncoding RNA genes. <i>Nature Biotechnology</i> , 2020 , 38, 577-578	44.5	3
12	Glucosyltransferase Activity of Clostridium difficile Toxin B Triggers Autophagy-mediated Cell Growth Arrest. <i>Scientific Reports</i> , 2017 , 7, 10532	4.9	3
11	A microfluidic live cell assay to study anthrax toxin induced cell lethality assisted by conditioned medium. <i>Scientific Reports</i> , 2015 , 5, 8651	4.9	3
10	Assembly of Customized TAL Effectors Through Advanced ULtIMATE System. <i>Methods in Molecular Biology</i> , 2016 , 1338, 49-60	1.4	3
9	Gene editing and its applications in biomedicine.. <i>Science China Life Sciences</i> , 2022 , 65, 660	8.5	3
8	In vivo ways to unveil off-targets. <i>Cell Research</i> , 2019 , 29, 339-340	24.7	2
7	PrePAIRing Cas9s for screening success. <i>Nature Biotechnology</i> , 2018 , 36, 147-148	44.5	2
6	Mapping regulatory elements. <i>Nature Biotechnology</i> , 2016 , 34, 151-2	44.5	2
5	Leveraging Endogenous ADAR for Programmable Editing on RNA		2
4	Genome-wide CRISPR activation screen identifies novel receptors for SARS-CoV-2 entry		2
3	Low-density lipoprotein receptor-related protein 1 is a CROPs-associated receptor for Clostridioides difficile toxin B. <i>Science China Life Sciences</i> , 2021 , 1	8.5	2
2	Noncoding loci without epigenomic signals can be essential for maintaining global chromatin organization and cell viability. <i>Science Advances</i> , 2021 , 7, eabi6020	14.3	0
1	Interrogating the noncoding genome in a high-throughput fashion. <i>National Science Review</i> , 2019 , 6, 397-399	10.8	