

Markus W Ollert

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6250097/markus-w-ollert-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

3,563
citations

34
h-index

58
g-index

123
ext. papers

4,555
ext. citations

6.5
avg, IF

4.99
L-index

#	Paper	IF	Citations
105	DJ-1 depletion prevents immunoaging in T-cell compartments.. <i>EMBO Reports</i> , 2022 , e53302	6.5	3
104	Combinatorial analysis reveals highly coordinated early-stage immune reactions that predict later antiviral immunity in mild COVID-19 patients.. <i>Cell Reports Medicine</i> , 2022 , 3, 100600	18	0
103	EGal present on both glycolipids and glycoproteins contributes to immune response in meat-allergic patients.. <i>Journal of Allergy and Clinical Immunology</i> , 2022 ,	11.5	3
102	Associations between physical activity prior to infection and COVID-19 disease severity and symptoms: results from the prospective Predi-COVID cohort study.. <i>BMJ Open</i> , 2022 , 12, e057863	3	0
101	Delayed reaction in alpha-gal allergy is reflected in serum levels after ingestion of pork kidney, and absorption is dependent on food processing. <i>Clinical and Experimental Allergy</i> , 2021 ,	4.1	2
100	Intestinal mucus barrier: a missing piece of the puzzle in food allergy. <i>Trends in Molecular Medicine</i> , 2021 ,	11.5	3
99	Proadrenomedullin N-Terminal 20 Peptides (PAMPs) Are Agonists of the Chemokine Scavenger Receptor ACKR3/CXCR7. <i>ACS Pharmacology and Translational Science</i> , 2021 , 4, 813-823	5.9	2
98	CXCL10 Is an Agonist of the CC Family Chemokine Scavenger Receptor ACKR2/D6. <i>Cancers</i> , 2021 , 13,	6.6	3
97	Identification of VIMP as a gene inhibiting cytokine production in human CD4+ effector T cells. <i>IScience</i> , 2021 , 24, 102289	6.1	4
96	A novel method for quantifying ingested food allergens in human sera. <i>Clinical and Experimental Allergy</i> , 2021 , 51, 972-975	4.1	1
95	SARS-CoV-2 transmission risk from asymptomatic carriers: Results from a mass screening programme in Luxembourg. <i>Lancet Regional Health - Europe, The</i> , 2021 , 4, 100056		37
94	Molecular allergology and its impact in specific allergy diagnosis and therapy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 3642-3658	9.3	6
93	Vaccines and allergic reactions: The past, the current COVID-19 pandemic, and future perspectives. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 1640-1660	9.3	29
92	EAACI statement on the diagnosis, management and prevention of severe allergic reactions to COVID-19 vaccines. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 1629-1639	9.3	54
91	COVID-19 pandemic: Practical considerations on the organization of an allergy clinic-An EAACI/ARIA Position Paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 648-676	9.3	46
90	Multidimensional Proteomic Approach of Endothelial Progenitors Demonstrate Expression of KDR Restricted to CD19 Cells. <i>Stem Cell Reviews and Reports</i> , 2021 , 17, 639-651	7.3	11
89	Comprehensive mapping of immune tolerance yields a regulatory TNF receptor 2 signature in a murine model of successful Fel d 1-specific immunotherapy using high-dose CpG adjuvant. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 2153-2165	9.3	4

88	Marker allergens in Hymenoptera venom allergy [Characteristics and potential use in precision medicine. <i>Allergo Journal International</i> , 2021 , 30, 26-38	1.5	2
87	Noninvasive and minimally invasive techniques for the diagnosis and management of allergic diseases. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 1010-1023	9.3	13
86	Induction of IL-10-producing type 2 innate lymphoid cells by allergen immunotherapy is associated with clinical response. <i>Immunity</i> , 2021 , 54, 291-307.e7	32.3	41
85	CpG Adjuvant in Allergen-Specific Immunotherapy: Finding the Sweet Spot for the Induction of Immune Tolerance. <i>Frontiers in Immunology</i> , 2021 , 12, 590054	8.4	5
84	Standard Peripheral Blood Mononuclear Cell Cryopreservation Selectively Decreases Detection of Nine Clinically Relevant T Cell Markers. <i>ImmunoHorizons</i> , 2021 , 5, 711-720	2.7	2
83	Characterization of New Allergens from the Venom of the European Paper Wasp. <i>Toxins</i> , 2021 , 13,	4.9	1
82	COVID-19 pandemic and allergen immunotherapy-an EAACI survey. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 3504-3516	9.3	16
81	Protocol for a prospective, longitudinal cohort of people with COVID-19 and their household members to study factors associated with disease severity: the Predi-COVID study. <i>BMJ Open</i> , 2020 , 10, e041834	3	5
80	Shedding Light on the Venom Proteomes of the Allergy-Relevant Hymenoptera (European Paper Wasp) and spp. (Yellow Jacket). <i>Toxins</i> , 2020 , 12,	4.9	4
79	The atypical chemokine receptor ACKR3/CXCR7 is a broad-spectrum scavenger for opioid peptides. <i>Nature Communications</i> , 2020 , 11, 3033	17.4	29
78	EAACI Research and Outreach Committee: Improving standards and facilitating global collaboration through a Research Excellence Network. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 1899-1901	9.3	3
77	Glutathione Restricts Serine Metabolism to Preserve Regulatory T Cell Function. <i>Cell Metabolism</i> , 2020 , 31, 920-936.e7	24.6	43
76	Homologous tropomyosins from vertebrate and invertebrate: Recombinant calibrator proteins in functional biological assays for tropomyosin allergenicity assessment of novel animal foods. <i>Clinical and Experimental Allergy</i> , 2020 , 50, 105-116	4.1	21
75	Precision Medicine in Hymenoptera Venom Allergy: Diagnostics, Biomarkers, and Therapy of Different Endotypes and Phenotypes. <i>Frontiers in Immunology</i> , 2020 , 11, 579409	8.4	6
74	GigaSOM.jl: High-performance clustering and visualization of huge cytometry datasets. <i>GigaScience</i> , 2020 , 9,	7.6	3
73	Increased estrogen to androgen ratio enhances immunoglobulin levels and impairs B cell function in male mice. <i>Scientific Reports</i> , 2020 , 10, 18334	4.9	6
72	The role of mobile health technologies in allergy care: An EAACI position paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 259-272	9.3	51
71	In-vivo diagnostic test allergens in Europe: A call to action and proposal for recovery plan-An EAACI position paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 2161-2169	9.3	14

70	IgE-Mediated Peanut Allergy: Current and Novel Predictive Biomarkers for Clinical Phenotypes Using Multi-Omics Approaches. <i>Frontiers in Immunology</i> , 2020 , 11, 594350	8.4	4
69	Prevalence of Hymenoptera venom allergy and sensitization in the population-representative German KORA cohort. <i>Allergo Journal</i> , 2019 , 28, 42-51	0	
68	Drugs of porcine origin-A risk for patients with Egel syndrome?. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 1687-1690.e3	5.4	12
67	Prevalence of Hymenoptera venom allergy and sensitization in the population-representative German KORA cohort. <i>Allergo Journal International</i> , 2019 , 28, 183-191	1.5	9
66	The role of component-resolved diagnosis in Hymenoptera venom allergy. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2019 , 19, 614-622	3.3	18
65	The basophil activation test differentiates between patients with alpha-gal syndrome and asymptomatic alpha-gal sensitization. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, 182-189	11.5	43
64	Patients Allergic to Fish Tolerate Ray Based on the Low Allergenicity of Its Parvalbumin. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 500-508.e11	5.4	22
63	Defective immuno- and thymoproteasome assembly causes severe immunodeficiency. <i>Scientific Reports</i> , 2018 , 8, 5975	4.9	6
62	A roadmap towards personalized immunology. <i>Npj Systems Biology and Applications</i> , 2018 , 4, 9	5	27
61	Dual PD1/LAG3 immune checkpoint blockade limits tumor development in a murine model of chronic lymphocytic leukemia. <i>Blood</i> , 2018 , 131, 1617-1621	2.2	76
60	The high molecular weight dipeptidyl peptidase IV Pol d 3 is a major allergen of Polistes dominula venom. <i>Scientific Reports</i> , 2018 , 8, 1318	4.9	16
59	The Role of Fibroblast Growth Factor-Binding Protein 1 in Skin Carcinogenesis and Inflammation. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 179-188	4.3	15
58	Understanding gene functions and disease mechanisms: Phenotyping pipelines in the German Mouse Clinic. <i>Behavioural Brain Research</i> , 2018 , 352, 187-196	3.4	12
57	Streptozotocin-induced Ecell damage, high fat diet, and metformin administration regulate Hes3 expression in the adult mouse brain. <i>Scientific Reports</i> , 2018 , 8, 11335	4.9	3
56	Lysozyme, a new allergen in donkeyQ milk. <i>Clinical and Experimental Allergy</i> , 2018 , 48, 1521-1523	4.1	7
55	Neues Rahmenwerk zur Interpretation von IgE-Tests Eeine wissenschaftliche Zusammenfassung. <i>Allergo Journal</i> , 2018 , 27, 41-50	0	1
54	Driving Cytotoxic Natural Killer Cells into Melanoma: If CCL5 Plays the Music, Autophagy Calls the Shots. <i>Critical Reviews in Oncogenesis</i> , 2018 , 23, 321-332	1.3	3
53	EAACI/GA2LEN/EDF/WAO-Leitlinie ffdie Definition, Klassifikation, Diagnose und das Management der Urtikaria Ekonsentierter, deutschsprachige Bersetzung. <i>Allergo Journal</i> , 2018 , 27, 41-69	0	2

52	Characterization of the honeybee venom proteins C1q-like protein and PVF1 and their allergenic potential. <i>Toxicon</i> , 2018 , 150, 198-206	2.8	4
51	Laboratory mouse housing conditions can be improved using common environmental enrichment without compromising data. <i>PLoS Biology</i> , 2018 , 16, e2005019	9.7	28
50	Anaphylactic Reactions to Novel Foods: Case Report of a Child With Severe Crocodile Meat Allergy. <i>Pediatrics</i> , 2017 , 139,	7.4	19
49	Glutathione Primes T Cell Metabolism for Inflammation. <i>Immunity</i> , 2017 , 46, 675-689	32.3	182
48	Component-resolved evaluation of the content of major allergens in therapeutic extracts for specific immunotherapy of honeybee venom allergy. <i>Human Vaccines and Immunotherapeutics</i> , 2017 , 13, 2482-2489	4.4	30
47	Cross-reactivity in fish allergy: A double-blind, placebo-controlled food-challenge trial. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 1170-1172	11.5	27
46	Allergen-specific immunotherapy of Hymenoptera venom allergy - also a matter of diagnosis. <i>Human Vaccines and Immunotherapeutics</i> , 2017 , 13, 2467-2481	4.4	25
45	Rare Ingestive Food Allergy to Mushroom <i>Boletus badius</i> . <i>Acta Dermato-Venereologica</i> , 2017 , 97, 1134-1135		3
44	Improved efficacy of allergen-specific immunotherapy by JAK inhibition in a murine model of allergic asthma. <i>PLoS ONE</i> , 2017 , 12, e0178563	3.7	13
43	Every-other-day feeding extends lifespan but fails to delay many symptoms of aging in mice. <i>Nature Communications</i> , 2017 , 8, 155	17.4	60
42	International consensus (ICON) on: clinical consequences of mite hypersensitivity, a global problem. <i>World Allergy Organization Journal</i> , 2017 , 10, 14	5.2	50
41	Network-Guided Key Gene Discovery for a Given Cellular Process. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2016 , 1	1.7	1
40	Horse-meat allergy mediated by dog-allergy: a case report and review of the literature. <i>Allergo Journal International</i> , 2016 , 25, 76-81	1.5	6
39	Human CD56bright NK Cells: An Update. <i>Journal of Immunology</i> , 2016 , 196, 2923-31	5.3	199
38	CIP2A Promotes T-Cell Activation and Immune Response to <i>Listeria monocytogenes</i> Infection. <i>PLoS ONE</i> , 2016 , 11, e0152996	3.7	12
37	The First Scube3 Mutant Mouse Line with Pleiotropic Phenotypic Alterations. <i>G3: Genes, Genomes, Genetics</i> , 2016 , 6, 4035-4046	3.2	7
36	Targeting IgE in Severe Atopic Dermatitis with a Combination of Immunoabsorption and Omalizumab. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 72-6	2.2	38
35	6th International Symposium on Molecular Allergology (ISMA). <i>Clinical and Translational Allergy</i> , 2016 , 6,	5.2	1

34	Predominant Api m 10 sensitization as risk factor for treatment failure in honey bee venom immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 1663-1671.e9	11.5	70
33	Analysis of mammalian gene function through broad-based phenotypic screens across a consortium of mouse clinics. <i>Nature Genetics</i> , 2015 , 47, 969-978	36.3	106
32	Anaphylaxis to insect venom allergens: role of molecular diagnostics. <i>Current Allergy and Asthma Reports</i> , 2015 , 15, 26	5.6	64
31	HLA class I deficiency as an additional cause of bronchiectasis. <i>Respirology</i> , 2015 , 20, 1145	3.6	1
30	Identification of cross-reactivity between buckwheat and coconut. <i>Annals of Allergy, Asthma and Immunology</i> , 2015 , 115, 530-2	3.2	4
29	Cox4i2, Ifit2, and Prdm11 Mutant Mice: Effective Selection of Genes Predisposing to an Altered Airway Inflammatory Response from a Large Compendium of Mutant Mouse Lines. <i>PLoS ONE</i> , 2015 , 10, e0134503	3.7	5
28	Reply: To PMID 24290287. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 134, 494-5	11.5	5
27	Identification of Hymenoptera venom-allergic patients with negative specific IgE to venom extract by using recombinant allergens. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, 909-10	11.5	39
26	Endothelial amine oxidase AOC3 transiently contributes to adaptive immune responses in the airways. <i>European Journal of Immunology</i> , 2014 , 44, 3232-9	6.1	11
25	Basophil activation test using recombinant allergens: highly specific diagnostic method complementing routine tests in wasp venom allergy. <i>PLoS ONE</i> , 2014 , 9, e108619	3.7	26
24	High mobility group N proteins modulate the fidelity of the cellular transcriptional profile in a tissue- and variant-specific manner. <i>Journal of Biological Chemistry</i> , 2013 , 288, 16690-16703	5.4	26
23	Vitellogenins are new high molecular weight components and allergens (Api m 12 and Ves v 6) of <i>Apis mellifera</i> and <i>Vespa vulgaris</i> venom. <i>PLoS ONE</i> , 2013 , 8, e62009	3.7	62
22	Rapamycin extends murine lifespan but has limited effects on aging. <i>Journal of Clinical Investigation</i> , 2013 , 123, 3272-91	15.9	267
21	Cytochrome c oxidase subunit 4 isoform 2-knockout mice show reduced enzyme activity, airway hyporeactivity, and lung pathology. <i>FASEB Journal</i> , 2012 , 26, 3916-30	0.9	53
20	Innovations in phenotyping of mouse models in the German Mouse Clinic. <i>Mammalian Genome</i> , 2012 , 23, 611-22	3.2	35
19	Double positivity to bee and wasp venom: improved diagnostic procedure by recombinant allergen-based IgE testing and basophil activation test including data about cross-reactive carbohydrate determinants. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 130, 155-61	11.5	104
18	Detection of IgE to recombinant Api m 1 and rVes v 5 is valuable but not sufficient to distinguish bee from wasp venom allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 128, 247-8; author reply 248	11.5	62
17	Mouse phenotyping. <i>Methods</i> , 2011 , 53, 120-35	4.6	103

16	Evaluation of different glycoforms of honeybee venom major allergen phospholipase A2 (Api m 1) produced in insect cells. <i>Protein and Peptide Letters</i> , 2011 , 18, 415-22	1.9	35
15	Quantitation of serum IgE by using chimeras of human IgE receptor and avian immunoglobulin domains. <i>Analytical Biochemistry</i> , 2011 , 412, 134-40	3.1	10
14	Identification, recombinant expression, and characterization of the 100 kDa high molecular weight Hymenoptera venom allergens Api m 5 and Ves v 3. <i>Journal of Immunology</i> , 2010 , 184, 5403-13	5.3	100
13	Specific CD8 T cells in IgE-mediated allergy correlate with allergen dose and allergic phenotype. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010 , 181, 7-16	10.2	20
12	Dissecting cross-reactivity in hymenoptera venom allergy by circumvention of alpha-1,3-core fucosylation. <i>Molecular Immunology</i> , 2010 , 47, 799-808	4.3	91
11	Recombinant phospholipase A1 (Ves v 1) from yellow jacket venom for improved diagnosis of hymenoptera venom hypersensitivity. <i>Clinical and Molecular Allergy</i> , 2010 , 8, 7	3.7	42
10	Systemic first-line phenotyping. <i>Methods in Molecular Biology</i> , 2009 , 530, 463-509	1.4	67
9	Genome-wide scan on total serum IgE levels identifies FCER1A as novel susceptibility locus. <i>PLoS Genetics</i> , 2008 , 4, e1000166	6	218
8	Low-dose anti-IgE therapy in patients with atopic eczema with high serum IgE levels. <i>Journal of Allergy and Clinical Immunology</i> , 2007 , 120, 1223-5	11.5	127
7	Generation of human monoclonal allergen-specific IgE and IgG antibodies from synthetic antibody libraries. <i>Clinical Chemistry</i> , 2007 , 53, 837-44	5.5	22
6	Molecular cloning and expression in insect cells of honeybee venom allergen acid phosphatase (Api m 3). <i>Journal of Allergy and Clinical Immunology</i> , 2006 , 117, 848-54	11.5	86
5	Introducing the German Mouse Clinic: open access platform for standardized phenotyping. <i>Nature Methods</i> , 2005 , 2, 403-4	21.6	148
4	Allergen-specific IgE measured by a continuous random-access immunoanalyzer: interassay comparison and agreement with skin testing. <i>Clinical Chemistry</i> , 2005 , 51, 1241-9	5.5	58
3	PARK7/DJ-1 promotes pyruvate dehydrogenase activity and maintains Treg homeostasis		2
2	Prevalence of SARS-CoV-2 infection in the Luxembourgish population: the CON-VINCE study.		32
1	PARK7/DJ-1 promotes pyruvate dehydrogenase activity and maintains Treg homeostasis during ageing. <i>Nature Metabolism</i> ,	14.6	2