

Grażyna Chodorowska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6250377/publications.pdf>

Version: 2024-02-01

92
papers

1,363
citations

430874

18
h-index

395702

33
g-index

93
all docs

93
docs citations

93
times ranked

1963
citing authors

#	ARTICLE	IF	CITATIONS
1	Differential Function of a Novel Population of the CD19+CD24hiCD38hi Bregs in Psoriasis and Multiple Myeloma. <i>Cells</i> , 2021, 10, 411.	4.1	7
2	Osteopontin Serum Concentration and Metabolic Syndrome in Male Psoriatic Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 755.	2.4	7
3	Assessment of Selected Matrix Metalloproteinases (MMPs) and Correlation with Cytokines in Psoriatic Patients. <i>Mediators of Inflammation</i> , 2021, 2021, 1-8.	3.0	8
4	The Genetic Variants of NOTCH3 (6746T>C) and PSMA6 (-8C>G) as Possible Risk Factors of Psoriasis Development. <i>Life</i> , 2021, 11, 887.	2.4	0
5	Psoriasis. Diagnostic and therapeutic recommendations of the Polish Dermatological Society. Part 1. <i>Przegląd Dermatologiczny</i> , 2020, 107, 92-108.	0.1	12
6	Psoriasis. Diagnostic and therapeutic recommendations of the Polish Dermatological Society. Part 2. <i>Przegląd Dermatologiczny</i> , 2020, 107, 110-137.	0.1	8
7	Clinical usefulness of high-frequency ultrasonography in the monitoring of basal cell carcinoma treatment effects. <i>Postepy Dermatologii i Alergologii</i> , 2020, 37, 364-370.	0.9	7
8	IL-17A in the Psoriatic Patients'™ Serum and Plaque Scales as Potential Marker of the Diseases Severity and Obesity. <i>Mediators of Inflammation</i> , 2020, 2020, 1-9.	3.0	16
9	Assessment of visfatin concentrations in the serum of male psoriatic patients in relation to metabolic abnormalities. <i>Advances in Clinical and Experimental Medicine</i> , 2020, 29, 79-84.	1.4	7
10	Serum concentration of osteopontin and interleukin 17 in psoriatic patients. <i>Advances in Clinical and Experimental Medicine</i> , 2020, 29, 203-208.	1.4	6
11	Localized scleroderma (morphea). Diagnostic and therapeutic recommendations of the Polish Dermatological Society. <i>Przegląd Dermatologiczny</i> , 2019, 106, 333-353.	0.1	8
12	Analysis of serum chemerin concentrations in psoriatic patients in relation to metabolic abnormalities. <i>Postepy Dermatologii i Alergologii</i> , 2019, 36, 531-537.	0.9	2
13	Analysis of circulating soluble programmed death 1 (PD-1), neuropilin 1 (NRP-1) and human leukocyte antigen-G (HLA-G) in psoriatic patients. <i>Postepy Dermatologii i Alergologii</i> , 2019, 36, 167-172.	0.9	3
14	Ectrodactyly-ectodermal dysplasia-clefting syndrome with unusual cutaneous vitiligo and psoriasiform lesions due to a novel single point TP63 gene mutation. <i>Postepy Dermatologii i Alergologii</i> , 2019, 36, 358-364.	0.9	5
15	Interleukin-22 and Its Correlation with Disease Activity in Plaque Psoriasis. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2019, 67, 103-108.	2.3	26
16	Results of Nailfold Capillaroscopy in Patients with Normal-Tension Glaucoma. <i>Current Eye Research</i> , 2018, 43, 747-753.	1.5	14
17	Psoriasis. Diagnostic and therapeutic recommendations of the Polish Dermatological Society. Part I: Mild psoriasis. <i>Przegląd Dermatologiczny</i> , 2018, 105, 225-243.	0.1	7
18	Decreased blood CD4+PD-1+ and CD8+PD-1+ T cells in psoriatic patients with and without arthritis. <i>Postepy Dermatologii i Alergologii</i> , 2018, 35, 344-350.	0.9	15

#	ARTICLE	IF	CITATIONS
19	The expression of selected molecular markers of immune tolerance in psoriatic patients. <i>Advances in Clinical and Experimental Medicine</i> , 2018, 27, 721-725.	1.4	8
20	Skin changes in chronic kidney disease. <i>Przegląd Dermatologiczny</i> , 2017, 2, 142-153.	0.1	0
21	The Role of Vitamin D in Non-Scarring Alopecia. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2653.	4.1	36
22	Systemic sclerosis – diagnostic and therapeutic recommendations of the Polish Dermatological Society. Part 1: diagnosis and monitoring. <i>Przegląd Dermatologiczny</i> , 2017, 5, 483-498.	0.1	9
23	Suppressed Programmed Death 1 Expression on CD4 ⁺ and CD8 ⁺ T Cells in Psoriatic Patients. <i>Mediators of Inflammation</i> , 2017, 2017, 1-8.	3.0	17
24	Systemic sclerosis – diagnostic and therapeutic recommendations of the Polish Dermatological Society. Part 2: treatment. <i>Przegląd Dermatologiczny</i> , 2017, 104, 583-596.	0.1	4
25	Z 44ycia PTD Stanowisko Polskiego Towarzystwa Dermatologicznego w sprawie wykonywania zabiegów z zakresu medycyny estetycznej oraz diagnostyki i leczenia chorób dermatologicznych przez osoby nieposiadające wykształcenia lekarskiego. <i>Przegląd Dermatologiczny</i> , 2017, 5, 579-582.	0.1	0
26	Differential expression of programmed death 1 (PD-1) on CD4 ⁺ and CD8 ⁺ T cells in rheumatoid arthritis and psoriatic arthritis. <i>Polish Archives of Internal Medicine</i> , 2017, 127, 815-822.	0.4	11
27	Application of antimalarial medications in the treatment of skin diseases. <i>Przegląd Dermatologiczny</i> , 2016, 4, 316-322.	0.1	0
28	The role of vitamin D in alopecia areata. <i>Przegląd Dermatologiczny</i> , 2016, 2, 185-188.	0.1	1
29	Immune system disturbances in Clouston syndrome. <i>International Journal of Dermatology</i> , 2016, 55, e241-9.	1.0	3
30	Risk Factors for Normal and High-Tension Glaucoma in Poland in Connection with Polymorphisms of the Endothelial Nitric Oxide Synthase Gene. <i>PLoS ONE</i> , 2016, 11, e0147540.	2.5	13
31	Mucous membrane pemphigoid as a cause of acute dysphagia – an endoscopic study. <i>Przegląd Gastroenterologiczny</i> , 2015, 4, 247-249.	0.7	0
32	The Assessment of Selected Bone and Cartilage Biomarkers in Psoriatic Patients from Poland. <i>Mediators of Inflammation</i> , 2015, 2015, 1-8.	3.0	22
33	Cardiovascular disease in psoriatic postmenopausal women. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1231-1234.	2.4	6
34	Capillaroscopic patterns in patients with systemic sclerosis, psoriasis and alopecia and their correlations with serum concentrations of several angiogenic markers. <i>Zdrowie Publiczne</i> , 2015, 125, 49-54.	0.1	0
35	Increased serum level of N-terminal Pro-B-type natriuretic peptide as a possible biomarker of cardiovascular risk in psoriatic patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1010-1014.	2.4	13
36	Treatment of psoriasis vulgaris: guidelines of experts of the Polish Dermatological Society. Part II: moderate to severe psoriasis. <i>Przegląd Dermatologiczny</i> , 2014, 6, 455-472.	0.1	4

#	ARTICLE	IF	CITATIONS
37	Vulvo-vaginal-gingival syndrome – a. <i>Przegląd Dermatologiczny</i> , 2014, 4, 299-303.	0.1	1
38	Actinic keratosis – state of art. Statement of experts of Polish Dermatological Society. <i>Przegląd Dermatologiczny</i> , 2014, 2, 156-167.	0.1	0
39	Bullous pyoderma gangrenosum associated with pancytopenia of unknown origin. <i>Postepy Dermatologii I Alergologii</i> , 2014, 4, 272-276.	0.9	6
40	Eruption of palmoplantar pustular psoriasis in patient treated with anti-androgen therapy for prostate cancer and aggravation of lesions after statin treatment. <i>Open Medicine (Poland)</i> , 2014, 9, 657-662.	1.3	2
41	Cardiovascular aspects of psoriasis: an updated review. <i>International Journal of Dermatology</i> , 2013, 52, 153-162.	1.0	52
42	Rational for statin use in psoriatic patients. <i>Archives of Dermatological Research</i> , 2013, 305, 467-472.	1.9	21
43	Serum Levels of Selected Th17 and Th22 Cytokines in Psoriatic Patients. <i>Disease Markers</i> , 2013, 35, 625-631.	1.3	94
44	Videocapillaroscopic Alterations in Alopecia Areata. <i>BioMed Research International</i> , 2013, 2013, 1-7.	1.9	10
45	Cutaneous larva migrans syndrome: a. <i>Postepy Dermatologii I Alergologii</i> , 2013, 2, 119-121.	0.9	17
46	Psoriasis and osteoporosis. <i>Przegląd Menopauzalny</i> , 2013, 2, 159-162.	1.3	0
47	Diffuse cutaneous bullous mastocytosis in a newborn. <i>Dermatologic Therapy</i> , 2013, 26, 176-179.	1.7	9
48	Future diagnosis, today's treatment - cardiomyopathy in the course of psoriasis: a case report. <i>Dermatologic Therapy</i> , 2013, 26, 489-492.	1.7	7
49	Somatic and non-somatic problems connected with psoriasis in pregnancy. <i>Ginekologia Polska</i> , 2013, 84, 211-3.	0.7	6
50	Deleterious effects of traditional Chinese medicine preparations on the course of psoriasis—a case report. <i>Annals of Agricultural and Environmental Medicine</i> , 2013, 20, 816-8.	1.0	4
51	Acute respiratory distress syndrome (ARDS) complicating influenza A/H1N1v infection—a clinical approach. <i>Annals of Agricultural and Environmental Medicine</i> , 2013, 20, 820-2.	1.0	4
52	Biochemical markers of psoriasis as a metabolic disease. <i>Folia Histochemica Et Cytobiologica</i> , 2012, 50, 155-170.	1.5	30
53	Metabolic syndrome in psoriasis. <i>Advances in Dermatology and Allergology</i> , 2012, 5, 356-362.	1.0	2
54	Psoriasis and menopause Part I. Impact of psoriasis on quality of life in women in peri- and postmenopausal age. <i>Przegląd Menopauzalny</i> , 2012, 5, 388-391.	1.3	0

#	ARTICLE	IF	CITATIONS
55	Social support and adaptation to the disease in men and women with psoriasis. Archives of Dermatological Research, 2012, 304, 421-432.	1.9	63
56	Metabolic syndrome in vitiligo. Dermatologic Therapy, 2012, 25, S41-S43.	1.7	32
57	IFAP syndrome with severe cutaneous, neurologic and skeletal manifestations due to a novel MBTPS2 mutation in a Polish patient. European Journal of Dermatology, 2012, 22, 467-472.	0.6	13
58	Trichophyton mentagrophytes-associated Majocchi's granuloma treated with cryotherapy. Folia Histochemica Et Cytobiologica, 2012, 50, 486-489.	1.5	9
59	Melanoma and other malignant skin cancers in psoriatic patients treated with phototherapy. Role of the p16 protein in psoriasis. Folia Histochemica Et Cytobiologica, 2012, 50, 491-496.	1.5	4
60	Angiopoietins-1 and -2 are differentially expressed in the sera of patients with systemic sclerosis: high angiopoietin-2 levels are associated with greater severity and higher activity of the disease. Rheumatology, 2011, 50, 746-755.	1.9	51
61	Skin lesions in a 16-month-old toddler with impaired zinc absorption. Advances in Medical Sciences, 2011, 56, 369-372.	2.1	1
62	Candida parapsilosis infection following the electrosurgery procedure. Dermatologic Therapy, 2011, 24, 131-133.	1.7	2
63	Psoriasis and unreported excessive alcohol intake – a simple screening approach. Journal of the European Academy of Dermatology and Venereology, 2011, 25, 1261-1268.	2.4	5
64	Psoriatic erythroderma coexisting with erythema multiforme-like lesions induced by retinoids or retinoids combined with an antibiotic: case report. Dermatologic Therapy, 2011, 24, 587-590.	1.7	5
65	Evaluation of Endostatin and EGF Serum Levels in Patients with Gastric Cancer. Polski Przegląd Chirurgiczny, 2011, 83, 42-7.	0.4	5
66	Cytokine network in psoriasis revisited. European Cytokine Network, 2011, 22, 160-168.	2.0	73
67	Traditional Chinese medicine herbs – are they safe for psoriatic patients?. Folia Histochemica Et Cytobiologica, 2011, 49, 201-205.	1.5	8
68	Psoriasis and serum lipid abnormalities. Dermatologic Therapy, 2010, 23, 160-173.	1.7	26
69	THERAPEUTIC HOTLINE: Primary cutaneous CD4 + small/medium-sized pleomorphic T cell lymphoma coexisting with myelodysplastic syndrome transforming into chronic myelomonocytic leukemia successfully treated with cyclophosphamide. Dermatologic Therapy, 2010, 23, 676-681.	1.7	9
70	Lipid Disturbances in Psoriasis: An Update. Mediators of Inflammation, 2010, 2010, 1-13.	3.0	98
71	Psoriasis vulgaris and digestive system disorders: is there a linkage?. Folia Histochemica Et Cytobiologica, 2010, 47, 517-24.	1.5	4
72	Cutaneous Blastic Plasmacytoid Dendritic Cell Neoplasm Associated with Anaemia and Thrombocytopaenia. Acta Dermato-Venereologica, 2009, 89, 646-648.	1.3	2

#	ARTICLE	IF	CITATIONS
73	Lipoprotein (a) in patients with psoriasis: associations with lipid profiles and disease severity. <i>International Journal of Dermatology</i> , 2009, 48, 379-387.	1.0	25
74	Cytokines and anticytokines in psoriasis. <i>Clinica Chimica Acta</i> , 2008, 394, 7-21.	1.1	144
75	Genes and structure of selected cytokines involved in pathogenesis of psoriasis.. <i>Folia Histochemica Et Cytobiologica</i> , 2008, 46, 11-21.	1.5	18
76	Plasma Interleukin-18 and Dendritic Cells in Males with Psoriasis Vulgaris. <i>Mediators of Inflammation</i> , 2007, 2007, 1-7.	3.0	4
77	Development of squamous cell carcinoma within lesions of cutaneous lichen planus. <i>European Journal of Dermatology</i> , 2007, 17, 447-8.	0.6	6
78	Serum pancreatic lipase [EC 3.1.1.3] activity, serum lipid profile and peripheral blood dendritic cell populations in normolipidemic males with psoriasis. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2006, 40, 144-154.	1.8	9
79	The -308 Promoter Polymorphism in the Tumour Necrosis Factor Gene in Patients with Lichen Planus. <i>Acta Dermato-Venereologica</i> , 2005, 85, 400-403.	1.3	5
80	The percentage of T helper lymphocytes CD4+ bearing interleukin-6 receptors is lower in the blood of patients with acute psoriasis triggered by infection. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2004, 18, 379-381.	2.4	0
81	C-reactive protein and alpha2-macroglobulin plasma activity in medium-severe and severe psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2004, 18, 180-183.	2.4	83
82	Sonographic assessment of the liver in children with psoriasis. <i>Journal of Clinical Ultrasound</i> , 2004, 32, 344-347.	0.8	1
83	IL-6 and FAS (CD95) serum level in patients suffering from psoriasis and in relation to the lymphocyte subpopulations. <i>Annales Universitatis Mariae Curie-Sklodowska Sectio D: Medicina</i> , 2004, 59, 500-4.	0.0	1
84	Interleukin-18 Levels in the Plasma of Psoriatic Patients Correlate with the Extent of Skin Lesions and the PASI Score. <i>Acta Dermato-Venereologica</i> , 2003, 83, 262-263.	1.3	32
85	Drug-induced hyperergic vasculitis-activity of selected cytokines and acute phase proteins in plasma. <i>Annales Universitatis Mariae Curie-Sklodowska Sectio D: Medicina</i> , 2003, 58, 43-7.	0.0	3
86	Plasma activity of interleukin-10 in drug-induced cutaneous reactions. <i>Annales Universitatis Mariae Curie-Sklodowska Sectio D: Medicina</i> , 2003, 58, 317-21.	0.0	2
87	Interleukin-2 and its soluble receptor in selected drug-induced cutaneous reactions. <i>Annales Universitatis Mariae Curie-Sklodowska Sectio D: Medicina</i> , 2003, 58, 7-13.	0.0	4
88	Activity of Tumor Necrosis Factor-alpha (TNF-alpha) and its soluble type I receptor (p55TNF-R) in some drug-induced cutaneous reactions. <i>Annales Universitatis Mariae Curie-Sklodowska Sectio D: Medicina</i> , 2003, 58, 50-6.	0.0	1
89	Plasma concentrations of IFN- γ and TNF- α : in psoriatic patients before and after local treatment with dithranol ointment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 1998, 10, 147-151.	2.4	25
90	Plasma concentrations of IFN- β and TNF- α in psoriatic patients before and after local treatment with dithranol ointment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 1998, 10, 147-151.	2.4	13

#	ARTICLE	IF	CITATIONS
91	The plasma level of sICAM-1 in the chosen inflammatory dermatoses. Journal of the European Academy of Dermatology and Venereology, 1997, 8, 29-33.	2.4	4
92	Long-term observation of a case of cutaneous blastomycosis in Poland treated with fluconazole. Mycoses, 1996, 39, 283-287.	4.0	3