Pierluigi Porcu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6250585/publications.pdf

Version: 2024-02-01

71102 69250 6,862 190 41 77 citations h-index g-index papers 195 195 195 7758 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Brentuximab vedotin with chemotherapy for CD30-positive peripheral T-cell lymphoma (ECHELON-2): a global, double-blind, randomised, phase 3 trial. Lancet, The, 2019, 393, 229-240.	13.7	517
2	Mogamulizumab versus vorinostat in previously treated cutaneous T-cell lymphoma (MAVORIC): an international, open-label, randomised, controlled phase 3 trial. Lancet Oncology, The, 2018, 19, 1192-1204.	10.7	398
3	Cutaneous Lymphoma International Consortium Study of Outcome in Advanced Stages of Mycosis Fungoides and Sézary Syndrome: Effect of Specific Prognostic Markers on Survival and Development of a Prognostic Model. Journal of Clinical Oncology, 2015, 33, 3766-3773.	1.6	328
4	Hyperleukocytic Leukemias and Leukostasis: A Review of Pathophysiology, Clinical Presentation and Management. Leukemia and Lymphoma, 2000, 39, 1-18.	1.3	311
5	Activity of the PI3K- \hat{l} , \hat{l} inhibitor duvelisib in a phase 1 trial and preclinical models of T-cell lymphoma. Blood, 2018, 131, 888-898.	1.4	224
6	Duvelisib, a novel oral dual inhibitor of PI3K- \hat{l}',\hat{l}^3 , is clinically active in advanced hematologic malignancies. Blood, 2018, 131, 877-887.	1.4	199
7	Genomic analyses reveal recurrent mutations in epigenetic modifiers and the JAK–STAT pathway in Sézary syndrome. Nature Communications, 2015, 6, 8470.	12.8	177
8	Sézary syndrome: Immunopathogenesis, literature review of therapeutic options, and recommendations for therapy by the United States Cutaneous Lymphoma Consortium (USCLC). Journal of the American Academy of Dermatology, 2011, 64, 352-404.	1.2	154
9	Inhibition of cellular proliferation by peptide analogues of insulin-like growth factor 1. Cancer Research, 1992, 52, 6447-51.	0.9	153
10	Aberrant Overexpression of IL-15 Initiates Large Granular Lymphocyte Leukemia through Chromosomal Instability and DNA Hypermethylation. Cancer Cell, 2012, 22, 645-655.	16.8	150
11	Extranodal NK/T Cell Lymphoma, Nasal Type (ENKTL-NT): An Update on Epidemiology, Clinical Presentation, and Natural History in North American and European Cases. Current Hematologic Malignancy Reports, 2016, 11, 514-527.	2.3	149
12	Non-Hodgkin's Lymphomas, Version 4.2014. Journal of the National Comprehensive Cancer Network: JNCCN, 2014, 12, 1282-1303.	4.9	144
13	Therapeutic leukapheresis in hyperleucocytic leukaemias: lack of correlation between degree of cytoreduction and early mortality rate. British Journal of Haematology, 1997, 98, 433-436.	2.5	135
14	Evolving Insights in the Pathogenesis and Therapy of Cutaneous Tâ€cell lymphoma (Mycosis Fungoides) Tj ETQq0	0 0 0 rgBT 2.5	Overlock 10
15	Leukocytoreduction for Acute Leukemia. Therapeutic Apheresis and Dialysis, 2002, 6, 15-23.	0.6	126
16	The growth-stimulatory effect of simian virus 40 T antigen requires the interaction of insulinlike growth factor 1 with its receptor Molecular and Cellular Biology, 1992 , 12 , $5069-5077$.	2.3	109
17	NCCN Guidelines Insights: Non-Hodgkin's Lymphomas, Version 3.2016. Journal of the National Comprehensive Cancer Network: JNCCN, 2016, 14, 1067-1079.	4.9	107
18	Targeting the Bcl-2 Family in B Cell Lymphoma. Frontiers in Oncology, 2018, 8, 636.	2.8	106

#	Article	IF	Citations
19	NKp80 Defines a Critical Step during Human Natural Killer Cell Development. Cell Reports, 2016, 16, 379-391.	6.4	100
20	Global patterns of care in advanced stage mycosis fungoides/Sezary syndrome: a multicenter retrospective follow-up study from the Cutaneous Lymphoma International Consortium. Annals of Oncology, 2017, 28, 2517-2525.	1,2	98
21	Therapeutic Apheresis in Hyperleukocytosis and Hyperviscosity Syndrome. Seminars in Thrombosis and Hemostasis, 2007, 33, 350-354.	2.7	86
22	Results of Treatment After Relapse From High-Dose Chemotherapy in Germ Cell Tumors. Journal of Clinical Oncology, 2000, 18, 1181-1186.	1.6	85
23	Flavopiridol, Fludarabine, and Rituximab in Mantle Cell Lymphoma and Indolent B-Cell Lymphoproliferative Disorders. Journal of Clinical Oncology, 2010, 28, 418-423.	1.6	84
24	Epstein–Barr virus―and human herpesvirus 8â€associated primary cutaneous plasmablastic lymphoma in the setting of renal transplantation. Journal of Cutaneous Pathology, 2005, 32, 35-39.	1.3	83
25	Mechanism, Consequences, and Therapeutic Targeting of Abnormal IL15 Signaling in Cutaneous T-cell Lymphoma. Cancer Discovery, 2016, 6, 986-1005.	9.4	79
26	Sacrococcygeal teratoma in adults. , 1999, 86, 1198-1202.		71
27	Overview of the Use of Murine Models in Leukemia and Lymphoma Research. Frontiers in Oncology, 2017, 7, 22.	2.8	71
28	Experimental treatment of Epstein-Barr virus-associated primary central nervous system lymphoma. Cancer Research, 2003, 63, 965-71.	0.9	70
29	The insulin-like growth factor 1 receptor is required for the proliferation of hemopoietic cells. Oncogene, $1992, 7, 2243-8$.	5.9	69
30	Promoter Methylation Regulates SAMHD1 Gene Expression in Human CD4+ T Cells. Journal of Biological Chemistry, 2013, 288, 9284-9292.	3.4	67
31	The Epstein-Barr Virus (EBV) in T Cell and NK Cell Lymphomas: Time for a Reassessment. Current Hematologic Malignancy Reports, 2015, 10, 456-467.	2.3	60
32	Pembrolizumab for Treatment of Relapsed/Refractory Mycosis Fungoides and Sezary Syndrome: Clinical Efficacy in a Citn Multicenter Phase 2 Study. Blood, 2016, 128, 181-181.	1.4	56
33	NCCN Guidelines Insights: Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma, Version 1.2017. Journal of the National Comprehensive Cancer Network: JNCCN, 2017, 15, 293-311.	4.9	55
34	Thrombotic thrombocytopenic purpura and simvastatin. Lancet, The, 1998, 352, 1284-1285.	13.7	54
35	Successful treatment of posttransplantation lymphoproliferative disorder (PTLD) following renal allografting is associated with sustained CD8+ T-cell restoration. Blood, 2002, 100, 2341-2348.	1.4	54
36	CD8+ Lymphomatoid Papulosis and Its Differential Diagnosis. American Journal of Clinical Pathology, 2006, 125, 490-501.	0.7	54

#	Article	IF	Citations
37	Phase 2 trial of rituximab and bortezomib in patients with relapsed or refractory mantle cell and follicular lymphoma. Cancer, 2011, 117, 2442-2451.	4.1	52
38	Epstein-Barr virus-associated B-cell lymphoma in the setting of iatrogenic immune dysregulation presenting initially in the skin. Journal of Cutaneous Pathology, 2005, 32, 474-483.	1.3	51
39	Downregulation of SAMHD1 Expression Correlates with Promoter DNA Methylation in Sézary Syndrome Patients. Journal of Investigative Dermatology, 2014, 134, 562-565.	0.7	50
40	Alloantigen-induced unresponsiveness in cord blood T lymphocytes is associated with defective activation of Ras. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 4538-4543.	7.1	45
41	Duvelisib, an oral dual PI3Kâ€Î,γ inhibitor, shows clinical and pharmacodynamic activity in chronic lymphocytic leukemia and small lymphocytic lymphoma in a phase 1 study. American Journal of Hematology, 2018, 93, 1318-1326.	4.1	45
42	Preliminary Results of a Phase 1 Trial Evaluating MRG-106, a Synthetic microRNA Antagonist (LNA) Tj ETQq0 0 0	rgBT_/Ove	erlogk 10 Tf 50
43	Atypical lymphocytic lobular panniculitis: a clonal subcutaneous Tâ€cell dyscrasia. Journal of Cutaneous Pathology, 2008, 35, 947-954.	1.3	43
44	A phase 1 trial of the HDAC inhibitor AR-42 in patients with multiple myeloma and T- and B-cell lymphomas. Leukemia and Lymphoma, 2017, 58, 2310-2318.	1.3	43
45	Diminished microRNA-29b level is associated with BRD4-mediated activation of oncogenes in cutaneous T-cell lymphoma. Blood, 2018, 131, 771-781.	1.4	42
46	Impaired Proteasome Function Activates GATA3 in T Cells and Upregulates CTLA-4: Relevance for Sézary Syndrome. Journal of Investigative Dermatology, 2013, 133, 249-257.	0.7	41
47	Subcutaneous alemtuzumab for Sézary Syndrome in the very elderly. Leukemia Research, 2008, 32, 1299-1303.	0.8	40
48	Results of a phase II study of 506U78 in cutaneous T-cell lymphoma and peripheral T-cell lymphoma: CALGB 59901. Leukemia and Lymphoma, 2007, 48, 97-103.	1.3	39
49	Allogeneic Stem Cell Transplantation for Patients with Relapsed Chemorefractory Aggressive Non-Hodgkin Lymphomas. Biology of Blood and Marrow Transplantation, 2009, 15, 547-553.	2.0	39
50	Targeting Interleukin-2-inducible T-cell Kinase (ITK) and Resting Lymphocyte Kinase (RLK) Using a Novel Covalent Inhibitor PRN694. Journal of Biological Chemistry, 2015, 290, 5960-5978.	3.4	36
51	Highâ€dose therapy and autologous stem cell transplantation for follicular lymphoma undergoing transformation to diffuse large Bâ€cell lymphoma. European Journal of Haematology, 2008, 81, 425-431.	2.2	35
52	Combination bortezomib and rituximab treatment affects multiple survival and death pathways to promote apoptosis in mantle cell lymphoma. MAbs, 2009, 1, 31-40.	5.2	33
53	Systemic therapy of cutaneous T-cell lymphoma (CTCL). Chinese Clinical Oncology, 2019, 8, 20-20.	1.2	33
54	Primary Cutaneous CD30+ Large Cell B-Cell Lymphoma. Applied Immunohistochemistry and Molecular Morphology, 2006, 14, 7-11.	1.2	32

#	Article	IF	CITATIONS
55	A phase I/II dose escalation study of apolizumab ($Hu1D10$) using a stepped-up dosing schedule in patients with chronic lymphocytic leukemia and acute leukemia. Leukemia and Lymphoma, 2009, 50, 1958-1963.	1.3	32
56	Promoter-Specific Hypomethylation Is Associated with Overexpression of PLS3 , GATA6 , and TWIST1 in the Sezary Syndrome. Journal of Investigative Dermatology, 2015, 135, 2084-2092.	0.7	32
57	Automated kappa and lambda light chain mRNA expression for the assessment of B-cell clonality in cutaneous B-cell infiltrates: its utility and diagnostic application. Journal of Cutaneous Pathology, 2003, 30, 504-511.	1.3	31
58	T-plastin (PLS3) gene expression differentiates \tilde{SA} ©zary syndrome from mycosis fungoides and inflammatory skin diseases and can serve as a biomarker to monitor disease progression. British Journal of Dermatology, 2010, 162, 463-466.	1.5	31
59	Cutaneous CD4+ CD56+ hematologic malignancies. Journal of the American Academy of Dermatology, 2010, 63, 292-308.	1.2	30
60	The absence of CD20 messenger RNA in recurrent cutaneous B-cell lymphoma following rituximab therapy. Journal of Cutaneous Pathology, 2005, 32, 616-621.	1.3	28
61	The Oral Selective Inhibitor of Nuclear Export (SINE) Selinexor (KPT-330) Demonstrates Broad and Durable Clinical Activity in Relapsed / Refractory Non Hodgkin's Lymphoma (NHL). Blood, 2014, 124, 396-396.	1.4	27
62	Flavopiridol can be safely administered using a pharmacologically derived schedule and demonstrates activity in relapsed and refractory nonâ€Hodgkin's lymphoma. American Journal of Hematology, 2014, 89, 19-24.	4.1	26
63	Management of Patients With Hematologic Malignancies During the COVID-19 Pandemic: Practical Considerations and Lessons to Be Learned. Frontiers in Oncology, 2020, 10, 1439.	2.8	26
64	Romidepsin Plus Liposomal Doxorubicin Is Safe and Effective in Patients with Relapsed or Refractory T-Cell Lymphoma: Results of a Phase I Dose-Escalation Study. Clinical Cancer Research, 2020, 26, 1000-1008.	7.0	26
65	Peripheral T-Cell Lymphoma, not Otherwise Specified (PTCL-NOS). Cancer Treatment and Research, 2019, 176, 83-98.	0.5	25
66	The Role of an Integrated Multidisciplinary Clinic in the Management of Patients with Cutaneous Lymphoma. Frontiers in Oncology, 2015, 5, 136.	2.8	24
67	Lymphokineâ€activated killer (LAK) cells inhibit the clonogenic growth of human leukemic stem cells. European Journal of Haematology, 1989, 42, 425-430.	2.2	23
68	Cell Cycle Control by the IGF-1 Receptor and Its Ligands. Advances in Experimental Medicine and Biology, 1994, 343, 105-112.	1.6	23
69	Safety and Preliminary Efficacy Results of a Phase I First-in-Human Study of the Novel Notch-1 Targeting Antibody Brontictuzumab (OMP-52M51) Administered Intravenously to Patients with Hematologic Malignancies. Blood, 2016, 128, 5108-5108.	1.4	23
70	Human Leukocyte Antigen Type and Posttransplant Lymphoproliferative Disorder. Transplantation, 2015, 99, 1220-1225.	1.0	22
71	Preclinical Targeting of MicroRNA-214 in Cutaneous T-Cell Lymphoma. Journal of Investigative Dermatology, 2019, 139, 1966-1974.e3.	0.7	22
72	Primary Cutaneous B ell Lymphoma: Management and Patterns of Recurrence at the Multimodality Cutaneous Lymphoma Clinic of The Ohio State University. Oncologist, 2015, 20, 1161-1166.	3.7	21

#	Article	IF	Citations
73	MicroRNA-181 contributes to downregulation of SAMHD1 expression in CD4+ T-cells derived from SÃ"zary syndrome patients. Leukemia Research, 2017, 52, 58-66.	0.8	21
74	Extranodal Marginal Zone Lymphoma–like Presentations of Angioimmunoblastic T-Cell Lymphoma. American Journal of Dermatopathology, 2015, 37, 604-613.	0.6	20
75	Complete and Durable Responses in Primary Central Nervous System Posttransplant Lymphoproliferative Disorder with Zidovudine, Ganciclovir, Rituximab, and Dexamethasone. Clinical Cancer Research, 2018, 24, 3273-3281.	7.0	20
76	Brentuximab vedotin in the treatment of CD30+ PTCL. Blood, 2019, 134, 2339-2345.	1.4	20
77	Periocular cutaneous anaplastic large cell lymphoma clearance with brentuximab vedotin. Journal of Clinical and Aesthetic Dermatology, 2013, 6, 29-31.	0.1	20
78	Complex Karyotype Is Associated With Aggressive Disease and Shortened Progression-Free Survival in Patients With Newly Diagnosed Mantle Cell Lymphoma. Clinical Lymphoma, Myeloma and Leukemia, 2015, 15, 278-285.e1.	0.4	19
79	Quality of Life Effect of the Anti-CCR4 Monoclonal Antibody Mogamulizumab Versus Vorinostat in Patients With Cutaneous T-cell Lymphoma. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, 97-105.	0.4	18
80	Valchlor maintenance therapy for patients with mycosis fungoides who received low dose total skin electron beam treatment. Chinese Clinical Oncology, 2019, 8, 13-13.	1.2	18
81	Immune evasion and current immunotherapy strategies in mycosis fungoides (MF) and Sézary syndrome (SS). Chinese Clinical Oncology, 2019, 8, 11-11.	1.2	18
82	$\tilde{SA} \otimes z$ ary Syndrome: Clinical and Biological Aspects. Current Hematologic Malignancy Reports, 2016, 11, 468-479.	2.3	17
83	The Use of Central Pathology Review With Digital Slide Scanning in Advanced-stage Mycosis Fungoides and Sézary Syndrome. American Journal of Surgical Pathology, 2018, 42, 726-734.	3.7	17
84	Targeting STAT5 or STAT5-Regulated Pathways Suppresses Leukemogenesis of Ph+ Acute Lymphoblastic Leukemia. Cancer Research, 2018, 78, 5793-5807.	0.9	17
85	Phase 1 trial evaluating MRG-106, a synthetic inhibitor of microRNA-155, in patients with cutaneous t-cell lymphoma (CTCL) Journal of Clinical Oncology, 2017, 35, 7564-7564.	1.6	17
86	Allogeneic hematopoietic stem cell transplantation in advanced stage mycosis fungoides and Sézary syndrome: a concise review. Chinese Clinical Oncology, 2019, 8, 12-12.	1.2	17
87	Nanatinostat (Nstat) and Valganciclovir (VGCV) in Relapsed/Refractory (R/R) Epstein-Barr Virus-Positive (EBV +) Lymphomas: Final Results from the Phase 1b/2 VT3996-201 Study. Blood, 2021, 138, 623-623.	1.4	17
88	Frequency and clinical correlates of elevated plasma Epsteinâ€Barr virus DNA at diagnosis in peripheral Tâ€cell lymphomas. International Journal of Cancer, 2017, 140, 1899-1906.	5.1	15
89	Clinical Features Predictive of Survival in Patients With Vitreoretinal Lymphoma: Analysis of 70 Patients at a Single Ocular Oncology Center. Asia-Pacific Journal of Ophthalmology, 2020, 9, 110-116.	2.5	15
90	Recent developments in the biology and therapy of T-cell and natural killer–cell lymphomas. Current Opinion in Oncology, 2003, 15, 353-362.	2.4	14

#	Article	IF	Citations
91	A prospective cohort study of condensed low-dose total skin electron beam therapy for mycosis fungoides: Reduction of disease burden and improvement in quality of life. Journal of the American Academy of Dermatology, 2020, 83, 78-85.	1.2	14
92	Emerging insights on the pathogenesis and treatment of extranodal NK/T cell lymphomas (ENKTL). Discovery Medicine, 2017, 23, 189-199.	0.5	14
93	Cutaneous mantle cell lymphoma: a clinicopathologic review of 10 cases. Journal of Cutaneous Pathology, 2016, 43, 1112-1120.	1.3	13
94	Systemic therapy for cutaneous T-cell lymphoma: who, when, what, and why?. Expert Review of Hematology, 2017, 10, 111-121.	2.2	13
95	Acquired immunodeficiency syndrome-related lymphomas: future directions. Seminars in Oncology, 2000, 27, 454-62.	2.2	13
96	Fine-needle aspiration biopsy of non-Hodgkin lymphoma for use in expression microarray analysis. Cancer, 2006, 108, 311-318.	4.1	12
97	Prolonged myelosuppression with clofarabine in the treatment of patients with relapsed or refractory, aggressive non-Hodgkin lymphoma. Leukemia and Lymphoma, 2009, 50, 349-356.	1.3	12
98	Recent Advances in Cutaneous T-cell Lymphoma. Surgical Pathology Clinics, 2019, 12, 783-803.	1.7	12
99	Extreme Peripheral Blood Plasmacytosis Mimicking Plasma Cell Leukemia as a Presenting Feature of Angioimmunoblastic T-Cell Lymphoma (AITL). Frontiers in Oncology, 2019, 9, 509.	2.8	12
100	Autologous EBV-specific T cell treatment results in sustained responses in patients with advanced extranodal NK/T lymphoma: results of a multicenter study. Annals of Hematology, 2021, 100, 2529-2539.	1.8	12
101	Highly cytotoxic natural killer cells are associated with poor prognosis in patients with cutaneous T-cell lymphoma. Blood Advances, 2018, 2, 1818-1827.	5.2	11
102	The spectrum of CD30+ T cell lymphoproliferative disorders in the skin. Chinese Clinical Oncology, 2019, 8, 3-3.	1.2	11
103	In Situ Determination of T-cell Receptor Beta Expression Patterns. Journal of Histochemistry and Cytochemistry, 2001, 49, 139-145.	2.5	10
104	Feasibility of allogeneic hematopoietic stem cell transplantation for follicular lymphoma undergoing transformation to diffuse large B-cell lymphoma. Leukemia and Lymphoma, 2008, 49, 1893-1898.	1.3	10
105	Reversal of neurological deficit after chemotherapy in BCL-6–positive neurolymphomatosis. Journal of Neurosurgery, 2009, 111, 247-251.	1.6	10
106	Clinical characteristics and outcomes of black patients with mycosis fungoides and $S\tilde{A}$ ©zary syndrome: a subgroup analysis of the phase III MAVORIC trial. Leukemia and Lymphoma, 2021, 62, 1877-1883.	1.3	10
107	Bexarotene-Induced T-Cell Immunomodulation and Response in CTCL Blood, 2004, 104, 744-744.	1.4	9
108	Early CTCL diagnosis, a (miR)age no more?. Blood, 2011, 118, 5717-5718.	1.4	8

#	Article	IF	CITATIONS
109	Phase I Study of IPH4102, Anti-KIR3DL2 Mab, in Relapsed/Refractory Cutaneous T-Cell Lymphomas (CTCL): Dose-escalation Safety, Biomarker and Clinical Activity Results. Hematological Oncology, 2017, 35, 48-49.	1.7	8
110	Gemcitabine and bendamustine is a safe and effective salvage regimen for patients with recurrent/refractory Hodgkin lymphoma: Results of a phase 1/2 study. Cancer, 2020, 126, 1235-1242.	4.1	8
111	New Targets of Therapy in T-Cell Lymphomas. Current Drug Targets, 2010, 11, 482-493.	2.1	8
112	Identification and Targeting of the Developmental Blockade in Extranodal Natural Killer/T-cell Lymphoma. Blood Cancer Discovery, 2022, 3, 154-169.	5.0	8
113	Cytokines in the Pathogenesis of Large Granular Lymphocytic Leukemia. Frontiers in Oncology, 2022, 12, 849917.	2.8	8
114	Increased Levels of Plasma Epstein Barr Virus DNA Identify a Poor-Risk Subset of Patients With Advanced Stage Cutaneous T-Cell Lymphoma. Clinical Lymphoma, Myeloma and Leukemia, 2016, 16, S181-S190.e4.	0.4	7
115	A Phase I Study of Ibrutinib and Lenalidomide in Patients with Relapsed and Refractory B-Cell Non-Hodgkin's Lymphoma. Blood, 2014, 124, 4476-4476.	1.4	7
116	A phase 2 randomized study of SHAPE Gel (SHP-141) in patients with early-stage cutaneous T-cell lymphoma: Interim results Journal of Clinical Oncology, 2016, 34, 7562-7562.	1.6	7
117	Successful Treatment of Mature T-Cell Lymphoma with Allogeneic Stem Cell Transplantation: The Largest Multicenter Retrospective Analysis. Blood, 2020, 136, 35-36.	1.4	7
118	In Situ Determination of B-Cell Heavy Chain and Kappa/Lambda Light Chain Expression Patterns: Methodology and Clinical Utility. Diagnostic Molecular Pathology, 2001, 10, 171-178.	2.1	6
119	Autologous Stem Cell Transplantation for Multiple Myeloma: Growth Factor Matters. Biology of Blood and Marrow Transplantation, 2019, 25, e293-e297.	2.0	6
120	Clinical outcomes in Tâ€cell large granular lymphocytic leukaemia: prognostic factors and treatment response. British Journal of Haematology, 2021, 192, 484-493.	2.5	6
121	First-in-Human, Multicenter Phase I Study of IPH4102, First-in-Class Humanized Anti-KIR3DL2 Monoclonal Antibody, in Relapsed/Refractory Cutaneous T-Cell Lymphomas: Preliminary Safety, Exploratory and Clinical Activity Results. Blood, 2016, 128, 1826-1826.	1.4	6
122	We Should Have a Dream: Unlocking the Workings of the Genome in Cutaneous T-Cell Lymphomas. Clinical Lymphoma and Myeloma, 2009, 9, 409-411.	1.4	5
123	Flavopiridol, Fludarabine and Rituximab Is a Highly Active Regimen in Indolent B-Cell Lymphoproliferative Disorders Including Mantle Cell Lymphoma Blood, 2005, 106, 944-944.	1.4	5
124	Durable Response to Brentuximab Vedotin Plus Cyclophosphamide, Doxorubicin, and Prednisone (BV-CHP) in a Patient with CD30-Positive PTCL Arising as a Post-Transplant Lymphoproliferative Disorder (PTLD). Current Oncology, 2021, 28, 5067-5072.	2.2	5
125	Topical imiquimod monotherapy for indolent primary cutaneous Bâ€cell lymphomas: a singleâ€institution experience. British Journal of Dermatology, 2020, 183, 386-387.	1.5	4
126	AIDS-associated malignancies. Cancer Chemotherapy and Biological Response Modifiers, 2003, 21, 717-746.	0.5	4

#	Article	IF	Citations
127	Phase I Study of AR-42 in Relapsed Multiple Myeloma and Lymphoma Blood, 2012, 120, 2955-2955.	1.4	4
128	Polypoid endobronchial Hodgkin lymphoma with an initial response to photodynamic therapy. Annals of Thoracic Surgery, 2003, 76, 940-942.	1.3	3
129	Treating Cutaneous T-Cell Lymphoma with Highly Irregular Surfaces with Photon Irradiation Using Rice as Tissue Compensator. Frontiers in Oncology, 2015, 5, 49.	2.8	3
130	Skindex-29 scores indicate poor quality of life in early stage mycosis fungoides. Journal of Dermatological Science, 2020, 98, 98-101.	1.9	3
131	CD4+CD56+haematodermic tumour (plasmacytoid dendritic cell neoplasm). British Journal of Haematology, 2007, 140, 071107173701001-???.	2.5	2
132	The State of Cutaneous Lymphomas: A Call to Action. Clinical Lymphoma, Myeloma and Leukemia, 2010, 10, S55-S58.	0.4	2
133	A Look at the National Comprehensive Cancer Network Guidelines for Cutaneous Lymphomas. Clinical Lymphoma, Myeloma and Leukemia, 2010, 10, S109-S111.	0.4	2
134	Elevated plasma Epstein-Barr virus DNA at diagnosis predicts a poor prognosis in peripheral T-cell lymphomas. Clinical Lymphoma, Myeloma and Leukemia, 2015, 15, S67.	0.4	2
135	Mogamulizumab versus investigator choice in relapsed/refractory adult T-cell leukemia/lymphoma: all four one or none for all?. Haematologica, 2019, 104, 864-867.	3.5	2
136	Low Nonrelapse Mortality after HLA-Matched Related 2-Step Hematopoietic Stem Cell Transplantation Using Cyclophosphamide for Graft-versus-Host Disease Prophylaxis and the Potential Impact of Non-Cyclophosphamide-Exposed T Cells on Outcomes. Biology of Blood and Marrow Transplantation, 2020, 26, 1861-1867.	2.0	2
137	Improved outcomes for extranodal natural killer T-cell lymphoma. Lancet Haematology,the, 2020, 7, e272-e273.	4.6	2
138	Phase I/II study of bendamustine in combination with ofatumumab, carboplatin, etoposide (BOCE) for relapsed or refractory aggressive B-cell non-Hodgkin lymphoma. Leukemia and Lymphoma, 2021, 62, 590-597.	1.3	2
139	Post Autologous Transplant Vorinostat (SAHA) in High Risk Lymphoma: Phase 1 Study of Vorinostat Maintenance. Blood, 2012, 120, 2004-2004.	1.4	2
140	Management and Outcomes of Atrial Fibrillation in Patients Receiving Ibrutinib for Hematologic Malignancies at a Single Center. Blood, 2016, 128, 2040-2040.	1.4	2
141	Emerging insights on the biology and treatment of cutaneous T-cell lymphoma. Chinese Clinical Oncology, 2019, 8, 1-1.	1.2	2
142	Genome-Wide Mapping Reveals BRD4 in Regulation of Tumor-Driver Genes in Cutaneous T-Cell Lymphoma. Blood, 2015, 126, 589-589.	1.4	2
143	Reversible DNA Hypermethylation of the Interleukin-15 (IL-15) Promoter Induces IL-15 Expression, Drives the Pathogenesis of T-Cell Large Granular Lymphocytic Leukemia and Provides a Potential Therapeutic Approach Using 5-Azacitidine. Blood, 2019, 134, 3776-3776.	1.4	2
144	The Two-Step Allogeneic Stem Cell Transplantation Approach Results in Rapid Engraftment and Excellent Outcomes in Patients with Lymphoid Malignancies. Transplantation and Cellular Therapy, 2022, 28, 159.e1-159.e5.	1.2	2

#	Article	IF	Citations
145	Dermal fibroblasts promote cancer cell proliferation and exhibit fibronectin overexpression in early mycosis fungoides. Journal of Dermatological Science, 2022, 106, 53-60.	1.9	2
146	A Single Institution Experience with EPOCH in Peripheral T-cell Lymphomas (PTCL). Clinical Lymphoma, Myeloma and Leukemia, 2015, 15, S68.	0.4	1
147	Expanding and expounding the genomic map of CTCL. Blood, 2017, 130, 1389-1390.	1.4	1
148	The rise of a new "great teacher― Blood, 2021, 138, 205-206.	1.4	1
149	Treating Early-Stage DLBCL on the FLYER: What Lesson for Radiation Therapy?. Frontiers in Oncology, 2021, 11, 686223.	2.8	1
150	Flavopiridol, Fludarabine and Rituximab (FFR): An Active Regimen in Indolent B-Cell Lymphoproliferative Disorders and Mantle Cell Lymphoma Blood, 2008, 112, 1571-1571.	1.4	1
151	A Phase II Trial of Induction Plus Maintenance Rituximab and Bortezomib in Patients with Relapsed/Refractory Mantle Cell (MCL) and Follicular (FL) Non-Hodgkin's Lymphoma. Blood, 2008, 112, 3053-3053.	1.4	1
152	Successful Treatment of Primary Central Nervous System Post-Transplant Lymphoproliferative Disorder (PCNS-PTLD) with Zidovudine (AZT), Ganciclovir (GCV), Rituximab and Dexamethasone: A Single-Institution Case Series. Blood, 2011, 118, 3067-3067.	1.4	1
153	Targeting Interleukin-2-Inducible T-Cell Kinase (ITK) and Resting Lymphocyte Kinase (RLK) Using a Novel Covalent Inhibitor PRN694. Blood, 2014, 124, 272-272.	1.4	1
154	Serum chemokines and cytokines in CLL patients treated with duvelisib, a PI3K- \hat{l} , \hat{l} inhibitor Journal of Clinical Oncology, 2015, 33, 7072-7072.	1.6	1
155	Conversion of antibody-resistant cancer patients to antibody-sensitive: Investigation of Fc receptor polymorphisms and response to IL-2 and rituximab treatment in rituximab-refractory NHL patients. Journal of Clinical Oncology, 2004, 22, 2534-2534.	1.6	1
156	COVID-19 in Patients with Hematologic Malignancies: A Single-Center Experience. Blood, 2020, 136, 36-37.	1.4	1
157	Oral Nanatinostat (Nstat) and Valganciclovir (VGCV) in Patients with Recurrent Epstein-Barr Virus (EBV)-Positive Lymphomas: Initial Phase 2 Results. Blood, 2020, 136, 7-8.	1.4	1
158	Vaccination Response after Autologous Stem Cell Transplantation. Blood, 2020, 136, 25-26.	1.4	1
159	Implementation of an Outpatient HD-MTX Initiative. Frontiers in Oncology, 2021, 11, 773397.	2.8	1
160	Prolonged myelosuppression with clofarabine in the treatment of patients with relapsed or refractory, aggressive non-Hodgkin lymphoma. Leukemia and Lymphoma, 2009, 50, 1232-1234.	1.3	0
161	Monoclonal Antibodies (mAb) in the Therapy of T-Cell Lymphomas. , 2013, , 243-261.		0
162	Cutaneous T-Cell Lymphoma. , 2015, , 363-377.		0

#	Article	IF	CITATIONS
163	Primary cutaneous B-cell lymphoma: management and patterns of recurrence at the Multimodality Cutaneous Lymphoma Clinic of the Ohio State University. Clinical Lymphoma, Myeloma and Leukemia, 2015, 15, S62.	0.4	0
164	A positive randomised trial in cutaneous T-cell lymphoma. Lancet, The, 2017, 390, 533-534.	13.7	0
165	Editorial: Murine Models of Leukemia and Lymphoma. Frontiers in Oncology, 2017, 7, 309.	2.8	0
166	TREATMENT PATTERNS, CLINICAL OUTCOMES, AND BIOMARKER EVALUATION IN CLASSICAL HODGKIN LYMPHOMA: A PROSPECTIVE OBSERVATIONAL STUDY IN US ONCOLOGY PRACTICES. Hematological Oncology, 2019, 37, 486-487.	1.7	0
167	A PHASE 1B/2 STUDY OF ORAL NANATINOSTAT (N) AND VALGANCICLOVIR (VG) IN SUBJECTS WITH EPSTEIN-BARR VIRUS (EBV)-ASSOCIATED LYMPHOMAS. Hematological Oncology, 2019, 37, 335-337.	1.7	O
168	TELLOMAK: T-CELL LYMPHOMA ANTI-KIR3DL2 THERAPY: AN OPEN LABEL, MULTI-COHORT, MULTI-CENTER, INTERNATIONAL PHASE II STUDY EVALUATING THE EFFICACY AND SAFETY OF IPH4102 ALONE OR IN COMBINATION WITH CHEMOTHERAPY IN PATIENTS WITH ADVANCED T-CELL LYMPHOMA. Hematological Oncology, 2019, 37, 72-73.	1.7	O
169	PHASE I STUDY OF ROMIDEPSIN AND LIPOSOMAL DOXORUBICIN IN RELAPSED OR REFRACTORY T-CELL LYMPHOMA. Hematological Oncology, 2019, 37, 335-335.	1.7	O
170	Applied Genomics and Public Health Cancer Genomics. , 2020, , 53-72.		0
171	New insights on treatment utilization and outcomes in earlyâ€stage mycosis fungoides. British Journal of Dermatology, 2021, 184, 594-595.	1.5	0
172	Clinical and Basic Science Studies of Human Umbilical Cord Blood. , 2000, , .		0
173	Excessive Neurotoxicity in a Phase II Trial of Combined Bortezomib and Rituximab in Patients with Relapsed/Refractory Mantle Cell (MCL) and Follicular (FL) Non-Hodgkin's Lymphoma Blood, 2006, 108, 2768-2768.	1.4	0
174	Assessment of Rabbit Antithymocyte Globulin (rATG) Dose-Intensity in Patients with Hematological Malignancies Undergoing Allogeneic Stem Cell Transplantation (ASCT) Following Reduced Intensity Conditioning (RIC) with Fludarabine, Busulfan and rATG (FBA). Blood, 2008, 112, 4405-4405.	1.4	0
175	Allogeneic Stem Cell Transplantation for Patients with Chemo-Refractory or Progressive Aggressive Non-Hodgkin's Lymphomas Blood, 2008, 112, 3265-3265.	1.4	0
176	The Prognostic Value of FDG PET/CT Prior to Autologous Stem Cell Transplant in Mantle Cell Lymphoma. Blood, 2011, 118, 3113-3113.	1.4	0
177	Risk Factors for Post-Transplant Lymphoproliferative Disorder in Solid Organ Transplant Recipients. Blood, 2011, 118, 4465-4465.	1.4	0
178	Results of A Phase I Study of Milatuzumab, a Humanized Anti-CD74 Antibody, and Veltuzumab, a Humanized Anti-CD20 Antibody, In Patients with Relapsed and Refractory B-Cell Non-Hodgkin's Lymphoma,. Blood, 2011, 118, 3707-3707.	1.4	0
179	Epstein-Barr Virus Kinase-Targeted Therapy for Primary Central Nervous System Post-Transplant Lymphoproliferative Disorder. Blood, 2014, 124, 1750-1750.	1.4	0
180	Blastic Plasmacytoid Dendritic Cell Neoplasm: A Single-Center Experience Documenting Frequent CNS Involvement. Blood, 2015, 126, 5602-5602.	1.4	0

#	Article	IF	CITATIONS
181	First-in-human, open label, multicenter phase I of IPH4102, first-in-class humanized anti-KIR3DL2 monoclonal antibody, in relapsed/refractory cutaneous T-cell lymphomas Journal of Clinical Oncology, 2016, 34, TPS2591-TPS2591.	1.6	0
182	Autologous Transplantation As Consolidation for High Risk Aggressive T-Cell Non-Hodgkin's Lymphoma: A SWOG S9704 Intergroup Trial Subgroup Analysis. Blood, 2016, 128, 4651-4651.	1.4	0
183	2 Step Myeloablative Haploidentical Transplant (HI MA HSCT) in Intermediate and High-Risk Patients-Changing the Timing of the 2 Step Approach. Blood, 2018, 132, 4661-4661.	1.4	O
184	Results of a Phase I/II Study of Bendamustine in Combination with Ofatumumab, Carboplatin and Etoposide (BOCE) for Relapsed or Refractory Aggressive B-Cell Non-Hodgkin Lymphomas. Blood, 2019, 134, 5318-5318.	1.4	0
185	A Prospective Cohort of Black Patients with Mycosis Fungoides and Sézary Syndrome: Subset Analysis of the Mavoric Trial. Blood, 2019, 134, 4766-4766.	1.4	O
186	Design and Implementation of a Multipurpose Information System for Hematopoietic Stem-Cell Transplantation on the Basis of the Biomedical Research Integrated Domain Group Model. JCO Clinical Cancer Informatics, 2021, 5, 1076-1084.	2.1	0
187	Survival Analysis of Patients with T-Cell Lymphoma or T-Cell Large Granular Leukemia and Concomitant Plasma Cell Dyscrasias. Blood, 2021, 138, 2449-2449.	1.4	O
188	Molecular Characterization Using Oncoscan Chromosome Microarray in an International Cohort of 51 Patients with Blastic Plasmacytoid Dendritic Cell Neoplasm (BPDCN). Blood, 2021, 138, 3497-3497.	1.4	0
189	A case series of primary cutaneous B-cell lymphomas with atypical presentations: diagnostic and therapeutic Challenges. Haematologica, 2021, , .	3.5	0
190	Incidence, Treatment, and Survival of Patients With T-Cell Lymphoma, T-Cell Large Granular Leukemia, and Concomitant Plasma Cell Dyscrasias. Frontiers in Oncology, 2022, 12, 858426.	2.8	O