Diane Gor

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/625107/diane-goere-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

188
papers7,203
citations44
h-index79
g-index191
ext. papers8,554
ext. citations4.1
avg, IF5.54
L-index

#	Paper	IF	Citations
188	Appendiceal tumors and pseudomyxoma peritonei: French Intergroup Clinical Practice Guidelines for diagnosis, treatments and follow-up (RENAPE, RENAPATH, SNFGE, FFCD, GERCOR, UNICANCER, SFCD, SFED, SFRO, ACHBT, SFR). <i>Digestive and Liver Disease</i> , 2021 ,	3.3	1
187	The Role of Hyperthermic Intraperitoneal Chemotherapy in Pseudomyxoma Peritonei After Cytoreductive Surgery. <i>JAMA Surgery</i> , 2021 , 156, e206363	5.4	22
186	The Landmark Series: Surgical Treatment of Colorectal Cancer Peritoneal Metastases. <i>Annals of Surgical Oncology</i> , 2021 , 28, 4140-4150	3.1	2
185	Practices and expectations on the use of circulating tumor DNA in colorectal cancer patients: A bi-national AGEO/AIOM/GERCOR/FFCD/FRENCH survey. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021 , 45, 101681	2.4	
184	The impact of PRODIGE 7 on the current worldwide practice of CRS-HIPEC for colorectal peritoneal metastases: A web-based survey and 2021 statement by Peritoneal Surface Oncology Group International (PSOGI). <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2888-2892	3.6	6
183	Peritoneal mesothelioma: PSOGI/EURACAN clinical practice guidelines for diagnosis, treatment and follow-up. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 36-59	3.6	24
182	Long-Term Results after Surgical Resection of Peritoneal Metastasis from Neuroendocrine Tumors. <i>Neuroendocrinology</i> , 2021 , 111, 599-608	5.6	O
181	Appendiceal tumours and pseudomyxoma peritonei: Literature review with PSOGI/EURACAN clinical practice guidelines for diagnosis and treatment. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 11-35	3.6	35
180	The Delphi and GRADE methodology used in the PSOGI 2018 consensus statement on Pseudomyxoma Peritonei and Peritoneal Mesothelioma. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 4-10	3.6	5
179	Combined liver resection and cytoreductive surgery with HIPEC for metastatic colorectal cancer: Results of a worldwide analysis of 565 patients from the Peritoneal Surface Oncology Group International (PSOGI). European Journal of Surgical Oncology, 2021, 47, 89-100	3.6	7
178	What is the Best Therapeutic Strategy for Metachronous Resectable Colorectal Liver Metastases After Adjuvant Oxaliplatin-Based Chemotherapy? A Multidisciplinary Inter-Group Survey. <i>World Journal of Surgery</i> , 2021 , 45, 822-830	3.3	1
177	Multicystic peritoneal mesothelioma treated with cytoreductive surgery followed or not by hyperthermic intraperitoneal chemotherapy: results from a large multicentric cohort. <i>International Journal of Hyperthermia</i> , 2021 , 38, 805-814	3.7	1
176	Endoscopic internal drainage and low negative-pressure endoscopic vacuum therapy for anastomotic leaks after oncologic upper gastrointestinal surgery. <i>Endoscopy</i> , 2021 ,	3.4	6
175	Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy versus cytoreductive surgery alone for colorectal peritoneal metastases (PRODIGE 7): a multicentre, randomised, open-label, phase 3 trial. <i>Lancet Oncology, The</i> , 2021 , 22, 256-266	21.7	122
174	Half of Postoperative Deaths After Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy Could be Preventable: A French Root Cause Analysis on 5562 Patients. <i>Annals of Surgery</i> , 2021 , 274, 797-804	7.8	O
173	Results from the PROPHYLOCHIP-PRODIGE 15 trial - Authors' reply. <i>Lancet Oncology, The</i> , 2020 , 21, e ²	1981.7	
172	Nosocomial infection with SARS-Cov-2 within Departments of Digestive Surgery. <i>Journal of Visceral Surgery</i> , 2020 , 157, S13-S18	1.9	28

Treatment of primary and metastatic peritoneal tumors in the Covid-19 pandemic. Proposals for prioritization from the RENAPE and BIG-RENAPE groups. <i>Journal of Visceral Surgery</i> , 2020 , 157, S25-S31	1 1.9	8
Surgical management of gastric adenocarcinoma. Official expert recommendations delivered under the aegis of the French Association of Surgery (AFC). <i>Journal of Visceral Surgery</i> , 2020 , 157, 117-126	1.9	2
Development and internal validation of a diagnostic score for gastric linitis plastica. <i>Gastric Cancer</i> , 2020 , 23, 639-647	7.6	9
Elective surgery for tumours of the splenic flexure: a French inter-group (AFC, SFCD, FRENCH, GRECCAR) survey. <i>Techniques in Coloproctology</i> , 2020 , 24, 191-198	2.9	12
Treatment intensification with hepatic arterial infusion chemotherapy in patients with liver-only colorectal metastases still unresectable after systemic induction chemotherapy - a randomized phase II study SULTAN UCGI 30/PRODIGE 53 (NCT03164655)- study protocol. <i>BMC Cancer</i> , 2020 ,	4.8	1
Ovarian and peritoneal psammocarcinoma: Results of a multicenter study on 25 patients. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 862-867	3.6	1
Second-look surgery plus hyperthermic intraperitoneal chemotherapy versus surveillance in patients at high risk of developing colorectal peritoneal metastases (PROPHYLOCHIP-PRODIGE 15): a randomised, phase 3 study. <i>Lancet Oncology, The</i> , 2020 , 21, 1147-1154	21.7	54
Management of colorectal peritoneal metastases: Expert opinion. <i>Journal of Visceral Surgery</i> , 2019 , 156, 377-379	1.9	22
Hiatal hernia after oesophagectomy: a large European survey. <i>European Journal of Cardio-thoracic Surgery</i> , 2019 , 55, 1104-1112	3	17
Multiple colic intussusceptions. <i>Clinical Case Reports (discontinued)</i> , 2019 , 7, 1265-1266	0.7	
Cytoreductive Surgery With or Without Hyperthermic Intraperitoneal Chemotherapy for Gastric Cancer With Peritoneal Metastases (CYTO-CHIP study): A Propensity Score Analysis. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2028-2040	2.2	114
Cancer With Peritoneal Metastases (CYTO-CHIP study): A Propensity Score Analysis. Journal of	2.2	114
Cancer With Peritoneal Metastases (CYTO-CHIP study): A Propensity Score Analysis. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2028-2040 Survival after complete cytoreductive surgery and HIPEC for extensive pseudomyxoma peritonei.		
Cancer With Peritoneal Metastases (CYTO-CHIP study): A Propensity Score Analysis. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2028-2040 Survival after complete cytoreductive surgery and HIPEC for extensive pseudomyxoma peritonei. <i>Surgical Oncology</i> , 2019 , 29, 78-83 Adenocarcinoma of the oesophagogastric junction Siewert II: An oesophageal cancer better cured	2.5	22
Cancer With Peritoneal Metastases (CYTO-CHIP study): A Propensity Score Analysis. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2028-2040 Survival after complete cytoreductive surgery and HIPEC for extensive pseudomyxoma peritonei. <i>Surgical Oncology</i> , 2019 , 29, 78-83 Adenocarcinoma of the oesophagogastric junction Siewert II: An oesophageal cancer better cured with total gastrectomy. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 2473-2481 ROCK2 inhibition triggers the collective invasion of colorectal adenocarcinomas. <i>EMBO Journal</i> ,	2.5	22
Cancer With Peritoneal Metastases (CYTO-CHIP study): A Propensity Score Analysis. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2028-2040 Survival after complete cytoreductive surgery and HIPEC for extensive pseudomyxoma peritonei. <i>Surgical Oncology</i> , 2019 , 29, 78-83 Adenocarcinoma of the oesophagogastric junction Siewert II: An oesophageal cancer better cured with total gastrectomy. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 2473-2481 ROCK2 inhibition triggers the collective invasion of colorectal adenocarcinomas. <i>EMBO Journal</i> , 2019 , 38, e99299 ASO Author Reflections: What is the Best Therapeutic Strategy for Patients with Limited	2.5 3.6	22
Cancer With Peritoneal Metastases (CYTO-CHIP study): A Propensity Score Analysis. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2028-2040 Survival after complete cytoreductive surgery and HIPEC for extensive pseudomyxoma peritonei. <i>Surgical Oncology</i> , 2019 , 29, 78-83 Adenocarcinoma of the oesophagogastric junction Siewert II: An oesophageal cancer better cured with total gastrectomy. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 2473-2481 ROCK2 inhibition triggers the collective invasion of colorectal adenocarcinomas. <i>EMBO Journal</i> , 2019 , 38, e99299 ASO Author Reflections: What is the Best Therapeutic Strategy for Patients with Limited Synchronous Peritoneal Metastases of Colorectal Cancer?. <i>Annals of Surgical Oncology</i> , 2019 , 26, 818 Strategies for Managing Intraoperative Discovery of Limited Colorectal Peritoneal Metastases.	2.5 3.6 13 3.1	22 7 27
	Development and internal validation of a diagnostic score for gastric linitis plastica. <i>Gastric Cancer</i> , 2020, 23, 639-647 Elective surgery for tumours of the splenic flexure: a French inter-group (AFC, SFCD, FRENCH, GRECCAR) survey. <i>Techniques in Coloproctology</i> , 2020, 24, 191-198 Treatment intensification with hepatic arterial infusion chemotherapy in patients with liver-only colorectal metastases still unresectable after systemic induction chemotherapy - a randomized phase II study – SULTAN UCGI 30/PRODIGE 53 (NCT03164655)- study protocol. <i>BMC Cancer</i> , 2020, 20, 74 Ovarian and peritoneal psammocarcinoma: Results of a multicenter study on 25 patients. <i>European Journal of Surgical Oncology</i> , 2020, 46, 862-867 Second-look surgery plus hyperthermic intraperitoneal chemotherapy versus surveillance in patients at high risk of developing colorectal peritoneal metastases (PROPHYLOCHIP-PRODIGE 15): a randomised, phase 3 study. <i>Lancet Oncology</i> , <i>The</i> , 2020, 21, 1147-1154 Management of colorectal peritoneal metastases: Expert opinion. <i>Journal of Visceral Surgery</i> , 2019, 156, 377-379 Hiatal hernia after oesophagectomy: a large European survey. <i>European Journal of Cardio-thoracic Surgery</i> , 2019, 55, 1104-1112	Development and internal validation of a diagnostic score for gastric linitis plastica. <i>Gastric Cancer</i> , 2020, 23, 639-647 Elective surgery for tumours of the splenic flexure: a French inter-group (AFC, SFCD, FRENCH, GRECCAR) survey. <i>Techniques in Coloproctology</i> , 2020, 24, 191-198 Treatment intensification with hepatic arterial infusion chemotherapy in patients with liver-only colorectal metastases still unresectable after systemic induction chemotherapy - a randomized phase II study - SULTAN UCGI 30/PRODIGE 53 (NCT03164655)-study protocol. <i>BMC Cancer</i> , 2020, 20, 74 Ovarian and peritoneal psammocarcinoma: Results of a multicenter study on 25 patients. <i>European Journal of Surgical Oncology</i> , 2020, 46, 862-867 Second-look surgery plus hyperthermic intraperitoneal chemotherapy versus surveillance in patients at high risk of developing colorectal peritoneal metastases (PROPHYLOCHIP-PRODIGE 15): a randomised, phase 3 study. <i>Lancet Oncology</i> , <i>The</i> , 2020, 21, 1147-1154 Management of colorectal peritoneal metastases: Expert opinion. <i>Journal of Visceral Surgery</i> , 2019, 156, 377-379 Hiatal hernia after oesophagectomy: a large European survey. <i>European Journal of Cardio-thoracic Surgery</i> , 2019, 55, 1104-1112

153	How Does Chemoradiotherapy Following Induction FOLFIRINOX Improve the Results in Resected Borderline or Locally Advanced Pancreatic Adenocarcinoma? An AGEO-FRENCH Multicentric Cohort. <i>Annals of Surgical Oncology</i> , 2019 , 26, 109-117	3.1	36
152	Cytoreductive Surgery Plus Hyperthermic Intraperitoneal Chemotherapy for Peritoneal Metastases From a Small Bowel Adenocarcinoma: Multi-Institutional Experience. <i>Annals of Surgical Oncology</i> , 2018 , 25, 1184-1192	3.1	24
151	Major Hepatectomy for Colorectal Liver Metastases in Patients Aged Over 80: A Propensity Score Matching Analysis. <i>Digestive Surgery</i> , 2018 , 35, 333-341	2.5	14
150	Inflammatory bowel disease drastically affects the prognosis of patients treated for peritoneal metastases with combined cytoreductive surgery and hyperthermic intraperitoneal chemotherapy: A multicenter study. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 799-804	3.6	3
149	Model predicting the ypN0 status after good response to chemoradiotherapy in rectal cancer. <i>American Journal of Surgery</i> , 2018 , 216, 438-443	2.7	1
148	Peritoneal Carcinomatosis of Rare Ovarian Origin Treated by Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy: A Multi-Institutional Cohort from PSOGI and BIG-RENAPE. <i>Annals of Surgical Oncology</i> , 2018 , 25, 1668-1675	3.1	14
147	Tumour spheres with inverted polarity drive the formation of peritoneal metastases in patients with hypermethylated colorectal carcinomas. <i>Nature Cell Biology</i> , 2018 , 20, 296-306	23.4	53
146	Personalized therapy based on sequential molecular analysis leads to 30 months of survival in a patient with diffuse unresectable gastric linitis plastica. <i>Tumori</i> , 2018 , 104, NP38-NP41	1.7	Ο
145	Impact of RAS Mutations in Metastatic Colorectal Cancer After Potentially Curative Resection: Does Site of Metastases Matter?. <i>Annals of Surgical Oncology</i> , 2018 , 25, 179-187	3.1	17
144	Margin Status is Still an Important Prognostic Factor in Hepatectomies for Colorectal Liver Metastases: A Propensity Score Matching Analysis. <i>World Journal of Surgery</i> , 2018 , 42, 892-901	3.3	18
143	Peritoneal and extraperitoneal relapse after previous curative treatment of peritoneal metastases from colorectal cancer: What survival can we expect?. <i>European Journal of Cancer</i> , 2018 , 100, 94-103	7.5	14
142	Impact of Combination Chemotherapy in Peritoneal Mesothelioma Hyperthermic Intraperitoneal Chemotherapy (HIPEC): The RENAPE Study. <i>Annals of Surgical Oncology</i> , 2018 , 25, 3271-3279	3.1	24
141	Postoperative Infectious Complications Impact Long-Term Survival in Patients Who Underwent Hepatectomies for Colorectal Liver Metastases: a Propensity Score Matching Analysis. <i>Journal of Gastrointestinal Surgery</i> , 2018 , 22, 2045-2054	3.3	11
140	Postoperative hepatic arterial chemotherapy in high-risk patients as adjuvant treatment after resection of colorectal liver metastases - a randomized phase II/III trial - PACHA-01 (NCT02494973). <i>BMC Cancer</i> , 2018 , 18, 787	4.8	9
139	Results of a randomized phase 3 study evaluating the potential benefit of a second-look surgery plus HIPEC in patients at high risk of developing colorectal peritoneal metastases (PROPHYLOCHIPNTC01226394) <i>Journal of Clinical Oncology</i> , 2018 , 36, 3531-3531	2.2	44
138	A UNICANCER phase III trial of hyperthermic intra-peritoneal chemotherapy (HIPEC) for colorectal peritoneal carcinomatosis (PC): PRODIGE 7 <i>Journal of Clinical Oncology</i> , 2018 , 36, LBA3503-LBA3503	2.2	205
137	Peritoneal Carcinomatosis of Urachus Origin Treated by Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy (HIPEC): An International Registry of 36 Patients. <i>Annals of Surgical Oncology</i> , 2018 , 25, 1094-1100	3.1	10
136	Phase I/II study of oxaliplatin dose escalation via a laparoscopic approach using pressurized aerosol intraperitoneal chemotherapy (PIPOX trial) for nonresectable peritoneal metastases of digestive cancers (stomach, small bowel and colorectal): Rationale and design. <i>Pleura and Peritoneum</i> , 2018 ,	2	20

135	Is there an oncological interest in the combination of CRS/HIPEC for peritoneal carcinomatosis of HCC? Results of a multicenter international study. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 178	31 ⁶ 792	17
134	Peritoneal Metastases from Colorectal Cancer: Treatment Principles and Perspectives. <i>Surgical Oncology Clinics of North America</i> , 2018 , 27, 563-583	2.7	10
133	Single-port endoscopic mesocolic and mesorectal excision using an extraperitoneal approach. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 469-475	5.2	2
132	Intra-arterial therapies for colorectal cancer liver metastases (radioembolization excluded). <i>Bulletin Du Cancer</i> , 2017 , 104, 402-406	2.4	8
131	Strategies to prevent peritoneal carcinomatosis arising from colorectal cancer. <i>Future Oncology</i> , 2017 , 13, 907-918	3.6	7
130	The role of image-guided therapy in the management of colorectal cancer metastatic disease. <i>European Journal of Cancer</i> , 2017 , 75, 231-242	7.5	28
129	Anal cancer: French Intergroup Clinical Practice Guidelines for diagnosis, treatment and follow-up (SNFGE, FFCD, GERCOR, UNICANCER, SFCD, SFED, SFRO, SNFCP). <i>Digestive and Liver Disease</i> , 2017 , 49, 831-840	3.3	27
128	Ninety percent of the adverse outcomes occur in 10% of patients: can we identify the populations at high risk of developing peritoneal metastases after curative surgery for colorectal cancer?. <i>International Journal of Hyperthermia</i> , 2017 , 33, 505-510	3.7	16
127	Complete cytoreductive surgery plus HIPEC for peritoneal metastases from unusual cancer sites of origin: results from a worldwide analysis issue of the Peritoneal Surface Oncology Group International (PSOGI). <i>International Journal of Hyperthermia</i> , 2017 , 33, 520-527	3.7	44
126	Leukocytosis and neutrophilia predicts outcome in anal cancer. <i>Radiotherapy and Oncology</i> , 2017 , 122, 137-145	5.3	39
125	Prognostic Value of Sterilized Lymph Nodes After Preoperative Chemoradiotherapy for Patients with ypN0 Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 1304-1311	3.1	6
124	Conversion to Complete Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy for Malignant Peritoneal Mesothelioma After Bidirectional Chemotherapy. <i>Annals of Surgical Oncology</i> , 2017 , 24, 3640-3646	3.1	18
123	Laparoscopic Compared to Open Repeat Hepatectomy for Colorectal Liver Metastases: a Multi-institutional Propensity-Matched Analysis of Short- and Long-Term Outcomes. <i>World Journal of Surgery</i> , 2017 , 41, 3189-3198	3.3	28
122	Interferon-alpha Treatment for Disease Control in Metastatic Pheochromocytoma/Paraganglioma Patients. <i>Hormones and Cancer</i> , 2017 , 8, 330-337	5	10
121	Peritoneal Metastases 2017 , 333-345		
120	Organoids as preclinical models to improve intraperitoneal chemotherapy effectiveness for colorectal cancer patients with peritoneal metastases: Preclinical models to improve HIPEC. <i>International Journal of Pharmaceutics</i> , 2017 , 531, 143-152	6.5	14
119	Are we reproducible in measurement of NET liver metastasis?. <i>Digestive and Liver Disease</i> , 2017 , 49, 11	21 5. 312	74
118	Leukocytosis and neutrophilia predict outcome in locally advanced esophageal cancer treated with definitive chemoradiation. <i>Oncotarget</i> , 2017 , 8, 11579-11588	3.3	26

117	Linear Relationship of Peritoneal Cancer Index and Survival in Patients with Peritoneal Metastases from Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 114-9	3.1	84
116	Recent Advances in Chemotherapy and Surgery for Colorectal Liver Metastases. <i>Liver Cancer</i> , 2016 , 6, 72-79	9.1	24
115	Outcomes of Rehepatectomy for Colorectal Liver Metastases: A Contemporary Multi-Institutional Analysis from the French Surgical Association Database. <i>Annals of Surgical Oncology</i> , 2016 , 23, 894-903	3.1	10
114	Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy for Peritoneal Carcinomatosis in the Elderly: A Case-Controlled, Multicenter Study. <i>Annals of Surgical Oncology</i> , 2016 , 23, 737-745	3.1	18
113	Treatment of colorectal peritoneal metastases requires multidisciplinary efforts. <i>Lancet Oncology, The</i> , 2016 , 17, 1630-1631	21.7	2
112	Incidence and Risk Factors Related to Symptomatic Venous Thromboembolic Events After Esophagectomy for Cancer. <i>Annals of Thoracic Surgery</i> , 2016 , 102, 979-984	2.7	15
111	Sarcopenia is Associated with Chemotherapy Toxicity in Patients Undergoing Cytoreductive Surgery with Hyperthermic Intraperitoneal Chemotherapy for Peritoneal Carcinomatosis from Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 3891-3898	3.1	45
110	Colostomie pfinäle pseudocontinente par clioscopie single port. <i>Journal De Chirurgie Vischale</i> , 2016 , 153, 44-52	0	
109	Laparoscopic single port pseudo-continent perineal colostomy. <i>Journal of Visceral Surgery</i> , 2016 , 153, 45-53	1.9	21
108	Role of neoadjuvant treatment in clinical T2N0M0 oesophageal cancer: results from a retrospective multi-center European study. <i>European Journal of Cancer</i> , 2016 , 56, 59-68	7.5	44
107	Peritoneal carcinomatosis from unusual cancer origins: Is there a role for hyperthermic intraperitoneal chemotherapy?. <i>Journal of Visceral Surgery</i> , 2016 , 153, 101-7	1.9	20
106	Can a Benefit be Expected from Surgical Debulking of Unresectable Pseudomyxoma Peritonei?. <i>Annals of Surgical Oncology</i> , 2016 , 23, 1618-24	3.1	16
105	Carcinoses pfitonfiles dbrigine inhabituelle : y a-t-il une place pour la chimiohyperthermie intrapfitonfile ?. <i>Journal De Chirurgie Vischale</i> , 2016 , 153, 104-110	0	
104	Is signet-ring cell carcinoma a specific entity among gastric cancers?. <i>Gastric Cancer</i> , 2016 , 19, 1027-1040	0 7.6	38
103	Early Postoperative Chemotherapy After Complete Cytoreduction and Hyperthermic Intraperitoneal Chemotherapy for Isolated Peritoneal Carcinomatosis of Colon Cancer: A Multicenter Study. <i>Annals of Surgical Oncology</i> , 2016 , 23, 863-9	3.1	34
102	Cytoreductive Surgery plus HIPEC for Peritoneal Metastases from Colorectal Cancer. <i>Indian Journal of Surgical Oncology</i> , 2016 , 7, 177-87	0.7	17
101	Complications of Cytoreductive Surgery and HIPEC in the Treatment of Peritoneal Metastases. <i>Indian Journal of Surgical Oncology</i> , 2016 , 7, 225-9	0.7	16
100	Cytoreductive Surgery Combined with Hyperthermic Intraperitoneal Chemotherapy with Oxaliplatin Increases the Risk of Postoperative Hemorrhagic Complications: Analysis of Predictive Factors. <i>Annals of Surgical Oncology</i> , 2016 , 23, 2315-22	3.1	32

(2014-2016)

99	Parenchymal-sparing hepatectomies (PSH) for bilobar colorectal liver metastases are associated with a lower morbidity and similar oncological results: a propensity score matching analysis. <i>Hpb</i> , 2016 , 18, 781-90	3.8	38
98	Long-term results of the surgical management of insulinoma patients with MEN1: a Groupe d'Eude des Tumeurs Endocrines (GTE) retrospective study. <i>European Journal of Endocrinology</i> , 2015 , 172, 309-	19 ^{6.5}	34
97	Assistance nutritionnelle parentfale et entfale (hors immunonutrition). <i>Journal De Chirurgie Visctlale</i> , 2015 , 152, 8-14	О	
96	Therapeutic Strategies for Advanced Pancreatic Neuroendocrine Tumors with Segmental Portal Hypertension. <i>World Journal of Surgery</i> , 2015 , 39, 1974-80	3.3	15
95	Comparison of complete pathologic response and hepatic injuries between hepatic arterial infusion and systemic administration of oxaliplatin in patients with colorectal liver metastases. <i>Annals of Surgical Oncology</i> , 2015 , 22, 1925-32	3.1	30
94	Surgical strategy for low rectal cancers. <i>Journal of Visceral Surgery</i> , 2015 , 152, 23-31	1.9	4
93	Prognostic similarities and differences in optimally resected liver metastases and peritoneal metastases from colorectal cancers. <i>Annals of Surgery</i> , 2015 , 261, 157-63	7.8	60
92	Early and Long-term Oncological Outcomes After Laparoscopic Resection for Colorectal Liver Metastases: A Propensity Score-based Analysis. <i>Annals of Surgery</i> , 2015 , 262, 794-802	7.8	78
91	Interventional oncology for liver and lung metastases from colorectal cancer: The current state of the art. <i>Diagnostic and Interventional Imaging</i> , 2015 , 96, 647-54	5.4	15
90	Abdominal surgical emergencies in patients with advanced cancer. <i>Journal of Visceral Surgery</i> , 2015 , 152, S91-6	1.9	3
89	Self-expanding covered metallic stent as a bridge to surgery in esophageal cancer: impact on oncologic outcomes. <i>Journal of the American College of Surgeons</i> , 2015 , 220, 287-96	4.4	44
88	Hepatic Resection for Extrahepatic Metastatic Disease: When Is It Reasonable?. <i>Current Colorectal Cancer Reports</i> , 2015 , 11, 78-83	1	
87	Extent of colorectal peritoneal carcinomatosis: attempt to define a threshold above which HIPEC does not offer survival benefit: a comparative study. <i>Annals of Surgical Oncology</i> , 2015 , 22, 2958-64	3.1	136
86	Negative prognostic impact of regulatory T cell infiltration in surgically resected esophageal cancer post-radiochemotherapy. <i>Oncotarget</i> , 2015 , 6, 20840-50	3.3	41
85	Strategies for Preventing Pseudomyxoma Peritonei After Resection of a Mucinous Neoplasm of the Appendix. <i>Anticancer Research</i> , 2015 , 35, 4943-7	2.3	29
84	A simple tumor load-based nomogram for surgery in patients with colorectal liver and peritoneal metastases. <i>Annals of Surgical Oncology</i> , 2014 , 21, 2052-8	3.1	44
83	A pre-operative nomogram for decision making in oncological surgical emergencies. <i>Journal of Surgical Oncology</i> , 2014 , 109, 721-5	2.8	9
82	Liver, lung and peritoneal metastases in colorectal cancers: is the patient still curable? What should the radiologist know. <i>Diagnostic and Interventional Imaging</i> , 2014 , 95, 513-23	5.4	13

81	Bevacizumab doubles the early postoperative complication rate after cytoreductive surgery with hyperthermic intraperitoneal chemotherapy (HIPEC) for peritoneal carcinomatosis of colorectal origin. <i>Annals of Surgical Oncology</i> , 2014 , 21, 1792-800	3.1	64
80	Adjuvant HIPEC in Colorectal Cancer. Current Colorectal Cancer Reports, 2014, 10, 313-320	1	
79	Treatment of gastric peritoneal carcinomatosis by combining complete surgical resection of lesions and intraperitoneal immunotherapy using catumaxomab. <i>BMC Cancer</i> , 2014 , 14, 148	4.8	35
78	Orthotopic animal model of pseudomyxoma peritonei: An in vivo model to test anti-angiogenic drug effects. <i>American Journal of Pathology</i> , 2014 , 184, 1920-9	5.8	11
77	La perfusion isole de pelvis dans les relidives pelviennes non opeables en zone irradies : relultats et essai en cours. <i>Journal De Chirurgie Visceale</i> , 2014 , 151, S11-S16	О	
76	Reply to letter: "Prevention of peritoneal carcinomatosis from colorectal cancer: a critical issue". <i>Annals of Surgery</i> , 2014 , 259, e52	7.8	1
75	Chirurgie □vis฿ curative des mEastases pEitonਬles. <i>Oncologie</i> , 2014 , 16, 543-548	1	
74	Greffon autologue pfitonß-fascial´: technique de reconstruction vasculaire. <i>Journal De Chirurgie Vischale</i> , 2014 , 151, 475-478	О	
73	Two-stage hepatectomy versus 1-stage resection combined with radiofrequency for bilobar colorectal metastases: a case-matched analysis of surgical and oncological outcomes. <i>Annals of Surgery</i> , 2014 , 260, 822-7; discussion 827-8	7.8	48
72	Neuroendocrine carcinomas: optimal surgery of peritoneal metastases (and associated intra-abdominal metastases). <i>Surgery</i> , 2014 , 155, 5-12	3.6	46
71	Options and outcome for reconstruction after extended left hemicolectomy. <i>Colorectal Disease</i> , 2013 , 15, 747-54	2.1	9
70	REection antEieure du rectum avec exEEe totale du mEorectum par clioscopie single port. Journal De Chirurgie ViscEale, 2013 , 150, 208-212	Ο	
69	Role of aggressive surgery for peritoneal metastases. <i>European Journal of Cancer, Supplement</i> , 2013 , 11, 268-9	1.6	1
68	A new policy regarding ovarian resection in young women treated for peritoneal carcinomatosis. <i>Annals of Surgical Oncology</i> , 2013 , 20, 1837-42	3.1	8
67	Ovarian metastasis is associated with retroperitoneal lymph node relapses in women treated for colorectal peritoneal carcinomatosis. <i>Annals of Surgical Oncology</i> , 2013 , 20, 491-6	3.1	12
66	Interventional revisions of malfunctions affecting surgically implanted port-catheters for hepatic artery infusion. <i>Surgical Oncology</i> , 2013 , 22, 48-54	2.5	10
65	Incidence and prognosis of synchronous colorectal carcinomatosis. Future Oncology, 2013, 9, 541-9	3.6	8
64	Tumour-infiltrating CD68+ and CD57+ cells predict patient outcome in stage II-III colorectal cancer. <i>British Journal of Cancer</i> , 2013 , 109, 1013-22	8.7	38

(2011-2013)

63	Definition of patients presenting a high risk of developing peritoneal carcinomatosis after curative surgery for colorectal cancer: a systematic review. <i>Annals of Surgical Oncology</i> , 2013 , 20, 183-92	3.1	111
62	Caractfisation des tumeurs neuroendocrines digestives ou thoraciques. <i>Oncologie</i> , 2013 , 15, 505-509	1	
61	Therapeutic efficiency of everolimus and lapatinib in xenograft model of human colorectal carcinoma with KRAS mutation. <i>Fundamental and Clinical Pharmacology</i> , 2013 , 27, 434-42	3.1	12
60	Potent immunomodulatory effects of the trifunctional antibody catumaxomab. <i>Cancer Research</i> , 2013 , 73, 4663-73	10.1	29
59	Predictive factors of postoperative mortality after junctional and gastric adenocarcinoma resection. <i>JAMA Surgery</i> , 2013 , 148, 624-31	5.4	25
58	Are G3 ENETS neuroendocrine neoplasms heterogeneous?. Endocrine-Related Cancer, 2013, 20, 649-57	5.7	216
57	Postoperative peritonitis without an underlying digestive fistula after complete cytoreductive surgery plus HIPEC. <i>Saudi Journal of Gastroenterology</i> , 2013 , 19, 271-7	3	4
56	Adjuvant chemotherapy after resection of colorectal liver metastases in patients at high risk of hepatic recurrence: a comparative study between hepatic arterial infusion of oxaliplatin and modern systemic chemotherapy. <i>Annals of Surgery</i> , 2013 , 257, 114-20	7.8	64
55	Should patients with peritoneal carcinomatosis of colorectal origin with synchronous liver metastases be treated with a curative intent? A case-control study. <i>Annals of Surgery</i> , 2013 , 258, 116-21	7.8	83
54	Is there a possibility of a cure in patients with colorectal peritoneal carcinomatosis amenable to complete cytoreductive surgery and intraperitoneal chemotherapy?. <i>Annals of Surgery</i> , 2013 , 257, 1065.	-71 ⁸	184
53	Resection of rectal cancer via an abdominal single-port access: short-term results and comparison with standard laparoscopy. <i>Diseases of the Colon and Rectum</i> , 2013 , 56, 1203-10	3.1	19
52	MEastases hBatiques colorectales La rBonse tumorale: pourquoi et comment laluer?. <i>Journal De Chirurgie ViscEale</i> , 2012 , 149, S6-S15	Ο	
51	Current status and future directions in the treatment of peritoneal dissemination from colorectal carcinoma. <i>Surgical Oncology Clinics of North America</i> , 2012 , 21, 611-23	2.7	34
50	Characterization of a large panel of patient-derived tumor xenografts representing the clinical heterogeneity of human colorectal cancer. <i>Clinical Cancer Research</i> , 2012 , 18, 5314-28	12.9	277
49	HIPEC for peritoneal carcinomatosis: does an associated urologic procedure increase morbidity?. <i>Annals of Surgical Oncology</i> , 2012 , 19, 104-9	3.1	24
48	Impact of perineal pseudocontinent colostomy on perineal wound healing after abdominoperineal resection. <i>Journal of Surgical Oncology</i> , 2012 , 105, 628-31	2.8	11
47	Transanal endoscopic total mesorectal excision combined with single-port laparoscopy. <i>Diseases of the Colon and Rectum</i> , 2012 , 55, 996-1001	3.1	86
46	Surgical approach for hepatectomy. <i>Journal of Visceral Surgery</i> , 2011 , 148, e422-6	1.9	2

45	Cancer colorectal mEastatique : repousser les limites de la rEEabilit[] <i>Journal De Chirurgie ViscEale</i> , 2011 , 148, S17-S23	О	
44	Patients operated on for initially unresectable colorectal liver metastases with missing metastases experience a favorable long-term outcome. <i>Annals of Surgery</i> , 2011 , 254, 114-8	7.8	27
43	Results of systematic second-look surgery plus HIPEC in asymptomatic patients presenting a high risk of developing colorectal peritoneal carcinomatosis. <i>Annals of Surgery</i> , 2011 , 254, 289-93	7.8	171
42	Results of two bi-institutional prospective studies using intraperitoneal oxaliplatin with or without irinotecan during HIPEC after cytoreductive surgery for colorectal carcinomatosis. <i>Annals of Surgery</i> , 2011 , 254, 294-301	7.8	125
41	Improved retroviral suicide gene transfer in colon cancer cell lines after cell synchronization with methotrexate. <i>Journal of Experimental and Clinical Cancer Research</i> , 2011 , 30, 92	12.8	10
40	Intra-arterial hepatic chemotherapy: a comparison of percutaneous versus surgical implantation of port-catheters. <i>CardioVascular and Interventional Radiology</i> , 2011 , 34, 973-9	2.7	33
39	Incidence and prognosis of synchronous colorectal carcinomatosis: evolution since 1985?. <i>Future Oncology</i> , 2011 , 7, 1265-8	3.6	2
38	Complete radiological response of colorectal liver metastases after chemotherapy: what can we expect?. <i>Digestive Surgery</i> , 2011 , 28, 114-20	2.5	43
37	The impact of perioperative chemotherapy on survival in patients with gastric signet ring cell adenocarcinoma: a multicenter comparative study. <i>Annals of Surgery</i> , 2011 , 254, 684-93; discussion 693	7.8	136
36	Adrenocortical carcinoma: is the surgical approach a risk factor of peritoneal carcinomatosis?. <i>European Journal of Endocrinology</i> , 2010 , 162, 1147-53	6.5	110
35	Percutaneous femoral implantation of an arterial port catheter for intraarterial chemotherapy: feasibility and predictive factors of long-term functionality. <i>Journal of Vascular and Interventional Radiology</i> , 2010 , 21, 1681-8	2.4	46
34	Hepatic metastases from neuroendocrine tumors with a "thin slice" pathological examination: they are many more than you think. <i>Annals of Surgery</i> , 2010 , 251, 307-10	7.8	136
33	A comparative study of complete cytoreductive surgery plus intraperitoneal chemotherapy to treat peritoneal dissemination from colon, rectum, small bowel, and nonpseudomyxoma appendix. <i>Annals of Surgery</i> , 2010 , 251, 896-901	7.8	120
32	Prolonged survival of initially unresectable hepatic colorectal cancer patients treated with hepatic arterial infusion of oxaliplatin followed by radical surgery of metastases. <i>Annals of Surgery</i> , 2010 , 251, 686-91	7.8	97
31	Predictive factors for hypertrophy of the future remnant liver after selective portal vein embolization. <i>Annals of Surgical Oncology</i> , 2010 , 17, 2081-9	3.1	94
30	Preoperative portal vein embolization tailored to prepare the liver for complex resections: initial experience. <i>CardioVascular and Interventional Radiology</i> , 2010 , 33, 976-82	2.7	12
29	Lymph road mapping obtained via blue sentinel node detection to avoid middle colic artery resection for highly selected colon cancer cases: proof of a concept?. <i>Techniques in Coloproctology</i> , 2010 , 14, 237-40	2.9	8
28	The long-term impact of hyperthermic intraperitoneal chemotherapy on survivors treated for peritoneal carcinomatosis: a cross-sectional study. <i>Supportive Care in Cancer</i> , 2009 , 17, 1255-61	3.9	15

27	Presentation and prognosis of local recurrence after total mesorectal excision. <i>Colorectal Disease</i> , 2009 , 11, 60-6	2.1	30
26	The second procedure combining complete cytoreductive surgery and intraperitoneal chemotherapy for isolated peritoneal recurrence: postoperative course and long-term outcome. <i>Annals of Surgical Oncology</i> , 2009 , 16, 2744-51	3.1	30
25	Complete cytoreductive surgery plus intraperitoneal chemohyperthermia with oxaliplatin for peritoneal carcinomatosis of colorectal origin. <i>Journal of Clinical Oncology</i> , 2009 , 27, 681-5	2.2	647
24	Oncologic and functional results after abdominoperineal resection plus pseudocontinent perineal colostomy for epidermoid carcinoma of the anus. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 958-63	3.1	25
23	A prolonged follow-up provides new insights into locally advanced pancreatic cancer treatment. <i>Gastroenterologie Clinique Et Biologique</i> , 2008 , 32, 649-52		
22	Hepatic arterial infusion of oxaliplatin and intravenous LV5FU2 in unresectable liver metastases from colorectal cancer after systemic chemotherapy failure. <i>Annals of Surgical Oncology</i> , 2008 , 15, 219-3	2g.1	139
21	Hepatic malignancies: percutaneous radiofrequency ablation during percutaneous portal or hepatic vein occlusion. <i>Radiology</i> , 2008 , 248, 1056-66	20.5	49
20	Strategies for resection using portal vein embolization: metastatic liver cancer. <i>Seminars in Interventional Radiology</i> , 2008 , 25, 123-31	1.6	2
19	Results of systematic second-look surgery in patients at high risk of developing colorectal peritoneal carcinomatosis. <i>Annals of Surgery</i> , 2008 , 247, 445-50	7.8	116
18	Staging of peritoneal carcinomatosis: enhanced CT vs. PET/CT. <i>Abdominal Imaging</i> , 2008 , 33, 87-93		154
17	Comparison between the minimum margin defined on preoperative imaging and the final surgical margin after hepatectomy for cancer: how to manage it?. <i>Annals of Surgical Oncology</i> , 2008 , 15, 777-81	3.1	12
16	The multidisciplinary management of gastrointestinal cancer. Pancreatic cancer: from pathogenesis to cure. <i>Bailliere& Best Practice and Research in Clinical Gastroenterology</i> , 2007 , 21, 997-1014	2.5	11
15	Malignant peritoneal mesothelioma: treatment with maximal cytoreductive surgery plus intraperitoneal chemotherapy. <i>Gastroenterologie Clinique Et Biologique</i> , 2007 , 31, 784-8		50
14	Sentinel lymph nodes of colorectal carcinoma: reappraisal of 123 cases. <i>Gastroenterologie Clinique Et Biologique</i> , 2007 , 31, 281-5		14
13	Optimization of hyperthermic intraperitoneal chemotherapy with oxaliplatin plus irinotecan at 43 degrees C after compete cytoreductive surgery: mortality and morbidity in 106 consecutive patients. <i>Annals of Surgical Oncology</i> , 2007 , 14, 1818-24	3.1	111
12	Outcome of posthepatectomy-missing colorectal liver metastases after complete response to chemotherapy: impact of adjuvant intra-arterial hepatic oxaliplatin. <i>Annals of Surgical Oncology</i> , 2007 , 14, 3188-94	3.1	111
11	Hemorrhage after pancreaticoduodenectomy: when is surgery still indicated?. <i>American Journal of Surgery</i> , 2007 , 194, 3-9	2.7	92
10	HIPEC with oxaliplatin in the treatment of peritoneal carcinomatosis of colorectal origin. <i>Cancer Treatment and Research</i> , 2007 , 134, 303-18	3.5	21

9	Peritoneal carcinomatosis of colorectal origin: recent advances and future evolution toward a curative treatment. <i>Recent Results in Cancer Research</i> , 2007 , 169, 115-22	1.5	4
8	Pancreaticoduodenectomy with mesentericoportal vein resection for adenocarcinoma of the pancreatic head. <i>World Journal of Surgery</i> , 2006 , 30, 1526-35	3.3	98
7	A common hepatic artery passing in front of the portal vein. <i>Surgical and Radiologic Anatomy</i> , 2006 , 28, 202-5	1.4	14
6	Peritoneal carcinomatosis of colorectal origin. Gastroenterologie Clinique Et Biologique, 2006, 30, 1200-	4	82
5	Sentinel lymph node sampling and analysis in colon cancer: what is the question?. <i>Journal of Clinical Oncology</i> , 2006 , 24, 3712-3; author reply 3713-4	2.2	6
4	Chemotherapy does not impair hypertrophy of the left liver after right portal vein obstruction. Journal of Gastrointestinal Surgery, 2006 , 10, 365-70	3.3	98
3	Utility of staging laparoscopy in subsets of biliary cancers: laparoscopy is a powerful diagnostic tool in patients with intrahepatic and gallbladder carcinoma. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2006 , 20, 721-5	5.2	141
2	H-pouch: new isoperistaltic colonic pouch for coloanal anastomosis after rectal resection for cancer: a pilot study. <i>Diseases of the Colon and Rectum</i> , 2004 , 47, 1740-4	3.1	2
1	Harvesting the middle hepatic vein with a right hepatectomy does not increase the risk for the	4.5	52