

Yong-Peng Lei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6253162/publications.pdf>

Version: 2024-02-01

85
papers

7,308
citations

71004

43
h-index

66518

82
g-index

87
all docs

87
docs citations

87
times ranked

8422
citing authors

#	ARTICLE	IF	CITATIONS
1	Pyridinic-N-Dominated Doped Defective Graphene as a Superior Oxygen Electrocatalyst for Ultrahigh-Energy-Density Zn–Air Batteries. <i>ACS Energy Letters</i> , 2018, 3, 1183-1191.	8.8	456
2	Defect engineering in earth-abundant electrocatalysts for CO ₂ and N ₂ reduction. <i>Energy and Environmental Science</i> , 2019, 12, 1730-1750.	15.6	439
3	Potassium vanadates with stable structure and fast ion diffusion channel as cathode for rechargeable aqueous zinc-ion batteries. <i>Nano Energy</i> , 2018, 51, 579-587.	8.2	425
4	Metal Organic Framework-Templated Synthesis of Bimetallic Selenides with Rich Phase Boundaries for Sodium-Ion Storage and Oxygen Evolution Reaction. <i>ACS Nano</i> , 2019, 13, 5635-5645.	7.3	400
5	Fe/Fe ₃ C@C nanoparticles encapsulated in N-doped graphene–CNTs framework as an efficient bifunctional oxygen electrocatalyst for robust rechargeable Zn–air batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 516-526.	5.2	366
6	Engineering Dual Single-Atom Sites on 2D Ultrathin N-doped Carbon Nanosheets Attaining Ultra-Low-Temperature Zinc–Air Battery. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	355
7	Engineering the Atomic Interface with Single Platinum Atoms for Enhanced Photocatalytic Hydrogen Production. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 1295-1301.	7.2	344
8	In situ synthesis of graphitic-C ₃ N ₄ nanosheet hybridized N-doped TiO ₂ nanofibers for efficient photocatalytic H ₂ production and degradation. <i>Nano Research</i> , 2015, 8, 1199-1209.	5.8	292
9	Designing Atomic Active Centers for Hydrogen Evolution Electrocatalysts. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 20794-20812.	7.2	257
10	Single Atom Catalysts for Fuel Cells and Rechargeable Batteries: Principles, Advances, and Opportunities. <i>ACS Nano</i> , 2021, 15, 210-239.	7.3	199
11	Regulating the coordination structure of metal single atoms for efficient electrocatalytic CO ₂ reduction. <i>Energy and Environmental Science</i> , 2020, 13, 4609-4624.	15.6	188
12	Atomic-scale engineering of chemical-vapor-deposition-grown 2D transition metal dichalcogenides for electrocatalysis. <i>Energy and Environmental Science</i> , 2020, 13, 1593-1616.	15.6	166
13	Confining ultrasmall bimetallic alloys in porous N–carbon for use as scalable and sustainable electrocatalysts for rechargeable Zn–air batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 12451-12456.	5.2	128
14	Quasi-solid-state Zn-air batteries with an atomically dispersed cobalt electrocatalyst and organohydrogel electrolyte. <i>Nature Communications</i> , 2022, 13, .	5.8	127
15	Boosting interfacial charge transfer for alkaline hydrogen evolution via rational interior Se modification. <i>Nano Energy</i> , 2021, 81, 105641.	8.2	118
16	N-doped defective carbon with trace Co for efficient rechargeable liquid electrolyte-/all-solid-state Zn-air batteries. <i>Science Bulletin</i> , 2018, 63, 548-555.	4.3	117
17	Electrospun Inorganic Nanofibers for Oxygen Electrocatalysis: Design, Fabrication, and Progress. <i>Advanced Energy Materials</i> , 2020, 10, 1902115.	10.2	111
18	Edge Defect Engineering of Nitrogen-Doped Carbon for Oxygen Electrocatalysts in Zn–Air Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 29448-29456.	4.0	110

#	ARTICLE	IF	CITATIONS
19	Enhanced photocatalytic CO ₂ -reduction activity of electrospun mesoporous TiO ₂ nanofibers by solvothermal treatment. Dalton Transactions, 2014, 43, 9158.	1.6	105
20	NiCoP nanoleaves array for electrocatalytic alkaline H ₂ evolution and overall water splitting. Journal of Energy Chemistry, 2020, 50, 395-401.	7.1	103
21	One-stone, two birds: Alloying effect and surface defects induced by Pt on Cu _{2-x} Se nanowires to boost C-C bond cleavage for electrocatalytic ethanol oxidation. Nano Energy, 2021, 88, 106307.	8.2	99
22	Engineering of Electronic States on Co ₃ O ₄ Ultrathin Nanosheets by Cation Substitution and Anion Vacancies for Oxygen Evolution Reaction. Small, 2020, 16, e2001571.	5.2	98
23	Hierarchically porous SiC ultrathin fibers mat with enhanced mass transport, amphiphatic property and high-temperature erosion resistance. Journal of Materials Chemistry A, 2014, 2, 20873-20881.	5.2	86
24	Charge Engineering of Mo ₂ C@Defect-Rich N-Doped Carbon Nanosheets for Efficient Electrocatalytic H ₂ Evolution. Nano-Micro Letters, 2019, 11, 45.	14.4	86
25	Mesoporous silicon carbide nanofibers with in situ embedded carbon for co-catalyst free photocatalytic hydrogen production. Nano Research, 2016, 9, 886-898.	5.8	85
26	Facile synthesis of FeCo@NC core-shell nanospheres supported on graphene as an efficient bifunctional oxygen electrocatalyst. Nano Research, 2017, 10, 2332-2343.	5.8	85
27	Carbon nanotube-encapsulated cobalt for oxygen reduction: integration of space confinement and N-doping. Chemical Communications, 2019, 55, 14801-14804.	2.2	85
28	Trimetallic oxyhydroxides as active sites for large-current-density alkaline oxygen evolution and overall water splitting. Journal of Materials Science and Technology, 2022, 110, 128-135.	5.6	81
29	Combined Electron and Structure Manipulation on Fe-Containing N-Doped Carbon Nanotubes To Boost Bifunctional Oxygen Electrocatalysis. ACS Applied Materials & Interfaces, 2018, 10, 35888-35895.	4.0	77
30	Vertical SnO ₂ nanosheet@SiC nanofibers with hierarchical architecture for high-performance gas sensors. Journal of Materials Chemistry C, 2016, 4, 295-304.	2.7	75
31	Biomass Waste-Derived 3D Metal-Free Porous Carbon as a Bifunctional Electrocatalyst for Rechargeable Zinc-Air Batteries. ACS Sustainable Chemistry and Engineering, 2019, 7, 17039-17046.	3.2	74
32	N-doped graphene grown on silk cocoon-derived interconnected carbon fibers for oxygen reduction reaction and photocatalytic hydrogen production. Nano Research, 2016, 9, 2498-2509.	5.8	70
33	Three-dimensional (3D) interconnected networks fabricated via in-situ growth of N-doped graphene/carbon nanotubes on Co-containing carbon nanofibers for enhanced oxygen reduction. Nano Research, 2016, 9, 317-328.	5.8	70
34	Potential active sites of Mo single atoms for electrocatalytic reduction of N ₂ . Chinese Chemical Letters, 2021, 32, 53-56.	4.8	66
35	Electrospun interconnected Fe-N/C nanofiber networks as efficient electrocatalysts for oxygen reduction reaction in acidic media. Scientific Reports, 2015, 5, 17396.	1.6	65
36	Engineering the Atomic Interface with Single Platinum Atoms for Enhanced Photocatalytic Hydrogen Production. Angewandte Chemie, 2020, 132, 1311-1317.	1.6	59

#	ARTICLE	IF	CITATIONS
37	Biomass <i>in situ</i> conversion to Fe single atomic sites coupled with Fe ₂ O ₃ clusters embedded in porous carbons for the oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2020, 8, 20629-20636.	5.2	54
38	Electron accumulation enables Bi efficient CO ₂ reduction for formate production to boost clean Zn-CO ₂ batteries. <i>Nano Energy</i> , 2022, 92, 106780.	8.2	54
39	Highly efficient oxygen evolution and stable water splitting by coupling NiFe LDH with metal phosphides. <i>Science China Materials</i> , 2021, 64, 1662-1670.	3.5	52
40	Defect-engineered 2D/2D hBN/g-C ₃ N ₄ Z-scheme heterojunctions with full visible-light absorption: Efficient metal-free photocatalysts for hydrogen evolution. <i>Applied Surface Science</i> , 2021, 547, 149207.	3.1	51
41	Large-scale, flexible and high-temperature resistant ZrO ₂ /SiC ultrafine fibers with a radial gradient composition. <i>Journal of Materials Chemistry A</i> , 2014, 2, 9607-9612.	5.2	49
42	In Situ Fabricated 2D/2D Heterojunctions of Ultrathin SiC/Reduced Graphene Oxide Nanosheets for Efficient CO ₂ Photoreduction with High CH ₄ Selectivity. <i>ChemSusChem</i> , 2018, 11, 4237-4245.	3.6	48
43	Bimetallic chalcogenides for electrocatalytic CO ₂ reduction. <i>Rare Metals</i> , 2021, 40, 3442-3453.	3.6	47
44	Phosphating-induced charge transfer on CoO/CoP interface for alkaline H ₂ evolution. <i>Chinese Chemical Letters</i> , 2021, 32, 3355-3358.	4.8	45
45	N-doped 3D Carbon Aerogel with Trace Fe as an Efficient Catalyst for the Oxygen Reduction Reaction. <i>ChemElectroChem</i> , 2017, 4, 514-520.	1.7	43
46	Rational designed Co@N-doped carbon catalyst for high-efficient H ₂ S selective oxidation by regulating electronic structures. <i>Chemical Engineering Journal</i> , 2020, 401, 126038.	6.6	43
47	Enhanced Selective H ₂ S Oxidation Performance on Mo ₂ C-Modified g-C ₃ N ₄ . <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 16257-16263.	3.2	39
48	Boron nitride by pyrolysis of the melt-processable poly[tris(methylamino)borane]: Structure, composition and oxidation resistance. <i>Ceramics International</i> , 2012, 38, 271-276.	2.3	37
49	Ultra-thin Cu ₂ S nanosheets: effective cocatalysts for photocatalytic hydrogen production. <i>Chemical Communications</i> , 2015, 51, 13305-13308.	2.2	35
50	Nearly stoichiometric BN fiber with low dielectric constant derived from poly[(alkylamino)borazine]. <i>Materials Letters</i> , 2011, 65, 157-159.	1.3	34
51	B, N-codoped 3D micro-/mesoporous carbon nanofibers web as efficient metal-free catalysts for oxygen reduction. <i>Current Applied Physics</i> , 2015, 15, 1606-1614.	1.1	34
52	Accelerating charge transfer to enhance H ₂ evolution of defect-rich CoFe ₂ O ₄ by constructing a Schottky junction. <i>Chemical Communications</i> , 2020, 56, 14019-14022.	2.2	34
53	Growth of TiO ₂ nanostructures exposed {001} and {110} facets on SiC ultrafine fibers for enhanced gas sensing performance. <i>Sensors and Actuators B: Chemical</i> , 2018, 276, 57-64.	4.0	32
54	TpyCo ²⁺ -Based Coordination Polymers by Water-Induced Gelling Triggered Efficient Oxygen Evolution Reaction. <i>Advanced Functional Materials</i> , 2020, 30, 2000593.	7.8	31

#	ARTICLE	IF	CITATIONS
55	Low-temperature resistant gel polymer electrolytes for zinc-air batteries. <i>Journal of Materials Chemistry A</i> , 2022, 10, 19304-19319.	5.2	31
56	Flexible N-doped TiO ₂ /C ultrafine fiber mat and its photocatalytic activity under simulated sunlight. <i>Applied Surface Science</i> , 2014, 319, 136-142.	3.1	30
57	Novel processable precursor for BN by the polymer-derived ceramics route. <i>Ceramics International</i> , 2011, 37, 3005-3009.	2.3	28
58	Sublayer-enhanced atomic sites of single atom catalysts through <i>in situ</i> atomization of metal oxide nanoparticles. <i>Energy and Environmental Science</i> , 2022, 15, 1183-1191.	15.6	25
59	Bismuth with abundant defects for electrocatalytic CO ₂ reduction and Zn-CO ₂ batteries. <i>Chemical Communications</i> , 2022, 58, 3621-3624.	2.2	25
60	Influence of pyrolysis conditions on fabrication of polymer-derived BN fiber for wave transparent application. <i>Composites Part B: Engineering</i> , 2013, 51, 254-259.	5.9	24
61	Black Phosphorus/TiO ₂ Composite Photoanode with Enhanced Photoelectrical Performance. <i>ChemElectroChem</i> , 2017, 4, 2373-2377.	1.7	24
62	Engineering Dual Single-Atom Sites on 2D Ultrathin N-doped Carbon Nanosheets Attaining Ultra-Low Temperature Zinc-Air Battery. <i>Angewandte Chemie</i> , 0, .	1.6	24
63	Atmosphere influence in the pyrolysis of poly[(alkylamino)borazine] for the production of BN fibers. <i>Ceramics International</i> , 2013, 39, 6847-6851.	2.3	21
64	A simply prepared flexible SiBOC ultrafine fiber mat with enhanced high-temperature stability and chemical resistance. <i>RSC Advances</i> , 2015, 5, 64911-64917.	1.7	20
65	Scalable <i>in situ</i> growth of SnO ₂ nanoparticle chains on SiC ultrathin fibers via a facile sol-gel-flame method. <i>Applied Surface Science</i> , 2015, 335, 208-212.	3.1	19
66	The functionality of surface hydroxyls on selective CH ₄ generation from photoreduction of CO ₂ over SiC nanosheets. <i>Chemical Communications</i> , 2019, 55, 1572-1575.	2.2	19
67	Nearly stoichiometric BN fiber by curing and thermolysis of a novel poly[(alkylamino)borazine]. <i>Ceramics International</i> , 2011, 37, 1795-1800.	2.3	18
68	Design aktiver atomarer Zentren für HER-Elektrokatalysatoren. <i>Angewandte Chemie</i> , 2020, 132, 20978-20998.	1.6	18
69	Oxygen-rich carbon-nitrogen quantum dots as cocatalysts for enhanced photocatalytic H ₂ production activity of TiO ₂ nanofibers. <i>Progress in Natural Science: Materials International</i> , 2017, 27, 333-337.	1.8	17
70	Tailoring of Porous Structure in Macro-Meso-Microporous SiC Ultrathin Fibers via Electrospinning Combined with Polymer-Derived Ceramics Route. <i>Materials and Manufacturing Processes</i> , 2016, 31, 1357-1365.	2.7	16
71	Astridia velutina-like S, N-codoped hierarchical porous carbon from silk cocoon for superior oxygen reduction reaction. <i>RSC Advances</i> , 2016, 6, 73560-73565.	1.7	15
72	Ultrathin SiC Nanosheets with High Reduction Potential for Improved CH ₄ Generation from Photocatalytic Reduction of CO ₂ . <i>ChemistrySelect</i> , 2019, 4, 2211-2217.	0.7	15

#	ARTICLE	IF	CITATIONS
73	Modification of hierarchically porous SiC ultrafine fibers with tunable nitrogen-containing surface. <i>Ceramics International</i> , 2016, 42, 5368-5374.	2.3	13
74	Deep oxidization of glucose driven by 4-acetamido-TEMPO for a glucose fuel cell at room temperature. <i>Chemical Communications</i> , 2021, 57, 4051-4054.	2.2	13
75	Boosting oxygen-reduction catalysis over mononuclear CuN ₂ +2 moiety for rechargeable Zn-air battery. <i>Chemical Engineering Journal</i> , 2022, 430, 133105.	6.6	12
76	Effect of molecular monomer structure on the composition and properties of BN via the preceramic polymer route. <i>Materials Letters</i> , 2011, 65, 1111-1113.	1.3	10
77	Preparation and photocatalytic activity of N ⁺ Ag co-doped TiO ₂ /C porous ultrafine fibers mat. <i>Ceramics International</i> , 2014, 40, 2017-2022.	2.3	10
78	Pyrolysis behavior of poly[(n-propylamino/methylamino)borazine]. <i>Ceramics International</i> , 2012, 38, 4745-4749.	2.3	7
79	Ammonia curing behavior of poly[(alkylamino)borazine] fiber. <i>Materials Letters</i> , 2012, 71, 91-93.	1.3	7
80	Effect of Temperature on the Composition and Properties of Poly[(alkylamino)borazine] Precursor to Boron Nitride. <i>Journal of Macromolecular Science - Physics</i> , 2013, 52, 1427-1437.	0.4	5
81	Electrodeposition of the manganese-doped nickel-phosphorus catalyst with enhanced hydrogen evolution reaction activity and durability. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 41994-42000.	3.8	4
82	Preparation and characterization of Schiff base metal complexes for high performance supercapattery. <i>Journal of Energy Storage</i> , 2022, 48, 103956.	3.9	3
83	Multi-TpyCo ²⁺ -based conductive supramolecular hydrogels constructed by hydrogen bonding for ultrastable rechargeable Zn-air battery over 1100 h. <i>Journal of Materials Chemistry A</i> , 0, , .	5.2	3
84	Influence of Monomer Structures on the High Temperature Properties of	0.2	1
85	A Novel Liquid Poly[(Alkylamino)Borazine] for Boron Nitride. <i>Materials and Manufacturing Processes</i> , 2012, 28, 14-18.	2.7	0