

Noriyasu Hirasawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6253627/publications.pdf>

Version: 2024-02-01

161
papers

3,564
citations

172386
29
h-index

175177
52
g-index

167
all docs

167
docs citations

167
times ranked

4228
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of salicylate derivatives on localization of p.H723R allele product of SLC26A4. <i>Auris Nasus Larynx</i> , 2022, , .	0.5	0
2	Inhibition of thymic stromal lymphopoietin production by FK3453. <i>Journal of Pharmacological Sciences</i> , 2022, 149, 198-204.	1.1	0
3	Functional Assessment of 12 Rare Allelic CYP2C9 Variants Identified in a Population of 4773 Japanese Individuals. <i>Journal of Personalized Medicine</i> , 2021, 11, 94.	1.1	7
4	Lactate released from human fibroblasts enhances Ni elution from Ni plate. <i>Toxicology</i> , 2021, 453, 152723.	2.0	2
5	Functional Characterization of 21 Rare Allelic CYP1A2 Variants Identified in a Population of 4773 Japanese Individuals by Assessing Phenacetin O-Deethylation. <i>Journal of Personalized Medicine</i> , 2021, 11, 690.	1.1	5
6	Functional Characterization of 40 CYP3A4 Variants by Assessing Midazolam 1â€²-Hydroxylation and Testosterone 6â€²-Hydroxylation. <i>Drug Metabolism and Disposition</i> , 2021, 49, 212-220.	1.7	20
7	A chalcone derivative suppresses TSLP induction in mice and human keratinocytes through binding to BET family proteins. <i>Biochemical Pharmacology</i> , 2021, 194, 114819.	2.0	3
8	CYP2D6 genotyping analysis and functional characterization of novel allelic variants in a Ni-Vanuatu and Kenyan population by assessing dextromethorphan O-demethylation activity. <i>Drug Metabolism and Pharmacokinetics</i> , 2020, 35, 89-101.	1.1	9
9	Suprabasin-null mice retain skin barrier function and show high contact hypersensitivity to nickel upon oral nickel loading. <i>Scientific Reports</i> , 2020, 10, 14559.	1.6	11
10	Heterologous expression of high-activity cytochrome P450 in mammalian cells. <i>Scientific Reports</i> , 2020, 10, 14193.	1.6	17
11	<i>Grifola frondosa</i> extract and ergosterol reduce allergic reactions in an allergy mouse model by suppressing the degranulation of mast cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2019, 83, 2280-2287.	0.6	7
12	COX-2 induces T cell accumulation and IFN- γ production during the development of chromium allergy. <i>Autoimmunity</i> , 2019, 52, 228-234.	1.2	6
13	Hypoxia inhibits TNF- α -induced TSLP expression in keratinocytes. <i>PLoS ONE</i> , 2019, 14, e0224705.	1.1	15
14	A steroid alkaloid derivative O2F04 upregulates thymic stromal lymphopoietin expression slowly and continuously through a novel Gq/11-ROCK-ERK1/2 signaling pathway in mouse keratinocytes. <i>Cellular Signalling</i> , 2019, 57, 58-64.	1.7	2
15	Expression of Histidine Decarboxylase and Its Roles in Inflammation. <i>International Journal of Molecular Sciences</i> , 2019, 20, 376.	1.8	51
16	A chalcone derivative suppresses the induction of TSLP in mice and human keratinocytes and attenuates OVA-induced antibody production in mice. <i>European Journal of Pharmacology</i> , 2019, 851, 52-62.	1.7	7
17	All- <i>Trans</i> Retinoic Acid Enhances Antibody Production by Inducing the Expression of Thymic Stromal Lymphopoietin Protein. <i>Journal of Immunology</i> , 2018, 200, 2670-2676.	0.4	6
18	Rapid and sensitive multiplex single-tube nested PCR for the identification of five human <i>Plasmodium</i> species. <i>Parasitology International</i> , 2018, 67, 277-283.	0.6	10

#	ARTICLE	IF	CITATIONS
19	Nickel ions bind to HSP90 α 2 and enhance HIF-1 α -mediated IL-8 expression. Toxicology, 2018, 395, 45-53.	2.0	18
20	Zinc ions have a potential to attenuate both Ni ion uptake and Ni ion-induced inflammation. Scientific Reports, 2018, 8, 2911.	1.6	9
21	EGFR transactivation is involved in TNF- α -induced expression of thymic stromal lymphopoietin in human keratinocyte cell line. Journal of Dermatological Science, 2018, 89, 290-298.	1.0	23
22	Induction of thymic stromal lymphopoietin by a steroid alkaloid derivative in mouse keratinocytes. International Immunopharmacology, 2018, 55, 28-37.	1.7	3
23	LPS priming in early life decreases antigen uptake of dendritic cells via NO production. Immunobiology, 2018, 223, 25-31.	0.8	2
24	Functional characterization of 9 CYP2A13 allelic variants by assessment of nicotine C-oxidation and coumarin 7-hydroxylation. Drug Metabolism and Pharmacokinetics, 2018, 33, 82-89.	1.1	9
25	Development and application of a rapid and sensitive genotyping method for pharmacogene variants using the single-stranded tag hybridization chromatographic printed-array strip (STH-PAS). Drug Metabolism and Pharmacokinetics, 2018, 33, 258-263.	1.1	9
26	Functional characterization of 40 CYP2B6 allelic variants by assessing efavirenz 8-hydroxylation. Biochemical Pharmacology, 2018, 156, 420-430.	2.0	16
27	Functional characterization of 50 CYP2D6 allelic variants by assessing primaquine 5-hydroxylation. Drug Metabolism and Pharmacokinetics, 2018, 33, 250-257.	1.1	25
28	Functional Characterization of 21 Allelic Variants of Dihydropyrimidine Dehydrogenase Identified in 1070 Japanese Individuals. Drug Metabolism and Disposition, 2018, 46, 1083-1090.	1.7	30
29	Ergosterol and its derivatives from <i>Grifola frondosa</i> inhibit antigen-induced degranulation of RBL-2H3 cells by suppressing the aggregation of high affinity IgE receptors. Bioscience, Biotechnology and Biochemistry, 2018, 82, 1803-1811.	0.6	9
30	Points-to-consider documents: Scientific information on the evaluation of genetic polymorphisms during non-clinical studies and phase I clinical trials in the Japanese population. Drug Metabolism and Pharmacokinetics, 2018, 33, 141-149.	1.1	2
31	Induced histamine regulates Ni elution from an implanted Ni wire in mice by downregulating neutrophil migration. Experimental Dermatology, 2017, 26, 868-874.	1.4	5
32	Functional Characterization of 34 CYP2A6 Allelic Variants by Assessment of Nicotine C-Oxidation and Coumarin 7-Hydroxylation Activities. Drug Metabolism and Disposition, 2017, 45, 279-285.	1.7	21
33	Down-regulation of Na ⁺ /H ⁺ exchanger 1 by Toll-like receptor stimulation in macrophages. Immunobiology, 2017, 222, 176-182.	0.8	3
34	Pentanoic acid induces thymic stromal lymphopoietin production through Gq/11 and Rho-associated protein kinase signaling pathway in keratinocytes. International Immunopharmacology, 2017, 50, 216-223.	1.7	10
35	Functional characterization of 21 allelic variants of dihydropyrimidinase. Biochemical Pharmacology, 2017, 143, 118-128.	2.0	12
36	Influence of Japanese Regulatory Action on Denosumab-Related Hypocalcemia Using Japanese Adverse Drug Event Report Database. Biological and Pharmaceutical Bulletin, 2017, 40, 1447-1453.	0.6	13

#	ARTICLE	IF	CITATIONS
37	Non-24-hour sleep–wake syndrome improved by low-dose valproic acid: a case report. <i>Neuropsychiatric Disease and Treatment</i> , 2016, Volume 12, 3199-3203.	1.0	6
38	Lipopolysaccharide-Activated Leukocytes Enhance Thymic Stromal Lymphopoietin Production in a Mouse Air-Pouch-Type Inflammation Model. <i>Inflammation</i> , 2016, 39, 1527-1537.	1.7	8
39	Involvement of COX-2 in nickel elution from a wire implanted subcutaneously in mice. <i>Toxicology</i> , 2016, 363-364, 37-45.	2.0	9
40	Genetic Polymorphisms of <i>CYP2A6</i> in a Case-Control Study on Bladder Cancer in Japanese Smokers. <i>Biological and Pharmaceutical Bulletin</i> , 2016, 39, 84-89.	0.6	14
41	CYP2A13 Genetic Polymorphisms in Relation to the Risk of Bladder Cancer in Japanese Smokers. <i>Biological and Pharmaceutical Bulletin</i> , 2016, 39, 1683-1686.	0.6	5
42	Inhibitory effects of nicotine derived from cigarette smoke on thymic stromal lymphopoietin production in epidermal keratinocytes. <i>Cellular Immunology</i> , 2016, 302, 19-25.	1.4	14
43	Outcomes of a Long-term Case Review Program during the On-site Training of Pharmacy Students. <i>Yakugaku Zasshi</i> , 2015, 135, 917-923.	0.0	0
44	Genetic Polymorphisms of Dihydropyrimidinase in a Japanese Patient with Capecitabine-Induced Toxicity. <i>PLoS ONE</i> , 2015, 10, e0124818.	1.1	21
45	Intrinsic atopic dermatitis shows high serum nickel concentration. <i>Allergology International</i> , 2015, 64, 282-284.	1.4	12
46	Glucocorticoids decrease the production of glucagon-like peptide-1 at the transcriptional level in intestinal L-cells. <i>Molecular and Cellular Endocrinology</i> , 2015, 406, 60-67.	1.6	5
47	CYP2A6 genetic polymorphism is associated with decreased susceptibility toÂsquamous cell lung cancer in Japanese smokers. <i>Drug Metabolism and Pharmacokinetics</i> , 2015, 30, 263-268.	1.1	16
48	Functional characterization of 20 allelic variants of CYP1A2. <i>Drug Metabolism and Pharmacokinetics</i> , 2015, 30, 247-252.	1.1	15
49	Functional characterization of 12 allelic variants of CYP2C8 by assessment ofÂpaclitaxel 6Î±-hydroxylation and amodiaquine N-deethylation. <i>Drug Metabolism and Pharmacokinetics</i> , 2015, 30, 366-373.	1.1	10
50	Functional characterization of 21 CYP2C19 allelic variants for clopidogrel 2-oxidation. <i>Pharmacogenomics Journal</i> , 2015, 15, 26-32.	0.9	20
51	Functional characterization of 10 CYP4A11 allelic variants to evaluate the effect of genotype on arachidonic acid Î±-hydroxylation. <i>Drug Metabolism and Pharmacokinetics</i> , 2015, 30, 119-122.	1.1	7
52	Novel single nucleotide polymorphisms of the dihydropyrimidinase gene (DPYS) in Japanese individuals. <i>Drug Metabolism and Pharmacokinetics</i> , 2015, 30, 127-129.	1.1	8
53	Nickel Ions Selectively Inhibit Lipopolysaccharide-Induced Interleukin-6 Production by Decreasing Its mRNA Stability. <i>PLoS ONE</i> , 2015, 10, e0119428.	1.1	10
54	The Anti-Inflammatory Effects of Lion's Mane Culinary-Medicinal Mushroom, <i>Herichium erinaceus</i> (Higher Basidiomycetes) in a Coculture System of 3T3-L1 Adipocytes and RAW264 Macrophages. <i>International Journal of Medicinal Mushrooms</i> , 2015, 17, 609-618.	0.9	20

#	ARTICLE	IF	CITATIONS
55	Survey Report on Personal Dose Equivalent and Indoor and Outdoor Staying Time for Children in the Southern Miyagi Prefecture after the Fukushima Daiichi Nuclear Power Plant Accident. <i>Radioisotopes</i> , 2015, 64, 319-333.	0.1	2
56	Regulation of dipeptidyl peptidase 4 production in adipocytes by glucose. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2014, 7, 185.	1.1	12
57	Functional Characterization of Wild-type and 49 CYP2D6 Allelic Variants for N-Desmethyldamoxifen 4-Hydroxylation Activity. <i>Drug Metabolism and Pharmacokinetics</i> , 2014, 29, 360-366.	1.1	47
58	Histamine synthesis is required for granule maturation in murine mast cells. <i>European Journal of Immunology</i> , 2014, 44, 204-214.	1.6	36
59	The Role of Histamine H1 and H4 Receptors in Atopic Dermatitis: From Basic Research to Clinical Study. <i>Allergy International</i> , 2014, 63, 533-542.	1.4	106
60	Identification of a cell line producing high levels of TSLP: Advantages for screening of anti-allergic drugs. <i>Journal of Immunological Methods</i> , 2014, 402, 9-14.	0.6	18
61	Glucagon-like peptide-1 production in the GLUTag cell line is impaired by free fatty acids via endoplasmic reticulum stress. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 800-811.	1.5	35
62	Retinoid signaling in pathological remodeling related to cardiovascular disease. <i>European Journal of Pharmacology</i> , 2014, 729, 144-147.	1.7	4
63	Functional characterization of 32 CYP2C9 allelic variants. <i>Pharmacogenomics Journal</i> , 2014, 14, 107-114.	0.9	71
64	Exacerbation of Allergic Diseases by Chemicals: Role of TSLP. <i>Journal of Pharmacological Sciences</i> , 2014, 124, 301-306.	1.1	14
65	High frequencies of positive nickel/cobalt patch tests and high sweat nickel concentration in patients with intrinsic atopic dermatitis. <i>Journal of Dermatological Science</i> , 2013, 72, 240-245.	1.0	36
66	Activation of a retinoic acid receptor pathway by thiazolidinediones induces production of vascular endothelial growth factor/vascular permeability factor in OP9 adipocytes. <i>European Journal of Pharmacology</i> , 2013, 707, 95-103.	1.7	8
67	Biochemical Assay of G Protein-Coupled Receptor Oligomerization. <i>Methods in Cell Biology</i> , 2013, 117, 213-227.	0.5	4
68	Induction of Thymic Stromal Lymphopoietin Production by Nonanoic Acid and Exacerbation of Allergic Inflammation in Mice. <i>Allergy International</i> , 2013, 62, 463-471.	1.4	11
69	Evaluation of personal dose equivalent using optically stimulated luminescent dosimeters in Marumori after the Fukushima nuclear accident. <i>Radiation Protection Dosimetry</i> , 2013, 154, 385-390.	0.4	14
70	Enhancement of Inflammatory Protein Expression and Nuclear Factor κ B (NF- κ B) Activity by Trichostatin A (TSA) in OP9 Preadipocytes. <i>PLoS ONE</i> , 2013, 8, e59702.	1.1	16
71	Effect of Shieldings on Ambient Equivalent Dose Rate Reduction Inside Resident's House after the Fukushima Daiichi Nuclear Power Plant Accident. <i>Radioisotopes</i> , 2013, 62, 203-210.	0.1	6
72	Induction of Thymic Stromal Lymphopoietin Production by Xylene and Exacerbation of Picryl Chloride-Induced Allergic Inflammation in Mice. <i>International Archives of Allergy and Immunology</i> , 2012, 157, 194-201.	0.9	22

#	ARTICLE	IF	CITATIONS
73	Hetero-oligomerization between adenosine A1 and thromboxane A2 receptors and cellular signal transduction on stimulation with high and low concentrations of agonists for both receptors. <i>European Journal of Pharmacology</i> , 2012, 677, 5-14.	1.7	9
74	Suppression of Intracellular Calcium Levels and Inhibition of Degranulation in RBL-2H3 Mast Cells by the Sesquiterpene Lactone Parthenolide. <i>Planta Medica</i> , 2011, 77, 252-256.	0.7	3
75	Enhancement of nickel elution by lipopolysaccharide-induced inflammation. <i>Journal of Dermatological Science</i> , 2011, 62, 50-7.	1.0	10
76	Association between Cancer Risk and Drug-metabolizing Enzyme Gene (CYP2A6, CYP2A13, CYP4B1,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf Pharmacokinetics, 2011, 26, 516-522.	1.1	70
77	Novel Single Nucleotide Polymorphism of the CYP2A13 Gene in Japanese Individuals. <i>Drug Metabolism and Pharmacokinetics</i> , 2011, 26, 544-547.	1.1	8
78	Functional Characterization of CYP2B6 Allelic Variants in Demethylation of Antimalarial Artemether. <i>Drug Metabolism and Disposition</i> , 2011, 39, 1860-1865.	1.7	46
79	Induction of thymic stromal lymphopoietin by chemical compounds in vivo and exacerbation of allergy. <i>Inflammation and Regeneration</i> , 2011, 31, 184-188.	1.5	2
80	Involvement of prostaglandins and histamine in nickel wire-induced acute inflammation in mice. <i>Journal of Biomedical Materials Research - Part A</i> , 2010, 93A, 1306-1311.	2.1	7
81	Functional Characterization of Genetic Polymorphisms Identified in the Promoter Region of the Xanthine Oxidase Gene. <i>Drug Metabolism and Pharmacokinetics</i> , 2010, 25, 599-604.	1.1	7
82	Kinetics of 6-Thioxanthine Metabolism by Allelic Variants of Xanthine Oxidase. <i>Drug Metabolism and Pharmacokinetics</i> , 2010, 25, 361-366.	1.1	9
83	Salicylate restores transport function and anion exchanger activity of missense pendrin mutations. <i>Hearing Research</i> , 2010, 270, 110-118.	0.9	39
84	Functional characterization of 26 CYP2B6 allelic variants (CYP2B6.2â€“CYP2B6.28, except CYP2B6.22). <i>Pharmacogenetics and Genomics</i> , 2010, 20, 459-462.	0.7	35
85	Effects of Nickel on Eosinophil Survival. <i>International Archives of Allergy and Immunology</i> , 2009, 149, 57-60.	0.9	6
86	Suppression of the Antigen-Stimulated RBL-2H3 Mast Cell Activation by Artekeiskeanol A. <i>Planta Medica</i> , 2009, 75, 1494-1498.	0.7	8
87	Enhancement of ligand-dependent down-regulation of glucocorticoid receptor by lipopolysaccharide. <i>Life Sciences</i> , 2009, 85, 578-585.	2.0	10
88	Modification of the Picryl Chloride-Induced Allergic Dermatitis Model in Mouse Ear Lobes by 12-O-Tetradecanoylphorbol 13-Acetate, and Analysis of the Role of Histamine in the Modified Model. <i>International Archives of Allergy and Immunology</i> , 2009, 148, 279-288.	0.9	24
89	Analysis of the Mechanism for the Development of Allergic Skin Inflammation and the Application for Its Treatment: Establishment of a Modified Allergic Dermatitis Model in Mouse Ear Lobes by Application of 12-O-Tetradecanoyl Phorbol 13-Acetate: Putative Involvement of Thymic Stromal Lymphopoietin and Roles of Histamine. <i>Journal of Pharmacological Sciences</i> . 2009, 110, 245-250.	1.1	12
90	Genetic Variations in the HGPRT, ITPA, IMPDH1, IMPDH2, and GMPS Genes in Japanese Individuals. <i>Drug Metabolism and Pharmacokinetics</i> , 2009, 24, 557-564.	1.1	21

#	ARTICLE	IF	CITATIONS
91	Effects of hyperin, isoquercitrin and quercetin on lipopolysaccharide-induced nitrite production in rat peritoneal macrophages. <i>Phytotherapy Research</i> , 2008, 22, 1552-1556.	2.8	71
92	Mechanisms for the proliferation of eosinophilic leukemia cells by FIP1L1-PDGFR β . <i>Biochemical and Biophysical Research Communications</i> , 2008, 366, 1007-1011.	1.0	8
93	Mechanism for the Decrease in the FIP1L1-PDGFR α Protein Level in EoL-1 Cells by Histone Deacetylase Inhibitors. <i>International Archives of Allergy and Immunology</i> , 2008, 146, 7-10.	0.9	6
94	Lead Compounds for Anti-inflammatory Drugs Isolated from the Plants of the Traditional Oriental Medicine in Korea. <i>Inflammation and Allergy: Drug Targets</i> , 2008, 7, 195-202.	1.8	25
95	Anti-inflammatory effects of Na ⁺ /H ⁺ exchanger inhibitors. <i>Inflammation and Regeneration</i> , 2008, 28, 155-159.	1.5	1
96	Inhibition of Lipopolysaccharide-Induced Prostaglandin E2 Production and Inflammation by the Na ⁺ /H ⁺ Exchanger Inhibitors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 321, 345-352.	1.3	24
97	Inhibition of Bone Resorption in Cultures of Mouse Calvariae by Apicularen A. <i>Planta Medica</i> , 2007, 73, 173-175.	0.7	0
98	Mechanism for the Differentiation of EoL-1 Cells into Eosinophils by Histone Deacetylase Inhibitors. <i>International Archives of Allergy and Immunology</i> , 2007, 143, 28-32.	0.9	10
99	Differentiation of eosinophilic leukemia EoL-1 cells into eosinophils induced by histone deacetylase inhibitors. <i>Life Sciences</i> , 2007, 80, 1213-1220.	2.0	22
100	Involvement of Na ⁺ /H ⁺ exchangers in induction of cyclooxygenase-2 by vacuolar-type (H ⁺)-ATPase inhibitors in RAW 264 cells. <i>FEBS Letters</i> , 2007, 581, 4633-4638.	1.3	6
101	Involvement of Sp1 in lipopolysaccharide-induced expression of HDC mRNA in RAW 264 cells. <i>Biochemical and Biophysical Research Communications</i> , 2006, 349, 833-837.	1.0	15
102	Involvement of MAP kinases in lipopolysaccharide-induced histamine production in RAW 264 cells. <i>Life Sciences</i> , 2006, 80, 36-42.	2.0	10
103	The Accelerating Effect of Histamine on the Cutaneous Wound-Healing Process Through the Action of Basic Fibroblast Growth Factor. <i>Journal of Investigative Dermatology</i> , 2006, 126, 1403-1409.	0.3	68
104	Inhibition of the antigen-induced activation of rodent mast cells by putative Janus kinase 3 inhibitors WHI-P131 and WHI-P154 in a Janus kinase 3-independent manner. <i>British Journal of Pharmacology</i> , 2005, 145, 818-828.	2.7	13
105	Regulation of Angiogenesis by Prostaglandin E2. <i>Oleoscience</i> , 2005, 5, 65-71.	0.0	0
106	Reduced Pain Hypersensitivity and Inflammation in Mice Lacking Microsomal Prostaglandin E Synthase-1. <i>Journal of Biological Chemistry</i> , 2004, 279, 33684-33695.	1.6	257
107	Negative regulation of the protein kinase C activator-induced ICAM-1 expression in the human bronchial epithelial cell line NCI-H292 by p44/42 mitogen-activated protein kinase. <i>Life Sciences</i> , 2004, 75, 435-446.	2.0	5
108	Analysis of the mechanism regulating the stability of rat macrophage inflammatory protein-2 mRNA in RBL-2H3 cells. <i>Journal of Cellular Biochemistry</i> , 2003, 90, 976-986.	1.2	13

#	ARTICLE	IF	CITATIONS
109	Inhibition by dexamethasone of interleukin 13 production via glucocorticoid receptor-mediated inhibition of c-Jun phosphorylation. <i>FEBS Letters</i> , 2003, 554, 489-493.	1.3	12
110	Roles of Prostaglandin E2 and Histamine in Angiogenesis in Inflammatory Granulation Tissue. Ensho Saisei, 2003, 23, 84-92.	0.2	0
111	B Cells Capturing Antigen Conjugated with CpG Oligodeoxynucleotides Induce Th1 Cells by Elaborating IL-12. <i>Journal of Immunology</i> , 2002, 169, 787-794.	0.4	54
112	Defective Angiogenesis in the Inflammatory Granulation Tissue in Histidine Decarboxylase-deficient Mice but not in Mast Cell-deficient Mice. <i>Journal of Experimental Medicine</i> , 2002, 195, 973-982.	4.2	109
113	Plasma extravasation induced by dietary supplemented histamine in histamine-free mice. <i>European Journal of Immunology</i> , 2002, 32, 1698.	1.6	66
114	Enhancement of neutrophil infiltration in histidine decarboxylase-deficient mice. <i>Immunology</i> , 2002, 107, 217-221.	2.0	44
115	Inhibition by acharan sulphate of angiogenesis in experimental inflammation models. <i>British Journal of Pharmacology</i> , 2002, 137, 441-448.	2.7	32
116	Mice lacking histidine decarboxylase exhibit abnormal mast cells. <i>FEBS Letters</i> , 2001, 502, 53-56.	1.3	361
117	Inhibition by retinoids of antigen-induced IL-4 production in rat mast cell line RBL-2H3. <i>Life Sciences</i> , 2001, 68, 1287-1294.	2.0	5
118	Production and Pharmacologic Modulation of the Granulocyte-Associated Allergic Responses to Ovalbumin in Murine Skin Models Induced by Injecting Ovalbumin-Specific Th1 or Th2 Cells. <i>Journal of Investigative Dermatology</i> , 2001, 117, 236-243.	0.3	7
119	Enhancement by histamine of vascular endothelial growth factor production in granulation tissue via H2 receptors. <i>British Journal of Pharmacology</i> , 2001, 134, 1419-1428.	2.7	56
120	Expression of 74-kDa histidine decarboxylase protein in a macrophage-like cell line RAW 264.7 and inhibition by dexamethasone. <i>European Journal of Pharmacology</i> , 2001, 418, 23-28.	1.7	21
121	Novel Roles of CpG Oligodeoxynucleotides as a Leader for the Sampling and Presentation of CpG-Tagged Antigen by Dendritic Cells. <i>Journal of Immunology</i> , 2001, 167, 66-74.	0.4	118
122	Inhibition by troglitazone of the antigen-induced production of leukotrienes in immunoglobulin E-sensitized RBL-2H3 cells. <i>British Journal of Pharmacology</i> , 2000, 129, 367-373.	2.7	28
123	Participation of mitogen-activated protein kinase in thapsigargin- and TPA-induced histamine production in murine macrophage RAW 264.7 cells. <i>British Journal of Pharmacology</i> , 2000, 129, 515-524.	2.7	32
124	Involvement of a phosphatidylinositol 3-kinase-p38 mitogen activated protein kinase pathway in antigen-induced IL-4 production in mast cells. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2000, 1456, 45-55.	0.5	41
125	Increase in histamine production by inflammatory exudate in the chronic phase of allergic inflammation in rats. <i>Inflammation</i> , 1998, 22, 471-482.	1.7	1
126	Identification of histamine-production-increasing factor produced by stimulated RBL-2H3 rat basophilic leukemia cells as granulocyte-macrophage colony-stimulating factor. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1998, 1403, 273-280.	1.9	1

#	ARTICLE	IF	CITATIONS
127	Possible participation of macrophage inflammatory protein 2 in neutrophil infiltration in allergic inflammation in rats. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1997, 1361, 138-146.	1.8	7
128	Pharmacological analysis of the inflammatory exudate-induced histamine production in bone marrow cells. <i>Immunopharmacology</i> , 1997, 36, 87-94.	2.0	6
129	Role of Phosphatidylinositol 3-Kinase in Degranulation Induced by IgE-dependent and -independent Mechanisms in Rat Basophilic RBL-2H3 (ml) Cells. <i>Cellular Signalling</i> , 1997, 9, 305-310.	1.7	23
130	Negative Regulation of MAP Kinase by Diacylglycerol-dependent Mechanisms via G Protein-coupled Receptors in Rat Basophilic RBL-2H3 (m1) Cells. <i>Cellular Signalling</i> , 1997, 9, 319-322.	1.7	2
131	A Requirement for Syk in the Activation of the Microtubule-associated Protein Kinase/Phospholipase A2 Pathway by Fc̳R1 Is Not Shared by a G Protein-coupled Receptor. <i>Journal of Biological Chemistry</i> , 1995, 270, 10960-10967.	1.6	133
132	Pharmacological analysis of neutrophil chemotactic factor production by leucocytes and roles of PAF in allergic inflammation in rats. <i>British Journal of Pharmacology</i> , 1994, 111, 123-130.	2.7	14
133	Inhibition of Histamine Release from RBL-2H3 Cells by Protein Synthesis Inhibitors. <i>International Archives of Allergy and Immunology</i> , 1994, 103, 266-273.	0.9	0
134	Stimulation of prostaglandin E2 production and induction of specific protein synthesis in rat peritoneal macrophages by a tumor promoter staurosporine. <i>Journal of Cancer Research and Clinical Oncology</i> , 1993, 120, 5-11.	1.2	3
135	Analysis of the Leukotriene D ₄ Receptor in the Granulation Tissue of Allergic Inflammation in Rats. <i>International Archives of Allergy and Immunology</i> , 1992, 99, 107-111.	0.9	2
136	Stimulation of arachidonic acid metabolism by a streptococcal preparation (OK-432) in rat peritoneal macrophages. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1992, 1138, 157-161.	1.8	1
137	Induction of neutrophil infiltration by rat chemotactic cytokine (CINC) and its inhibition by dexamethasone in rats. <i>Inflammation</i> , 1992, 16, 187-196.	1.7	26
138	Preparation of immunoaffinity mini-columns for the analysis of platelet activating factor (PAF) in biological samples. <i>Journal of Chromatography A</i> , 1992, 597, 309-314.	1.8	8
139	Stimulation of neutrophil adherence to vascular endothelial cells by histamine and thrombin and its inhibition by PAF antagonists and dexamethasone. <i>British Journal of Pharmacology</i> , 1991, 102, 239-245.	2.7	52
140	Characterization of Methylated Bovine Serum Albumin-Induced Allergic Inflammation in Rats. <i>International Archives of Allergy and Immunology</i> , 1991, 95, 35-41.	0.9	1
141	A Role of Peripheral Leukocytes in Vascular Permeability and Edema Formation in Air Pouch Type Allergic Inflammation in Rats.. <i>Journal of Pharmacobio-dynamics</i> , 1991, 14, 267-275.	0.5	5
142	Downward regulation of neutrophil infiltration by endogenous histamine without affecting vascular permeability responses in air-pouch-type carrageenin inflammation in rats. <i>Inflammation</i> , 1991, 15, 117-126.	1.7	25
143	Possible Role for Platelet-Activating Factor in Neutrophil Infiltration in Allergic Inflammation in Rats. <i>International Archives of Allergy and Immunology</i> , 1990, 92, 396-403.	0.9	10
144	Suppression by adrenoceptor beta-agonists of vascular permeability increase and edema formation induced by arachidonate metabolites, platelet-activating factor, and tumor-promoting phorbol ester TPA. <i>Immunopharmacology</i> , 1990, 20, 81-88.	2.0	7

#	ARTICLE	IF	CITATIONS
145	Dual effects of staurosporine on arachidonic acid metabolism in rat peritoneal macrophages. <i>Lipids and Lipid Metabolism</i> , 1990, 1047, 141-147.	2.6	20
146	Okadaic acid and dinophysistoxin-1, non-TPA-type tumor promoters, stimulate prostaglandin E2 production in rat peritoneal macrophages. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1989, 1013, 86-91.	1.9	26
147	Stimulation of histamine release and arachidonic acid metabolism in rat peritoneal mast cells by thapsigargin, a non-TPA-type tumor promoter. <i>Lipids and Lipid Metabolism</i> , 1989, 1003, 9-14.	2.6	16
148	Occurrence of Histamine-Production-Increasing Factor in the Postanaphylactic Phase of Allergic Inflammation. <i>International Archives of Allergy and Immunology</i> , 1989, 88, 386-393.	0.9	14
149	Inhibition by gossypol of tumor promoter-induced arachidonic acid metabolism in rat peritoneal macrophages. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1988, 971, 85-91.	1.9	8
150	Inhibition by gossypol of tumor promoter-induced arachidonic acid metabolism in rat peritoneal macrophages. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1988, 971, 85-91.	0.5	4
151	Analysis of the stimulative effect of thapsigargin, a non-TPA-type tumour promoter, on arachidonic acid metabolism in rat peritoneal macrophages. <i>British Journal of Pharmacology</i> , 1988, 94, 917-923.	2.7	52
152	Mechanism of Antianaphylactic Action of H_2 -Agonists in Allergic Inflammation of Air Pouch Type in Rats. <i>International Archives of Allergy and Immunology</i> , 1987, 82, 26-32.	0.9	11
153	Platelet-Activating Factor in the Inflammatory Exudate in the Anaphylactic Phase of Allergic Inflammation in Rats. <i>International Archives of Allergy and Immunology</i> , 1987, 84, 396-403.	0.9	12
154	Mechanism of the inhibitory action of cyclooxygenase inhibitors on leukocyte infiltration: Involvement of endogenous histamine. <i>European Journal of Pharmacology</i> , 1987, 144, 267-275.	1.7	15
155	Stimulation of arachidonic acid metabolism in rat peritoneal macrophages by thapsigargin, a non-(12-O-tetradecanoylphorbol-13-acetate) (TPA)-type tumor promoter. <i>Journal of Cancer Research and Clinical Oncology</i> , 1987, 113, 319-324.	1.2	34
156	The effect of diphenylamine derivatives on arachidonic acid metabolism in rat peritoneal macrophages. <i>Prostaglandins, Leukotrienes, and Medicine</i> , 1987, 28, 15-23.	0.8	6
157	Vascular permeability responses and the role of prostaglandin E_{2} in an experimental allergic inflammation of air pouch type in rats. <i>British Journal of Pharmacology</i> , 1986, 87, 751-756.	2.7	19
158	Synergistic stimulation of histamine release from rat peritoneal mast cells by 12-O-tetradecanoylphorbol 13-acetate (TPA)-type and non-TPA-type tumor promoters. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1986, 887, 94-99.	1.9	20
159	Pharmacological analysis of the vascular permeability response in the anaphylactic phase of allergic inflammation in rats. <i>European Journal of Pharmacology</i> , 1985, 117, 337-345.	1.7	35
160	Slow reacting substance in the exudate of allergic air pouch inflammation in rats. <i>Prostaglandins, Leukotrienes, and Medicine</i> , 1983, 10, 101-106.	0.8	8
161	Importance of Rare DPYD Genetic Polymorphisms for 5-Fluorouracil Therapy in the Japanese Population. <i>Frontiers in Pharmacology</i> , 0, 13, .	1.6	9