

Trevor J Lockett

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6253911/trevor-j-lockett-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82
papers

5,638
citations

25
h-index

74
g-index

88
ext. papers

6,685
ext. citations

7.1
avg, IF

4.81
L-index

#	Paper	IF	Citations
82	An acetate-yielding diet imprints an immune and anti-microbial programme against enteric infection. <i>Clinical and Translational Immunology</i> , 2021 , 10, e1233	6.8	10
81	Medically actionable pathogenic variants in a population of 13,131 healthy elderly individuals. <i>Genetics in Medicine</i> , 2020 , 22, 1883-1886	8.1	10
80	Gut microbial metabolites limit the frequency of autoimmune T cells and protect against type 1 diabetes. <i>Nature Immunology</i> , 2017 , 18, 552-562	19.1	367
79	Microbiome and metabolic disorders related to obesity: Which lessons to learn from experimental models?. <i>Trends in Food Science and Technology</i> , 2016 , 57, 256-264	15.3	19
78	Role of food processing in food and nutrition security. <i>Trends in Food Science and Technology</i> , 2016 , 56, 115-125	15.3	115
77	Evaluation of Methylation Biomarkers for Detection of Circulating Tumor DNA and Application to Colorectal Cancer. <i>Genes</i> , 2016 , 7,	4.2	40
76	Microbes, Metabolites and Health 2016 , 13-48		
75	Dietary butyrylated high-amylose starch reduces azoxymethane-induced colonic O(6)-methylguanine adducts in rats as measured by immunohistochemistry and high-pressure liquid chromatography. <i>Nutrition Research</i> , 2016 , 36, 982-988	4	6
74	Resistant starch alters colonic contractility and expression of related genes in rats fed a Western diet. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 1624-32	4	6
73	Chronic administration of a microencapsulated probiotic enhances the bioavailability of orange juice flavanones in humans. <i>Free Radical Biology and Medicine</i> , 2015 , 84, 206-214	7.8	60
72	Lowering of large bowel butyrate levels in healthy populations is unlikely to be beneficial. <i>Journal of Nutrition</i> , 2015 , 145, 1030-1	4.1	7
71	Ideal colonoscopic surveillance intervals to reduce incidence of advanced adenoma and colorectal cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 1147-54	4	8
70	Association between specific mucosa-associated microbiota in Crohn's disease at the time of resection and subsequent disease recurrence: a pilot study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 268-78	4	103
69	A prediction model for colon cancer surveillance data. <i>Statistics in Medicine</i> , 2015 , 34, 2662-75	2.3	2
68	Blood-based protein biomarker panel for the detection of colorectal cancer. <i>PLoS ONE</i> , 2015 , 10, e0120425	3.7	48
67	A two-gene blood test for methylated DNA sensitive for colorectal cancer. <i>PLoS ONE</i> , 2015 , 10, e0125041	3.7	47
66	Bioequivalence of n-3 fatty acids from microencapsulated fish oil formulations in human subjects. <i>British Journal of Nutrition</i> , 2015 , 113, 822-31	3.6	11

65	RNA sequencing supports distinct reactive oxygen species-mediated pathways of apoptosis by high and low size mass fractions of Bay leaf (<i>Lauris nobilis</i>) in HT-29 cells. <i>Food and Function</i> , 2015 , 6, 2507-24	6.1	8
64	A panel of genes methylated with high frequency in colorectal cancer. <i>BMC Cancer</i> , 2014 , 14, 54	4.8	117
63	Little evidence for association between the TGFBR1*6A variant and colorectal cancer: a family-based association study on non-syndromic family members from Australia and Spain. <i>BMC Cancer</i> , 2014 , 14, 475	4.8	1
62	Cost-effectiveness of family history-based colorectal cancer screening in Australia. <i>BMC Cancer</i> , 2014 , 14, 261	4.8	21
61	Hydrodynamic radii of solubilized high amylose native and modified starches by pulsed field gradient NMR diffusion measurements. <i>Food Hydrocolloids</i> , 2014 , 40, 16-21	10.6	4
60	Esterification of high amylose starch with short chain fatty acids modulates degradation by <i>Bifidobacterium</i> spp.. <i>Journal of Functional Foods</i> , 2014 , 6, 137-146	5.1	9
59	Colorectal cancer biomarkers: to be or not to be? Cautionary tales from a road well travelled. <i>World Journal of Gastroenterology</i> , 2014 , 20, 888-98	5.6	18
58	Butyrylated starch affects colorectal cancer markers beneficially and dose-dependently in genotoxin-treated rats. <i>Cancer Biology and Therapy</i> , 2014 , 15, 1515-23	4.6	13
57	Dietary supplementation of propionylated starch to domestic cats provides propionic acid as gluconeogenic substrate potentially sparing the amino acid valine. <i>Journal of Nutritional Science</i> , 2014 , 3, e16	2.7	4
56	An association between the PTGS2 rs5275 polymorphism and colorectal cancer risk in families with inherited non-syndromic predisposition. <i>European Journal of Human Genetics</i> , 2013 , 21, 1389-95	5.3	5
55	Nano- and micro-encapsulated systems for enhancing the delivery of resveratrol. <i>Annals of the New York Academy of Sciences</i> , 2013 , 1290, 107-12	6.5	91
54	Colorectal carcinogenesis: a cellular response to sustained risk environment. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 13525-41	6.3	24
53	Genomic homeostasis is dysregulated in favour of apoptosis in the colonic epithelium of the azoxymethane treated rat. <i>BMC Physiology</i> , 2013 , 13, 2	0	9
52	Screening participation for people at increased risk of colorectal cancer due to family history: a systematic review and meta-analysis. <i>Familial Cancer</i> , 2013 , 12, 459-72	3	38
51	Commensal microbe-derived butyrate induces the differentiation of colonic regulatory T cells. <i>Nature</i> , 2013 , 504, 446-50	50.4	2810
50	Omega-3 fatty acids in ileal effluent after consuming different foods containing microencapsulated fish oil powder - an ileostomy study. <i>Food and Function</i> , 2013 , 4, 74-82	6.1	23
49	Repair and removal of azoxymethane-induced O6-methylguanine in rat colon by O6-methylguanine DNA methyltransferase and apoptosis. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2013 , 758, 80-6	3	18
48	Screening participation predictors for people at familial risk of colorectal cancer: a systematic review. <i>American Journal of Preventive Medicine</i> , 2013 , 44, 496-506	6.1	24

47	Performance of serum lipocalin 2 as a diagnostic marker for colorectal cancer. <i>Cancer Biomarkers</i> , 2013 , 13, 75-9	3.8	10
46	Serum concentrations of brain-derived neurotrophic factor (BDNF) are decreased in colorectal cancer patients. <i>Cancer Biomarkers</i> , 2013 , 13, 67-73	3.8	15
45	Cost-effectiveness of an advance notification letter to increase colorectal cancer screening. <i>International Journal of Technology Assessment in Health Care</i> , 2013 , 29, 261-8	1.8	6
44	Molecular size fractions of bay leaf (<i>Laurus nobilis</i>) exhibit differentiated regulation of colorectal cancer cell growth in vitro. <i>Nutrition and Cancer</i> , 2013 , 65, 746-64	2.8	13
43	Impact of ethnicity, geography, and disease on the microbiota in health and inflammatory bowel disease. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 2906-18	4.5	59
42	Screening practices of Australian men and women categorized as "at or slightly above average risk" of colorectal cancer. <i>Cancer Causes and Control</i> , 2012 , 23, 1853-64	2.8	15
41	Identification of potential pathways involved in induction of apoptosis by butyrate and 4-benzoylbutyrate in HT29 colorectal cancer cells. <i>Journal of Proteome Research</i> , 2012 , 11, 6019-29	5.6	13
40	A review of the potential mechanisms for the lowering of colorectal oncogenesis by butyrate. <i>British Journal of Nutrition</i> , 2012 , 108, 820-31	3.6	209
39	Resistant starches protect against colonic DNA damage and alter microbiota and gene expression in rats fed a Western diet. <i>Journal of Nutrition</i> , 2012 , 142, 832-40	4.1	87
38	Evidence of linkage to chromosomes 10p15.3-p15.1, 14q24.3-q31.1 and 9q33.3-q34.3 in non-syndromic colorectal cancer families. <i>European Journal of Human Genetics</i> , 2012 , 20, 91-6	5.3	11
37	Screening practices of unaffected people at familial risk of colorectal cancer. <i>Cancer Prevention Research</i> , 2012 , 5, 240-7	3.2	21
36	Butyrate delivered by butyrylated starch increases distal colonic epithelial apoptosis in carcinogen-treated rats. <i>Carcinogenesis</i> , 2012 , 33, 197-202	4.6	60
35	Nutrigenetics and nutrigenomics: viewpoints on the current status and applications in nutrition research and practice. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2011 , 4, 69-89		192
34	Acetylated High Amylose Maize Starch Improves the Efficacy of Oral Rehydration Solution in a Rat Model of Cholera. <i>Gastroenterology</i> , 2011 , 140, S-134	13.3	2
33	Is the tissue persistence of O(6)-methyl-2-Deoxyguanosine an indicator of tumour formation in the gastrointestinal tract?. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2011 , 721, 119-26	3	9
32	Butyrate-induced apoptosis in HCT116 colorectal cancer cells includes induction of a cell stress response. <i>Journal of Proteome Research</i> , 2011 , 10, 1860-9	5.6	60
31	A combined free-flow electrophoresis and DIGE approach to identify proteins regulated by butyrate in HT29 cells. <i>Proteomics</i> , 2011 , 11, 964-71	4.8	10
30	Intestinal passage of microencapsulated fish oil in rats following oral administration. <i>Food and Function</i> , 2011 , 2, 684-96	6.1	14

29	Effects of microencapsulation on the gastrointestinal transit and tissue distribution of a bioactive mixture of fish oil, tributyrin and resveratrol. <i>Journal of Functional Foods</i> , 2011 , 3, 25-37	5.1	56
28	Efficacy of butyrate analogues in HT-29 cancer cells. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010 , 37, 482-9	3	15
27	Structure-activity relationship of butyrate analogues on apoptosis, proliferation and histone deacetylase activity in HCT-116 human colorectal cancer cells. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010 , 37, 905-11	3	12
26	Measuring the combinatorial expression of solute transporters and metalloproteinases transcripts in colorectal cancer. <i>BMC Research Notes</i> , 2009 , 2, 164	2.3	7
25	Proteomic analysis of butyrate effects and loss of butyrate sensitivity in HT29 colorectal cancer cells. <i>Journal of Proteome Research</i> , 2009 , 8, 1220-7	5.6	24
24	Influence of Helix Length on Cleavage Efficiency of Hammerhead Ribozymes. <i>Australian Journal of Chemistry</i> , 2005 , 58, 851	1.2	1
23	Preclinical evaluation of a prostate-targeted gene-directed enzyme prodrug therapy delivered by ovine atadenovirus. <i>Gene Therapy</i> , 2004 , 11, 1559-67	4	25
22	Redesigned and chemically-modified hammerhead ribozymes with improved activity and serum stability. <i>BMC Chemical Biology</i> , 2004 , 4, 1		12
21	Identifying ribozyme-accessible sites using NUH triplet-targeting gapmers. <i>Nucleic Acids Research</i> , 2001 , 29, 1906-14	20.1	10
20	Tris lipidation: a chemically flexible technology for modifying the delivery of drugs and genes. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2000 , 27, 563-7	3	9
19	Small, efficient hammerhead ribozymes. <i>Molecular Biotechnology</i> , 2000 , 14, 5-17	3	13
18	Selected classes of minimised hammerhead ribozyme have very high cleavage rates at low Mg ²⁺ concentration. <i>Nucleic Acids Research</i> , 1999 , 27, 2400-7	20.1	43
17	RNA hairpin loops repress protein synthesis more strongly than hammerhead ribozymes. <i>FEBS Journal</i> , 1999 , 266, 260-73		6
16	A transfection compound series based on a versatile Tris linkage. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1999 , 1417, 37-50	3.8	40
15	Small Efficient Hammerhead Ribozymes 1998 , 1-16		1
14	Minimized hammerhead ribozymes. <i>Methods in Molecular Biology</i> , 1997 , 74, 151-9	1.4	3
13	A minimised hammerhead ribozyme with activity against interleukin-2 in human cells. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 231, 397-402	3.4	14
12	Antisense inhibition of β actin mRNA localization and its effect on smooth muscle cell migration. <i>Biology of the Cell</i> , 1997 , 89, 113-122	3.5	8

11	Antisense inhibition of β -actin mRNA localization and its effect on smooth muscle cell migration 1997 , 89, 113		3
10	Rough genes with Deformed homeobox substitutions exhibit rough regulatory specificity during Drosophila eye development. <i>Mechanisms of Development</i> , 1993 , 41, 57-68	1.7	5
9	The rough (ro+) gene as a dominant P-element marker in germ line transformation of Drosophila melanogaster. <i>Gene</i> , 1992 , 114, 187-93	3.8	7
8	A bacteriophage lambda DNA purification procedure suitable for the analysis of DNA from either large or multiple small lysates. <i>Analytical Biochemistry</i> , 1990 , 185, 230-4	3.1	24
7	Temporal and spatial utilization of the alcohol dehydrogenase gene promoters during the development of Drosophila melanogaster. <i>Developmental Biology</i> , 1989 , 134, 430-7	3.1	31
6	Pattern formation in the developing eye of Drosophila melanogaster is regulated by the homoeo-box gene, rough. <i>Nature</i> , 1988 , 334, 151-4	50.4	57
5	Competition studies with repressors and activators of viral enhancer function in F9 mouse embryonal carcinoma cells. <i>Nucleic Acids Research</i> , 1987 , 15, 4307-24	20.1	17
4	Oncogene expression in differentiating F9 mouse embryonal carcinoma cells. <i>Experimental Cell Research</i> , 1987 , 173, 370-8	4.2	17
3	The Notch locus of Drosophila melanogaster. <i>Cell</i> , 1983 , 34, 421-33	56.2	195
2	Analysis of transcripts from two families of nomadic DNA. <i>Journal of Molecular Biology</i> , 1982 , 157, 49-68	6.5	47
1	Organization of the unique and repetitive sequences in feather keratin messenger ribonucleic acid. <i>Biochemistry</i> , 1979 , 18, 5654-63	3.2	11