# Cristina Rebordosa

#### List of Publications by Citations

Source: https://exaly.com/author-pdf/6254656/cristina-rebordosa-publications-by-citations.pdf

Version: 2024-04-16

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134 papers 2,666 citations

26 h-index

4/ g-index

141 ext. papers

3,639 ext. citations

**5.1** avg, IF

5.6 L-index

#	Paper	IF	Citations
134	Data Resource Profile: The Danish National Prescription Registry. <i>International Journal of Epidemiology</i> , <b>2017</b> , 46, 798-798f	7.8	397
133	Arterial events, venous thromboembolism, thrombocytopenia, and bleeding after vaccination with Oxford-AstraZeneca ChAdOx1-S in Denmark and Norway: population based cohort study. <i>BMJ, The</i> , <b>2021</b> , 373, n1114	5.9	144
132	Characteristics and predictors of hospitalization and death in the first 11 22 cases with a positive RT-PCR test for SARS-CoV-2 in Denmark: a nationwide cohort. <i>International Journal of Epidemiology</i> , <b>2020</b> , 49, 1468-1481	7.8	124
131	Use of Antibiotics and Risk of Type 2 Diabetes: A Population-Based Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 3633-40	5.6	85
130	Association of Antithrombotic Drug Use With Subdural Hematoma Risk. <i>JAMA - Journal of the American Medical Association</i> , <b>2017</b> , 317, 836-846	27.4	77
129	Primary non-adherence in general practice: a Danish register study. <i>European Journal of Clinical Pharmacology</i> , <b>2014</b> , 70, 757-63	2.8	77
128	Use of proton-pump inhibitors among adults: a Danish nationwide drug utilization study. <i>Therapeutic Advances in Gastroenterology</i> , <b>2016</b> , 9, 671-8	4.7	69
127	Comparison of the Five Danish Regions Regarding Demographic Characteristics, Healthcare Utilization, and Medication UseA Descriptive Cross-Sectional Study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0140197	3.7	67
126	Post-acute effects of SARS-CoV-2 infection in individuals not requiring hospital admission: a Danish population-based cohort study. <i>Lancet Infectious Diseases, The</i> , <b>2021</b> , 21, 1373-1382	25.5	58
125	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study. <i>PLoS Medicine</i> , <b>2020</b> , 17, e1003308	11.6	55
124	Improving Medication Adherence in Patients with Hypertension: A Randomized Trial. <i>American Journal of Medicine</i> , <b>2015</b> , 128, 1351-61	2.4	54
123	A cohort study on the risk of lymphoma and skin cancer in users of topical tacrolimus, pimecrolimus, and corticosteroids (Joint European Longitudinal Lymphoma and Skin Cancer Evaluation - JOELLE study). <i>Clinical Epidemiology</i> , <b>2018</b> , 10, 299-310	5.9	49
122	The use of medication against attention deficit hyperactivity disorder in Denmark: a drug use study from a national perspective. <i>European Journal of Clinical Pharmacology</i> , <b>2012</b> , 68, 1443-50	2.8	49
121	Effect of Allopurinol on Cardiovascular Outcomes in Hyperuricemic Patients: A Cohort Study. <i>American Journal of Medicine</i> , <b>2016</b> , 129, 299-306.e2	2.4	48
120	Assigning exposure duration to single prescriptions by use of the waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2013</b> , 22, 803-9	2.6	48
119	New use of prescription drugs prior to a cancer diagnosis. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2017</b> , 26, 223-227	2.6	45
118	Considerations for Pharmacoepidemiological Studies of Drug-Cancer Associations. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2018</b> , 122, 451-459	3.1	42

## (2013-2013)

117	The use of medication against attention deficit/hyperactivity disorder in Denmark: a drug use study from a patient perspective. <i>European Journal of Clinical Pharmacology</i> , <b>2013</b> , 69, 589-98	2.8	40
116	Sequence symmetry analysis in pharmacovigilance and pharmacoepidemiologic studies. <i>European Journal of Epidemiology</i> , <b>2017</b> , 32, 567-582	12.1	39
115	Use of N-nitrosodimethylamine (NDMA) contaminated valsartan products and risk of cancer: Danish nationwide cohort study. <i>BMJ, The</i> , <b>2018</b> , 362, k3851	5.9	38
114	Use of antibiotics in children: a Danish nationwide drug utilization study. <i>Pediatric Infectious Disease Journal</i> , <b>2015</b> , 34, e16-22	3.4	36
113	Use of benzodiazepines or benzodiazepine related drugs and the risk of cancer: a population-based case-control study. <i>British Journal of Clinical Pharmacology</i> , <b>2013</b> , 75, 1356-64	3.8	34
112	First-trimester exposure to methylphenidate: a population-based cohort study. <i>Journal of Clinical Psychiatry</i> , <b>2014</b> , 75, e88-93	4.6	34
111	Use of proton pump inhibitors after antireflux surgery: a nationwide register-based follow-up study. <i>Gut</i> , <b>2014</b> , 63, 1544-9	19.2	27
110	Multifaceted intervention including motivational interviewing to support medication adherence after stroke/transient ischemic attack: a randomized trial. <i>Cerebrovascular Diseases Extra</i> , <b>2014</b> , 4, 221-3	3 <b>4</b> .1	27
109	Treatment Changes among Users of Non-Vitamin K Antagonist Oral Anticoagulants in Atrial Fibrillation. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2017</b> , 120, 187-194	3.1	26
108	Antidepressant use in Denmark, Germany, Spain, and Sweden between 2009 and 2014: Incidence and comorbidities of antidepressant initiators. <i>Journal of Affective Disorders</i> , <b>2019</b> , 249, 242-252	6.6	26
107	Use of sildenafil or other phosphodiesterase inhibitors and risk of melanoma. <i>British Journal of Cancer</i> , <b>2016</b> , 115, 895-900	8.7	24
106	Childrenß relative age in class and use of medication for ADHD: a Danish Nationwide Study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2014</b> , 55, 1244-50	7.9	24
105	Clinical events preceding switching and discontinuation of oral anticoagulant treatment in patients with atrial fibrillation. <i>Europace</i> , <b>2017</b> , 19, 1091-1095	3.9	23
104	Long-Term Lithium Use and Risk of Renal and Upper Urinary Tract Cancers. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2016</b> , 27, 249-55	12.7	23
103	Risk factors for hospitalization due to community-acquired sepsis - a population-based case-control study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0124838	3.7	23
102	Risk of lactic acidosis in type 2 diabetes patients using metformin: A case control study. <i>PLoS ONE</i> , <b>2018</b> , 13, e0196122	3.7	22
101	Metformin treatment does not affect the risk of ruptured abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , <b>2017</b> , 66, 768-774.e2	3.5	21
100	Cancer risk in long-term users of vitamin K antagonists: a population-based case-control study.  International Journal of Cancer, 2013, 132, 2606-12	7.5	21

99	Validity of the Prescriber Information in the Danish National Prescription Registry. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2016</b> , 119, 376-80	3.1	21
98	Determining prescription durations based on the parametric waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25, 1451-1459	2.6	20
97	Odense Pharmacoepidemiological Database: A Review of Use and Content. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2017</b> , 120, 419-425	3.1	19
96	Significant association between the use of different proton pump inhibitors and microscopic colitis: a nationwide Danish case-control study. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2018</b> , 48, 618-625	6.1	19
95	Existing Data Sources in Clinical Epidemiology: The Danish COVID-19 Cohort. <i>Clinical Epidemiology</i> , <b>2020</b> , 12, 875-881	5.9	19
94	Increased risk of major adverse cardiac events following the onset of acute exacerbations of COPD. <i>Respirology</i> , <b>2019</b> , 24, 1183-1190	3.6	18
93	Subdural hematoma cases identified through a Danish patient register: diagnosis validity, clinical characteristics, and preadmission antithrombotic drug use. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25, 1253-1262	2.6	18
92	Use of SSRIs among Danish children: a nationwide study. <i>European Child and Adolescent Psychiatry</i> , <b>2014</b> , 23, 1211-8	5.5	18
91	Phthalate exposure from drugs during pregnancy and possible risk of preterm birth and small for gestational age. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2019</b> , 240, 293-29	99 <sup>2.4</sup>	17
90	Identification of Associations Between Prescribed Medications and Cancer: A Nationwide Screening Study. <i>EBioMedicine</i> , <b>2016</b> , 7, 73-9	8.8	17
89	Hypothesis-free screening of large administrative databases for unsuspected drug-outcome associations. <i>European Journal of Epidemiology</i> , <b>2018</b> , 33, 545-555	12.1	15
88	GOLD assessment of COPD severity in the Clinical Practice Research Datalink (CPRD). <i>Pharmacoepidemiology and Drug Safety</i> , <b>2019</b> , 28, 126-133	2.6	14
87	Impact of Urate Level on Cardiovascular Risk in Allopurinol Treated Patients. A Nested Case-Control Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0146172	3.7	14
86	Angiotensin II receptor blockers are safe in patients with prior angioedema related to angiotensin-converting enzyme inhibitors - a nationwide registry-based cohort study. <i>Journal of Internal Medicine</i> , <b>2019</b> , 285, 553-561	10.8	14
85	Risk of Acute Liver Injury in Agomelatine and Other Antidepressant Users in Four European Countries: A Cohort and Nested Case-Control Study Using Automated Health Data Sources. <i>CNS Drugs</i> , <b>2019</b> , 33, 383-395	6.7	13
84	Phenobarbital compared to benzodiazepines in alcohol withdrawal treatment: A register-based cohort study of subsequent benzodiazepine use, alcohol recidivism and mortality. <i>Drug and Alcohol Dependence</i> , <b>2016</b> , 161, 258-64	4.9	13
83	Validity of ICD-9 and ICD-10 codes used to identify acute liver injury: A study in three European data sources. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2019</b> , 28, 965-975	2.6	13
82	Urinary tract infections and risk of squamous cell carcinoma bladder cancer: A Danish nationwide case-control study. <i>International Journal of Cancer</i> , <b>2020</b> , 146, 1930-1936	7.5	13

## (2017-2018)

81	Using the "proportion of patients covered" and the Kaplan-Meier survival analysis to describe treatment persistence. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2018</b> , 27, 867-871	2.6	12
80	Refining estimates of prescription durations by using observed covariates in pharmacoepidemiological databases: an application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2017</b> , 26, 900-908	2.6	12
79	Cardiovascular drugs and erectile dysfunction - a symmetry analysis. <i>British Journal of Clinical Pharmacology</i> , <b>2015</b> , 80, 1219-23	3.8	12
78	Association of Nonsteroidal Anti-inflammatory Drug Use and Adverse Outcomes Among Patients Hospitalized With Influenza. <i>JAMA Network Open</i> , <b>2020</b> , 3, e2013880	10.4	12
77	Topical Antimycotics for Oral Candidiasis in Warfarin Users. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2017</b> , 120, 368-372	3.1	11
76	Long-term Use of Statins and Risk of Renal Cell Carcinoma: A Population-based Case-Control Study. <i>European Urology</i> , <b>2016</b> , 69, 877-82	10.2	11
75	Long-term use of lithium and risk of colorectal adenocarcinoma: a nationwide case-control study. <i>British Journal of Cancer</i> , <b>2016</b> , 114, 571-5	8.7	11
74	Pharmacoepidemiological assessment of drug interactions with vitamin K antagonists. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2014</b> , 23, 1160-7	2.6	11
73	Concurrent use of tramadol and oral vitamin K antagonists and the risk of excessive anticoagulation: a register-based nested case-control study. <i>European Journal of Clinical Pharmacology</i> , <b>2013</b> , 69, 641-6	2.8	11
72	Performance of the High-dimensional Propensity Score in a Nordic Healthcare Model. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2017</b> , 120, 312-317	3.1	11
71	Antihistamines and Ovarian Cancer Survival: Nationwide Cohort Study and in Vitro Cell Viability Assay. <i>Journal of the National Cancer Institute</i> , <b>2020</b> , 112, 964-967	9.7	11
70	SearCh for humourlstic and Extravagant acroNyms and Thoroughly Inappropriate names For Important Clinical trials (SCIENTIFIC): qualitative and quantitative systematic study. <i>BMJ, The</i> , <b>2014</b> , 349, g7092	5.9	10
69	Pharmaceutical interventions on prescription problems in a Danish pharmacy setting. <i>International Journal of Clinical Pharmacy</i> , <b>2011</b> , 33, 1019-27	2.3	10
68	Association of Potent and Very Potent Topical Corticosteroids and the Risk of Osteoporosis and Major Osteoporotic Fractures. <i>JAMA Dermatology</i> , <b>2021</b> , 157, 275-282	5.1	10
67	Validity of Antineoplastic Procedure Codes in the Danish National Patient Registry: The Case of Colorectal Cancer. <i>Epidemiology</i> , <b>2020</b> , 31, 599-603	3.1	9
66	Use of exenatide and liraglutide in Denmark: a drug utilization study. <i>European Journal of Clinical Pharmacology</i> , <b>2014</b> , 70, 205-14	2.8	9
65	Ophthalmic nepafenac use in the Netherlands and Denmark. <i>Acta Ophthalmologica</i> , <b>2017</b> , 95, 509-517	3.7	8
64	Population Exposure to Phthalate-containing Drugs. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2017</b> , 121, 153-158	3.1	8

63	Cumulative exposure to phthalates from phthalate-containing drug products: a Danish population-wide study. <i>British Journal of Clinical Pharmacology</i> , <b>2018</b> , 84, 1798-1805	3.8	8
62	Deviant patterns of methylphenidate use in adults: a Danish nationwide registry-based drug utilization study. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2015</b> , 24, 1189-96	2.6	8
61	Is urate crystal precipitation a predictor of cardiovascular risk in hyperuricemic patients? A Danish cohort study. <i>Arthritis Research and Therapy</i> , <b>2015</b> , 17, 304	5.7	7
60	Sodium-glucose cotransporter 2 inhibitors and risk of nephrolithiasis. <i>Diabetologia</i> , <b>2021</b> , 64, 1563-1571	10.3	7
59	SARS-CoV-2 infection and adverse outcomes in users of ACE inhibitors and angiotensin-receptor blockers: a nationwide case-control and cohort analysis. <i>Thorax</i> , <b>2021</b> , 76, 370-379	7.3	7
58	Patterns of use of antimuscarinic drugs to treat overactive bladder in Denmark, Sweden, and the United Kingdom. <i>PLoS ONE</i> , <b>2018</b> , 13, e0204456	3.7	7
57	Perioperative Tranexamic Acid Treatment and Risk of Cardiovascular Events or Death After Total Hip Arthroplasty: A Population-Based Cohort Study from National Danish Databases. <i>Journal of Bone and Joint Surgery - Series A</i> , <b>2018</b> , 100, 1742-1749	5.6	7
56	Treatment Failure of TNF-Inhibitors in Obese Patients With Inflammatory Bowel Disease-A Cohort Study. <i>Inflammatory Bowel Diseases</i> , <b>2018</b> , 24, 2628-2633	4.5	7
55	Using the Symmetry Analysis Design to Screen for Adverse Effects of Non-vitamin K Antagonist Oral Anticoagulants. <i>Drug Safety</i> , <b>2018</b> , 41, 685-695	5.1	6
54	Estimating medication stopping fraction and real-time prevalence of drug use in pharmaco-epidemiologic databases. An application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2017</b> , 26, 909-916	2.6	6
53	Description of a practice model for pharmacist medication review in a general practice setting. <i>Pharmacy Practice</i> , <b>2014</b> , 12, 420	1.8	6
52	Early Discontinuation of Metformin in Individuals Treated with Inhibitors of Transporters of Metformin. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2016</b> , 118, 487-95	3.1	6
51	Effectiveness and safety of direct oral anticoagulants in atrial fibrillation patients switched from vitamin K antagonists: A systematic review and meta-analysis. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2019</b> , 126, 21	3.1	6
50	External adjustment of unmeasured confounders in a case-control study of benzodiazepine use and cancer risk. <i>British Journal of Clinical Pharmacology</i> , <b>2017</b> , 83, 2517-2527	3.8	5
49	Postponement of Death by Statin Use: a Systematic Review and Meta-analysis of Randomized Clinical Trials. <i>Journal of General Internal Medicine</i> , <b>2019</b> , 34, 1607-1614	4	5
48	Drug use among complete responders, partial responders and non-responders in a longitudinal survey of nonagenarians: analysis of prescription register data. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2017</b> , 26, 152-161	2.6	5
47	PhysiciansRand pharmaciesRoverview of patientsRmedication. An analysis of fidelity coefficients. <i>European Journal of Clinical Pharmacology</i> , <b>2011</b> , 67, 919-24	2.8	5
46	Congenital Malformations in Denmark: Considerations for the Use of Danish Health Care Registries. <i>Clinical Epidemiology</i> , <b>2020</b> , 12, 1371-1380	5.9	5

45	Antihistamine use and risk of ovarian cancer: A population-based case-control study. <i>Maturitas</i> , <b>2019</b> , 120, 47-52	5	5
44	Use of aclidinium did not increase the risk of death in a noninterventional cohort study in the Clinical Practice Research Datalink (CPRD), United Kingdom. <i>Respiratory Medicine</i> , <b>2019</b> , 152, 37-43	4.6	4
43	Empirical validation of the reverse parametric waiting time distribution and standard methods to estimate prescription durations for warfarin. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2018</b> , 27, 1011-10	1 <sup>2</sup> 8 <sup>6</sup>	4
42	Montelukast use-a 19-year nationwide drug utilisation study. <i>European Journal of Clinical Pharmacology</i> , <b>2017</b> , 73, 1297-1304	2.8	4
41	Antidepressant drug use and subdural hematoma risk. <i>Journal of Thrombosis and Haemostasis</i> , <b>2020</b> , 18, 318-327	15.4	4
40	Impact of EMA regulatory label changes on systemic diclofenac initiation, discontinuation, and switching to other pain medicines in Scotland, England, Denmark, and The Netherlands. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2020</b> , 29, 296-305	2.6	4
39	Using the waiting time distribution with random index dates to estimate prescription durations in the presence of seasonal stockpiling. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2020</b> , 29, 1072-1078	2.6	4
38	Ischemic Stroke and Systemic Embolism in Warfarin Users With Atrial Fibrillation or Heart Valve Replacement Exposed to Dicloxacillin or Flucloxacillin. <i>Clinical Pharmacology and Therapeutics</i> , <b>2020</b> , 107, 607-616	6.1	4
37	Bias in case-crossover studies of medications due to persistent use: A simulation study. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2020</b> , 29, 1079-1085	2.6	3
36	Hydrochlorothiazide Use and Increased Squamous Cell Carcinoma Burden in a High-Risk Mohs Population: A Cross-Sectional Study. <i>Dermatologic Surgery</i> , <b>2020</b> , 46, 704-708	1.7	3
35	Who prescribes drugs to patients: A Danish register-based study. <i>British Journal of Clinical Pharmacology</i> , <b>2021</b> , 87, 2982-2987	3.8	3
34	Using probability of drug use as independent variable in a register-based pharmacoepidemiological cause-effect study-An application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2017</b> , 26, 1520-1526	2.6	2
33	Prescription duration and treatment episodes in oral glucocorticoid users: application of the parametric waiting time distribution. <i>Clinical Epidemiology</i> , <b>2017</b> , 9, 591-600	5.9	2
32	Use of Topical Tacrolimus and Topical Pimecrolimus in Four European Countries: A Multicentre Database Cohort Study. <i>Drugs - Real World Outcomes</i> , <b>2018</b> , 5, 109-116	2.2	2
31	Associations of low-dose aspirin or other NSAID use with prostate cancer risk in the Danish Diet, Cancer and Health Study. <i>Cancer Causes and Control</i> , <b>2020</b> , 31, 139-151	2.8	2
30	Trends in Incidence of Intracerebral Hemorrhage and Association With Antithrombotic Drug Use in Denmark, 2005-2018. <i>JAMA Network Open</i> , <b>2021</b> , 4, e218380	10.4	2
29	Persistence and adherence to non-vitamin K antagonist oral anticoagulant treatment in patients with atrial fibrillation across five Western European countries. <i>Europace</i> , <b>2021</b> , 23, 1722-1730	3.9	2
28	Use of phthalate-containing prescription drugs and the risk of gastric cancer: a Danish nationwide case-control study. <i>Acta Oncolgica</i> , <b>2019</b> , 58, 852-858	3.2	1

27	Exposure to phthalate-containing prescription drugs and the risk of colorectal adenocarcinoma: A Danish nationwide case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2019</b> , 28, 528-535	2.6	1
26	No Evidence of Off-label Use of Olodaterol and Indacaterol in Denmark, France, and the Netherlands: A Drug Utilization Study. <i>Scientific Reports</i> , <b>2020</b> , 10, 586	4.9	1
25	Use of Dicloxacillin and Risk of Pregnancy among Users of Oral Contraceptives. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2018</b> , 123, 288-293	3.1	1
24	Individual-level drug utilization analyses <b>2016</b> , 68-76		1
23	Time for integrating clinical, lifestyle and molecular data to predict drug responses - AuthorsRreply. <i>EBioMedicine</i> , <b>2016</b> , 7, 11	8.8	1
22	Use of prescription drugs among women diagnosed with epithelial ovarian cancer in Denmark. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2018</b> , 97, 1332-1338	3.8	1
21	The International Society for Pharmacoepidemiology & Comments on the Core Recommendations in the Summary of the Heads of Medicines Agencies (HMA) - EMA Joint Big Data Task Force. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2019</b> , 28, 1640-1641	2.6	1
20	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study <b>2020</b> , 17, e1003308		1
19	Risk of Renal Cell Carcinoma Associated with Calcium Channel Blockers: A Nationwide Observational Study Focusing on Confounding by Indication. <i>Epidemiology</i> , <b>2020</b> , 31, 860-871	3.1	1
18	The Validity of Danish Prescription Data to Measure Use of Aspirin and Other Non-Steroidal Anti-Inflammatory Drugs and Quantification of Bias Due to Non-Prescription Drug Use. <i>Clinical Epidemiology</i> , <b>2021</b> , 13, 569-579	5.9	1
17	The effect of immunosuppressants on the prognosis of SARS-CoV-2 infection. <i>European Respiratory Journal</i> , <b>2021</b> ,	13.6	1
16	Long-Term Risk of Skin Cancer and Lymphoma in Users of Topical Tacrolimus and Pimecrolimus: Final Results from the Extension of the Cohort Study Protopic Joint European Longitudinal Lymphoma and Skin Cancer Evaluation (JOELLE) <i>Clinical Epidemiology</i> , <b>2021</b> , 13, 1141-1153	5.9	1
15	Use of beta-blockers and risk of serious upper gastrointestinal bleeding: a population-based case-control study. <i>Therapeutic Advances in Gastroenterology</i> , <b>2017</b> , 10, 919-929	4.7	0
14	Postponement of Death by Pharmacological Heart Failure Treatment: A Meta-Analysis of Randomized Clinical Trials. <i>American Journal of Medicine</i> , <b>2020</b> , 133, e280-e289	2.4	O
13	Where to begin? Thirty must-read papers for newcomers to pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2021</b> ,	2.6	0
12	A Cohort Study to Evaluate the Risk of Hospitalisation for Congestive Heart Failure Associated with the Use of Aclidinium and Other Chronic Obstructive Pulmonary Disease Medications in the UK Clinical Practice Research Datalink. <i>International Journal of COPD</i> , <b>2021</b> , 16, 1461-1475	3	O
11	Prevalence and quality of antihypertensive therapy among hypertension patients enrolled in the Ghana National Health Insurance Scheme. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2021</b> , 30, 1566-1575	2.6	О
10	Bottleneck analysis: Simple prediction of the precision of a planned case-control or cohort study based on healthcare registers. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2021</b> , 30, 619-625	2.6	O

#### LIST OF PUBLICATIONS

9	Characteristics of New Users of Aclidinium Bromide, Aclidinium/Formoterol, and Other COPD Medications in the United Kingdom, Denmark, and Germany <i>Clinical Drug Investigation</i> , <b>2022</b> , 42, 319	3.2	О
8	Enough Power to Build a Strong Case for Clinical Pharmacy Services?-Reply. <i>JAMA Internal Medicine</i> , <b>2018</b> , 178, 864-865	11.5	
7	A new likelihood model for analyses of pharmacoepidemiologic case-control studies which avoids decision rules for determining latent exposure status. <i>BMC Medical Research Methodology</i> , <b>2021</b> , 21, 144	4.7	
6	Postponement of cardiovascular outcomes by statin use: A systematic review and meta-analysis of randomized clinical trials. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2021</b> , 128, 286-296	3.1	
5	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study <b>2020</b> , 17, e1003308		
4	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study <b>2020</b> , 17, e1003308		
3	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study <b>2020</b> , 17, e1003308		
2	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study <b>2020</b> , 17, e1003308		
1	Development and Validation of a Nordic Multimorbidity Index Based on Hospital Diagnoses and Filled Prescriptions <i>Clinical Epidemiology</i> , <b>2022</b> , 14, 567-579	5.9	