

Kazuki Nakanishi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6257016/publications.pdf>

Version: 2024-02-01

347
papers

21,679
citations

9264

74
h-index

11607

135
g-index

366
all docs

366
docs citations

366
times ranked

12345
citing authors

#	ARTICLE	IF	CITATIONS
1	Sol-gel based structural designs of macropores and material shapes of metal-organic framework gels. <i>Materials Advances</i> , 2021, 2, 4235-4239.	5.4	1
2	Tunable and Well-Defined Bimodal Porous Model Electrodes for Revealing Multiscale Structural Effects in the Nonaqueous O_2 Electrode Process. <i>Journal of Physical Chemistry C</i> , 2021, 125, 1403-1413.	3.1	6
3	Highly porous melamine-formaldehyde monoliths with controlled hierarchical porosity toward application as a metal scavenger. <i>Materials Advances</i> , 2021, 2, 2604-2608.	5.4	2
4	Preparation of hierarchically porous spinel CoMn_2O_4 monoliths via sol-gel process accompanied by phase separation. <i>Journal of the American Ceramic Society</i> , 2021, 104, 2449-2459.	3.8	5
5	Designing hierarchical porosity in tin oxide monoliths and their application as a solid acid catalyst. <i>New Journal of Chemistry</i> , 2021, 45, 17558-17565.	2.8	0
6	Synthesis of Hierarchically Porous Metal Oxide Monoliths via Sol-Gel Process Accompanied by Phase Separation From Divalent Metal Salts: A Short Review. <i>Frontiers in Chemical Engineering</i> , 2021, 3, .	2.7	1
7	Colorless Transparent Melamine-Formaldehyde Aerogels for Thermal Insulation. <i>ACS Applied Nano Materials</i> , 2020, 3, 49-54.	5.0	26
8	On-site formation of small Ag nanoparticles on superhydrophobic mesoporous silica for antibacterial application. <i>New Journal of Chemistry</i> , 2020, 44, 13553-13556.	2.8	5
9	Hierarchically porous monoliths prepared via sol-gel process accompanied by spinodal decomposition. <i>Journal of Sol-Gel Science and Technology</i> , 2020, 95, 530-550.	2.4	40
10	Hierarchically porous monoliths based on low-valence transition metal (Cu, Co, Mn) oxides: gelation and phase separation. <i>National Science Review</i> , 2020, 7, 1656-1666.	9.5	11
11	Superhydrophobic highly flexible doubly cross-linked aerogel/carbon nanotube composites as strain/pressure sensors. <i>Journal of Materials Chemistry B</i> , 2020, 8, 4883-4889.	5.8	25
12	Variation of meso- and macroporous morphologies in resorcinol-formaldehyde (RF) gels tailored via a sol-gel process combined with soft-templating and phase separation. <i>Journal of Sol-Gel Science and Technology</i> , 2020, 95, 801-812.	2.4	8
13	Superelastic Triple-Network Polyorganosiloxane-Based Aerogels as Transparent Thermal Superinsulators and Efficient Separators. <i>Chemistry of Materials</i> , 2020, 32, 1595-1604.	6.7	57
14	Synthesis of hierarchically porous MgO monoliths with continuous structure via sol-gel process accompanied by phase separation. <i>Journal of Sol-Gel Science and Technology</i> , 2019, 89, 29-36.	2.4	12
15	Resilient, fire-retardant and mechanically strong polyimide-polyvinylpolymethylsiloxane composite aerogel prepared via stepwise chemical liquid deposition. <i>Materials and Design</i> , 2019, 183, 108096.	7.0	38
16	Ambient-dried highly flexible copolymer aerogels and their nanocomposites with polypyrrole for thermal insulation, separation, and pressure sensing. <i>Polymer Chemistry</i> , 2019, 10, 4980-4990.	3.9	21
17	Superhydrophobic Ultraflexible Triple-Network Graphene/Polyorganosiloxane Aerogels for a High-Performance Multifunctional Temperature/Strain/Pressure Sensing Array. <i>Chemistry of Materials</i> , 2019, 31, 6276-6285.	6.7	82
18	Self-Assembly of Metal-Organic Frameworks into Monolithic Materials with Highly Controlled Trimodal Pore Structures. <i>Angewandte Chemie</i> , 2019, 131, 19223-19229.	2.0	11

#	ARTICLE	IF	CITATIONS
19	Superelastic Multifunctional Aminosilane-Crosslinked Graphene Aerogels for High Thermal Insulation, Three-Component Separation, and Strain/Pressure-Sensing Arrays. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 43533-43542.	8.0	55
20	Self-Assembly of Metal-Organic Frameworks into Monolithic Materials with Highly Controlled Trimodal Pore Structures. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 19047-19053.	13.8	37
21	Thermogravimetric Evolved Gas Analysis and Microscopic Elemental Mapping of the Solid Electrolyte Interphase on Silicon Incorporated in Free-Standing Porous Carbon Electrodes. <i>Langmuir</i> , 2019, 35, 12680-12688.	3.5	7
22	Preparation of surface-coated macroporous silica (core-shell silica monolith) for HPLC separations. <i>Journal of Sol-Gel Science and Technology</i> , 2019, 90, 105-112.	2.4	4
23	Preparation of zinc oxide with a three-dimensionally interconnected macroporous structure via a sol-gel method accompanied by phase separation. <i>New Journal of Chemistry</i> , 2019, 43, 11720-11726.	2.8	12
24	Macroporous Niobium Phosphate-Supported Magnesia Catalysts for Isomerization of Glucose-to-Fructose. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 8512-8521.	6.7	33
25	Hybrid silicone aerogels toward unusual flexibility, functionality, and extended applications. <i>Journal of Sol-Gel Science and Technology</i> , 2019, 89, 166-175.	2.4	16
26	Comprehensive studies on phosphoric acid treatment of porous titania toward titanium phosphate and pyrophosphate monoliths with pore hierarchy and a nanostructured pore surface. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 1397-1404.	6.0	7
27	Iron(III) oxyhydroxide and oxide monoliths with controlled multiscale porosity: synthesis and their adsorption performance. <i>Journal of Materials Chemistry A</i> , 2018, 6, 9041-9048.	10.3	16
28	Transparent, Superflexible Doubly Cross-Linked Polyvinylpolymethylsiloxane Aerogel Superinsulators via Ambient Pressure Drying. <i>ACS Nano</i> , 2018, 12, 521-532.	14.6	211
29	Versatile Double-Cross-Linking Approach to Transparent, Machinable, Supercompressible, Highly Bendable Aerogel Thermal Superinsulators. <i>Chemistry of Materials</i> , 2018, 30, 2759-2770.	6.7	130
30	On-line Redox Derivatization Liquid Chromatography Using a Carbon Monolithic Column. <i>Bunseki Kagaku</i> , 2018, 67, 469-478.	0.2	0
31	Superflexible Multifunctional Polyvinylpolydimethylsiloxane-Based Aerogels as Efficient Absorbents, Thermal Superinsulators, and Strain Sensors. <i>Angewandte Chemie</i> , 2018, 130, 9870-9875.	2.0	16
32	Superflexible Multifunctional Polyvinylpolydimethylsiloxane-Based Aerogels as Efficient Absorbents, Thermal Superinsulators, and Strain Sensors. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 9722-9727.	13.8	108
33	Sol-gel preparation of hierarchically porous magnesium aluminate (MgAl ₂ O ₄) spinel monoliths for dye adsorption. <i>Journal of Sol-Gel Science and Technology</i> , 2018, 88, 114-128.	2.4	12
34	Synthesis of a hierarchically porous niobium phosphate monolith by a sol-gel method for fructose dehydration to 5-hydroxymethylfurfural. <i>Catalysis Science and Technology</i> , 2018, 8, 3675-3685.	4.1	28
35	Macroporous Morphology Control by Phase Separation. , 2018, , 835-866.		1
36	Monolithic Porous Silica for High-Speed HPLC. , 2018, , 1939-1948.		0

#	ARTICLE	IF	CITATIONS
37	Porosity Measurement. , 2018, , 1399-1409.		1
38	Low-density, transparent aerogels and xerogels based on hexylene-bridged polysilsesquioxane with bendability. Journal of Sol-Gel Science and Technology, 2017, 81, 42-51.	2.4	32
39	Silicone-Based Organic-Inorganic Hybrid Aerogels and Xerogels. Chemistry - A European Journal, 2017, 23, 5176-5187.	3.3	91
40	Highly Flexible Hybrid Polymer Aerogels and Xerogels Based on Resorcinol-Formaldehyde with Enhanced Elastic Stiffness and Recoverability: Insights into the Origin of Their Mechanical Properties. Chemistry of Materials, 2017, 29, 2122-2134.	6.7	76
41	Functionalization of hierarchically porous silica monoliths with polyethyleneimine (PEI) for CO ₂ adsorption. Microporous and Mesoporous Materials, 2017, 245, 51-57.	4.4	78
42	Effects of nanostructured biosilica on rice plant mechanics. RSC Advances, 2017, 7, 13065-13071.	3.6	20
43	Transparent polyvinylsilsesquioxane aerogels: investigations on synthetic parameters and surface modification. Journal of Sol-Gel Science and Technology, 2017, 82, 2-14.	2.4	8
44	Frontispiece: Silicone-Based Organic-Inorganic Hybrid Aerogels and Xerogels. Chemistry - A European Journal, 2017, 23, .	3.3	2
45	Transparent Ethenylene-Bridged Polymethylsiloxane Aerogels: Mechanical Flexibility and Strength and Availability for Addition Reaction. Langmuir, 2017, 33, 4543-4550.	3.5	43
46	Fabrication of hydrophobic polymethylsilsesquioxane aerogels by a surfactant-free method using alkoxysilane with ionic group. Journal of Asian Ceramic Societies, 2017, 5, 104-108.	2.3	10
47	Amine/Hydrido Bifunctional Nanoporous Silica with Small Metal Nanoparticles Made Onsite: Efficient Dehydrogenation Catalyst. ACS Applied Materials & Interfaces, 2017, 9, 36-41.	8.0	13
48	Grafted Polymethylhydrosiloxane on Hierarchically Porous Silica Monoliths: A New Path to Monolith-Supported Palladium Nanoparticles for Continuous Flow Catalysis Applications. ACS Applied Materials & Interfaces, 2017, 9, 406-412.	8.0	46
49	Aerogels from Chloromethyltrimethoxysilane and Their Functionalizations. Langmuir, 2017, 33, 13841-13848.	3.5	4
50	Polymer-assisted shapeable synthesis of porous frameworks consisting of silica nanoparticles with mechanical property tuning. Polymer Journal, 2017, 49, 825-830.	2.7	6
51	Synthesis and characterization of monolithic ZnAl ₂ O ₄ spinel with well-defined hierarchical pore structures via a sol-gel route. Journal of Alloys and Compounds, 2017, 727, 763-770.	5.5	15
52	Nanostructured titanium phosphates prepared via hydrothermal reaction and their electrochemical Li- and Na-ion intercalation properties. CrystEngComm, 2017, 19, 4551-4560.	2.6	13
53	Synthesis, Reduction, and Electrical Properties of Macroporous Monolithic Mayenite Electrides with High Porosity. ACS Omega, 2017, 2, 8148-8155.	3.5	7
54	Highly Efficient Encapsulation of Ingredients in Poly(methyl methacrylate) Capsules Using a Superoleophobic Material. Polymers and Polymer Composites, 2017, 25, 129-134.	1.9	6

#	ARTICLE	IF	CITATIONS
55	Monolithic Porous Silica for High Speed HPLC. , 2017, , 1-10.		0
56	Studies on electrochemical sodium storage into hard carbons with binder-free monolithic electrodes. Journal of Power Sources, 2016, 318, 41-48.	7.8	67
57	Boehmite Nanofiberâ€“Polymethylsilsesquioxane Coreâ€“Shell Porous Monoliths for a Thermal Insulator under Low Vacuum Conditions. Chemistry of Materials, 2016, 28, 3237-3240.	6.7	25
58	Hierarchically Porous Carbon Monoliths Comprising Ordered Mesoporous Nanorod Assemblies for High-Voltage Aqueous Supercapacitors. Chemistry of Materials, 2016, 28, 3944-3950.	6.7	203
59	The XVIII International Solâ€“Gel Conference: Solâ€“Gel 2015 was held in Kyoto, Japan, September 6â€“11, 2015. Journal of Sol-Gel Science and Technology, 2016, 79, 241-241.	2.4	0
60	Transparent, Highly Insulating Polyethyl- and Polyvinylsilsesquioxane Aerogels: Mechanical Improvements by Vulcanization for Ambient Pressure Drying. Chemistry of Materials, 2016, 28, 6860-6868.	6.7	96
61	Transparent Ethylene-Bridged Polymethylsiloxane Aerogels and Xerogels with Improved Bending Flexibility. Langmuir, 2016, 32, 13427-13434.	3.5	49
62	Monolithic acidic catalysts for the dehydration of xylose into furfural. Catalysis Communications, 2016, 87, 112-115.	3.3	27
63	Metal zirconium phosphate macroporous monoliths: Versatile synthesis, thermal expansion and mechanical properties. Microporous and Mesoporous Materials, 2016, 225, 122-127.	4.4	13
64	Dynamic spring-back behavior in evaporative drying of polymethylsilsesquioxane monolithic gels for low-density transparent thermal superinsulators. Journal of Non-Crystalline Solids, 2016, 434, 115-119.	3.1	41
65	The chromatographic performance of flow-through particles: A computational fluid dynamics study. Journal of Chromatography A, 2016, 1429, 166-174.	3.7	4
66	Hierarchically porous titanium phosphate monoliths and their crystallization behavior in ethylene glycol. New Journal of Chemistry, 2016, 40, 4153-4159.	2.8	11
67	Facile preparation of well-defined macroporous yttria-stabilized zirconia monoliths via solâ€“gel process accompanied by phase separation. Journal of Porous Materials, 2016, 23, 867-875.	2.6	9
68	Encapsulation of hydrophobic ingredients in hard resin capsules with ultrahigh efficiency using a superoleophobic material. Polymer Bulletin, 2016, 73, 409-417.	3.3	6
69	Macroporous Morphology Control by Phase Separation. , 2016, , 1-32.		3
70	Porosity Measurement. , 2016, , 1-11.		2
71	Synthesis of hierarchically porous polymethylsilsesquioxane monoliths with controlled mesopores for HPLC separation. Journal of the Ceramic Society of Japan, 2015, 123, 770-778.	1.1	13
72	Novel soft touch silicone beads from methyltrimethoxysilane and dimethyldimethoxysilane using easy aqueous solution reaction. Journal of the Ceramic Society of Japan, 2015, 123, 714-718.	1.1	5

#	ARTICLE	IF	CITATIONS
73	High-performance liquid chromatography separation of unsaturated organic compounds by a monolithic silica column embedded with silver nanoparticles. <i>Journal of Separation Science</i> , 2015, 38, 2841-2847.	2.5	12
74	Hard Carbon Anodes for Na-ion Batteries: Toward a Practical Use. <i>ChemElectroChem</i> , 2015, 2, 1917-1920.	3.4	112
75	Direct preparation and conversion of copper hydroxide-based monolithic xerogels with hierarchical pores. <i>New Journal of Chemistry</i> , 2015, 39, 6771-6777.	2.8	23
76	Effect of Calcination Conditions on Porous Reduced Titanium Oxides and Oxynitrides via a Pre-ceramic Polymer Route. <i>Inorganic Chemistry</i> , 2015, 54, 2802-2808.	4.0	14
77	Efficiency of short, small-diameter columns for reversed-phase liquid chromatography under practical operating conditions. <i>Journal of Chromatography A</i> , 2015, 1383, 47-57.	3.7	30
78	Synthesis of robust hierarchically porous zirconium phosphate monolith for efficient ion adsorption. <i>New Journal of Chemistry</i> , 2015, 39, 2444-2450.	2.8	48
79	Mechanically stable, hierarchically porous Cu ₃ (btc) ₂ (HKUST-1) monoliths via direct conversion of copper hydroxide-based monoliths. <i>Chemical Communications</i> , 2015, 51, 3511-3514.	4.1	67
80	Sol-gel synthesis of nanocrystal-constructed hierarchically porous TiO ₂ based composites for lithium ion batteries. <i>RSC Advances</i> , 2015, 5, 24803-24813.	3.6	22
81	Mesoscopic superstructures of flexible porous coordination polymers synthesized via coordination replication. <i>Chemical Science</i> , 2015, 6, 5938-5946.	7.4	39
82	Titania. , 2015, , 2525-2528.		0
83	High-Level Doping of Nitrogen, Phosphorus, and Sulfur into Activated Carbon Monoliths and Their Electrochemical Capacitances. <i>Chemistry of Materials</i> , 2015, 27, 4703-4712.	6.7	237
84	Preparation of silver nanoparticles embedded hierarchically porous AlPO ₄ monoliths. <i>New Journal of Chemistry</i> , 2015, 39, 6238-6243.	2.8	6
85	Spontaneous preparation of hierarchically porous silica monoliths with uniform spherical mesopores confined in a well-defined macroporous framework. <i>Dalton Transactions</i> , 2015, 44, 13592-13601.	3.3	28
86	Fabrication of hierarchically porous monolithic layered double hydroxide composites with tunable microcages for effective oxyanion adsorption. <i>RSC Advances</i> , 2015, 5, 57187-57192.	3.6	30
87	Preparation of macroporous zirconia monoliths from ionic precursors via an epoxide-mediated sol-gel process accompanied by phase separation. <i>Science and Technology of Advanced Materials</i> , 2015, 16, 025003.	6.1	17
88	Ultralow-Density, Transparent, Superamphiphobic Boehmite Nanofiber Aerogels and Their Alumina Derivatives. <i>Chemistry of Materials</i> , 2015, 27, 3-5.	6.7	67
89	Impact of Electrolyte on Pseudocapacitance and Stability of Porous Titanium Nitride (TiN) Monolithic Electrode. <i>Journal of the Electrochemical Society</i> , 2015, 162, A77-A85.	2.9	55
90	Hierarchically Porous Li ₄ Ti ₅ O ₁₂ Anode Materials for Li- and Na-ion Batteries: Effects of Nanoarchitectural Design and Temperature Dependence of the Rate Capability. <i>Advanced Energy Materials</i> , 2015, 5, 1400730.	19.5	124

#	ARTICLE	IF	CITATIONS
91	Preparation and characterization of macroporous TiO ₂ –SrTiO ₃ heterostructured monolithic photocatalyst. <i>Materials Letters</i> , 2014, 116, 353-355.	2.6	15
92	Facile preparation of silver nanoparticles homogeneously immobilized in hierarchically monolithic silica using ethylene glycol as reductant. <i>Dalton Transactions</i> , 2014, 43, 12648.	3.3	34
93	Reduction on reactive pore surfaces as a versatile approach to synthesize monolith-supported metal alloy nanoparticles and their catalytic applications. <i>Journal of Materials Chemistry A</i> , 2014, 2, 12535.	10.3	30
94	Porous chromium-based ceramic monoliths: oxides (Cr ₂ O ₃), nitrides (CrN), and carbides (Cr ₃ C ₂). <i>Journal of Materials Chemistry A</i> , 2014, 2, 745-752.	10.3	32
95	The thermal conductivity of polymethylsilsesquioxane aerogels and xerogels with varied pore sizes for practical application as thermal superinsulators. <i>Journal of Materials Chemistry A</i> , 2014, 2, 6525-6531.	10.3	176
96	A new hierarchically porous Pd@HSQ monolithic catalyst for Mizoroki–Heck cross-coupling reactions. <i>New Journal of Chemistry</i> , 2014, 38, 1144-1149.	2.8	19
97	Synthesis and electrochemical performance of hierarchically porous N-doped TiO ₂ for Li-ion batteries. <i>New Journal of Chemistry</i> , 2014, 38, 1380.	2.8	28
98	Surface Functionalization of Silica by Si–H Activation of Hydrosilanes. <i>Journal of the American Chemical Society</i> , 2014, 136, 11570-11573.	13.7	68
99	Facile synthesis of monolithic mayenite with well-defined macropores via an epoxide-mediated sol–gel process accompanied by phase separation. <i>New Journal of Chemistry</i> , 2014, 38, 5832-5839.	2.8	21
100	Layered double hydroxide composite monoliths with three-dimensional hierarchical channels: structural control and adsorption behavior. <i>RSC Advances</i> , 2014, 4, 16075-16080.	3.6	19
101	Experimental and numerical validation of the effective medium theory for the B-term band broadening in 1st and 2nd generation monolithic silica columns. <i>Journal of Chromatography A</i> , 2014, 1351, 46-55.	3.7	11
102	Detailed characterization of the kinetic performance of first and second generation silica monolithic columns for reversed-phase chromatography separations. <i>Journal of Chromatography A</i> , 2014, 1325, 72-82.	3.7	37
103	Preparation of macroporous cordierite monoliths via the sol–gel process accompanied by phase separation. <i>Journal of the European Ceramic Society</i> , 2014, 34, 817-823.	5.7	46
104	Polymethylsilsesquioxane–Cellulose Nanofiber Biocomposite Aerogels with High Thermal Insulation, Bendability, and Superhydrophobicity. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 9466-9471.	8.0	164
105	Fabrication of nitrogen-doped TiO ₂ monolith with well-defined macroporous and bicrystalline framework and its photocatalytic performance under visible light. <i>Journal of the European Ceramic Society</i> , 2014, 34, 809-816.	5.7	35
106	Pore structure control of macroporous methylsilsesquioxane monoliths prepared by in situ two-step processing. <i>Journal of Porous Materials</i> , 2013, 20, 1477-1483.	2.6	13
107	Gelation behavior and phase separation of macroporous methylsilsesquioxane monoliths prepared by in situ two-step processing. <i>Journal of Sol-Gel Science and Technology</i> , 2013, 67, 406-413.	2.4	11
108	2011 Donald R. Ulrich Awards. <i>Journal of Sol-Gel Science and Technology</i> , 2013, 65, 2-3.	2.4	0

#	ARTICLE	IF	CITATIONS
109	Sol-gel synthesis of macroporous TiO ₂ from ionic precursors via phase separation route. <i>Journal of Sol-Gel Science and Technology</i> , 2013, 67, 639-645.	2.4	17
110	Synthesis of Concentrated Polymer Brushes via Surface-Initiated Organotellurium-Mediated Living Radical Polymerization. <i>Macromolecules</i> , 2013, 46, 6777-6785.	4.8	27
111	Hierarchically Porous Monoliths Based on N-Doped Reduced Titanium Oxides and Their Electric and Electrochemical Properties. <i>Chemistry of Materials</i> , 2013, 25, 3504-3512.	6.7	52
112	Preparation of a hierarchically porous AlPO ₄ monolith via an epoxide-mediated sol-gel process accompanied by phase separation. <i>Science and Technology of Advanced Materials</i> , 2013, 14, 045007.	6.1	18
113	A Superamphiphobic Macroporous Silicone Monolith with Marshmallow-like Flexibility. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 10788-10791.	13.8	122
114	Synthesis of Silver Nanoparticles Confined in Hierarchically Porous Monolithic Silica: A New Function in Aromatic Hydrocarbon Separations. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 2118-2125.	8.0	41
115	New Li ₂ FeSiO ₄ -carbon monoliths with controlled macropores: effects of pore properties on electrode performance. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 8736.	2.8	17
116	Sol-gel synthesis of zinc ferrite-based xerogel monoliths with well-defined macropores. <i>RSC Advances</i> , 2013, 3, 3661.	3.6	18
117	Facile Synthesis of Marshmallow-like Macroporous Gels Usable under Harsh Conditions for the Separation of Oil and Water. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 1986-1989.	13.8	408
118	Hierarchically porous nickel/carbon composite monoliths prepared by sol-gel method from an ionic precursor. <i>Microporous and Mesoporous Materials</i> , 2013, 176, 64-70.	4.4	32
119	Preparation of mullite monoliths with well-defined macropores and mesostructured skeletons via the sol-gel process accompanied by phase separation. <i>Journal of the European Ceramic Society</i> , 2013, 33, 1967-1974.	5.7	52
120	Hierarchically porous monoliths of oxygen-deficient anatase TiO _{2-x} with electronic conductivity. <i>RSC Advances</i> , 2013, 3, 7205.	3.6	15
121	Fabrication of large-sized silica monolith exceeding 1000 mL with high structural homogeneity. <i>Journal of Separation Science</i> , 2013, 36, 1890-1896.	2.5	23
122	Layered double hydroxide (LDH)-based monolith with interconnected hierarchical channels: enhanced sorption affinity for anionic species. <i>Journal of Materials Chemistry A</i> , 2013, 1, 7702.	10.3	58
123	Recyclable Functionalization of Silica with Alcohols via Dehydrogenative Addition on Hydrogen Silsesquioxane. <i>Langmuir</i> , 2013, 29, 12243-12253.	3.5	10
124	Synthesis of Hierarchically Porous Hydrogen Silsesquioxane Monoliths and Embedding of Metal Nanoparticles by On-site Reduction. <i>Advanced Functional Materials</i> , 2013, 23, 2714-2722.	14.9	47
125	Macroporous SiO ₂ Monoliths Prepared via Sol-Gel Process Accompanied by Phase Separation. <i>Wuli Huaxue Xuebao/ Acta Physico-Chimica Sinica</i> , 2013, 29, 646-652.	4.9	8
126	New Insights into the Relationship between Micropore Properties, Ionic Sizes, and Electric Double-Layer Capacitance in Monolithic Carbon Electrodes. <i>Journal of Physical Chemistry C</i> , 2012, 116, 26197-26203.	3.1	45

#	ARTICLE	IF	CITATIONS
127	New Monolithic Capillary Columns with Well-Defined Macropores Based on Poly(styrene-co-divinylbenzene). <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 2343-2347.	8.0	38
128	Role of block copolymer surfactant on the pore formation in methylsilsesquioxane aerogel systems. <i>RSC Advances</i> , 2012, 2, 7166.	3.6	43
129	Synthesis of Monolithic Hierarchically Porous Iron-Based Xerogels from Iron(III) Salts via an Epoxide-Mediated Sol-Gel Process. <i>Chemistry of Materials</i> , 2012, 24, 2071-2077.	6.7	78
130	Selective Preparation of Macroporous Monoliths of Conductive Titanium Oxides TiO_2 ($n = 2, 3, 4, 6$). <i>Journal of the American Chemical Society</i> , 2012, 134, 10894-10898.	13.7	106
131	Evolution of Mesopores in Monolithic Macroporous Ethylene-Bridged Polysilsesquioxane Gels Incorporated with Nonionic Surfactant. <i>International Journal of Polymer Science</i> , 2012, 2012, 1-6.	2.7	7
132	Flower-like surface modification of titania materials by lithium hydroxide solution. <i>Journal of Colloid and Interface Science</i> , 2012, 374, 291-296.	9.4	12
133	Facile preparation of macroporous graphitized carbon monoliths from iron-containing resorcinol-formaldehyde gels. <i>Materials Letters</i> , 2012, 76, 1-4.	2.6	33
134	Pore properties of hierarchically porous carbon monoliths with high surface area obtained from bridged polysilsesquioxanes. <i>Microporous and Mesoporous Materials</i> , 2012, 155, 265-273.	4.4	19
135	Structure and properties of polymethylsilsesquioxane aerogels synthesized with surfactant n-hexadecyltrimethylammonium chloride. <i>Microporous and Mesoporous Materials</i> , 2012, 158, 247-252.	4.4	53
136	Monolithic electrode for electric double-layer capacitors based on macro/meso/microporous S-Containing activated carbon with high surface area. <i>Journal of Materials Chemistry</i> , 2011, 21, 2060.	6.7	151
137	Hierarchically Porous Carbon Monoliths with High Surface Area from Bridged Poly(silsesquioxane) without Thermal Activation Process. <i>IOP Conference Series: Materials Science and Engineering</i> , 2011, 18, 032005.	0.6	0
138	Facile Preparation of Monolithic $LiFePO_4$ /Carbon Composites with Well-Defined Macropores for a Lithium-Ion Battery. <i>Chemistry of Materials</i> , 2011, 23, 5208-5216.	6.7	82
139	New flexible aerogels and xerogels derived from methyltrimethoxysilane/dimethyldimethoxysilane co-precursors. <i>Journal of Materials Chemistry</i> , 2011, 21, 17077.	6.7	122
140	(3-Mercaptopropyl)trimethoxysilane-derived Porous Gel Monolith via Thioacetal Reaction-Assisted Sol-Gel Route. <i>IOP Conference Series: Materials Science and Engineering</i> , 2011, 18, 032003.	0.6	2
141	Synthesis of New Flexible Aerogels from Di- and Trifunctional Organosilanes. <i>Materials Research Society Symposia Proceedings</i> , 2011, 1306, 1.	0.1	4
142	Facile preparation of monolithic magnesium titanates with hierarchical porosity. <i>Journal of the Ceramic Society of Japan</i> , 2011, 119, 440-444.	1.1	8
143	Pore Structure and Mechanical Properties of Poly(methylsilsesquioxane) Aerogels. <i>IOP Conference Series: Materials Science and Engineering</i> , 2011, 18, 032001.	0.6	4
144	Preparation of Hierarchically Porous Nanocrystalline $CaTiO_3$, $SrTiO_3$ and $BaTiO_3$ Perovskite Monoliths. <i>Journal of the American Ceramic Society</i> , 2011, 94, 3335-3339.	3.8	40

#	ARTICLE	IF	CITATIONS
145	Fabrication of highly crosslinked methacrylate-based polymer monoliths with well-defined macropores via living radical polymerization. <i>Polymer</i> , 2011, 52, 4644-4647.	3.8	40
146	Controlled pore formation in organotrialkoxysilane-derived hybrids: from aerogels to hierarchically porous monoliths. <i>Chemical Society Reviews</i> , 2011, 40, 754-770.	38.1	204
147	Synthesis of hierarchical macro/mesoporous dicalcium phosphate monolith via epoxide-mediated sol-gel reaction from ionic precursors. <i>Journal of Sol-Gel Science and Technology</i> , 2011, 57, 269-278.	2.4	48
148	Performance evaluation of long monolithic silica capillary columns in gradient liquid chromatography using peptide mixtures. <i>Journal of Chromatography A</i> , 2011, 1218, 3360-3366.	3.7	30
149	Monolithic silica rod columns for high-efficiency reversed-phase liquid chromatography. <i>Journal of Chromatography A</i> , 2011, 1218, 1988-1994.	3.7	32
150	New hierarchically porous titania monoliths for chromatographic separation media. <i>Journal of Separation Science</i> , 2011, 34, 3004-3010.	2.5	31
151	Transition from transparent aerogels to hierarchically porous monoliths in polymethylsilsesquioxane sol-gel system. <i>Journal of Colloid and Interface Science</i> , 2011, 357, 336-344.	9.4	64
152	Macroporous Carbon Monoliths with Large Surface Area for Electric Double-Layer Capacitor. <i>Materials Research Society Symposia Proceedings</i> , 2011, 1304, 1.	0.1	0
153	Organosiloxane Transparent Aerogels and Hierarchically Porous Monoliths. <i>Materials Research Society Symposia Proceedings</i> , 2011, 1306, 1.	0.1	0
154	Facile preparation of transparent monolithic titania gels utilizing a chelating ligand and mineral salts. <i>Journal of Sol-Gel Science and Technology</i> , 2010, 53, 59-66.	2.4	32
155	Sol-gel preparation of Ni/TiO ₂ catalysts with bimodal pore structures. <i>Applied Catalysis A: General</i> , 2010, 383, 66-72.	4.3	33
156	In situ SAXS observation on metal-salt-derived alumina sol-gel system accompanied by phase separation. <i>Journal of Colloid and Interface Science</i> , 2010, 352, 303-308.	9.4	23
157	Synthesis of high-silica and low-silica zeolite monoliths with trimodal pores. <i>Microporous and Mesoporous Materials</i> , 2010, 132, 538-542.	4.4	22
158	Fabrication of activated carbons with well-defined macropores derived from sulfonated poly(divinylbenzene) networks. <i>Carbon</i> , 2010, 48, 1757-1766.	10.3	69
159	Macro- and microporous carbon monoliths with high surface areas pyrolyzed from poly(divinylbenzene) networks. <i>Comptes Rendus Chimie</i> , 2010, 13, 207-211.	0.5	22
160	Facile Preparation of Hierarchically Porous TiO ₂ Monoliths. <i>Journal of the American Ceramic Society</i> , 2010, 93, 3110-3115.	3.8	92
161	Effects of Starting Compositions on the Properties of Methylsilsesquioxane Aerogels. <i>Materials Research Society Symposia Proceedings</i> , 2010, 1247, 1.	0.1	0
162	Hierarchically porous carbon monoliths with high surface area from bridged polysilsesquioxanes without thermal activation process. <i>Chemical Communications</i> , 2010, 46, 8037.	4.1	27

#	ARTICLE	IF	CITATIONS
163	A New Route to Monolithic Macroporous SiC/C Composites from Biphenylene-bridged Polysilsesquioxane Gels. <i>Chemistry of Materials</i> , 2010, 22, 2541-2547.	6.7	45
164	Rigid Crosslinked Polyacrylamide Monoliths with Well-Defined Macropores Synthesized by Living Polymerization. <i>Macromolecular Rapid Communications</i> , 2009, 30, 986-990.	3.9	59
165	Performance of wide-pore monolithic silica column in protein separation. <i>Journal of Separation Science</i> , 2009, 32, 2747-2751.	2.5	8
166	Structural characterization of hierarchically porous alumina aerogel and xerogel monoliths. <i>Journal of Colloid and Interface Science</i> , 2009, 338, 506-513.	9.4	87
167	Semi-micro-monolithic columns using macroporous silica rods with improved performance. <i>Journal of Chromatography A</i> , 2009, 1216, 7384-7387.	3.7	27
168	Sol-gel synthesis of macro-mesoporous titania monoliths and their applications to chromatographic separation media for organophosphate compounds. <i>Journal of Chromatography A</i> , 2009, 1216, 7375-7383.	3.7	97
169	Pore Formation in Poly(divinylbenzene) Networks Derived from Organotellurium-Mediated Living Radical Polymerization. <i>Macromolecules</i> , 2009, 42, 1270-1277.	4.8	69
170	Spinodal decomposition in siloxane sol-gel systems in macroporous media. <i>Soft Matter</i> , 2009, 5, 3106.	2.7	26
171	Fabrication of macroporous silicon carbide ceramics by intramolecular carbothermal reduction of phenyl-bridged polysilsesquioxane. <i>Journal of Materials Chemistry</i> , 2009, 19, 7716.	6.7	38
172	Effect of La addition on thermal microstructural evolution of macroporous alumina monolith prepared from ionic precursors. <i>Journal of the Ceramic Society of Japan</i> , 2009, 117, 351-355.	1.1	19
173	Sol-gel synthesis, porous structure, and mechanical property of polymethylsilsesquioxane aerogels. <i>Journal of the Ceramic Society of Japan</i> , 2009, 117, 1333-1338.	1.1	42
174	Alkoxy-derived multiscale porous TiO ₂ gels probed by ultra-small-angle X-ray scattering and small-angle X-ray scattering. <i>Journal of Sol-Gel Science and Technology</i> , 2008, 46, 63-69.	2.4	4
175	Elastic organic-inorganic hybrid aerogels and xerogels. <i>Journal of Sol-Gel Science and Technology</i> , 2008, 48, 172-181.	2.4	114
176	Preparation of monolithic silica columns for high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2008, 1191, 231-252.	3.7	220
177	Preparation and properties of radiofrequency sputtered X-ray amorphous films in the system SiO ₂ -ZrO ₂ . <i>Thin Solid Films</i> , 2008, 516, 4665-4672.	1.8	11
178	Multiscale Templating of Siloxane Gels via Polymerization-Induced Phase Separation. <i>Chemistry of Materials</i> , 2008, 20, 1108-1115.	6.7	75
179	Crystalline ZrO ₂ Monoliths with Well-Defined Macropores and Mesostructured Skeletons Prepared by Combining the Alkoxy-Derived Sol-gel Process Accompanied by Phase Separation and the Solvothermal Process. <i>Chemistry of Materials</i> , 2008, 20, 2165-2173.	6.7	110
180	Cr ³⁺ -doped macroporous Al ₂ O ₃ monoliths prepared by the metal-salt-derived sol-gel method. <i>Journal of Non-Crystalline Solids</i> , 2008, 354, 659-664.	3.1	34

#	ARTICLE	IF	CITATIONS
181	Facile Synthesis of Macroporous Cross-Linked Methacrylate Gels by Atom Transfer Radical Polymerization. <i>Macromolecules</i> , 2008, 41, 7186-7193.	4.8	88
182	Preparation of Macroporous Poly(divinylbenzene) Gels via Living Radical Polymerization. <i>Materials Research Society Symposia Proceedings</i> , 2008, 1134, 1.	0.1	0
183	Elastic Aerogels and Xerogels Synthesized from Methyltrimethoxysilane (MTMS). <i>Materials Research Society Symposia Proceedings</i> , 2008, 1134, 1.	0.1	2
184	Scattering-based hole burning through volume speckles in a random medium with tunable diffusion constant. <i>Applied Physics Letters</i> , 2008, 93, 151912.	3.3	4
185	Phase Separation in Silica Sol-gel System Containing Anionic Surfactant. <i>Materials Research Society Symposia Proceedings</i> , 2007, 1056, 1.	0.1	0
186	Hierarchically Porous Oxides, Hybrids and Polymers via Sol-gel Accompanied by Phase Separation. <i>Materials Research Society Symposia Proceedings</i> , 2007, 1007, 1.	0.1	5
187	Phase Separation in Al ₂ O ₃ Sol-gel System Incorporated with High Molecular Weight Poly(ethylene oxide). <i>Materials Research Society Symposia Proceedings</i> , 2007, 1007, 1.	0.1	1
188	Phase Separation in Alkoxy-Derived Silica System Containing Polyacrylamide. <i>Materials Research Society Symposia Proceedings</i> , 2007, 1007, 1.	0.1	1
189	Simple Liquid Chromatography Using Monolithic Silica Rod and Capillary. <i>Bunseki Kagaku</i> , 2007, 56, 227-229.	0.2	0
190	Functional Porous Materials via Sol-Gel with Phase Separation. <i>Journal of the Ceramic Society of Japan</i> , 2007, 115, 169-175.	1.3	10
191	Sol-gel Synthesis of Macroporous YAG from Ionic Precursors via Phase Separation Route. <i>Journal of the Ceramic Society of Japan</i> , 2007, 115, 925-928.	1.1	45
192	Size-Exclusion Effect and Protein Repellency of Concentrated Polymer Brushes Prepared by Surface-Initiated Living Radical Polymerization. <i>Macromolecular Symposia</i> , 2007, 248, 189-198.	0.7	28
193	Synthesis of Monolithic Al ₂ O ₃ with Well-Defined Macropores and Mesoporous Skeletons via the Sol-Gel Process Accompanied by Phase Separation. <i>Chemistry of Materials</i> , 2007, 19, 3393-3398.	6.7	198
194	Sol-Gel with Phase Separation. Hierarchically Porous Materials Optimized for High-Performance Liquid Chromatography Separations. <i>Accounts of Chemical Research</i> , 2007, 40, 863-873.	15.6	430
195	New Transparent Methylsilsesquioxane Aerogels and Xerogels with Improved Mechanical Properties. <i>Advanced Materials</i> , 2007, 19, 1589-1593.	21.0	377
196	Real space observation of silica monoliths in the formation process. <i>Journal of Separation Science</i> , 2007, 30, 2881-2887.	2.5	14
197	Three-dimensional observation of macroporous silica gels and the study on structural formation mechanism. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2007, 300, 245-252.	4.7	11
198	Temperature-tunable scattering strength based on the phase transition of liquid crystal infiltrated in well-defined macroporous random media. <i>Optical Materials</i> , 2007, 29, 949-954.	3.6	8

#	ARTICLE	IF	CITATIONS
199	Surface interaction of well-defined, concentrated poly(2-hydroxyethyl methacrylate) brushes with proteins. <i>Journal of Polymer Science Part A</i> , 2007, 45, 4795-4803.	2.3	62
200	High-throughput protein digestion by trypsin-immobilized monolithic silica with pipette-tip formula. <i>Journal of Proteomics</i> , 2007, 70, 57-62.	2.4	60
201	Monolithic TiO ₂ with Controlled Multiscale Porosity via a Template-Free Sol-Gel Process Accompanied by Phase Separation. <i>Chemistry of Materials</i> , 2006, 18, 6069-6074.	6.7	162
202	Performance of Monolithic Silica Capillary Columns with Increased Phase Ratios and Small-Sized Domains. <i>Analytical Chemistry</i> , 2006, 78, 7632-7642.	6.5	150
203	Phase-Separation-Induced Titania Monoliths with Well-Defined Macropores and Mesostructured Framework from Colloid-Derived Sol-Gel Systems. <i>Chemistry of Materials</i> , 2006, 18, 864-866.	6.7	85
204	Direct observation of the spatial distribution of samarium ions in alumina-silica macroporous monoliths by laser scanning confocal microscopy. <i>Journal of Alloys and Compounds</i> , 2006, 408-412, 831-834.	5.5	3
205	Fabrication of Sm ²⁺ -doped macroporous aluminosilicate glasses with high alumina content. <i>Journal of Non-Crystalline Solids</i> , 2006, 352, 2553-2557.	3.1	5
206	Formation of photonic structures in Sm ²⁺ -doped aluminosilicate glasses through phase separation. <i>Journal of Non-Crystalline Solids</i> , 2006, 352, 2496-2500.	3.1	7
207	Sol-Gel Process of Oxides Accompanied by Phase Separation. <i>Bulletin of the Chemical Society of Japan</i> , 2006, 79, 673-691.	3.2	63
208	Thermodynamics of Aggregation of Two Proteins. <i>Journal of the Physical Society of Japan</i> , 2006, 75, 064803.	1.6	4
209	Basic study of the gelation of dimethacrylate-type crosslinking agents. <i>Journal of Polymer Science Part A</i> , 2006, 44, 949-958.	2.3	14
210	High-performance liquid chromatographic enantioseparations on capillary columns containing monolithic silica modified with amylose tris(3,5-dimethylphenylcarbamate). <i>Journal of Chromatography A</i> , 2006, 1110, 46-52.	3.7	73
211	Anisotropic siloxane-based monolith prepared in confined spaces. <i>Journal of Chromatography A</i> , 2006, 1119, 88-94.	3.7	8
212	Mutual consistency between simulated and measured pressure drops in silica monoliths based on geometrical parameters obtained by three-dimensional laser scanning confocal microscope observations. <i>Journal of Chromatography A</i> , 2006, 1119, 95-104.	3.7	26
213	Morphological control and strong light scattering in macroporous TiO ₂ monoliths prepared via a colloid-derived sol-gel route. <i>Science and Technology of Advanced Materials</i> , 2006, 7, 511-518.	6.1	15
214	Size Exclusion Chromatography of Standard Polystyrenes with a Wide Range of Molecular Weight Up to 7.45 Å ² –10 ⁶ on Monolithic Silica Capillary Columns. <i>Polymer Journal</i> , 2006, 38, 1194-1197.	2.7	14
215	Monolithic silica capillary column extraction of methamphetamine and amphetamine in urine coupled with thin-layer chromatographic detection. <i>Forensic Toxicology</i> , 2006, 24, 75-79.	2.4	9
216	High-performance liquid chromatographic enantioseparations on capillary columns containing crosslinked polysaccharide phenylcarbamate derivatives attached to monolithic silica. <i>Journal of Separation Science</i> , 2006, 29, 1988-1995.	2.5	72

#	ARTICLE	IF	CITATIONS
217	Thick silica gel coatings on methylsilsesquioxane monoliths using anisotropic phase separation. <i>Journal of Separation Science</i> , 2006, 29, 2463-2470.	2.5	26
218	Performance of octadecylsilylated monolithic silica capillary columns of 530 μ m inner diameter in HPLC. <i>Journal of Separation Science</i> , 2006, 29, 2471-2477.	2.5	45
219	Rigid Macroporous Poly(divinylbenzene) Monoliths with a Well-Defined Bicontinuous Morphology Prepared by Living Radical Polymerization. <i>Advanced Materials</i> , 2006, 18, 2407-2411.	21.0	132
220	New Macroporous Crosslinked Polymer Gels Prepared via Living Radical Polymerization. <i>Materials Research Society Symposia Proceedings</i> , 2006, 947, 1.	0.1	1
221	Phase Separation in Sol-Gel Systems of Organic-Inorganic Hybrids. <i>Advances in Science and Technology</i> , 2006, 45, 759.	0.2	0
222	Formation of photonic structures in Sm ²⁺ -doped aluminosilicate glasses through phase separation. , 2005, 5720, 261.		0
223	Fabrication of macroporous TiO ₂ monoliths for photonic applications. , 2005, 5720, 233.		0
224	Silica monolithic membrane as separation medium. <i>Journal of Chromatography A</i> , 2005, 1073, 123-126.	3.7	9
225	Titania-coated monolithic silica as separation medium for high performance liquid chromatography of phosphorus-containing compounds. <i>Journal of Separation Science</i> , 2005, 28, 39-44.	2.5	48
226	An Application of Silica-Based Monolithic Membrane Emulsification Technique for Easy and Efficient Preparation of Uniformly Sized Polymer Particles. <i>Macromolecular Materials and Engineering</i> , 2005, 290, 753-758.	3.6	9
227	Tailoring Spontaneous Pillar Structure Using Phase-Separating Organosiloxane Sol-Gel Systems in Micro-Fabricated Grooves. <i>Journal of Sol-Gel Science and Technology</i> , 2005, 35, 183-191.	2.4	6
228	Insight on Structural Change in Sol-Gel-Derived Silica Gel with Aging under Basic Conditions for Mesopore Control. <i>Journal of Sol-Gel Science and Technology</i> , 2005, 33, 159-167.	2.4	21
229	High-Performance Frontal Analysis of the Binding of Thyroxine Enantiomers to Human Serum Albumin Binding of Thyroxine Enantiomers to Human Serum Albumin Kimura. <i>Pharmaceutical Research</i> , 2005, 22, 667-675.	3.5	7
230	Porous methylsiloxane gel thick film for millimeter-wave antenna substrate prepared by gap filling method. <i>Materials Research Society Symposia Proceedings</i> , 2005, 888, 1.	0.1	2
231	Topical Application of Ionic Polymers Affects Skin Permeability Barrier Homeostasis. <i>Skin Pharmacology and Physiology</i> , 2005, 18, 36-41.	2.5	14
232	Experimental Validation of the Tetrahedral Skeleton Model Pressure Drop Correlation for Silica Monoliths and the Influence of Column Heterogeneity. <i>Analytical Chemistry</i> , 2005, 77, 3986-3992.	6.5	31
233	Monolithic Periodic Mesoporous Silica with Well-Defined Macropores. <i>Chemistry of Materials</i> , 2005, 17, 2114-2119.	6.7	176
234	Organic-inorganic hybrid poly(silsesquioxane) monoliths with controlled macro- and mesopores. <i>Journal of Materials Chemistry</i> , 2005, 15, 3776.	6.7	137

#	ARTICLE	IF	CITATIONS
235	Control of Light Scattering in Organic-inorganic Hybrid Macroporous Monoliths. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2005, 52, 781-785.	0.2	0
236	Tailoring Photonic Strength in Monolithic Macroporous Silica for Random Media. Japanese Journal of Applied Physics, 2004, 43, 5359-5364.	1.5	16
237	Strong light scattering in macroporous TiO ₂ monoliths induced by phase separation. Applied Physics Letters, 2004, 85, 5595-5597.	3.3	46
238	Hierarchical Macro-Mesoporous Silica Monolith. Materials Research Society Symposia Proceedings, 2004, 847, 525.	0.1	0
239	Three Dimensional Structure and Liquid Transport Behavior of Siloxane Gels with Co-continuous Macropores. Materials Research Society Symposia Proceedings, 2004, 847, 454.	0.1	0
240	Development of a monolithic silica extraction tip for the analysis of proteins. Journal of Chromatography A, 2004, 1043, 19-25.	3.7	96
241	Structural formation of hybrid siloxane-based polymer monolith in confined spaces. Journal of Separation Science, 2004, 27, 874-886.	2.5	109
242	High-performance liquid chromatographic enantioseparations on capillary columns containing monolithic silica modified with cellulose tris(3,5-dimethylphenylcarbamate). Journal of Separation Science, 2004, 27, 905-911.	2.5	75
243	Simple 2D-HPLC using a monolithic silica column for peptide separation. Journal of Separation Science, 2004, 27, 897-904.	2.5	74
244	Microanalysis for MDR1 ATPase by high-performance liquid chromatography with a titanium dioxide column. Analytical Biochemistry, 2004, 326, 262-266.	2.4	42
245	Three-dimensional observation of phase-separated siloxane sol-gel structures in confined spaces using laser scanning confocal microscopy (LSCM). Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2004, 241, 215-224.	4.7	33
246	Morphology Control of Phase-Separation-Induced Alumina-Silica Macroporous Gels for Rare-Earth-Doped Scattering Media. Journal of Physical Chemistry B, 2004, 108, 16670-16676.	2.6	27
247	Simple and Comprehensive Two-Dimensional Reversed-Phase HPLC Using Monolithic Silica Columns. Analytical Chemistry, 2004, 76, 1273-1281.	6.5	139
248	Spontaneous Formation of Hierarchical Macro-Mesoporous Ethane-Silica Monolith. Chemistry of Materials, 2004, 16, 3652-3658.	6.7	148
249	Fabrication of dye-infiltrated macroporous silica for laser amplification. Journal of Non-Crystalline Solids, 2004, 345-346, 438-442.	3.1	7
250	Monolithic O/I-Hybrids with Hierarchically Ordered Meso- and Macropores. Materials Research Society Symposia Proceedings, 2004, 847, .	0.1	2
251	Formation of Interconnected Macropores in Sm ²⁺ -doped Silicate Glasses through Phase Separation: Fabrication of Photosensitive and Dielectrically Disordered Materials. Chemistry Letters, 2004, 33, 1120-1121.	1.3	5
252	THREE-DIMENSIONAL OBSERVATION OF PHASE-SEPARATED SOL-GEL STRUCTURES USING LASER SCANNING CONFOCAL MICROSCOPY (LSCM)., 2004, , .		0

#	ARTICLE	IF	CITATIONS
253	Phase Separation in Methylsiloxane Sol-Gel Systems in a Small Confined Space. <i>Journal of Sol-Gel Science and Technology</i> , 2003, 26, 157-160.	2.4	18
254	Title is missing!. <i>Journal of Sol-Gel Science and Technology</i> , 2003, 26, 567-570.	2.4	42
255	Phase Separation in Sol-Gel System Containing Mixture of 3- and 4-Functional Alkoxysilanes. <i>Journal of Sol-Gel Science and Technology</i> , 2003, 26, 153-156.	2.4	31
256	Monolithic silica columns with chemically bonded β -cyclodextrin as a stationary phase for enantiomer separations of chiral pharmaceuticals. <i>Analytical and Bioanalytical Chemistry</i> , 2003, 377, 892-901.	3.7	70
257	Bonelike apatite formation on ethylene-vinyl alcohol copolymer modified with silane coupling agent and calcium silicate solutions. <i>Biomaterials</i> , 2003, 24, 1729-1735.	11.4	107
258	Monolithic silica column for in-tube solid-phase microextraction coupled to high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2003, 985, 351-357.	3.7	94
259	Interface-Directed Web-to-Pillar Transition of Microphase-Separated Siloxane Gels. <i>Langmuir</i> , 2003, 19, 9101-9103.	3.5	12
260	Monolithic Silica-Based Capillary Reversed-Phase Liquid Chromatography/Electrospray Mass Spectrometry for Plant Metabolomics. <i>Analytical Chemistry</i> , 2003, 75, 6737-6740.	6.5	251
261	Three-Dimensional Observation of Phase-Separated Silica-Based Gels Confined between Parallel Plates. <i>Langmuir</i> , 2003, 19, 5581-5585.	3.5	36
262	Macroporous Morphology Induced by Phase Separation in Sol-Gel Systems Derived from Titania Colloid. <i>Materials Research Society Symposia Proceedings</i> , 2003, 788, 8141.	0.1	3
263	Controlled Hierarchical Pore Structures in Ethylene-Bridged Polysilsesquioxane Gels. <i>Materials Research Society Symposia Proceedings</i> , 2003, 788, 3101.	0.1	3
264	Macroporous Silica and Alkylene-Bridged Polysilsesquioxane Gels with Templated Nanopores. <i>Materials Research Society Symposia Proceedings</i> , 2003, 788, 751.	0.1	1
265	Phase Separation in Alkylene-Bridged Polysilsesquioxane Sol-Gel Systems. <i>Materials Research Society Symposia Proceedings</i> , 2002, 726, 1.	0.1	11
266	Monolithic silica columns for high-efficiency separations by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2002, 960, 85-96.	3.7	209
267	Monolithic silica columns for high-efficiency chromatographic separations. <i>Journal of Chromatography A</i> , 2002, 965, 35-49.	3.7	478
268	Monolithic silica columns with various skeleton sizes and through-pore sizes for capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2002, 961, 53-63.	3.7	270
269	Monolithic HPLC Silica Columns. <i>Journal of Sol-Gel Science and Technology</i> , 2002, 23, 185-187.	2.4	22
270	Peer Reviewed: Monolithic LC Columns. <i>Analytical Chemistry</i> , 2001, 73, 420 A-429 A.	6.5	413

#	ARTICLE	IF	CITATIONS
271	Three-Dimensional Structure of a Sintered Macroporous Silica Gel. <i>Langmuir</i> , 2001, 17, 619-625.	3.5	45
272	Formation of ordered macropores and templated nanopores in silica sol-gel system incorporated with EO-PO-EO triblock copolymer. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2001, 187-188, 117-122.	4.7	55
273	Chromatographic characterization of macroporous monolithic silica prepared via sol-gel process. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2001, 187-188, 273-279.	4.7	53
274	Macroporous morphology of titania films prepared by sol-gel dip-coating method from a system containing poly(ethylene glycol) and poly(vinylpyrrolidone). <i>Journal of Materials Research</i> , 2001, 16, 58-66.	2.6	26
275	Phase Separation in Sol-Gel Process of Alkoxide-Derived Silica-Zirconia in the Presence of Polyethylene Oxide. <i>Journal of the American Ceramic Society</i> , 2001, 84, 1968-1976.	3.8	38
276	Effect of Nonionic Surfactant on Phase Separation Behavior in Methylsiloxane Sol-Gel Systems.. <i>Kobunshi Ronbunshu</i> , 2000, 57, 396-401.	0.2	3
277	Tailoring Mesopores in Monolithic Macroporous Silica for HPLC. <i>Journal of High Resolution Chromatography</i> , 2000, 23, 106-110.	1.4	110
278	Monolithic Silica Columns for HPLC, Micro-HPLC, and CEC. <i>Journal of High Resolution Chromatography</i> , 2000, 23, 111-116.	1.4	299
279	A New Monolithic-Type HPLC Column For Fast Separations. <i>Journal of High Resolution Chromatography</i> , 2000, 23, 93-99.	1.4	306
280	Membrane Emulsification Using Sol-Gel Derived Macroporous Silica Glass. <i>Journal of Sol-Gel Science and Technology</i> , 2000, 19, 337-341.	2.4	31
281	Formation of Hierarchical Pore Structure in Silica Gel. <i>Journal of Sol-Gel Science and Technology</i> , 2000, 17, 191-210.	2.4	138
282	Porous Gels Made by Phase Separation: Recent Progress and Future Directions. <i>Journal of Sol-Gel Science and Technology</i> , 2000, 19, 65-70.	2.4	41
283	Macroporous Silicate Films by Dip-Coating. <i>Journal of Sol-Gel Science and Technology</i> , 2000, 19, 553-557.	2.4	15
284	Title is missing!. <i>Journal of Sol-Gel Science and Technology</i> , 2000, 17, 7-18.	2.4	65
285	Preparation of Silicalite-1 Within Macroporous Silica Glass. <i>Journal of Sol-Gel Science and Technology</i> , 2000, 19, 769-773.	2.4	15
286	Preparation and Chromatographic Application of Macroporous Silicate in a Capillary. <i>Journal of Sol-Gel Science and Technology</i> , 2000, 19, 371-375.	2.4	27
287	Apatite Formation on Ethylene-Vinyl Alcohol Copolymer Modified with Silane Coupling Agent and Calcium Silicate. <i>Key Engineering Materials</i> , 2000, 192-195, 713-716.	0.4	2
288	Performance of a Monolithic Silica Column in a Capillary under Pressure-Driven and Electrodriven Conditions. <i>Analytical Chemistry</i> , 2000, 72, 1275-1280.	6.5	316

#	ARTICLE	IF	CITATIONS
289	Tailoring Mesopores in Monolithic Macroporous Silica for HPLC. , 2000, 23, 106.		1
290	Tailoring Mesopores in Monolithic Macroporous Silica for HPLC. Journal of High Resolution Chromatography, 2000, 23, 106-110.	1.4	1
291	Porous Gel Coatings Obtained by Phase Separation in ORMOSIL System. Materials Research Society Symposia Proceedings, 2000, 628, 1.	0.1	2
292	Sol-gel modification of silicone to induce apatite-forming ability. Biomaterials, 1999, 20, 79-84.	11.4	50
293	Apatite formation on ethylene-vinyl alcohol copolymer modified with silanol groups. , 1999, 47, 367-373.		39
294	Formation and Application of Hierarchical Pore Structure in Sol-Gel Systems Based on Phase Separation. Journal of the Japan Society of Colour Material, 1999, 72, 178-183.	0.1	0
295	Designing monolithic double-pore silica for high-speed liquid chromatography. Journal of Chromatography A, 1998, 797, 133-137.	3.7	167
296	Performance of an octadecylsilylated continuous porous silica column in polypeptide separations. Journal of Chromatography A, 1998, 828, 83-90.	3.7	113
297	Designing Double Pore Structure in Alkoxy-Derived Silica Incorporated with Nonionic Surfactant. Journal of Porous Materials, 1998, 5, 103-110.	2.6	41
298	Structure Design of Double-Pore Silica and Its Application to HPLC. Journal of Sol-Gel Science and Technology, 1998, 13, 163-169.	2.4	99
299	Apatite formation on silica gel in simulated body fluid: effects of structural modification with solvent-exchange. Journal of Materials Science: Materials in Medicine, 1998, 9, 279-284.	3.6	62
300	Effect of domain size on the performance of octadecylsilylated continuous porous silica columns in reversed-phase liquid chromatography. Journal of Chromatography A, 1998, 797, 121-131.	3.7	266
301	Chromatographic Properties of Miniaturized Silica Rod Columns. Journal of High Resolution Chromatography, 1998, 21, 477-479.	1.4	84
302	SilicaROD, a new challenge in fast high-performance liquid chromatography separations. TrAC - Trends in Analytical Chemistry, 1998, 17, 50-53.	11.4	118
303	Structural study of mesoporous titania and titanium-stearic acid complex prepared from titanium alkoxide. Journal of the Chemical Society, Faraday Transactions, 1998, 94, 3161-3168.	1.7	47
304	Morphology Control of Macroporous Silica-Zirconia Gel Based on Phase Separation. Journal of the Ceramic Society of Japan, 1998, 106, 772-777.	1.3	25
305	Preparation of Macroporous Titania Films by a Sol-Gel Dip-Coating Method from the System Containing Poly(ethylene glycol). Journal of the American Ceramic Society, 1998, 81, 2670-2676.	3.8	107
306	Phase Separation in Silica Sol-Gel System Containing Poly(ethylene oxide) II. Effects of Molecular Weight and Temperature. Bulletin of the Chemical Society of Japan, 1997, 70, 587-592.	3.2	63

#	ARTICLE	IF	CITATIONS
307	Phase Separation Process of Polymer-Incorporated Silica-Zirconia Sol-Gel System. Journal of Sol-Gel Science and Technology, 1997, 8, 71-76.	2.4	1
308	Pore Structure Control of Silica Gels Based on Phase Separation. Journal of Porous Materials, 1997, 4, 67-112.	2.6	732
309	Phase separation process of polymer-Incorporated silica-zirconia sol-gel system. Journal of Sol-Gel Science and Technology, 1997, 8, 71-76.	2.4	13
310	Double pore silica gel monolith applied to liquid chromatography. Journal of Sol-Gel Science and Technology, 1997, 8, 547-552.	2.4	69
311	Effect of skeleton size on the performance of octadecylsilylated continuous porous silica columns in reversed-phase liquid chromatography. Journal of Chromatography A, 1997, 762, 135-146.	3.7	324
312	Octadecylsilylated Porous Silica Rods as Separation Media for Reversed-Phase Liquid Chromatography. Analytical Chemistry, 1996, 68, 3498-3501.	6.5	872
313	Apatite Formation on Various Silica Gels in a Simulated Body Fluid Containing Excessive Calcium Ion. Journal of the Ceramic Society of Japan, 1996, 104, 399-404.	1.3	14
314	Apatite-forming ability of silicate ion dissolved from silica gels. , 1996, 32, 375-381.		53
315	Apatite formation on silica gel in simulated body fluid: Its dependence on structures of silica gels prepared in different media. , 1996, 33, 145-151.		86
316	Dependence of Apatite Formation on Silica Gel on Its Structure: Effect of Heat Treatment. Journal of the American Ceramic Society, 1995, 78, 1769-1774.	3.8	467
317	Formation of porous gel morphology by phase separation in gelling alkoxy-derived silica. Affinity between silica polymers and solvent.. Journal of Non-Crystalline Solids, 1995, 181, 16-26.	3.1	29
318	Formation of porous gel morphology by phase separation in gelling alkoxy-derived silica. Phenomenological study. Journal of Non-Crystalline Solids, 1995, 185, 18-30.	3.1	24
319	Effects of aging and solvent exchange on pore structure of silica gels with interconnected macropores. Journal of Non-Crystalline Solids, 1995, 189, 66-76.	3.1	53
320	Small-angle X-ray scattering study of nanopore evolution of macroporous silica gel by solvent exchange. Faraday Discussions, 1995, 101, 249.	3.2	36
321	Phase separation kinetics in silica sol-gel system containing polyethylene oxide. I. Initial stage. Journal of Sol-Gel Science and Technology, 1994, 2, 227-231.	2.4	16
322	In situ observation of phase separation processes in gelling alkoxy-derived silica system by light scattering method. Journal of Sol-Gel Science and Technology, 1994, 3, 169-188.	2.4	33
323	The role of hydrated silica, titania, and alumina in inducing apatite on implants. Journal of Biomedical Materials Research Part B, 1994, 28, 7-15.	3.1	664
324	Phase Separation in Silica Sol-Gel System Containing Poly(ethylene oxide). I. Phase Relation and Gel Morphology. Bulletin of the Chemical Society of Japan, 1994, 67, 1327-1335.	3.2	144

#	ARTICLE	IF	CITATIONS
325	Effects of ions in aqueous media on hydroxyapatite induction by silica gel and its relevance to bioactivity of bioactive glasses and glass-ceramics. <i>Journal of Applied Biomaterials: an Official Journal of the Society for Biomaterials</i> , 1993, 4, 221-229.	1.2	103
326	Induction and morphology of hydroxyapatite, precipitated from metastable simulated body fluids on sol-gel prepared silica. <i>Biomaterials</i> , 1993, 14, 963-968.	11.4	142
327	Polymerization-induced phase separation in silica sol-gel systems containing formamide. <i>Journal of Sol-Gel Science and Technology</i> , 1993, 1, 35-46.	2.4	61
328	Process of formation of bone-like apatite layer on silica gel. <i>Journal of Materials Science: Materials in Medicine</i> , 1993, 4, 127-131.	3.6	156
329	Phase separation in silica sol-gel system containing polyacrylic acid. III. Effect of catalytic condition. <i>Journal of Non-Crystalline Solids</i> , 1992, 142, 36-44.	3.1	24
330	Phase separation in silica sol-gel system containing polyacrylic acid. IV. Effect of chemical additives. <i>Journal of Non-Crystalline Solids</i> , 1992, 142, 45-54.	3.1	22
331	Modification of nanometer range pores in silica gels with interconnected macropores by solvent exchange. <i>Journal of Non-Crystalline Solids</i> , 1992, 145, 80-84.	3.1	10
332	Dual-porosity silica gels by polymer-incorporated sol-gel process. <i>Journal of Non-Crystalline Solids</i> , 1992, 147-148, 291-295.	3.1	32
333	Phase separation in silica sol-gel system containing polyacrylic acid I. Gel formation behavior and effect of solvent composition. <i>Journal of Non-Crystalline Solids</i> , 1992, 139, 1-13.	3.1	292
334	Phase separation in silica sol-gel system containing polyacrylic acid II. Effects of molecular weight and temperature. <i>Journal of Non-Crystalline Solids</i> , 1992, 139, 14-24.	3.1	121
335	Small-Angle X-ray Scattering Study of Gelling Silica-Organic Polymer Solution: Systems Containing Poly(Sodium Styrenesulfonate). <i>Journal of the American Ceramic Society</i> , 1992, 75, 971-975.	3.8	14
336	Apatite Formation Induced by Silica Gel in a Simulated Body Fluid. <i>Journal of the American Ceramic Society</i> , 1992, 75, 2094-2097.	3.8	486
337	Pore surface characteristics of macroporous silica gels prepared from polymer-containing solution. <i>Journal of Non-Crystalline Solids</i> , 1991, 134, 39-46.	3.1	37
338	Small-Angle X-Ray Scattering Study on Sol-Gel Transition of Mixtures of Colloidal Silica and Organic Polymer. <i>Bulletin of the Chemical Society of Japan</i> , 1991, 64, 1283-1288.	3.2	10
339	Phase Separation in Gelling Silica-Organic Polymer Solution: Systems Containing Poly(sodium) Styrene Sulfonate. <i>Journal of the American Ceramic Society</i> , 1992, 75, 2094-2097.	3.8	14
340	Effect of stress on water corrosion of borate glass. <i>Journal of Non-Crystalline Solids</i> , 1989, 112, 377-380.	3.1	3
341	Crystallization of silica gels containing sodium poly-4-styrene sulfonate. <i>Journal of Non-Crystalline Solids</i> , 1989, 108, 157-162.	3.1	13
342	The Effect of Two-dimensional Compressive Stress on the Dissolution Rate of Glass in Water. <i>Journal of the Ceramic Society of Japan</i> , 1989, 97, 365-369.	1.3	4

#	ARTICLE	IF	CITATIONS
343	Adsorption of alcohol vapors on alkoxide-derived silica gels. Journal of Non-Crystalline Solids, 1988, 100, 399-403.	3.1	7
344	Sorption of Alcohol Vapors in a Disubstituted Polyacetylene. Polymer Journal, 1987, 19, 293-296.	2.7	37
345	Permeation of gases in poly(1-(trimethylsilyl)-1-propyne).. Kobunshi Ronbunshu, 1986, 43, 747-753.	0.2	57
346	Porous polymer-derived ceramics: Flexible morphological and compositional controls through sol-gel chemistry. Journal of the American Ceramic Society, 0, , .	3.8	10
347	Mechanical and thermal properties of porous polyimide monoliths crosslinked with aromatic and aliphatic triamines. Journal of Sol-Gel Science and Technology, 0, , .	2.4	1