## Neil Feeder

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6257054/publications.pdf

Version: 2024-02-01

117625 133252 3,826 105 34 59 citations h-index g-index papers 113 113 113 4003 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	A Highly π-Stacked Organic Semiconductor for Thin Film Transistors Based on Fused Thiophenes. Journal of the American Chemical Society, 1998, 120, 2206-2207.	13.7	403
2	Hydration in Molecular CrystalsA Cambridge Structural Database Analysis. Crystal Growth and Design, 2003, 3, 663-673.	3.0	176
3	The Most Twisted Amide: Structure and Reactions. Angewandte Chemie - International Edition, 1998, 37, 785-786.	13.8	150
4	Knowledge-based model of hydrogen-bonding propensity in organic crystals. Acta Crystallographica Section B: Structural Science, 2007, 63, 768-782.	1.8	143
5	Macrocyclization and Molecular Interlocking via Mitsunobu Alkylation:  Highlighting the Role of Câ~'HÂ∙Â∙Â∙O Interactions in Templating. Organic Letters, 2000, 2, 449-452.	4.6	123
6	Synthesis, crystal structures, electronic structure and magnetic behaviour of the trithiatriazapentalenyl radical, C2S3N3. Journal of Materials Chemistry, 2001, 11, 1992-2003.	6.7	123
7	Knowledge-based approaches to co-crystal design. CrystEngComm, 2014, 16, 5839.	2.6	117
8	Knowledge-based H-bond prediction to aid experimental polymorph screening. CrystEngComm, 2009, 11, 2634.	2.6	116
9	Reversible synthesis of π-associated [2]catenanes by ring-closing metathesis: towards dynamic combinatorial libraries of catenanes. New Journal of Chemistry, 1998, 22, 1019-1021.	2.8	111
10	Evaluation of molecular crystal structures using Full Interaction Maps. CrystEngComm, 2013, 15, 65-72.	2.6	109
11	Synthesis, characterisation and optical spectroscopy of platinum(ii) di-ynes and poly-ynes incorporating condensed aromatic spacers in the backbone. Dalton Transactions, 2004, , 2377-2385.	3.3	101
12	Tandem Hetero-Catenation:Â Templating and Self-Assembly in the Mutual Closure of Two Different Interlocking Rings. Journal of the American Chemical Society, 1998, 120, 1096-1097.	13.7	96
13	Spontaneous, Millisecond Formation of a Twisted Amide from the Amino Acid, and the Crystal Structure of a Tetrahedral Intermediate. Journal of the American Chemical Society, 1998, 120, 7101-7102.	13.7	<b>7</b> 5
14	Rh(III) Porphyrins as Building Blocks for Porphyrin Coordination Arrays:  From Dimers to Heterometallic Undecamers. Inorganic Chemistry, 2001, 40, 2486-2499.	4.0	72
15	Inhalation by Design: Novel Ultra-Long-Acting $\hat{l}^2$ (sub>2-Adrenoreceptor Agonists for Inhaled Once-Daily Treatment of Asthma and Chronic Obstructive Pulmonary Disease That Utilize a Sulfonamide Agonist Headgroup. Journal of Medicinal Chemistry, 2010, 53, 6640-6652.	6.4	72
16	A Concise Synthesis of the Octalactins. Journal of the American Chemical Society, 2004, 126, 2194-2207.	13.7	71
17	Product-Induced Distortion of a Metalloporphyrin Host:Â Implications for Acceleration of Dielsâ^'Alder Reactions. Journal of the American Chemical Society, 2000, 122, 5286-5293.	13.7	64
18	A supramolecular array assembled via the complementary binding properties of ruthenium(II) and tin(IV) porphyrins. New Journal of Chemistry, 2001, 25, 797-800.	2.8	61

#	Article	IF	CITATIONS
19	Steric Control of the Electronic Ground State in Six-Coordinate Copper(II) Complexes. Angewandte Chemie - International Edition, 1998, 37, 2221-2223.	13.8	60
20	A combined covalent and coordination approach to dendritic multiporphyrin arrays based on ruthenium(II) porphyrins. New Journal of Chemistry, 1999, 23, 359-364.	2.8	58
21	The Challenges of Developing an API Crystallization Process for a Complex Polymorphic and Highly Solvating System. Part I. Organic Process Research and Development, 2009, 13, 1327-1337.	2.7	57
22	Kinetic and Mechanistic Study on Single-Crystal-to-Single-Crystal Photodimerization of 2-Benzyl-5-benzylidenecyclopentanone Utilizing X-ray Diffraction. Journal of the American Chemical Society, 1999, 121, 8246-8250.	13.7	51
23	Luminescent digold ethynyl thienothiophene and dithienothiophene complexes; their synthesis and structural characterisation. Dalton Transactions, 2005, , 874.	3.3	51
24	Synthesis, characterisation and electronic properties of a series of platinum(ii) poly-ynes containing novel thienyl-pyridine linker groups. Dalton Transactions RSC, 2002, , 2441-2448.	2.3	50
25	Synthesis and optical characterisation of platinum(ii) poly-yne polymers incorporating substituted 1,4-diethynylbenzene derivatives and an investigation of the intermolecular interactions in the diethynylbenzene molecular precursorsElectronic supplementary information (ESI) available: atomic cooordinates for 6 and 7. See http://www.rsc.org/suppdata/nj/b2/b206946f/. New Journal of Chemistry,	2.8	49
26	Construction of Multiporphyrin Arrays Using Ruthenium and Rhodium Coordination to Phosphines. Inorganic Chemistry, 2003, 42, 6564-6574.	4.0	46
27	Phosphine-substituted porphyrins as supramolecular building blocks. New Journal of Chemistry, 2000, 24, 261-264.	2.8	40
28	Morphological evaluation of the $\hat{I}^3$ -polymorph of indomethacin. Journal of Crystal Growth, 2002, 237-239, 300-305.	1.5	40
29	The integration of solid-form informatics into solid-form selection. Journal of Pharmacy and Pharmacology, 2015, 67, 857-868.	2.4	38
30	Synthesis and post-assembly modification of some functionalised, neutral π-associated [2]catenanes. New Journal of Chemistry, 1999, 23, 897-903.	2.8	37
31	Discovery of Potent &	6.4	37
32	Structural variety in nitrate complexes of the heavy lanthanides with 2,2′:6′,2″-terpyridine, and stereoselective replacement of nitrate. Dalton Transactions RSC, 2002, , 2027-2030.	2.3	36
33	Synthesis, Structure, and Modeling of a Cyclic Rhodium(III) Porphyrin Dimer with an Encapsulated 4,4â€~-Bipyridine Ligand. Inorganic Chemistry, 1999, 38, 5178-5183.	4.0	35
34	Phosphine and Phosphonite Complexes of a Ruthenium(II) Porphyrin. 1. Synthesis, Structure, and Solution State Studies. Inorganic Chemistry, 2002, 41, 5255-5268.	4.0	34
35	Discovery of a Selective Small-Molecule Melanocortin-4 Receptor Agonist with Efficacy in a Pilot Study of Sexual Dysfunction in Humans. Journal of Medicinal Chemistry, 2010, 53, 3183-3197.	6.4	34
36	Inhalation by Design: Novel Tertiary Amine Muscarinic M <sub>3</sub> Receptor Antagonists with Slow Off-Rate Binding Kinetics for Inhaled Once-Daily Treatment of Chronic Obstructive Pulmonary Disease. Journal of Medicinal Chemistry, 2011, 54, 6888-6904.	6.4	31

#	Article	IF	CITATIONS
37	Luminescent supramolecular assemblies based on hydrogenÂbonded complexes of stilbenecarboxylic acids and dithieno[3,2Âb:2′,3′Âd]thiopheneÂ2Âcarboxylic acids with a tris(imidazoline) base. Journal of Materials Chemistry, 2001, 11, 1625-1633.	6.7	30
38	Cyclopolymerisation of an oriented 4,6-bis(4-vinylbenzyl)-myo-inositol orthoformate. Chemical Communications, 2000, , 2419-2420.	4.1	29
39	Structure and magnetic properties of a sulfur–nitrogen radical, methylbenzodithiazolyl. Journal of Materials Chemistry, 2000, 10, 2001-2003.	6.7	29
40	The X-ray crystal structure of linear [3]phenylene. Tetrahedron Letters, 2001, 42, 7329-7332.	1.4	29
41	A Li10 Cage Containing the [C6H11Pâ‹â‹â‹â←"C(Ph)â‹â‹â←"N]2â⁻' Ion: Umpolung in the Oligomeriza Angewandte Chemie - International Edition, 2000, 39, 4145-4148.	tion of a N	Vitrile.
42	Molecular Conformation and Intermolecular Interactions in the Crystal Structures of Free-Base 5,15-Diarylporphyrins. Crystal Growth and Design, 2002, 2, 27-39.	3.0	27
43	Discovery and synthesis of a new class of opioid ligand having a 3-azabicyclo[3.1.0]hexane core. An example of a †magic methyl†megiving a 35-fold improvement in binding. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 4608-4611.	2.2	26
44	Stereoselective synthesis of the indolizidine core of the allopumiliotoxins. Tetrahedron Letters, 1999, 40, 1397-1400.	1.4	25
45	Hydrogen-Bonding Clusters Leading to Formation of Supramolecular Dimers of Metalloporphyrin Receptors: Modulation of Lewis Acidity by π-π Interactions. Chemistry - A European Journal, 2000, 6, 2112-2119.	3.3	25
46	Solid State Dehydration Processes:  Mechanism of Water Loss from Crystalline Inosine Dihydrate. Journal of Physical Chemistry B, 2005, 109, 5341-5347.	2.6	23
47	An unprecedented mode of association in diselenadiazolyl radicals: crystal structures and magnetic properties of [p-XC6F4CNSeSeN]2 (X=Cl, Br). Chemical Communications, 2000, , 2449-2450.	4.1	22
48	H-bond competition experiments in solution and the solid state. CrystEngComm, 2016, 18, 394-397.	2.6	21
49	The Effect of Varying Substituents on the Equilibrium Distribution and Conformation of Macrocyclic SteroidalN-Acyl Hydrazones. Organic Letters, 2000, 2, 1435-1438.	4.6	20
50	A novel method for the formation of 2-azocanones by lactone-to-lactam ring contraction of 2-oxonanones. Tetrahedron Letters, 1998, 39, 9309-9312.	1.4	19
51	A highly luminescent polymer for LEDs. Synthetic Metals, 1999, 102, 935-936.	3.9	19
52	The Claisen rearrangement approach to fused bicyclic medium-ring oxacycles. Organic and Biomolecular Chemistry, 2008, 6, 693.	2.8	19
53	Reaction of [Cp2(CO)3Mo2(μ-η2-P2)(PPh2)]-with the Cumulenes 3-ClC6H4NCO, PhNCS, and CS2and with Michael Acceptors: Synthesis and Reactivity of [Cp2(CO)3Mo2(μ-η3-Ph2PC(H)SP2S)], a Complex Containing an Unusual CSP2S Five-Membered Ring. Organometallics, 2000, 19, 984-993.	2.3	18
54	Coordination Chemistry of Rh(III) Porphyrins:Â Complexes with Hydrazine, Disulfide, and Diselenide Bridging Ligands. Inorganic Chemistry, 2001, 40, 3217-3221.	4.0	18

#	Article	IF	CITATIONS
55	The effects of distal ligand substitution on the copper(II)/bis-(2,6-dipyrazol-1-ylpyridine) centreâ€. Dalton Transactions RSC, 2001, , 2083-2088.	2.3	18
56	Stereoselective acyl transfer reactions controlled by the diphenylphosphinoyl group: X-ray structures of stable crystalline silylated tetrahedral intermediates. Tetrahedron Letters, 1994, 35, 5911-5914.	1.4	17
57	Insights into the elimination of HCHO from the clusters [Mn(CO)m(COOMe)]â^² (Mnâ€=â€Ru6C, mâ€=â€	16:) Tj ETQ 2:3	0 <u>0</u> 1 1 0.784
58	Discovery of PF-184563, a potent and selective V1a antagonist for the treatment of dysmenorrhoea. The influence of compound flexibility on microsomal stability. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 5684-5687.	2.2	17
59	Inhalation by design: Dual pharmacology $\hat{l}^2$ -2 agonists/M3 antagonists for the treatment of COPD. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 2759-2763.	2.2	17
60	Stereoelectronic interactions between hetero-atoms. Pure and Applied Chemistry, 1999, 71, 385-391.	1.9	16
61	Intramolecular cyclisation of (Z)-N-4-alkenylnitrones and the effects of alkenyl substituents. Tetrahedron Letters, 1999, 40, 1393-1396.	1.4	16
62	Copper(II) complexes of hydroquinone-containing Schiff bases. Towards a structural model for copper amine oxidases. Dalton Transactions RSC, 2000, , 1559-1565.	2.3	15
63	X-ray Diffraction and 13C Solid-State NMR Studies of the Dimethylformamide Solvate of Tetra(C-undecyl)calix[4]resorcinarene. Journal of Physical Chemistry B, 2000, 104, 1921-1926.	2.6	15
64	Formation of Double Cubanes [Sn7(NR)8] in the Reactions of Pyridyl and Pyrimidinyl Amines with Sn(NMe2)2: A Synthetic and Theoretical Studyâ€. Inorganic Chemistry, 2002, 41, 1492-1501.	4.0	15
65	Cluster build-up reactions via the ionic coupling of tetraosmium anions and the [RhCp*(NCMe)3]2+ cation; the crystal and molecular structures of [Os4Rh(Î $\frac{1}{4}$ -H)3(MeCrNH)(CO)11(Î-5-Cp*)], [Os4Rh(Î $\frac{1}{4}$ -H)2(CO)13(Î-5-Cp*)] and [Os4Rh2(Î $\frac{1}{4}$ -H)2(CO)11(Î-5-Cp*)2] (Cp*rC5Me5). Journal of Organometal Chemistry, 1999, 573, 237-246.	lic.8	13
66	Ligand-Directed Structural Modification of Imidotin(II) Cubanes: The Mixed Oxidation State Double-Cubanes [Sn7{2-NR}8]â‹n THF (R=Pyrimidinyl, 5-Methylpyridinyl). Angewandte Chemie - International Edition, 2000, 39, 1501-1503.	13.8	13
67	The Solid-State Structure of 3-Hydroxy-4-methyl-2(3 H )-thiazolethione: Prediction and Measurement. Tetrahedron, 2000, 56, 6617-6624.	1.9	13
68	Structure and Nonadditive Voltammetric Properties of Face-to-Face Bismacrocyclic NillReceptors in Complexes with Small Organic Guests. Journal of Physical Chemistry B, 2000, 104, 11430-11434.	2.6	13
69	Reaction ofortho-Methylbenzonitrile with LithiumN,N,N′-Trimethylethylenediamide: Assembly and Crystal Structure of a Primary Isoquinolinoamidolithium–Secondary Amine Complex. European Journal of Inorganic Chemistry, 1998, 1998, 879-883.	2.0	12
70	An Investigation of the Structural Diversities of Lithiated HMPA Complexes of o -Mercaptopyridine and Trithiocyanuric Acid: Syntheses, Crystal structures and Model Molecular Orbital Calculations. Journal of Molecular Modeling, 2000, 6, 234-247.	1.8	12
71	Electrophilic ring-opening of [(RP)nAs]â^ anions; a simple route to functionalised neutral phosphines of the type [(ButP)(ButRP)2]. Chemical Communications, 2000, , 2483-2484.	4.1	12
72	Hydrogen-bond motifs in the crystals of hydrophobic amino acids. Acta Crystallographica Section B: Structural Science, 2008, 64, 504-514.	1.8	12

#	Article	IF	CITATIONS
73	A Quick Method for the Quantitative Analysis of Mixtures. 1. Powder X-Ray Diffraction. Journal of Pharmaceutical Sciences, 2008, 97, 2260-2276.	3.3	12
74	The First Solid-State Structure of a Lithiated Diazomethane with C–Li and N–Li Bonds: {[Me3SiC(Li)N2]2·3 THF}∞. European Journal of Organic Chemistry, 1998, 1998, 861-864.	2.4	10
75	Microwave-assisted synthesis of mGluR1 ligands: carbon, nitrogen and oxygen linked derivatives of pyrido[3,4-d]pyrimidin-4-ylamines. Tetrahedron Letters, 2007, 48, 4293-4296.	1.4	10
76	Synthesis and Structure of the Heterobimetallic Ladder Complex [{(MesNH)Sn(μ-Nma)}2(Li·2THF)2] (Mes) Tj E	TQ:80000	rgBT /Overlo
77	Kinetic and Mechanistic Aspects of a Crystal-to-Crystal Photoreaction: Effective use of Single Crystal X-ray Diffraction. Molecular Crystals and Liquid Crystals, 1998, 313, 327-334.	0.3	8
78	Molecular hybridization yields triazole bronchodilators for the treatment of COPD. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 5121-5126.	2.2	8
79	Impact of Mixed Solvent on Co-Crystal Solubility, Ternary Phase Diagram, and Crystallization Scale Up. Crystal Growth and Design, 2016, 16, 1817-1823.	3.0	8
80	Unusual carbonyl and pentamethylcyclopentadienyl bonding modes in mixed rhodium–ruthenium clusters. New Journal of Chemistry, 1998, 22, 1111.	2.8	7
81	Syntheses, structures and electrochemistry of [Zn(L1)2](BF4)2·2H2O and [Zn(L1)(TpR)]BF4 (L1=1-{pyrid-2-yl}-3-{2′,5′-dimethoxyphenyl}pyrazole; [TpR]â^'=tris-{3-arylpyrazolyl}borate). Polyhedron, 2000, 19, 109-114.	2.2	7
82	Reactions of the spiro monoanion [{(Me2N)Sb( $\hat{1}$ 4-NCy)2}2Sb] $\hat{a}$ with alcohols and thiols (REH; E $\hat{a}$ 6= $\hat{a}$ 6O or S syntheses of nido-[Sb3( $\hat{1}$ 4-NCy)3( $\hat{1}$ 43-NCy)(ER)2] anions and the unique antimony(III) imido cubane [(2-NC5H4O)Sb( $\hat{1}$ 43-NCy)]4 (Cy= cyclohexyl). Dalton Transactions RSC, 2000, , 1841-1847.	S); 2.3	7
83	Reactions of [Os3(CO)10(MeCN)2] with ethynyl thiophenes: The formation of linked clusters. Inorganica Chimica Acta, 2008, 361, 3117-3124.	2.4	7
84	Optimized glucuronidation of dual pharmacology $\hat{l}^2$ -2 agonists/M3 antagonists for the treatment of COPD. MedChemComm, 2011, 2, 870.	3.4	7
85	Bis[1-hydroxypyridine-2(1H)-thionato-S,O]copper(II). Acta Crystallographica Section C: Crystal Structure Communications, 2001, 57, 1157-1158.	0.4	6
86	Association and fragmentation of imidotin(II) complexes containing donor-functionalised peripheries; towards new three-dimensional main group metal ligands â€. Dalton Transactions RSC, 2000, , 4104-4111.	2.3	5
87	Synthesis and structure of [Cp2PbCpthf  Na]·0.5thf; implications to the control of dimensionality in p block metallocene anion systems (Cpâ€=â€C5H5, Cpthfâ€=â€{C5H4}CH2C4H7O). Dalton Transactions R 2247-2248.	!S£32000,	,5
88	Investigation of the Origin of the Topochemical Arrangement in Photoreactive 2-Benzyl-5-benzylidenecyclopentanone Crystal. Molecular Crystals and Liquid Crystals, 2001, 356, 413-422.	0.3	5
89	Hydrogen Bonding in Acid-Amides: Influence of Variable Alkyl Chain Length. Molecular Crystals and Liquid Crystals, 1992, 211, 111-124.	0.3	4
90	A synchrotron diffraction study of two polymorphic forms of 2,5-bis[2-(4-methoxyphenyl)ethenyl]pyrazine. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 1277-1279.	0.4	4

#	Article	lF	Citations
91	4,4′-Bipyridine-3,3′-dicarboxylic acid dihydrate. Acta Crystallographica Section E: Structure Reports Online, 2001, 57, o869-o871.	0.2	4
92	Comparative Study of Crystal Packing in Amido-Benzoic and Amido-Perbenzoic Acids. Molecular Crystals and Liquid Crystals, 1994, 240, 231-239.	0.3	3
93	Supramolecular assemblies with dithieno[3,2-b;2′,3′-d]thiophenes and other conjugated thiophene-containing ⊩e-systems. Synthetic Metals, 2001, 119, 175-176.	3.9	3
94	DL-HistidineDL-tartrate. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, o1273-o1274.	0.2	3
95	D-Histidinium (2S,3S)-tartrate. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, o1374-o1375.	0.2	3
96	Stereochemistry of reduction of a heterocyclic $\hat{l}$ ±-hydroxy-ketone: The structure, conformation and preparation of the syn and anti-3,3,6,6-tetramethylthiepan-4,5-diols. Tetrahedron Letters, 1994, 35, 9095-9098.	1.4	2
97	Synthesis and structure of [Sn9(Ndmp)7(HNdmp)2O2], containing a bidentate double-cubane oxo		