

Neil Feeder

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6257054/publications.pdf>

Version: 2024-02-01

105
papers

3,826
citations

117453

34
h-index

133063

59
g-index

113
all docs

113
docs citations

113
times ranked

4003
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Impact of Mixed Solvent on Co-Crystal Solubility, Ternary Phase Diagram, and Crystallization Scale Up. <i>Crystal Growth and Design</i> , 2016, 16, 1817-1823. | 1.4 | 8 |
| 2 | H-bond competition experiments in solution and the solid state. <i>CrystEngComm</i> , 2016, 18, 394-397. | 1.3 | 21 |
| 3 | Traversing the solid form jungle using the power of the Cambridge Structural Database. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2016, 72, s119-s119. | 0.0 | 0 |
| 4 | The integration of solid-form informatics into solid-form selection. <i>Journal of Pharmacy and Pharmacology</i> , 2015, 67, 857-868. | 1.2 | 38 |
| 5 | Solid form control and design through structural informatics. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2015, 71, s469-s469. | 0.0 | 0 |
| 6 | Molecular hybridization yields triazole bronchodilators for the treatment of COPD. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 5121-5126. | 1.0 | 8 |
| 7 | Knowledge-based approaches to co-crystal design. <i>CrystEngComm</i> , 2014, 16, 5839. | 1.3 | 117 |
| 8 | Evaluation of molecular crystal structures using Full Interaction Maps. <i>CrystEngComm</i> , 2013, 15, 65-72. | 1.3 | 109 |
| 9 | Optimized glucuronidation of dual pharmacology β_2 -agonists/M3 antagonists for the treatment of COPD. <i>MedChemComm</i> , 2011, 2, 870. | 3.5 | 7 |
| 10 | Inhalation by Design: Novel Tertiary Amine Muscarinic M ₃ Receptor Antagonists with Slow Off-Rate Binding Kinetics for Inhaled Once-Daily Treatment of Chronic Obstructive Pulmonary Disease. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 6888-6904. | 2.9 | 31 |
| 11 | Discovery of PF-184563, a potent and selective V1a antagonist for the treatment of dysmenorrhoea. The influence of compound flexibility on microsomal stability. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 5684-5687. | 1.0 | 17 |
| 12 | Inhalation by design: Dual pharmacology β_2 -agonists/M3 antagonists for the treatment of COPD. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 2759-2763. | 1.0 | 17 |
| 13 | Discovery and synthesis of a new class of opioid ligand having a 3-azabicyclo[3.1.0]hexane core. An example of a "magic methyl" giving a 35-fold improvement in binding. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 4608-4611. | 1.0 | 26 |
| 14 | Discovery of a Selective Small-Molecule Melanocortin-4 Receptor Agonist with Efficacy in a Pilot Study of Sexual Dysfunction in Humans. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 3183-3197. | 2.9 | 34 |
| 15 | Inhalation by Design: Novel Ultra-Long-Acting β_2 -Adrenoreceptor Agonists for Inhaled Once-Daily Treatment of Asthma and Chronic Obstructive Pulmonary Disease That Utilize a Sulfonamide Agonist Headgroup. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 6640-6652. | 2.9 | 72 |
| 16 | The Challenges of Developing an API Crystallization Process for a Complex Polymorphic and Highly Solvating System. Part I. <i>Organic Process Research and Development</i> , 2009, 13, 1327-1337. | 1.3 | 57 |
| 17 | Knowledge-based H-bond prediction to aid experimental polymorph screening. <i>CrystEngComm</i> , 2009, 11, 2634. | 1.3 | 116 |
| 18 | Hydrogen-bond motifs in the crystals of hydrophobic amino acids. <i>Acta Crystallographica Section B: Structural Science</i> , 2008, 64, 504-514. | 1.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | A Quick Method for the Quantitative Analysis of Mixtures. 1. Powder X-Ray Diffraction. <i>Journal of Pharmaceutical Sciences</i> , 2008, 97, 2260-2276. | 1.6 | 12 |
| 20 | Reactions of [Os ₃ (CO) ₁₀ (MeCN) ₂] with ethynyl thiophenes: The formation of linked clusters. <i>Inorganica Chimica Acta</i> , 2008, 361, 3117-3124. | 1.2 | 7 |
| 21 | The Claisen rearrangement approach to fused bicyclic medium-ring oxacycles. <i>Organic and Biomolecular Chemistry</i> , 2008, 6, 693. | 1.5 | 19 |
| 22 | Discovery of Potent & Selective Inhibitors of Activated Thrombin-Activatable Fibrinolysis Inhibitor for the Treatment of Thrombosis. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 6095-6103. | 2.9 | 37 |
| 23 | Microwave-assisted synthesis of mGluR1 ligands: carbon, nitrogen and oxygen linked derivatives of pyrido[3,4-d]pyrimidin-4-ylamines. <i>Tetrahedron Letters</i> , 2007, 48, 4293-4296. | 0.7 | 10 |
| 24 | Knowledge-based model of hydrogen-bonding propensity in organic crystals. <i>Acta Crystallographica Section B: Structural Science</i> , 2007, 63, 768-782. | 1.8 | 143 |
| 25 | Luminescent digold ethynyl thienothiophene and dithienothiophene complexes; their synthesis and structural characterisation. <i>Dalton Transactions</i> , 2005, , 874. | 1.6 | 51 |
| 26 | Solid State Dehydration Processes: Mechanism of Water Loss from Crystalline Inosine Dihydrate. <i>Journal of Physical Chemistry B</i> , 2005, 109, 5341-5347. | 1.2 | 23 |
| 27 | THE ORGANIC FERROMAGNET p-O ₂ NC ₆ F ₄ CN ₂ SSN. Phosphorus, Sulfur and Silicon and the Related Elements, 2004, 179, 975-976. | 0.8 | 1 |
| 28 | Synthesis, characterisation and optical spectroscopy of platinum(ii) di-ynes and poly-ynes incorporating condensed aromatic spacers in the backbone. <i>Dalton Transactions</i> , 2004, , 2377-2385. | 1.6 | 101 |
| 29 | DL-HistidineDL-tartrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o1273-o1274. | 0.2 | 3 |
| 30 | D-Histidinium (2S,3S)-tartrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o1374-o1375. | 0.2 | 3 |
| 31 | (R)-Histidinium (2R,3R)-tartrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o1476-o1477. | 0.2 | 1 |
| 32 | A Concise Synthesis of the Octalactins. <i>Journal of the American Chemical Society</i> , 2004, 126, 2194-2207. | 6.6 | 71 |
| 33 | Hydration in Molecular Crystals A Cambridge Structural Database Analysis. <i>Crystal Growth and Design</i> , 2003, 3, 663-673. | 1.4 | 176 |
| 34 | Synchrotron X-ray study of [5,15-diphenyl-2,8,12,18-tetra-n-hexyl-3,7,13,17-tetramethylporphyrinato]nickel(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, m818-m820. | 0.2 | 1 |
| 35 | Construction of Multiporphyrin Arrays Using Ruthenium and Rhodium Coordination to Phosphines. <i>Inorganic Chemistry</i> , 2003, 42, 6564-6574. | 1.9 | 46 |
| 36 | Synthesis and optical characterisation of platinum(ii) poly-yne polymers incorporating substituted 1,4-diethynylbenzene derivatives and an investigation of the intermolecular interactions in the diethynylbenzene molecular precursors Electronic supplementary information (ESI) available: atomic coordinates for 6 and 7. See http://www.rsc.org/suppdata/nj/b2/b206946f/ . <i>New Journal of Chemistry</i> , 2003, 27, 140-149. | 1.4 | 49 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Phosphine and Phosponite Complexes of a Ruthenium(II) Porphyrin. 1. Synthesis, Structure, and Solution State Studies. <i>Inorganic Chemistry</i> , 2002, 41, 5255-5268. | 1.9 | 34 |
| 38 | Formation of Double Cubanes [Sn ₇ (NR) ₈] in the Reactions of Pyridyl and Pyrimidinyl Amines with Sn(NMe ₂) ₂ : A Synthetic and Theoretical Study. <i>Inorganic Chemistry</i> , 2002, 41, 1492-1501. | 1.9 | 15 |
| 39 | Molecular Conformation and Intermolecular Interactions in the Crystal Structures of Free-Base 5,15-Diarylporphyrins. <i>Crystal Growth and Design</i> , 2002, 2, 27-39. | 1.4 | 27 |
| 40 | Synthesis, characterisation and electronic properties of a series of platinum(II) poly-ynes containing novel thienyl-pyridine linker groups. <i>Dalton Transactions RSC</i> , 2002, , 2441-2448. | 2.3 | 50 |
| 41 | Structural variety in nitrate complexes of the heavy lanthanides with 2,2',6',2''-terpyridine, and stereoselective replacement of nitrate. <i>Dalton Transactions RSC</i> , 2002, , 2027-2030. | 2.3 | 36 |
| 42 | Morphological evaluation of the β -polymorph of indomethacin. <i>Journal of Crystal Growth</i> , 2002, 237-239, 300-305. | 0.7 | 40 |
| 43 | Luminescent supramolecular assemblies based on hydrogen-bonded complexes of stilbenecarboxylic acids and dithieno[3,2-b:2',3'-d]thiophene-2-carboxylic acids with a tris(imidazoline) base. <i>Journal of Materials Chemistry</i> , 2001, 11, 1625-1633. | 6.7 | 30 |
| 44 | Coordination Chemistry of Rh(III) Porphyrins: Complexes with Hydrazine, Disulfide, and Diselenide Bridging Ligands. <i>Inorganic Chemistry</i> , 2001, 40, 3217-3221. | 1.9 | 18 |
| 45 | Supramolecular assemblies with dithieno[3,2-b:2',3'-d]thiophenes and other conjugated thiophene-containing π -systems. <i>Synthetic Metals</i> , 2001, 119, 175-176. | 2.1 | 3 |
| 46 | A supramolecular array assembled via the complementary binding properties of ruthenium(II) and tin(IV) porphyrins. <i>New Journal of Chemistry</i> , 2001, 25, 797-800. | 1.4 | 61 |
| 47 | Synthesis and structure of [Sn ₉ (Ndmp) ₇ (HNdmp) ₂ O ₂], containing a bidentate double-cubane oxo | | |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The X-ray crystal structure of linear [3]phenylene. <i>Tetrahedron Letters</i> , 2001, 42, 7329-7332. | 0.7 | 29 |
| 56 | Investigation of the Origin of the Topochemical Arrangement in Photoreactive 2-Benzyl-5-benzylidenecyclopentanone Crystal. <i>Molecular Crystals and Liquid Crystals</i> , 2001, 356, 413-422. | 0.3 | 5 |
| 57 | Ligand-Directed Structural Modification of Imidotin(II) Cubanes: The Mixed Oxidation State Double-Cubanes [Sn ₇ {2-NR}8]·nTHF (R=Pyrimidinyl, 5-Methylpyridinyl). <i>Angewandte Chemie - International Edition</i> , 2000, 39, 1501-1503. | 7.2 | 13 |
| 58 | Hydrogen-Bonding Clusters Leading to Formation of Supramolecular Dimers of Metalloporphyrin Receptors: Modulation of Lewis Acidity by H ₂ O Interactions. <i>Chemistry - A European Journal</i> , 2000, 6, 2112-2119. | 1.7 | 25 |
| 59 | A Li ₁₀ Cage Containing the [C ₆ H ₁₁ P ₂ C(Ph) ₂ N ₂] ²⁺ Ion: Umpolung in the Oligomerization of a Nitrile. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 4145-4148. | 7.2 | 27 |
| 60 | A synchrotron diffraction study of two polymorphic forms of 2,5-bis[2-(4-methoxyphenyl)ethenyl]pyrazine. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, 1277-1279. | 0.4 | 4 |
| 61 | Syntheses, structures and electrochemistry of [Zn(L1) ₂](BF ₄) ₂ ·2H ₂ O and [Zn(L1)(TpR)]BF ₄ (L1=1-(pyrid-2-yl)-3-(2,5-dimethoxyphenyl)pyrazole; [TpR] ⁻ =tris-{3-arylpyrazolyl}borate). <i>Polyhedron</i> , 2000, 19, 109-114. | 1.0 | 7 |
| 62 | The Solid-State Structure of 3-Hydroxy-4-methyl-2(3 H)-thiazolethione: Prediction and Measurement. <i>Tetrahedron</i> , 2000, 56, 6617-6624. | 1.0 | 13 |
| 63 | Structure and Nonadditive Voltammetric Properties of Face-to-Face Bismacrocyclic Ni(II) Receptors in Complexes with Small Organic Guests. <i>Journal of Physical Chemistry B</i> , 2000, 104, 11430-11434. | 1.2 | 13 |
| 64 | An Investigation of the Structural Diversities of Lithiated HMPA Complexes of o-Mercaptopyridine and Trithiocyanuric Acid: Syntheses, Crystal structures and Model Molecular Orbital Calculations. <i>Journal of Molecular Modeling</i> , 2000, 6, 234-247. | 0.8 | 12 |
| 65 | Phosphine-substituted porphyrins as supramolecular building blocks. <i>New Journal of Chemistry</i> , 2000, 24, 261-264. | 1.4 | 40 |
| 66 | Copper(II) complexes of hydroquinone-containing Schiff bases. Towards a structural model for copper amine oxidases. <i>Dalton Transactions RSC</i> , 2000, , 1559-1565. | 2.3 | 15 |
| 67 | Cyclopolymerisation of an oriented 4,6-bis(4-vinylbenzyl)-myo-inositol orthoformate. <i>Chemical Communications</i> , 2000, , 2419-2420. | 2.2 | 29 |
| 68 | Association and fragmentation of imidotin(II) complexes containing donor-functionalised peripheries; towards new three-dimensional main group metal ligands. <i>Dalton Transactions RSC</i> , 2000, , 4104-4111. | 2.3 | 5 |
| 69 | Macrocyclization and Molecular Interlocking via Mitsunobu Alkylation: Highlighting the Role of C-H...O Interactions in Templating. <i>Organic Letters</i> , 2000, 2, 449-452. | 2.4 | 123 |
| 70 | Structure and magnetic properties of a sulfur-nitrogen radical, methylbenzodithiazolyl. <i>Journal of Materials Chemistry</i> , 2000, 10, 2001-2003. | 6.7 | 29 |
| 71 | Reactions of the spiro monoanion [Sb(1/4-NCy) ₂] ⁻ with alcohols and thiols (RH; E=O or S); syntheses of nido-[Sb(1/4-NCy) ₃ (1/4-NCy)(ER) ₂] anions and the unique antimony(III) imido cubane [(2-NC ₅ H ₄ O)Sb(1/4-NCy)] ₄ (Cy= cyclohexyl). <i>Dalton Transactions RSC</i> , 2000, , 1841-1847. | 2.3 | 7 |
| 72 | Synthesis and structure of [Cp ₂ PbCp*]Na ⁺ ·0.5thf; implications to the control of dimensionality in p block metallocene anion systems (Cp*=[C ₅ H ₅ , Cp*=[C ₅ H ₄]CH ₂ C ₄ H ₇ O). <i>Dalton Transactions RSC</i> , 2000, , 2247-2248. | 2.3 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Electrophilic ring-opening of $[(RP)_nAs]^-$ anions; a simple route to functionalised neutral phosphines of the type $[(ButP)(ButRP)_2]$. <i>Chemical Communications</i> , 2000, , 2483-2484. | 2.2 | 12 |
| 74 | An unprecedented mode of association in diselenadiazolyl radicals: crystal structures and magnetic properties of $[p-XC_6F_4CNSeSeN]_2$ ($X=Cl, Br$). <i>Chemical Communications</i> , 2000, , 2449-2450. | 2.2 | 22 |
| 75 | Insights into the elimination of HCHO from the clusters $[Mn(CO)_m(COOMe)]^+$ ($Mn \dots Ru_6C, \dots Ru_6C$). <i>Journal of Organometallic Chemistry</i> , 2000, 600, 1-17. | 2.3 | 17 |
| 76 | Product-Induced Distortion of a Metalloporphyrin Host: Implications for Acceleration of Diels-Alder Reactions. <i>Journal of the American Chemical Society</i> , 2000, 122, 5286-5293. | 6.6 | 64 |
| 77 | Reaction of $[Cp_2(CO)_3Mo_2(\eta^4-\eta^2-P_2)(PPh_2)]$ -with the Cumulenes 3-ClC ₆ H ₄ NCO, PhNCS, and CS ₂ and with Michael Acceptors: A Synthesis and Reactivity of $[Cp_2(CO)_3Mo_2(\eta^4-\eta^3-Ph_2PC(H)SP_2S)]$, a Complex Containing an Unusual CSP ₂ S Five-Membered Ring. <i>Organometallics</i> , 2000, 19, 984-993. | 1.1 | 18 |
| 78 | X-ray Diffraction and ¹³ C Solid-State NMR Studies of the Dimethylformamide Solvate of Tetra(C-undecyl)calix[4]resorcinarene. <i>Journal of Physical Chemistry B</i> , 2000, 104, 1921-1926. | 1.2 | 15 |
| 79 | The Effect of Varying Substituents on the Equilibrium Distribution and Conformation of Macrocyclic Steroidal N-Acyl Hydrazones. <i>Organic Letters</i> , 2000, 2, 1435-1438. | 2.4 | 20 |
| 80 | Stereoelectronic interactions between hetero-atoms. <i>Pure and Applied Chemistry</i> , 1999, 71, 385-391. | 0.9 | 16 |
| 81 | Cluster build-up reactions via the ionic coupling of tetraosmium anions and the $[RhCp^*(NCMe)_3]^{2+}$ cation; the crystal and molecular structures of $[Os_4Rh(\eta^4-H)_3(MeC\equiv NH)(CO)_11(\eta^5-Cp^*)]$, $[Os_4Rh(\eta^4-H)_2(CO)_13(\eta^5-Cp^*)]$ and $[Os_4Rh_2(\eta^4-H)_2(CO)_11(\eta^5-Cp^*)_2]$ ($Cp^* = \eta^5-C_5Me_5$). <i>Journal of Organometallic Chemistry</i> , 1999, 573, 237-246. | 0.8 | 13 |
| 82 | Intramolecular cyclisation of (Z)-N-4-alkenyl nitrones and the effects of alkenyl substituents. <i>Tetrahedron Letters</i> , 1999, 40, 1393-1396. | 0.7 | 16 |
| 83 | Stereoselective synthesis of the indolizidine core of the allopumiliotoxins. <i>Tetrahedron Letters</i> , 1999, 40, 1397-1400. | 0.7 | 25 |
| 84 | Synthesis and post-assembly modification of some functionalised, neutral π -associated [2]catenanes. <i>New Journal of Chemistry</i> , 1999, 23, 897-903. | 1.4 | 37 |
| 85 | A combined covalent and coordination approach to dendritic multiporphyrin arrays based on ruthenium(II) porphyrins. <i>New Journal of Chemistry</i> , 1999, 23, 359-364. | 1.4 | 58 |
| 86 | A highly luminescent polymer for LEDs. <i>Synthetic Metals</i> , 1999, 102, 935-936. | 2.1 | 19 |
| 87 | Kinetic and Mechanistic Study on Single-Crystal-to-Single-Crystal Photodimerization of 2-Benzyl-5-benzylidencyclopentanone Utilizing X-ray Diffraction. <i>Journal of the American Chemical Society</i> , 1999, 121, 8246-8250. | 6.6 | 51 |
| 88 | Synthesis, Structure, and Modeling of a Cyclic Rhodium(III) Porphyrin Dimer with an Encapsulated 4,4'-Bipyridine Ligand. <i>Inorganic Chemistry</i> , 1999, 38, 5178-5183. | 1.9 | 35 |
| 89 | Reaction of ortho-Methylbenzotrile with Lithium N,N,N'-Trimethylethylenediamide: Assembly and Crystal Structure of a Primary Isoquinolinoamidolithium Secondary Amine Complex. <i>European Journal of Inorganic Chemistry</i> , 1998, 1998, 879-883. | 1.0 | 12 |
| 90 | The First Solid-State Structure of a Lithiated Diazomethane with C-Li and N-Li Bonds: $\{[Me_3SiC(Li)N_2]_2 \cdot 3 THF\}^+$. <i>European Journal of Organic Chemistry</i> , 1998, 1998, 861-864. | 1.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | The Most Twisted Amide: Structure and Reactions. <i>Angewandte Chemie - International Edition</i> , 1998, 37, 785-786. | 7.2 | 150 |
| 92 | Steric Control of the Electronic Ground State in Six-Coordinate Copper(II) Complexes. <i>Angewandte Chemie - International Edition</i> , 1998, 37, 2221-2223. | 7.2 | 60 |
| 93 | A novel method for the formation of 2-azocanones by lactone-to-lactam ring contraction of 2-oxonanones. <i>Tetrahedron Letters</i> , 1998, 39, 9309-9312. | 0.7 | 19 |
| 94 | Unusual carbonyl and pentamethylcyclopentadienyl bonding modes in mixed rhodium-ruthenium clusters. <i>New Journal of Chemistry</i> , 1998, 22, 1111. | 1.4 | 7 |
| 95 | Synthesis and Structure of the Heterobimetallic Ladder Complex $[(\text{MesNH})\text{Sn}(\text{Li}\cdot 2\text{THF})_2]_n$ (Mes) Tj ETQg1 1 0.784314 rgB | 1.9 | 1 |
| 96 | Tandem Hetero-Catenation: Templating and Self-Assembly in the Mutual Closure of Two Different Interlocking Rings. <i>Journal of the American Chemical Society</i> , 1998, 120, 1096-1097. | 6.6 | 96 |
| 97 | A Highly π -Stacked Organic Semiconductor for Thin Film Transistors Based on Fused Thiophenes. <i>Journal of the American Chemical Society</i> , 1998, 120, 2206-2207. | 6.6 | 403 |
| 98 | Reversible synthesis of π -associated [2]catenanes by ring-closing metathesis: towards dynamic combinatorial libraries of catenanes. <i>New Journal of Chemistry</i> , 1998, 22, 1019-1021. | 1.4 | 111 |
| 99 | Spontaneous, Millisecond Formation of a Twisted Amide from the Amino Acid, and the Crystal Structure of a Tetrahedral Intermediate. <i>Journal of the American Chemical Society</i> , 1998, 120, 7101-7102. | 6.6 | 75 |
| 100 | Kinetic and Mechanistic Aspects of a Crystal-to-Crystal Photoreaction: Effective use of Single Crystal X-ray Diffraction. <i>Molecular Crystals and Liquid Crystals</i> , 1998, 313, 327-334. | 0.3 | 8 |
| 101 | Photoreactivity of p-phenylenediacrylic acid derivatives in the crystals and langmuir-blodgett films.. <i>Journal of Photopolymer Science and Technology</i> = [Fotoporima Konwakai Shi], 1995, 8, 79-80. | 0.1 | 1 |
| 102 | Comparative Study of Crystal Packing in Amido-Benzoic and Amido-Perbenzoic Acids. <i>Molecular Crystals and Liquid Crystals</i> , 1994, 240, 231-239. | 0.3 | 3 |
| 103 | Stereoselective acyl transfer reactions controlled by the diphenylphosphinoyl group: X-ray structures of stable crystalline silylated tetrahedral intermediates. <i>Tetrahedron Letters</i> , 1994, 35, 5911-5914. | 0.7 | 17 |
| 104 | Stereochemistry of reduction of a heterocyclic α -hydroxy-ketone: The structure, conformation and preparation of the syn and anti-3,3,6,6-tetramethylthiepan-4,5-diols. <i>Tetrahedron Letters</i> , 1994, 35, 9095-9098. | 0.7 | 2 |
| 105 | Hydrogen Bonding in Acid-Amides: Influence of Variable Alkyl Chain Length. <i>Molecular Crystals and Liquid Crystals</i> , 1992, 211, 111-124. | 0.3 | 4 |