

Timothy J Shafer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6257255/publications.pdf>

Version: 2024-02-01

93
papers

4,906
citations

76294

40
h-index

98753

67
g-index

94
all docs

94
docs citations

94
times ranked

4106
citing authors

#	ARTICLE	IF	CITATIONS
1	Integrating Data From <i>In Vitro</i> New Approach Methodologies for Developmental Neurotoxicity. <i>Toxicological Sciences</i> , 2022, 187, 62-79.	1.4	20
2	Integration of toxicodynamic and toxicokinetic new approach methods into a weight-of-evidence analysis for pesticide developmental neurotoxicity assessment: A case-study with DL- and L-glufosinate. <i>Regulatory Toxicology and Pharmacology</i> , 2022, 131, 105167.	1.3	12
3	Current status and future directions for a neurotoxicity hazard assessment framework that integrates <i>in silico</i> approaches. <i>Computational Toxicology</i> , 2022, 22, 100223.	1.8	15
4	Integrated Omic Analyses Identify Pathways and Transcriptomic Regulators Associated With Chemical Alterations of <i>In Vitro</i> Neural Network Formation. <i>Toxicological Sciences</i> , 2022, 186, 118-133.	1.4	2
5	Toward a Better Testing Paradigm for Developmental Neurotoxicity: OECD Efforts and Regulatory Considerations. <i>Biology</i> , 2021, 10, 86.	1.3	34
6	Comparison of Acute Effects of Neurotoxic Compounds on Network Activity in Human and Rodent Neural Cultures. <i>Toxicological Sciences</i> , 2021, 180, 295-312.	1.4	12
7	Concentration-response evaluation of ToxCast compounds for multivariate activity patterns of neural network function. <i>Archives of Toxicology</i> , 2020, 94, 469-484.	1.9	28
8	Acute <i>in vitro</i> effects on embryonic rat dorsal root ganglion (DRG) cultures by <i>in silico</i> predicted neurotoxic chemicals: Evaluations on cytotoxicity, neurite length, and neurophysiology. <i>Toxicology in Vitro</i> , 2020, 69, 104989.	1.1	3
9	Mammalian cell culture models. , 2020, , 463-475.		0
10	Application of Microelectrode Array Approaches to Neurotoxicity Testing and Screening. <i>Advances in Neurobiology</i> , 2019, 22, 275-297.	1.3	23
11	Evaluation of Chemical Effects on Network Formation in Cortical Neurons Grown on Microelectrode Arrays. <i>Toxicological Sciences</i> , 2019, 169, 436-455.	1.4	37
12	The Next Generation Blueprint of Computational Toxicology at the U.S. Environmental Protection Agency. <i>Toxicological Sciences</i> , 2019, 169, 317-332.	1.4	225
13	International Regulatory and Scientific Effort for Improved Developmental Neurotoxicity Testing. <i>Toxicological Sciences</i> , 2019, 167, 45-57.	1.4	48
14	Testing for developmental neurotoxicity using a battery of <i>in vitro</i> assays for key cellular events in neurodevelopment. <i>Toxicology and Applied Pharmacology</i> , 2018, 354, 24-39.	1.3	59
15	Defining toxicological tipping points in neuronal network development. <i>Toxicology and Applied Pharmacology</i> , 2018, 354, 81-93.	1.3	26
16	Screening the ToxCast phase II libraries for alterations in network function using cortical neurons grown on multi-well microelectrode array (mwMEA) plates. <i>Archives of Toxicology</i> , 2018, 92, 487-500.	1.9	46
17	Recommendation on test readiness criteria for new approach methods in toxicology: Exemplified for developmental neurotoxicity. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2018, 35, 306-352.	0.9	121
18	A multi-laboratory evaluation of microelectrode array-based measurements of neural network activity for acute neurotoxicity testing. <i>NeuroToxicology</i> , 2017, 60, 280-292.	1.4	72

#	ARTICLE	IF	CITATIONS
19	Effects of an environmentally-relevant mixture of pyrethroid insecticides on spontaneous activity in primary cortical networks on microelectrode arrays. <i>NeuroToxicology</i> , 2017, 60, 234-239.	1.4	18
20	Assaying Spontaneous Network Activity and Cellular Viability Using Multi-well Microelectrode Arrays. <i>Methods in Molecular Biology</i> , 2017, 1601, 153-170.	0.4	11
21	A multivariate extension of mutual information for growing neural networks. <i>Neural Networks</i> , 2017, 95, 29-43.	3.3	18
22	From the Cover: Developmental Neurotoxicants Disrupt Activity in Cortical Networks on Microelectrode Arrays: Results of Screening 86 Compounds During Neural Network Formation. <i>Toxicological Sciences</i> , 2017, 160, 121-135.	1.4	56
23	In vitro screening of silver nanoparticles and ionic silver using neural networks yields differential effects on spontaneous activity and pharmacological responses. <i>Toxicology</i> , 2016, 355-356, 1-8.	2.0	10
24	Editor's Highlight: Evaluation of a Microelectrode Array-Based Assay for Neural Network Ontogeny Using Training Set Chemicals. <i>Toxicological Sciences</i> , 2016, 154, 126-139.	1.4	41
25	Characterization of Early Cortical Neural Network Development in Multiwell Microelectrode Array Plates. <i>Journal of Biomolecular Screening</i> , 2016, 21, 510-519.	2.6	61
26	Comparison of Human Induced Pluripotent Stem Cell-Derived Neurons and Rat Primary Cortical Neurons as In Vitro Models of Neurite Outgrowth. <i>Applied in Vitro Toxicology</i> , 2016, 2, 26-36.	0.6	12
27	In vitro screening of metal oxide nanoparticles for effects on neural function using cortical networks on microelectrode arrays. <i>Nanotoxicology</i> , 2016, 10, 619-628.	1.6	26
28	Improving in vitro to in vivo extrapolation by incorporating toxicokinetic measurements: A case study of lindane-induced neurotoxicity. <i>Toxicology and Applied Pharmacology</i> , 2015, 283, 9-19.	1.3	31
29	Putative adverse outcome pathways relevant to neurotoxicity. <i>Critical Reviews in Toxicology</i> , 2015, 45, 83-91.	1.9	92
30	A multiplexed assay for determination of neurotoxicant effects on spontaneous network activity and viability from microelectrode arrays. <i>NeuroToxicology</i> , 2015, 49, 79-85.	1.4	54
31	Use of Neural Models of Proliferation and Neurite Outgrowth to Screen Environmental Chemicals in the ToxCast Phase I Library. <i>Applied in Vitro Toxicology</i> , 2015, 1, 131-139.	0.6	10
32	Sensitivity of neuroprogenitor cells to chemical-induced apoptosis using a multiplexed assay suitable for high-throughput screening. <i>Toxicology</i> , 2015, 333, 14-24.	2.0	35
33	Expanding the test set: Chemicals with potential to disrupt mammalian brain development. <i>Neurotoxicology and Teratology</i> , 2015, 52, 25-35.	1.2	73
34	Use of alternative assays to identify and prioritize organophosphorus flame retardants for potential developmental and neurotoxicity. <i>Neurotoxicology and Teratology</i> , 2015, 52, 181-193.	1.2	159
35	Burst and principal components analyses of MEA data for 16 chemicals describe at least three effects classes. <i>NeuroToxicology</i> , 2014, 40, 75-85.	1.4	82
36	Glufosinate binds N-methyl-d-aspartate receptors and increases neuronal network activity in vitro. <i>NeuroToxicology</i> , 2014, 45, 38-47.	1.4	33

#	ARTICLE	IF	CITATIONS
37	Multi-well microelectrode array recordings detect neuroactivity of ToxCast compounds. <i>NeuroToxicology</i> , 2014, 44, 204-217.	1.4	91
38	Evaluation of microelectrode array data using Bayesian modeling as an approach to screening and prioritization for neurotoxicity testing. <i>NeuroToxicology</i> , 2013, 36, 34-41.	1.4	14
39	Developmental neurotoxicity testing: A path forward. <i>Congenital Anomalies (discontinued)</i> , 2012, 52, 140-146.	0.3	94
40	Evaluation of multi-well microelectrode arrays for neurotoxicity screening using a chemical training set. <i>NeuroToxicology</i> , 2012, 33, 1048-1057.	1.4	139
41	Comparison of chemical-induced changes in proliferation and apoptosis in human and mouse neuroprogenitor cells. <i>NeuroToxicology</i> , 2012, 33, 1499-1510.	1.4	65
42	Transcriptional responses in rat brain associated with sub-chronic toluene inhalation are not predicted by effects of acute toluene inhalation. <i>Neurotoxicology and Teratology</i> , 2012, 34, 530-533.	1.2	4
43	Comments on: "Perinatal toxicity of cyfluthrin in mice: developmental and behavioral effects" by Soni and colleagues. <i>Human and Experimental Toxicology</i> , 2011, 30, 1112-1113.	1.1	3
44	Channelopathies: Summary of the hot topic keynotes session. <i>NeuroToxicology</i> , 2011, 32, 661-665.	1.4	3
45	Additivity of Pyrethroid Actions on Sodium Influx in Cerebrocortical Neurons in Primary Culture. <i>Environmental Health Perspectives</i> , 2011, 119, 1239-1246.	2.8	46
46	In Vitro Assessment of Developmental Neurotoxicity: Use of Microelectrode Arrays to Measure Functional Changes in Neuronal Network Ontogeny1. <i>Frontiers in Neuroengineering</i> , 2011, 4, 1.	4.8	108
47	Development of Micro-Electrode Array Based Tests for Neurotoxicity: Assessment of Interlaboratory Reproducibility with Neuroactive Chemicals. <i>Frontiers in Neuroengineering</i> , 2011, 4, 4.	4.8	113
48	Acute toluene exposure alters expression of genes in the central nervous system associated with synaptic structure and function. <i>Neurotoxicology and Teratology</i> , 2011, 33, 521-529.	1.2	32
49	Mechanisms of Pyrethroid Insecticide-Induced Stimulation of Calcium Influx in Neocortical Neurons. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 336, 197-205.	1.3	84
50	Neural progenitor cells as models for high-throughput screens of developmental neurotoxicity: State of the science. <i>Neurotoxicology and Teratology</i> , 2010, 32, 4-15.	1.2	104
51	Microelectrode arrays: A physiologically based neurotoxicity testing platform for the 21st century. <i>NeuroToxicology</i> , 2010, 31, 331-350.	1.4	338
52	Accumulation of pyrethroid compounds in primary cultures from rat cortex. <i>Toxicology in Vitro</i> , 2010, 24, 2053-2057.	1.1	18
53	Developmentally-regulated sodium channel subunits are differentially sensitive to Î±-cyano containing pyrethroids. <i>Toxicology and Applied Pharmacology</i> , 2008, 231, 273-281.	1.3	59
54	Pyrethroid modulation of spontaneous neuronal excitability and neurotransmission in hippocampal neurons in culture. <i>NeuroToxicology</i> , 2008, 29, 213-225.	1.4	50

#	ARTICLE	IF	CITATIONS
55	Complete inhibition of spontaneous activity in neuronal networks in vitro by deltamethrin and permethrin†. <i>NeuroToxicology</i> , 2008, 29, 203-212.	1.4	69
56	Development of a High-Throughput Screening Assay for Chemical Effects on Proliferation and Viability of Immortalized Human Neural Progenitor Cells. <i>Toxicological Sciences</i> , 2008, 105, 119-133.	1.4	128
57	Assessment of Chemical Effects on Neurite Outgrowth in PC12 cells Using High Content Screening. <i>Toxicological Sciences</i> , 2008, 105, 106-118.	1.4	163
58	Evaluating the NMDA-Glutamate Receptor as a Site of Action for Toluene, In Vivo. <i>Toxicological Sciences</i> , 2007, 98, 159-166.	1.4	23
59	Acute Toluene Exposure and Rat Visual Function in Proportion to Momentary Brain Concentration. <i>Toxicological Sciences</i> , 2007, 99, 572-581.	1.4	26
60	Concentration-dependent accumulation of [3H]-deltamethrin in sodium channel Nav1.2/β1 expressing <i>Xenopus laevis</i> oocytes. <i>Toxicology in Vitro</i> , 2007, 21, 1672-1677.	1.1	4
61	Approaches to extrapolating animal toxicity data on organic solvents to public health. <i>NeuroToxicology</i> , 2007, 28, 221-226.	1.4	23
62	Permethrin, but not deltamethrin, increases spontaneous glutamate release from hippocampal neurons in culture†. <i>NeuroToxicology</i> , 2006, 27, 594-603.	1.4	23
63	Accumulation of methylmercury or polychlorinated biphenyls in in vitro models of rat neuronal tissue†. <i>Toxicology and Applied Pharmacology</i> , 2005, 205, 177-187.	1.3	48
64	Volatile organic compounds inhibit human and rat neuronal nicotinic acetylcholine receptors expressed in <i>Xenopus</i> oocytes. <i>Toxicology and Applied Pharmacology</i> , 2005, 205, 77-88.	1.3	78
65	Role of NMDA, nicotinic, and GABA receptors in the steady-state visual-evoked potential in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 82, 635-645.	1.3	13
66	Developmental Neurotoxicity of Pyrethroid Insecticides: Critical Review and Future Research Needs. <i>Environmental Health Perspectives</i> , 2005, 113, 123-136.	2.8	434
67	Perturbation of Voltage-Sensitive Ca ²⁺ Channel Function by Volatile Organic Solvents. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 315, 1109-1118.	1.3	59
68	Developing an exposureâ€“doseâ€“response model for the acute neurotoxicity of organic solvents: overview and progress on in vitro models and dosimetry. <i>Environmental Toxicology and Pharmacology</i> , 2005, 19, 607-614.	2.0	41
69	Time and concentration dependent accumulation of [3H]-deltamethrin in <i>Xenopus laevis</i> oocytes†. <i>Toxicology Letters</i> , 2005, 157, 79-88.	0.4	13
70	Effects of pyrethroids on voltage-sensitive calcium channels: a critical evaluation of strengths, weaknesses, data needs, and relationship to assessment of cumulative neurotoxicity. <i>Toxicology and Applied Pharmacology</i> , 2004, 196, 303-318.	1.3	102
71	Ontogeny of voltage-sensitive calcium channel α 1A and α 1E subunit expression and synaptic function in rat central nervous system. <i>Developmental Brain Research</i> , 2003, 142, 47-65.	2.1	21
72	Wholeâ€“Cell Patchâ€“Clamp Electrophysiology of Voltageâ€“Sensitive Channels. <i>Current Protocols in Toxicology / Editorial Board</i> , Mahin D Maines (editor-in-chief) [et Al], 2003, 17, Unit11.12.	1.1	0

#	ARTICLE	IF	CITATIONS
73	Toluene inhibits voltage-sensitive calcium channels expressed in pheochromocytoma cells. <i>Neurochemistry International</i> , 2002, 41, 391-397.	1.9	46
74	Identification of calcium-dependent and -independent signaling pathways involved in polychlorinated biphenyl-induced cyclic AMP-responsive element-binding protein phosphorylation in developing cortical neurons. <i>Neuroscience</i> , 2002, 115, 559-573.	1.1	33
75	Effects of prolonged exposure to nanomolar concentrations of methylmercury on voltage-sensitive sodium and calcium currents in PC12 cells. <i>Developmental Brain Research</i> , 2002, 136, 151-164.	2.1	26
76	Aluminum-Induced Alteration of Phosphoinositide and Calcium Signaling. , 2001, , 345-360.		2
77	Neurotoxicological Outcomes of Perinatal Heptachlor Exposure in the Rat. <i>Toxicological Sciences</i> , 2001, 60, 315-326.	1.4	37
78	Perturbation by the PCB Mixture Aroclor 1254 of GABAA Receptor-Mediated Calcium and Chloride Responses during Maturation in Vitro of Rat Neocortical Cells. <i>Toxicology and Applied Pharmacology</i> , 2000, 164, 184-195.	1.3	26
79	Calcium channels: critical targets of toxicants and diseases.. <i>Environmental Health Perspectives</i> , 2000, 108, 1215-1218.	2.8	5
80	Extracellular calcium is required for the polychlorinated biphenyl-induced increase of intracellular free calcium levels in cerebellar granule cell culture. <i>Toxicology</i> , 1999, 136, 27-39.	2.0	55
81	Effects of the chlorotriazine herbicide, cyanazine, on GABAA receptors in cortical tissue from rat brain. <i>Toxicology</i> , 1999, 142, 57-68.	2.0	29
82	Repeated Exposure of Adult Rats to Aroclor 1254 Causes Brain Region-Specific Changes in Intracellular Ca ²⁺ Buffering and Protein Kinase C Activity in the Absence of Changes in Tyrosine Hydroxylase. <i>Toxicology and Applied Pharmacology</i> , 1998, 153, 186-198.	1.3	64
83	Effects of gestational methylmercury exposure on immunoreactivity of specific isoforms of PKC and enzyme activity during post-natal development of the rat brain. <i>Developmental Brain Research</i> , 1998, 109, 33-49.	2.1	26
84	Effects of Cd ²⁺ , Pb ²⁺ and CH ₃ Hg ⁺ on high voltage-activated calcium currents in pheochromocytoma (PC12) cells: potency, reversibility, interactions with extracellular Ca ²⁺ and mechanisms of block. Preliminary results were presented at the 36th Annual meeting of the Society of Toxicology in Cincinnati, OH, March 9-13, 1997, and were published in abstract form in <i>The Toxicologist</i> 36, 114, 1997. The research described in this article has been reviewed by the National Health and Environmental Effects Research Lab. <i>Toxicology Letters</i> , 1998, 99, 207-221.	0.4	41
85	In vitro exposure to aluminum does not alter long-term potentiation or glutamate release in rat hippocampal slices. <i>Neurotoxicology and Teratology</i> , 1996, 18, 175-180.	1.2	13
86	Inhibition of Rat Brain Phosphatidylinositol-Specific Phospholipase C by Aluminum: Regional Differences, Interactions with Aluminum Salts, and Mechanisms. <i>Toxicology and Applied Pharmacology</i> , 1996, 136, 118-125.	1.3	15
87	Disruption of Inositol Phosphate Accumulation in Cerebellar Granule Cells by Polychlorinated Biphenyls: A Consequence of Altered Ca ²⁺ Homeostasis. <i>Toxicology and Applied Pharmacology</i> , 1996, 141, 448-455.	1.3	53
88	Effects of aluminum on neuronal signal transduction: Mechanisms underlying disruption of phosphoinositide hydrolysis. <i>General Pharmacology</i> , 1995, 26, 889-895.	0.7	27
89	Electrophysiological Methods for Analysis of Effects of Neurotoxicants on Synaptic Transmission. , 1995, , 157-181.		1
90	Differential effects of polychlorinated biphenyl congeners on phosphoinositide hydrolysis and protein kinase C translocation in rat cerebellar granule cells. <i>Brain Research</i> , 1994, 662, 75-82.	1.1	97

#	ARTICLE	IF	CITATIONS
91	Mechanisms underlying AlCl ₃ inhibition of agonist-stimulated inositol phosphate accumulation. <i>Biochemical Pharmacology</i> , 1994, 47, 1417-1425.	2.0	19
92	Aluminum decreases muscarinic, adrenergic, and metabotropic receptor-stimulated phosphoinositide hydrolysis in hippocampal and cortical slices from rat brain. <i>Brain Research</i> , 1993, 629, 133-140.	1.1	27
93	Effects of methylmercury on perineurial Na ⁺ and Ca ²⁺ -dependent potentials at neuromuscular junctions of the mouse. <i>Brain Research</i> , 1992, 595, 215-219.	1.1	21