

Adam J Noble

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6257478/publications.pdf>

Version: 2024-02-01

67
papers

1,345
citations

304368

22
h-index

377514

34
g-index

67
all docs

67
docs citations

67
times ranked

1715
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The limited efficacy of psychological interventions for depression in people with Type 1 or Type 2 diabetes: An Individual Participant Data Meta-Analysis (IPD-MA). <i>Journal of Affective Disorders</i> , 2022, 310, 25-31. | 2.0 | 1 |
| 2 | Worth the paper theyâ€™re printed on? Findings from an independent evaluation of how understandable patient information leaflets for antiseizure medications are. <i>Epilepsia</i> , 2022, , . | 2.6 | 1 |
| 3 | Cauda Equina Syndrome Core Outcome Set (CESCOS): An international patient and healthcare professional consensus for research studies. <i>PLoS ONE</i> , 2020, 15, e0225907. | 1.1 | 16 |
| 4 | Preconception care for women with epilepsy: a mixed methods review. <i>The Cochrane Library</i> , 2020, , . | 1.5 | 0 |
| 5 | Patient views on use of emergency and alternative care services for adult epilepsy: A qualitative study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 80, 56-62. | 0.9 | 5 |
| 6 | Clinically unnecessary and avoidable emergency health service use for epilepsy: A survey of what English services are doing to reduce it. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 76, 156-160. | 0.9 | 4 |
| 7 | Seizure First Aid Training For people with Epilepsy (SAFE) frequently attending emergency departments and their significant others: results of a UK multi-centre randomised controlled pilot trial. <i>BMJ Open</i> , 2020, 10, e035516. | 0.8 | 1 |
| 8 | Seizure first aid training for people with epilepsy attending emergency departments and their significant others: the SAFE intervention and feasibility RCT. <i>Health Services and Delivery Research</i> , 2020, 8, 1-190. | 1.4 | 2 |
| 9 | Title is missing!. , 2020, 15, e0225907. | | 0 |
| 10 | Title is missing!. , 2020, 15, e0225907. | | 0 |
| 11 | Title is missing!. , 2020, 15, e0225907. | | 0 |
| 12 | Title is missing!. , 2020, 15, e0225907. | | 0 |
| 13 | Psychological interventions for epilepsy: How good are trialists at assessing their implementation fidelity, what are the barriers, and what are journals doing to encourage it? A mixed methods study. <i>Epilepsy and Behavior</i> , 2019, 97, 174-181. | 0.9 | 2 |
| 14 | Protocol for the development of a core outcome set for cauda equina syndrome: systematic literature review, qualitative interviews, Delphi survey and consensus meeting. <i>BMJ Open</i> , 2019, 9, e024002. | 0.8 | 8 |
| 15 | Assessing Treatment Fidelity within an Epilepsy Randomized Controlled Trial: Seizure First Aid Training for People with Epilepsy Who Visit Emergency Departments. <i>Behavioural Neurology</i> , 2019, 2019, 1-11. | 1.1 | 5 |
| 16 | Developing patient-centred, feasible alternative care for adult emergency department users with epilepsy: protocol for the mixed-methods observational â€™Collaborateâ€™ project. <i>BMJ Open</i> , 2019, 9, e031696. | 0.8 | 8 |
| 17 | Outcomes Reported After Surgery for Cauda Equina Syndrome. <i>Spine</i> , 2018, 43, E1005-E1013. | 1.0 | 26 |
| 18 | The effectiveness of a group selfâ€™management education course for adults with poorly controlled epilepsy, SMILE (UK): A randomized controlled trial. <i>Epilepsia</i> , 2018, 59, 1048-1061. | 2.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The SAFARI Score to Assess the Risk of Convulsive Seizure During Admission for Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2018, 82, 887-893. | 0.6 | 10 |
| 20 | Perceptions of emergency care using a seizure care pathway for patients presenting to emergency departments in the North West of England following a seizure: a qualitative study. <i>BMJ Open</i> , 2018, 8, e021246. | 0.8 | 6 |
| 21 | Cognitive-behavioural therapy does not meaningfully reduce depression in most people with epilepsy: a systematic review of clinically reliable improvement. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 1129-1137. | 0.9 | 34 |
| 22 | Metacognitive beliefs and illness perceptions are associated with emotional distress in people with epilepsy. <i>Epilepsy and Behavior</i> , 2018, 86, 9-14. | 0.9 | 9 |
| 23 | Self-Management education for adults with poorly controlled epILEpsy [SMILE (UK)]: a randomised controlled trial. <i>Health Technology Assessment</i> , 2018, 22, 1-142. | 1.3 | 23 |
| 24 | Anxiety and depression in people with epilepsy: The contribution of metacognitive beliefs. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017, 50, 153-159. | 0.9 | 32 |
| 25 | Characteristics associated with quality of life among people with drug-resistant epilepsy. <i>Journal of Neurology</i> , 2017, 264, 1174-1184. | 1.8 | 77 |
| 26 | “Epileptic”™, “epileptic person”™ or “person with epilepsy”™? Bringing quantitative and qualitative evidence on the views of UK patients and carers to the terminology debate. <i>Epilepsy and Behavior</i> , 2017, 67, 20-27. | 0.9 | 19 |
| 27 | The effect of noun, adjective, and possessive noun labels on perceptions of someone with epilepsy. <i>Epilepsy and Behavior</i> , 2017, 68, 236-237. | 0.9 | 2 |
| 28 | Frequency and factors associated with emergency department attendance for people with epilepsy in a rural UK population. <i>Epilepsy and Behavior</i> , 2017, 68, 192-195. | 0.9 | 12 |
| 29 | Developing and assessing the acceptability of an epilepsy first aid training intervention for patients who visit UK emergency departments: A multi-method study of patients and professionals. <i>Epilepsy and Behavior</i> , 2017, 68, 177-185. | 0.9 | 6 |
| 30 | A disease, disorder, illness or condition: How to label epilepsy?. <i>Acta Neurologica Scandinavica</i> , 2017, 136, 536-540. | 1.0 | 1 |
| 31 | Loss of Consciousness at Onset of Aneurysmal Subarachnoid Hemorrhage is Associated with Functional Outcomes in Good-Grade Patients. <i>World Neurosurgery</i> , 2017, 98, 308-313. | 0.7 | 17 |
| 32 | Predictors of Delayed Cerebral Ischemia in Patients with Aneurysmal Subarachnoid Hemorrhage with Asymptomatic Angiographic Vasospasm on Admission. <i>World Neurosurgery</i> , 2017, 97, 199-204. | 0.7 | 19 |
| 33 | PO055...Results of an rct of self-management education in epilepsy: smile-uk. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, A26.2-A26. | 0.9 | 0 |
| 34 | Measuring patient experience: a systematic review to evaluate psychometric properties of patient reported experience measures (PREMs) for emergency care service provision. <i>International Journal for Quality in Health Care</i> , 2017, 29, 314-326. | 0.9 | 79 |
| 35 | Paramedics' views on their seizure management learning needs: a qualitative study in England. <i>BMJ Open</i> , 2017, 7, e014024. | 0.8 | 11 |
| 36 | Implementation fidelity of a self-management course for epilepsy: method and assessment. <i>BMC Medical Research Methodology</i> , 2017, 17, 100. | 1.4 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Are "Theory of Mind" Skills in People with Epilepsy Related to How Stigmatised They Feel? An Exploratory Study. <i>Behavioural Neurology</i> , 2016, 2016, 1-9. | 1.1 | 5 |
| 38 | Which outcomes should we measure in adult epilepsy trials? The views of people with epilepsy and informal carers. <i>Epilepsy and Behavior</i> , 2016, 59, 105-110. | 0.9 | 34 |
| 39 | Should we stop saying "epileptic"? A comparison of the effect of the terms "epileptic" and "person with epilepsy". <i>Epilepsy and Behavior</i> , 2016, 59, 21-27. | 0.9 | 19 |
| 40 | Clinical utility of the Metacognitions Questionnaire 30 in people with epilepsy. <i>Epilepsy and Behavior</i> , 2016, 57, 185-191. | 0.9 | 21 |
| 41 | Qualitative study of paramedics' experiences of managing seizures: a national perspective from England. <i>BMJ Open</i> , 2016, 6, e014022. | 0.8 | 23 |
| 42 | Perceptions and experiences of epilepsy among patients from black ethnic groups in South London. <i>Primary Health Care Research and Development</i> , 2015, 16, 450-460. | 0.5 | 5 |
| 43 | "Seizure First Aid Training"™ for people with epilepsy who attend emergency departments, and their family and friends: study protocol for intervention development and a pilot randomised controlled trial. <i>BMJ Open</i> , 2015, 5, e009040. | 0.8 | 17 |
| 44 | Self-management education for adults with poorly controlled epilepsy (SMILE (UK)): statistical, economic and qualitative analysis plan for a randomised controlled trial. <i>Trials</i> , 2015, 16, 269. | 0.7 | 16 |
| 45 | The VASOGRADE. <i>Stroke</i> , 2015, 46, 1826-1831. | 1.0 | 97 |
| 46 | Unplanned hospital use by people with epilepsy: A lever by which to bring about increased self-management support?. <i>Epilepsy and Behavior</i> , 2015, 51, 57-59. | 0.9 | 1 |
| 47 | A pilot study of cognitive behavioural therapy and relaxation for migraine headache: a randomised controlled trial. <i>Journal of Neurology</i> , 2015, 262, 2764-2772. | 1.8 | 29 |
| 48 | Diagnosis of Spontaneous Cervical Artery Dissection May Be Associated with Increased Prevalence of Posttraumatic Stress Disorder. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 335-342. | 0.7 | 17 |
| 49 | Increased Prevalence of Posttraumatic Stress Disorder in Patients After Transient Ischemic Attack. <i>Stroke</i> , 2014, 45, 3360-3366. | 1.0 | 50 |
| 50 | Self-Management education for adults with poorly controlled epilepsy (SMILE (UK)): a randomised controlled trial protocol. <i>BMC Neurology</i> , 2014, 14, 69. | 0.8 | 30 |
| 51 | The Subarachnoid Hemorrhage International Trialists (SAHIT) Repository: Advancing Clinical Research in Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2014, 21, 551-559. | 1.2 | 28 |
| 52 | Psychological distress after subarachnoid hemorrhage: Patient support groups can help us better detect it. <i>Journal of the Neurological Sciences</i> , 2014, 343, 125-131. | 0.3 | 10 |
| 53 | Better Dead than Alive? Quality of Life After Stroke. , 2014, , 241-255. | | 1 |
| 54 | Clinical- and Cost-Effectiveness of a Nurse Led Self-Management Intervention to Reduce Emergency Visits by People with Epilepsy. <i>PLoS ONE</i> , 2014, 9, e90789. | 1.1 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | A nurse-led self-management intervention for people who attend emergency departments with epilepsy: the patients' view. <i>Journal of Neurology</i> , 2013, 260, 1022-1030. | 1.8 | 37 |
| 56 | Family and friends' fears of recurrence: impact on the patient's recovery after subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2013, 119, 948-954. | 0.9 | 5 |
| 57 | Decision-making by ambulance clinicians in London when managing patients with epilepsy: a qualitative study. <i>Emergency Medicine Journal</i> , 2013, 30, 236-240. | 0.4 | 51 |
| 58 | Characteristics of people with epilepsy who attend emergency departments: Prospective study of metropolitan hospital attendees. <i>Epilepsia</i> , 2012, 53, 1820-1828. | 2.6 | 58 |
| 59 | Explanations given by people with epilepsy for using emergency medical services: A qualitative study. <i>Epilepsy and Behavior</i> , 2012, 25, 529-533. | 0.9 | 38 |
| 60 | Subarachnoid Hemorrhage Patients' Fears of Recurrence Are Related to the Presence of Posttraumatic Stress Disorder. <i>Neurosurgery</i> , 2011, 69, 323-333. | 0.6 | 27 |
| 61 | What is the cause of post-traumatic stress disorder following subarachnoid haemorrhage? Post-ictal events are key. <i>Acta Neurochirurgica</i> , 2011, 153, 913-922. | 0.9 | 24 |
| 62 | Which Variables Help Explain the Poor Health-Related Quality of Life After Subarachnoid Hemorrhage? A Meta-analysis. <i>Neurosurgery</i> , 2010, 66, 772-783. | 0.6 | 46 |
| 63 | Neuropsychologic Impact of Treatment Modalities in Subarachnoid Hemorrhage: Clipping Is No Different from Coiling. <i>World Neurosurgery</i> , 2010, 74, 129-138. | 0.7 | 20 |
| 64 | Psychosocial outcome following subarachnoid haemorrhage: An under-researched problem. <i>British Journal of Neuroscience Nursing</i> , 2009, 5, 372-380. | 0.1 | 4 |
| 65 | The impact of spontaneous subarachnoid haemorrhage on patients' families and friends. <i>British Journal of Neuroscience Nursing</i> , 2008, 4, 278-285. | 0.1 | 2 |
| 66 | Posttraumatic stress disorder in the family and friends of patients who have suffered spontaneous subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2008, 109, 1027-1033. | 0.9 | 27 |
| 67 | POSTTRAUMATIC STRESS DISORDER EXPLAINS REDUCED QUALITY OF LIFE IN SUBARACHNOID HEMORRHAGE PATIENTS IN BOTH THE SHORT AND LONG TERM. <i>Neurosurgery</i> , 2008, 63, 1095-1105. | 0.6 | 103 |