

Michal Y Chowers

List of Publications by Citations

Source: <https://exaly.com/author-pdf/62576/michal-y-chowers-publications-by-citations.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146 papers	9,338 citations	49 h-index	94 g-index
155 ext. papers	10,845 ext. citations	4.9 avg, IF	5.61 L-index

#	Paper	IF	Citations
146	3rd European Evidence-based Consensus on the Diagnosis and Management of Crohn's Disease 2016: Part 1: Diagnosis and Medical Management. <i>Journal of Crohn's and Colitis</i> , 2017 , 11, 3-25	1.5	1087
145	Second European evidence-based consensus on the diagnosis and management of ulcerative colitis part 1: definitions and diagnosis. <i>Journal of Crohn's and Colitis</i> , 2012 , 6, 965-90	1.5	592
144	Development of the Crohn's disease digestive damage score, the Lhann score. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 1415-22	4.5	395
143	The London Position Statement of the World Congress of Gastroenterology on Biological Therapy for IBD with the European Crohn's and Colitis Organization: when to start, when to stop, which drug to choose, and how to predict response?. <i>American Journal of Gastroenterology</i> , 2011 , 106, 199-212; quiz 213	0.7	291
142	Addition of an immunomodulator to infliximab therapy eliminates antidrug antibodies in serum and restores clinical response of patients with inflammatory bowel disease. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 444-7	6.9	244
141	Optimizing Anti-TNF Therapy: Serum Levels of Infliximab and Adalimumab Are Associated With Mucosal Healing in Patients With Inflammatory Bowel Diseases. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 550-557.e2	6.9	239
140	Optimizing anti-TNF treatments in inflammatory bowel disease. <i>Autoimmunity Reviews</i> , 2014 , 13, 24-30	13.6	229
139	Report of the ECCO pathogenesis workshop on anti-TNF therapy failures in inflammatory bowel diseases: definitions, frequency and pharmacological aspects. <i>Journal of Crohn's and Colitis</i> , 2010 , 4, 355-66	1.5	227
138	Development of the first disability index for inflammatory bowel disease based on the international classification of functioning, disability and health. <i>Gut</i> , 2012 , 61, 241-7	19.2	216
137	The temporal evolution of antidrug antibodies in patients with inflammatory bowel disease treated with infliximab. <i>Gut</i> , 2014 , 63, 1258-64	19.2	214
136	Levels of drug and antidrug antibodies are associated with outcome of interventions after loss of response to infliximab or adalimumab. <i>Clinical Gastroenterology and Hepatology</i> , 2015 , 13, 522-530.e2	6.9	210
135	Development of the Lhann index to assess digestive tract damage in patients with Crohn's disease. <i>Gastroenterology</i> , 2015 , 148, 52-63.e3	13.3	198
134	Scanning electron microscopy of cells and tissues under fully hydrated conditions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 3346-51	11.5	196
133	Budesonide versus prednisone in the treatment of active Crohn's disease. The Israeli Budesonide Study Group. <i>Gastroenterology</i> , 1998 , 115, 835-40	13.3	183
132	Clinical Characteristics of the West Nile Fever Outbreak, Israel, 2000. <i>Emerging Infectious Diseases</i> , 2001 , 7, 675-678	10.2	180
131	The immunogenic part of infliximab is the F(ab') ₂ , but measuring antibodies to the intact infliximab molecule is more clinically useful. <i>Gut</i> , 2011 , 60, 41-8	19.2	164
130	Failure of Synbiotic 2000 to prevent postoperative recurrence of Crohn's disease. <i>Digestive Diseases and Sciences</i> , 2007 , 52, 385-9	4	144

129	Adalimumab drug and antibody levels as predictors of clinical and laboratory response in patients with Crohn's disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 620-8	6.1	136
128	Allicin inhibits spontaneous and TNF-alpha induced secretion of proinflammatory cytokines and chemokines from intestinal epithelial cells. <i>Clinical Nutrition</i> , 2004 , 23, 1199-208	5.9	132
127	Radiation induces proinflammatory dysbiosis: transmission of inflammatory susceptibility by host cytokine induction. <i>Gut</i> , 2018 , 67, 97-107	19.2	131
126	Tailoring anti-TNF therapy in IBD: drug levels and disease activity. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2014 , 11, 243-55	24.2	131
125	Cross-immunogenicity: antibodies to infliximab in Remicade-treated patients with IBD similarly recognise the biosimilar Remsima. <i>Gut</i> , 2016 , 65, 1132-8	19.2	124
124	Accuracy of capsule colonoscopy in detecting colorectal polyps in a screening population. <i>Gastroenterology</i> , 2015 , 148, 948-957.e2	13.3	121
123	West Nile Fever Outbreak, Israel, 2000: Epidemiologic Aspects. <i>Emerging Infectious Diseases</i> , 2001 , 7, 686-691	10.2	121
122	Infliximab-Related Infusion Reactions: Systematic Review. <i>Journal of Crohn's and Colitis</i> , 2015 , 9, 806-15	1.5	120
121	A genome-wide scan of Ashkenazi Jewish Crohn's disease suggests novel susceptibility loci. <i>PLoS Genetics</i> , 2012 , 8, e1002559	6	117
120	Combination immunomodulator and antibiotic treatment in patients with inflammatory bowel disease and clostridium difficile infection. <i>Clinical Gastroenterology and Hepatology</i> , 2009 , 7, 981-7	6.9	102
119	Somatostatin through its specific receptor inhibits spontaneous and TNF-alpha- and bacteria-induced IL-8 and IL-1 beta secretion from intestinal epithelial cells. <i>Journal of Immunology</i> , 2000 , 165, 2955-61	5.3	100
118	Cell-centred meta-analysis reveals baseline predictors of anti-TNF response in biopsy and blood of patients with IBD. <i>Gut</i> , 2019 , 68, 604-614	19.2	97
117	The optimal dose of 5-aminosalicylic acid in active ulcerative colitis: a dose-finding study with newly developed mesalamine. <i>Clinical Gastroenterology and Hepatology</i> , 2003 , 1, 36-43	6.9	89
116	Adalimumab level in breast milk of a nursing mother. <i>Clinical Gastroenterology and Hepatology</i> , 2010 , 8, 475-6	6.9	87
115	Development of the Paris definition of early Crohn's disease for disease-modification trials: results of an international expert opinion process. <i>American Journal of Gastroenterology</i> , 2012 , 107, 1770-6	0.7	76
114	Detection of infliximab in breast milk of nursing mothers with inflammatory bowel disease. <i>Journal of Crohn's and Colitis</i> , 2011 , 5, 555-8	1.5	76
113	Addition of an immunomodulator can reverse antibody formation and loss of response in patients treated with adalimumab. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 276-282	6.1	75
112	Association of Vedolizumab Level, Anti-Drug Antibodies, and $\alpha\alpha$ Occupancy With Response in Patients With Inflammatory Bowel Diseases. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 697-705.e7	6.9	70

111	The familial Mediterranean fever (MEVF) gene as a modifier of Crohn's disease. <i>American Journal of Gastroenterology</i> , 2005 , 100, 338-43	0.7	70
110	Clinical utility of antihuman lambda chain-based enzyme-linked immunosorbent assay (ELISA) versus double antigen ELISA for the detection of anti-infliximab antibodies. <i>Inflammatory Bowel Diseases</i> , 2012 , 18, 1628-33	4.5	67
109	Increased levels of homocysteine in patients with Crohn's disease are related to folate levels. <i>American Journal of Gastroenterology</i> , 2000 , 95, 3498-502	0.7	67
108	Efficacy and Safety of Vedolizumab for Induction of Remission in Inflammatory Bowel Disease-the Israeli Real-World Experience. <i>Inflammatory Bowel Diseases</i> , 2017 , 23, 404-408	4.5	66
107	Prevalence and clinical impact of endoscopic pseudomembranes in patients with inflammatory bowel disease and <i>Clostridium difficile</i> infection. <i>Journal of Crohn's and Colitis</i> , 2010 , 4, 194-8	1.5	61
106	Association of Induction Infliximab Levels With Clinical Response in Perianal Crohn's Disease. <i>Journal of Crohn's and Colitis</i> , 2017 , 11, 549-555	1.5	60
105	Second capsule endoscopy for patients with severe iron deficiency anemia. <i>Gastrointestinal Endoscopy</i> , 2004 , 60, 711-3	5.2	59
104	Undetectable anti-TNF drug levels in patients with long-term remission predict successful drug withdrawal. <i>Alimentary Pharmacology and Therapeutics</i> , 2015 , 42, 356-64	6.1	58
103	Induction infliximab levels among patients with acute severe ulcerative colitis compared with patients with moderately severe ulcerative colitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2016 , 43, 1293-9	6.1	57
102	The Impact of Magnetic Resonance Enterography and Capsule Endoscopy on the Re-classification of Disease in Patients with Known Crohn's Disease: A Prospective Israeli IBD Research Nucleus (IIRN) Study. <i>Journal of Crohn's and Colitis</i> , 2016 , 10, 525-31	1.5	55
101	The Bsml vitamin D receptor gene polymorphism is associated with ulcerative colitis in Jewish Ashkenazi patients. <i>Genetic Testing and Molecular Biomarkers</i> , 2004 , 8, 417-20		53
100	Infectious serologies and autoantibodies in inflammatory bowel disease: insinuations at a true pathogenic role. <i>Annals of the New York Academy of Sciences</i> , 2009 , 1173, 640-8	6.5	50
99	Budesonide foam vs. hydrocortisone acetate foam in the treatment of active ulcerative proctosigmoiditis. <i>Diseases of the Colon and Rectum</i> , 2003 , 46, 929-36	3.1	50
98	The decline of anti-drug antibody titres after discontinuation of anti-TNFs: implications for predicting re-induction outcome in IBD. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 714-22	6.1	45
97	Reporting of adverse events in randomized controlled trials of highly active antiretroviral therapy: systematic review. <i>Journal of Antimicrobial Chemotherapy</i> , 2009 , 64, 239-50	5.1	45
96	Neuroimmunology of the gut: physiology, pathology, and pharmacology. <i>Current Opinion in Pharmacology</i> , 2008 , 8, 490-5	5.1	45
95	Crohn disease in patients with familial Mediterranean fever. <i>Medicine (United States)</i> , 2002 , 81, 411-6	1.8	45
94	A murine model for the study of molecular pathogenesis of radiation proctitis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 76, 242-50	4	43

93	Prospective Observational Evaluation of Time-Dependency of Adalimumab Immunogenicity and Drug Concentrations: The POETIC Study. <i>American Journal of Gastroenterology</i> , 2018 , 113, 890-898	0.7	41
92	Early drug and anti-infliximab antibody levels for prediction of primary nonresponse to infliximab therapy. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 47, 212-218	6.1	40
91	Report of the ECCO workshop on anti-TNF therapy failures in inflammatory bowel diseases: biological roles and effects of TNF and TNF antagonists. <i>Journal of Crohn's and Colitis</i> , 2010 , 4, 367-76	1.5	37
90	Human gastrin: a <i>Helicobacter pylori</i> --specific growth factor. <i>Gastroenterology</i> , 1999 , 117, 1113-8	13.3	36
89	Assessment of small bowel mucosal healing by video capsule endoscopy for the prediction of short-term and long-term risk of Crohn's disease flare: a prospective cohort study. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 519-528	18.8	35
88	The immunogenicity of biosimilar infliximab: can we extrapolate the data across indications?. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015 , 9 Suppl 1, 27-34	4.2	33
87	Magnetic resonance enterography versus capsule endoscopy activity indices for quantification of small bowel inflammation in Crohn's disease. <i>Therapeutic Advances in Gastroenterology</i> , 2016 , 9, 655-63	4.7	31
86	Clinical and demographic characterization of Jewish Crohn's disease patients in Israel. <i>Journal of Clinical Gastroenterology</i> , 2003 , 36, 8-12	3	27
85	Lidocaine inhibits epithelial chemokine secretion via inhibition of nuclear factor kappa B activation. <i>Immunobiology</i> , 2010 , 215, 304-13	3.4	26
84	Familial clustering of Crohn's disease in Israel: prevalence and association with disease severity. <i>Inflammatory Bowel Diseases</i> , 2009 , 15, 171-5	4.5	26
83	Somatostatin inhibits pro-inflammatory cytokine secretion from rat hepatic stellate cells. <i>Liver International</i> , 2005 , 25, 808-16	7.9	26
82	Risk factors for serious adverse effects of thiopurines in patients with Crohn's disease. <i>Current Drug Safety</i> , 2013 , 8, 181-5	1.4	26
81	Association between mutations in the CARD15 (NOD2) gene and Crohn's disease in Israeli Jewish patients. <i>American Journal of Medical Genetics Part A</i> , 2003 , 121A, 240-4		25
80	Prediction of disease complication occurrence in Crohn's disease using phenotype and genotype parameters at diagnosis. <i>Journal of Crohn's and Colitis</i> , 2011 , 5, 592-7	1.5	24
79	The month of birth is linked to the risk of Crohn's disease in the Israeli population. <i>American Journal of Gastroenterology</i> , 2004 , 99, 1974-6	0.7	24
78	Gamma interferon down-regulates Fer and induces its association with inactive Stat3 in colon carcinoma cells. <i>Oncogene</i> , 2002 , 21, 4997-5001	9.2	24
77	Development and validation of novel algorithms to identify patients with inflammatory bowel diseases in Israel: an epi-IIRN group study. <i>Clinical Epidemiology</i> , 2018 , 10, 671-681	5.9	24
76	O-specific [corrected] polysaccharide conjugate vaccine-induced [corrected] antibodies prevent invasion of <i>Shigella</i> into Caco-2 cells and may be curative. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 2396-401	11.5	23

75	The Role of Heparanase in the Pathogenesis of Acute Pancreatitis: A Potential Therapeutic Target. <i>Scientific Reports</i> , 2017 , 7, 715	4.9	22
74	Prognosis of primary sclerosing cholangitis in israel is independent of coexisting inflammatory bowel Disease. <i>Journal of Crohn's and Colitis</i> , 2015 , 9, 177-84	1.5	22
73	Expression of IL-2, IL-17 and TNF-alpha in patients with Crohn's disease treated with anti-TNF antibodies. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2014 , 38, 491-8	2.4	20
72	Endoscopic ultrasound for perianal Crohn's disease: disease and fistula characteristics, and impact on therapy. <i>Journal of Crohn's and Colitis</i> , 2012 , 6, 311-6	1.5	20
71	Regulation of S100A8 Stability by RNF5 in Intestinal Epithelial Cells Determines Intestinal Inflammation and Severity of Colitis. <i>Cell Reports</i> , 2018 , 24, 3296-3311.e6	10.6	20
70	B-cell clonal diversification and gut-lymph node trafficking in ulcerative colitis revealed using lineage tree analysis. <i>European Journal of Immunology</i> , 2008 , 38, 2600-9	6.1	19
69	Magnetic resonance enterography or video capsule endoscopy - what do Crohn's disease patients prefer?. <i>Patient Preference and Adherence</i> , 2016 , 10, 1043-50	2.4	19
68	Non-Jewish Israeli IBD patients have significantly higher glutathione S-transferase GSTT1-null frequency. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 2081-7	4	18
67	The Heparanase Inhibitor PG545 Attenuates Colon Cancer Initiation and Growth, Associating with Increased p21 Expression. <i>Neoplasia</i> , 2017 , 19, 175-184	6.4	17
66	Significance of low level infliximab in the absence of anti-infliximab antibodies. <i>World Journal of Gastroenterology</i> , 2015 , 21, 1907-14	5.6	17
65	Prevention of Antidrug Antibody Formation to Infliximab in 'Crohn's Patients With Prior Failure of Thiopurines. <i>Clinical Gastroenterology and Hepatology</i> , 2017 , 15, 69-75	6.9	17
64	Functional voltage-gated sodium channels are expressed in human intestinal epithelial cells. <i>Digestion</i> , 2008 , 77, 108-17	3.6	17
63	A Novel Method for WetSEM. <i>Ultrastructural Pathology</i> , 2004 , 28, 29-31	1.3	17
62	TNFalpha and IL-8 regulate the expression and function of CD44 variant proteins in human colon carcinoma cells. <i>Clinical and Experimental Metastasis</i> , 2002 , 19, 327-37	4.7	16
61	Oral Capsulized Fecal Microbiota Transplantation for Eradication of Carbapenemase-producing Enterobacteriaceae Colonization With a Metagenomic Perspective. <i>Clinical Infectious Diseases</i> , 2021 , 73, e166-e175	11.6	15
60	Different beta-catenin immunoexpression in carcinoid tumors of the appendix in comparison to other gastrointestinal carcinoid tumors. <i>Pathology Research and Practice</i> , 2002 , 198, 531-6	3.4	15
59	Increasing the infliximab dose is beneficial in Crohn's disease patients who responded to a lower dose and relapsed. <i>Digestion</i> , 2005 , 72, 124-8	3.6	15
58	Augmentation of RANTES-induced extracellular signal-regulated kinase mediated signaling and T cell adhesion by elastase-treated fibronectin. <i>Journal of Immunology</i> , 2001 , 166, 7121-7	5.3	15

57	Disaccharides derived from heparin or heparan sulfate regulate IL-8 and IL-1 beta secretion by intestinal epithelial cells. <i>Gastroenterology</i> , 2001 , 120, 449-59	13.3	15
56	Peripheral T cell response to A-gliadin in celiac disease: differential processing and presentation capacities of Epstein-Barr-transformed B cells and fibroblasts. <i>Clinical Immunology and Immunopathology</i> , 1994 , 71, 75-81		15
55	Selecting End Points for Disease-Modification Trials in Inflammatory Bowel Disease: the SPIRIT Consensus From the IOIBD. <i>Gastroenterology</i> , 2021 , 160, 1452-1460.e21	13.3	15
54	Ashkenazi Jewish origin protects against formation of antibodies to infliximab and therapy failure. <i>Medicine (United States)</i> , 2015 , 94, e673	1.8	14
53	Thiopurine effectiveness in patients with Crohn's disease: a study of genetic and clinical predictive factors. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 1639-44	4.5	14
52	Hospital-wide methicillin-resistant <i>Staphylococcus aureus</i> control program: A 5-year follow-up. <i>Infection Control and Hospital Epidemiology</i> , 2009 , 30, 778-81	2	14
51	Efficacy of anti-TNF in Crohn's disease: how does it work?. <i>Current Drug Targets</i> , 2010 , 11, 138-42	3	14
50	Effectiveness and safety of vedolizumab for maintenance treatment in inflammatory bowel disease-The Israeli real world experience. <i>Digestive and Liver Disease</i> , 2019 , 51, 68-74	3.3	14
49	Safety and effectiveness of ustekinumab for induction of remission in patients with Crohn's disease: A multicenter Israeli study. <i>United European Gastroenterology Journal</i> , 2020 , 8, 418-424	5.3	13
48	TNF-857 polymorphism in Israeli Jewish patients with inflammatory bowel disease. <i>International Journal of Immunogenetics</i> , 2006 , 33, 81-5	2.3	13
47	Clinicogenomic factors of biotransformation immunogenicity in autoimmune disease: A prospective multicohort study of the ABIRISK consortium. <i>PLoS Medicine</i> , 2020 , 17, e1003348	11.6	13
46	Infliximab-Tumor Necrosis Factor Complexes Elicit Formation of Anti-Drug Antibodies. <i>Gastroenterology</i> , 2019 , 157, 1338-1351.e8	13.3	12
45	Long-standing colonic inflammation is associated with a low prevalence of diverticuli in inflammatory bowel disease patients. <i>Inflammatory Bowel Diseases</i> , 2007 , 13, 733-6	4.5	12
44	The patient with recurrent (sub) obstruction due to Crohn's disease. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2007 , 21, 427-44	2.5	12
43	Endosonographic evaluation of perianal fistulas and abscesses: comparison of two instruments and assessment of the role of hydrogen peroxide injection. <i>Journal of Clinical Ultrasound</i> , 2005 , 33, 226-32	1	12
42	Somatostatin analogue treatment attenuates histological findings of inflammation and increases mRNA expression of interleukin-1 beta in the articular tissues of rats with ongoing adjuvant-induced arthritis. <i>Rheumatology International</i> , 2005 , 25, 350-6	3.6	12
41	Detection of anti-infliximab antibodies is impacted by antibody titer, infliximab level and IgG4 antibodies: a systematic comparison of three different assays. <i>Therapeutic Advances in Gastroenterology</i> , 2016 , 9, 781-794	4.7	12
40	A defined human gastrin sequence stimulates the growth of <i>Helicobacter pylori</i> . <i>FEMS Microbiology Letters</i> , 2002 , 217, 231-6	2.9	11

39	Differentiation of Pancreatic Cyst Types by Analysis of Rheological Behavior of Pancreatic Cyst Fluid. <i>Scientific Reports</i> , 2017 , 7, 45589	4.9	10
38	Multislice CT compared to small bowel follow-through in the evaluation of patients with Crohn disease. <i>Clinical Imaging</i> , 2008 , 32, 355-61	2.7	10
37	Clinical and radiographic presentation of superior mesenteric vein thrombosis in Crohn's disease: a single center experience. <i>Journal of Crohn's and Colitis</i> , 2012 , 6, 543-9	1.5	9
36	Color-coded duplex sonography compared to multidetector computed tomography for the diagnosis of crohn disease relapse and complications. <i>Journal of Ultrasound in Medicine</i> , 2011 , 30, 1691-9 ²	9	
35	Flare-up of ulcerative colitis after systemic corticosteroids: a strong case for Strongyloides. <i>World Journal of Gastroenterology</i> , 2008 , 14, 4413-5	5.6	9
34	Colorectal cancer screening in patients presenting with an inguinal hernia: is it necessary?. <i>Gastrointestinal Endoscopy</i> , 2004 , 59, 369-73	5.2	9
33	Bowel preparation in "real-life" small bowel capsule endoscopy: a two-center experience. <i>Annals of Gastroenterology</i> , 2016 , 29, 196-200	2.2	9
32	COVID-19 Pandemic: Which IBD Patients Need to Be Scoped-Who Gets Scoped Now, Who Can Wait, and how to Resume to Normal. <i>Journal of Crohn's and Colitis</i> , 2020 , 14, S791-S797	1.5	9
31	Anti-infliximab Antibodies with Neutralizing Capacity in Patients with Inflammatory Bowel Disease: Distinct Clinical Implications Revealed by a Novel Assay. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1655-61 ⁴	5	9
30	Ameliorating Active Ulcerative Colitis via an Orally Available Toll-Like Receptor-9 Modifier: A Prospective Open-Label, Multicenter Phase II Trial. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 3246-3254	4	9
29	Rac1 Polymorphisms and Thiopurine Efficacy in Children With Inflammatory Bowel Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015 , 61, 404-7	2.8	8
28	Efficacy of Biologic Drugs in Short-Duration Versus Long-Duration Inflammatory Bowel Disease: A Systematic Review and an Individual-Patient Data Meta-Analysis of Randomized Controlled Trials. <i>Gastroenterology</i> , 2021 ,	13.3	8
27	Celiac disease resolution after allogeneic bone marrow transplantation is associated with absence of gliadin-specific memory response by donor-derived intestinal T-cells. <i>Journal of Clinical Immunology</i> , 2013 , 33, 1395-402	5.7	7
26	Secondary antibiotic resistance of Helicobacter pylori isolates in Israeli children and adults. <i>Journal of Global Antimicrobial Resistance</i> , 2017 , 10, 182-185	3.4	7
25	Early histological findings may predict the clinical phenotype in Crohn's colitis. <i>United European Gastroenterology Journal</i> , 2017 , 5, 694-701	5.3	7
24	Epidemiology of Inflammatory Bowel Diseases in Israel: A Nationwide Epi-Israeli IBD Research Nucleus Study. <i>Inflammatory Bowel Diseases</i> , 2021 , 27, 1784-1794	4.5	7
23	A Novel Method for WetSEM. <i>Ultrastructural Pathology</i> , 2004 , 28, 29-31	1.3	6
22	Early Indolent Course of Crohn's Disease in Newly Diagnosed Patients Is Not Rare and Possibly Predictable. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 1564-1572.e5	6.9	5

21	Dose optimisation for Loss of Response to Vedolizumab- Pharmacokinetics and Immune Mechanisms. <i>Journal of Crohn's and Colitis</i> , 2021 , 15, 1707-1719	1.5	5
20	Antibiotic use differentially affects the risk of anti-drug antibody formation during anti-TNF therapy in inflammatory bowel disease patients: a report from the epi-IIRN. <i>Gut</i> , 2021 ,	19.2	5
19	Propagation of EBV-driven Lymphomatous Transformation of Peripheral Blood B Cells by Immunomodulators and Biologics Used in the Treatment of Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2020 , 26, 1330-1339	4.5	4
18	Sweet's syndrome in association with ulcerative colitis and dyserythropoietic anemia. <i>Digestion</i> , 2007 , 75, 142-3	3.6	4
17	Familial ulcerative colitis in Israeli Jews: its prevalence and clinical severity compared to sporadic disease. <i>Annals of Gastroenterology</i> , 2011 , 24, 285-289	2.2	4
16	Efficacy of biological drugs in short-duration versus long-duration inflammatory bowel disease: a protocol for a systematic review and an individual-patient level meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2019 , 9, e024222	3	4
15	Pharmacokinetics and Immune Reconstitution Following Discontinuation of Thiopurine Analogues: Implications for Drug Withdrawal Strategies. <i>Journal of Crohn's and Colitis</i> , 2018 , 12, 1410-1417	1.5	4
14	Does early corticosteroid therapy affect prognosis in IBD patients hospitalized with Clostridioides difficile infection?. <i>International Journal of Colorectal Disease</i> , 2020 , 35, 513-519	3	3
13	Normal human CD4(+) helper T cells express Kv1.1 voltage-gated K(+) channels, and selective Kv1.1 block in T cells induces by itself robust TNF production and secretion and activation of the NF-κB non-canonical pathway. <i>Journal of Neural Transmission</i> , 2016 , 123, 137-57	4.3	3
12	Duration of combination therapy and risk of treatment failure in patients with inflammatory bowel disease. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021 , 45, 101503	2.4	3
11	Discovery of Biomarkers of Response in Early Drug Development. <i>Journal of Crohn's and Colitis</i> , 2016 , 10 Suppl 2, S560-6	1.5	2
10	Recurrent small intestinal ileus secondary to valsartan treatment. <i>Journal of Clinical Gastroenterology</i> , 2014 , 48, 462-3	3	2
9	Scabies-associated angioimmunoblastic lymphadenopathy. <i>Acta Haematologica</i> , 1986 , 76, 166-8	2.7	2
8	Colectomy Rates did not Decrease in Paediatric- and Adult-Onset Ulcerative Colitis During the Biologics Era: A Nationwide Study From the epi-IIRN.. <i>Journal of Crohn's and Colitis</i> , 2021 ,	1.5	2
7	Improved outcomes of pediatric and adult Crohn's disease and association with emerging use of biologics - a nationwide study from the epi-IIRN. <i>Journal of Crohn's and Colitis</i> , 2021 ,	1.5	2
6	Taking Crohn's disease personally. <i>Rambam Maimonides Medical Journal</i> , 2013 , 4, e0011	1.8	1
5	Intratumoral HLA-DR/CD33/CD11b Myeloid-Derived Suppressor Cells Predict Response to Neoadjuvant Chemoradiotherapy in Locally Advanced Rectal Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 1375	5.3	1
4	Early histological findings quantified by histomorphometry allow prediction of clinical phenotypes in Crohn's colitis patients. <i>Analytical and Quantitative Cytopathology and Histopathology</i> , 2013 , 35, 95-104		1

- 3 Validation of a semiautomated system for surveillance of surgical site infection after cesarean section. *Infection Control and Hospital Epidemiology*, **2021**, 1-3 2 0
- 2 Novel therapies for ulcerative colitis **2013**, 124-132
- 1 Volume of fluid consumption during preparation for colonoscopy is possibly the single most important determinant of bowel preparation adequacy. *Annals of Gastroenterology*, **2021**, 34, 705-712 2.2