

Liangguo Yan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6259093/liangguo-yan-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114 papers	5,740 citations	43 h-index	72 g-index
114 ext. papers	6,546 ext. citations	8.1 avg, IF	5.9 L-index

#	Paper	IF	Citations
114	Z-scheme bismuth-rich bismuth oxide iodide/bismuth oxide bromide hybrids with novel spatial structure: Efficient photocatalytic degradation of phenolic contaminants accelerated by in situ generated redox mediators.. <i>Journal of Colloid and Interface Science</i> , 2022 , 614, 233-246	9.3	2
113	Interface engineering of MoS ₂ @Fe(OH) nanoarray heterostucture: Electrodeposition of MoS ₂ @Fe(OH) as N and H channels for artificial NH synthesis under mild conditions. <i>Journal of Colloid and Interface Science</i> , 2022 , 606, 1374-1379	9.3	4
112	Self-powered photoelectrochemical aptasensor based on MIL-68(In) derived InO hollow nanotubes and Ag doped ZnInS quantum dots for oxytetracycline detection.. <i>Talanta</i> , 2021 , 240, 123153	6.2	1
111	Molecular imprinted photoelectrochemical sensor for bisphenol A supported by flower-like AgBiS ₂ /In ₂ S ₃ matrix. <i>Sensors and Actuators B: Chemical</i> , 2021 , 330, 129387	8.5	5
110	A sensitive biosensor of CdS sensitized BiVO ₄ /GaON composite for the photoelectrochemical immunoassay of procalcitonin. <i>Sensors and Actuators B: Chemical</i> , 2021 , 329, 129244	8.5	3
109	High-performance ammonia fixation electrocatalyzed by ReS ₂ nanosheet array. <i>New Journal of Chemistry</i> , 2021 , 45, 11457-11460	3.6	1
108	Fabrication of MOF-derived tubular InO@SnInS hybrid: Heterojunction formation and promoted photocatalytic reduction of Cr(VI) under visible light. <i>Journal of Colloid and Interface Science</i> , 2021 , 596, 278-287	9.3	11
107	[Ru(bpy)] ₃ @Ce-UiO-66/Mn:BiS Heterojunction and Its Exceptional Photoelectrochemical Aptasensing Properties for Ofloxacin Detection.. <i>ACS Applied Bio Materials</i> , 2021 , 4, 7186-7194	4.1	2
106	Fabrication of N-GQDs and AgBiS ₂ dual-sensitized ZIFs-derived hollow Zn _x Co _{3-x} O ₄ dodecahedron for sensitive photoelectrochemical aptasensing of ampicillin. <i>Sensors and Actuators B: Chemical</i> , 2020 , 320, 128387	8.5	13
105	Photoelectrochemical competitive immunosensor for 17 β -estradiol detection based on ZnInS@NH-MIL-125(Ti) amplified by PDA NS/Mn:ZnCdS. <i>Biosensors and Bioelectronics</i> , 2020 , 148, 111739	11.8	23
104	Adsorption and photocatalytic reduction of aqueous Cr(VI) by FeO-ZnAl-layered double hydroxide/TiO ₂ composites. <i>Journal of Colloid and Interface Science</i> , 2020 , 562, 493-501	9.3	27
103	Enzyme-Free Colorimetric Immunoassay for Protein Biomarker Enabled by Loading and Disassembly Behaviors of Polydopamine Nanoparticles.. <i>ACS Applied Bio Materials</i> , 2020 , 3, 8841-8848	4.1	3
102	Anchoring Au(111) on a Bismuth Sulfide Nanorod: Boosting the Artificial Electrocatalytic Nitrogen Reduction Reaction under Ambient Conditions. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 55838-55843	9.5	20
101	Aerobic biodegradation of p-nitrophenol in a nitrifying sludge bioreactor: System performance, sludge property and microbial community shift. <i>Journal of Environmental Management</i> , 2020 , 265, 110542	7.9	14
100	MnCO as a New Electrochemiluminescence Emitter for Ultrasensitive Bioanalysis of β -Amyloid Oligomers Based on Site-Directed Immobilization of Antibody. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 7157-7163	9.5	35
99	A MoS ₂ nanosheet-reduced graphene oxide hybrid: an efficient electrocatalyst for electrocatalytic N ₂ reduction to NH ₃ under ambient conditions. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 2524-2528	13	108
98	Efficient removal of graphene oxide by Fe ₃ O ₄ /MgAl-layered double hydroxide and oxide from aqueous solution. <i>Journal of Molecular Liquids</i> , 2019 , 284, 300-306	6	5

97	Cobalt-based metal-organic frameworks as co-reaction accelerator for enhancing electrochemiluminescence behavior of N-(aminobutyl)-N-(ethylisoluminol) and ultrasensitive immunosensing of amyloid- β protein. <i>Sensors and Actuators B: Chemical</i> , 2019 , 291, 319-328	8.5	24
96	Adsorption of phosphate from aqueous solution by vegetable biochar/layered double oxides: Fast removal and mechanistic studies. <i>Bioresource Technology</i> , 2019 , 284, 65-71	11	87
95	A prostate-specific antigen electrochemical immunosensor based on Pd NPs functionalized electroactive Co-MOF signal amplification strategy. <i>Biosensors and Bioelectronics</i> , 2019 , 132, 97-104	11.8	61
94	Quench-type electrochemiluminescence immunosensor for detection of amyloid β protein based on resonance energy transfer from luminol@SnS-Pd to Cu doped WO nanoparticles. <i>Biosensors and Bioelectronics</i> , 2019 , 133, 192-198	11.8	35
93	Fabrication of hierarchical MIL-68(In)-NH/MWCNT/CdS composites for constructing label-free photoelectrochemical tetracycline aptasensor platform. <i>Biosensors and Bioelectronics</i> , 2019 , 135, 88-94	11.8	33
92	Magnetic electrode-based electrochemical immunosensor using amorphous bimetallic sulfides of CoSnS as signal amplifier for the NTpro BNP detection. <i>Biosensors and Bioelectronics</i> , 2019 , 131, 250-256	11.8	11
91	Novel electrochemical immunosensor for sensitive monitoring of cardiac troponin I using antigen-response cargo released from mesoporous FeO. <i>Biosensors and Bioelectronics</i> , 2019 , 143, 111608	11.8	20
90	A label-free photoelectrochemical aptasensing platform base on plasmon Au coupling with MOF-derived In ₂ O ₃ @g-C ₃ N ₄ nanoarchitectures for tetracycline detection. <i>Sensors and Actuators B: Chemical</i> , 2019 , 298, 126817	8.5	41
89	A ternary quenching electrochemiluminescence insulin immunosensor based on Mn released from MnO@Carbon core-shell nanospheres with ascorbic acid quenching AuPdPt-MoS ₂ @TiO ₂ enhanced luminol. <i>Biosensors and Bioelectronics</i> , 2019 , 142, 111551	11.8	24
88	Synergistic adsorption and photocatalytic reduction of Cr(VI) using Zn-Al-layered double hydroxide and TiO ₂ composites. <i>Applied Surface Science</i> , 2019 , 492, 487-496	6.7	22
87	CuS as co-reaction accelerator in PTCA-KSO system for enhancing electrochemiluminescence behavior of PTCA and its application in detection of amyloid- β protein. <i>Biosensors and Bioelectronics</i> , 2019 , 126, 222-229	11.8	43
86	Rod-like BiO decorated BiOCO plates: Facile synthesis, promoted charge separation, and highly efficient photocatalytic degradation of organic contaminants. <i>Journal of Colloid and Interface Science</i> , 2018 , 514, 240-249	9.3	27
85	In situ Formed Co(TCNQ) Metal-Organic Framework Array as a High-Efficiency Catalyst for Oxygen Evolution Reactions. <i>Chemistry - A European Journal</i> , 2018 , 24, 2075-2079	4.8	20
84	EDTA modified β -cyclodextrin/chitosan for rapid removal of Pb(II) and acid red from aqueous solution. <i>Journal of Colloid and Interface Science</i> , 2018 , 523, 56-64	9.3	87
83	Qualitative and quantitative spectrometric evaluation of soluble microbial products formation in aerobic granular sludge system treating nitrate wastewater. <i>Bioprocess and Biosystems Engineering</i> , 2018 , 41, 841-850	3.7	4
82	Label-free photoelectrochemical immunosensor for carcinoembryonic antigen detection based on g-C ₃ N ₄ nanosheets hybridized with Zn _{0.1} Cd _{0.9} S nanocrystals. <i>Sensors and Actuators B: Chemical</i> , 2018 , 256, 812-819	8.5	30
81	Self-supported CoMoS ₄ nanosheet array as an efficient catalyst for hydrogen evolution reaction at neutral pH. <i>Nano Research</i> , 2018 , 11, 2024-2033	10	120
80	Room-temperature fabrication of bismuth oxybromide/oxyiodide photocatalyst and efficient degradation of phenolic pollutants under visible light. <i>Journal of Hazardous Materials</i> , 2018 , 358, 20-32	12.8	33

79	Porous Fe _N -codoped carbon microspheres: an efficient and durable electrocatalyst for oxygen reduction reaction. <i>Inorganic Chemistry Frontiers</i> , 2018 , 5, 2211-2217	6.8	7
78	Ultrasensitive photoelectrochemical immunosensor for insulin detection based on dual inhibition effect of CuS-SiO ₂ composite on CdS sensitized C-TiO ₂ . <i>Sensors and Actuators B: Chemical</i> , 2018 , 258, 1-9	8.5	31
77	Novel electrochemiluminescent platform based on gold nanoparticles functionalized Ti doped BiOBr for ultrasensitive immunosensing of NT-proBNP. <i>Sensors and Actuators B: Chemical</i> , 2018 , 277, 401-407	8.5	5
76	A competitive photoelectrochemical immunosensor for the detection of diethylstilbestrol based on an Au/UiO-66(NH)/CdS matrix and a direct Z-scheme Melem/CdTe heterojunction as labels. <i>Biosensors and Bioelectronics</i> , 2018 , 117, 575-582	11.8	44
75	Removal of Pb(II) and methylene blue from aqueous solution by magnetic hydroxyapatite-immobilized oxidized multi-walled carbon nanotubes. <i>Journal of Colloid and Interface Science</i> , 2017 , 494, 380-388	9.3	100
74	Facile synthesis of hierarchical ZnIn ₂ S ₄ /CdIn ₂ S ₄ microspheres with enhanced visible light driven photocatalytic activity. <i>Applied Surface Science</i> , 2017 , 407, 328-336	6.7	45
73	Production of soluble microbial products in aerobic granular sludge system under the stress of toxic 4-chlorophenol. <i>Environmental Technology (United Kingdom)</i> , 2017 , 38, 3192-3200	2.6	8
72	Fabrication of a novel Z-scheme g-CN/BiO heterojunction photocatalyst with enhanced visible light-driven activity toward organic pollutants. <i>Journal of Colloid and Interface Science</i> , 2017 , 501, 123-132	9.3	75
71	Facile fabrication of BiOI decorated NaNbO ₃ cubes: A p-n junction photocatalyst with improved visible-light activity. <i>Applied Surface Science</i> , 2017 , 416, 288-295	6.7	40
70	Comparison of soluble microbial products released from activated sludge and aerobic granular sludge systems in the presence of toxic 2,4-dichlorophenol. <i>Bioprocess and Biosystems Engineering</i> , 2017 , 40, 309-318	3.7	3
69	Fabrication of novel g-CN nanocrystals decorated AgPO hybrids: Enhanced charge separation and excellent visible-light driven photocatalytic activity. <i>Journal of Hazardous Materials</i> , 2017 , 339, 9-21	12.8	58
68	Increased electrocatalyzed performance through high content potassium doped graphene matrix and aptamer tri infinite amplification labels strategy: Highly sensitive for matrix metalloproteinases-2 detection. <i>Biosensors and Bioelectronics</i> , 2017 , 94, 694-700	11.8	91
67	Fabrication of heterostructured BiOCO/BiO photocatalyst and efficient photodegradation of organic contaminants under visible-light. <i>Journal of Hazardous Materials</i> , 2017 , 333, 169-178	12.8	76
66	Sulfur-Doped Graphene-Based Immunological Biosensing Platform for Multianalysis of Cancer Biomarkers. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 37637-37644	9.5	128
65	Magnetic chitosan/anaerobic granular sludge composite: Synthesis, characterization and application in heavy metal ions removal. <i>Journal of Colloid and Interface Science</i> , 2017 , 508, 405-414	9.3	68
64	Rapid removal of Pb(II) from aqueous solution using branched polyethylenimine enhanced magnetic carboxymethyl chitosan optimized with response surface methodology. <i>Scientific Reports</i> , 2017 , 7, 10264	4.9	30
63	Fabrication of InS/ZnGeO composite photocatalyst for degradation of acetaminophen under visible light. <i>Journal of Colloid and Interface Science</i> , 2017 , 506, 197-206	9.3	47
62	A sensitive electrochemiluminescence immunosensor based on Ru(bpy) ₃ in 3D CuNi oxalate as luminophores and graphene oxide-polyethylenimine as released Ru(bpy) ₃ initiator. <i>Biosensors and Bioelectronics</i> , 2017 , 89, 1020-1025	11.8	88

61	Anaerobic granular sludge-derived activated carbon: preparation, characterization and superior dye adsorption capacity. <i>Desalination and Water Treatment</i> , 2016 , 57, 18016-18027		1
60	Novel gold nanocluster electrochemiluminescence immunosensors based on nanoporous NiGd-Ni ₂ O ₃ -Gd ₂ O ₃ alloys. <i>Biosensors and Bioelectronics</i> , 2016 , 75, 142-7	11.8	15
59	Fabrication of highly active Melem/Zn _{0.25} Cd _{0.75} S composites for the degradation of bisphenol A and methyl orange under visible light irradiation. <i>Applied Surface Science</i> , 2016 , 387, 513-520	6.7	6
58	Facile solvothermal synthesis of Fe ₃ O ₄ /bentonite for efficient removal of heavy metals from aqueous solution. <i>Powder Technology</i> , 2016 , 301, 632-640	5.2	64
57	Preparation of Au-polydopamine functionalized carbon encapsulated Fe ₃ O ₄ /magnetic nanocomposites and their application for ultrasensitive detection of carcino-embryonic antigen. <i>Scientific Reports</i> , 2016 , 6, 21017	4.9	14
56	Fabrication of magnetic water-soluble hyperbranched polyol functionalized graphene oxide for high-efficiency water remediation. <i>Scientific Reports</i> , 2016 , 6, 28924	4.9	36
55	Ru(bpy) ₃ (2+)/nanoporous silver-based electrochemiluminescence immunosensor for alpha fetoprotein enhanced by gold nanoparticles decorated black carbon intercalated reduced graphene oxide. <i>Scientific Reports</i> , 2016 , 6, 20348	4.9	11
54	Magnetic hydroxypropyl chitosan functionalized graphene oxide as adsorbent for the removal of lead ions from aqueous solution. <i>Desalination and Water Treatment</i> , 2016 , 57, 3975-3984		20
53	Sandwich-type electrochemical immunosensor for the detection of AFP based on Pd octahedral and APTES-M-CeO ₂ /GS as signal labels. <i>Biosensors and Bioelectronics</i> , 2016 , 79, 482-7	11.8	58
52	Ultrasensitive electrochemical immunosensor for SCCA detection based on ternary Pt/PdCu nanocube anchored on three-dimensional graphene framework for signal amplification. <i>Biosensors and Bioelectronics</i> , 2016 , 79, 71-8	11.8	62
51	Electrochemiluminescent immunosensing of prostate-specific antigen based on silver nanoparticles-doped Pb (II) metal-organic framework. <i>Biosensors and Bioelectronics</i> , 2016 , 79, 379-85	11.8	85
50	Cubic Cu ₂ O nanoframes with a unique edge-truncated structure and a good electrocatalytic activity for immunosensor application. <i>Biosensors and Bioelectronics</i> , 2016 , 78, 167-173	11.8	31
49	Ultrasensitive electrochemical aptasensor for the detection of thrombin based on dual signal amplification strategy of Au@GS and DNA-CoPd NPs conjugates. <i>Biosensors and Bioelectronics</i> , 2016 , 80, 640-646	11.8	45
48	Sensitive Insulin Detection based on Electrogenenerated Chemiluminescence Resonance Energy Transfer between Ru(bpy) ₃ (2+) and Au Nanoparticle-Doped β -Cyclodextrin-Pb (II) Metal-Organic Framework. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 10121-7	9.5	68
47	Responses of soluble microbial products and extracellular polymeric substances to the presence of toxic 2,6-dichlorophenol in aerobic granular sludge system. <i>Journal of Environmental Management</i> , 2016 , 183, 594-600	7.9	31
46	A simple label-free photoelectrochemical immunosensor for highly sensitive detection of aflatoxin B ₁ based on CdS/Fe ₃ O ₄ magnetic nanocomposites. <i>RSC Advances</i> , 2015 , 5, 19581-19586	3.7	23
45	Aerobic granular sludge-derived activated carbon: mineral acid modification and superior dye adsorption capacity. <i>RSC Advances</i> , 2015 , 5, 25279-25286	3.7	26
44	Efficient photocatalytic degradation of bisphenol A and dye pollutants over BiOI/Zn ₂ SnO ₄ heterojunction photocatalyst. <i>RSC Advances</i> , 2015 , 5, 10688-10696	3.7	28

43	Fabrication of a heterostructured Ag/AgCl/Bi ₂ MoO ₆ plasmonic photocatalyst with efficient visible light activity towards dyes. <i>RSC Advances</i> , 2015 , 5, 17245-17252	3.7	28
42	Fabrication of hierarchical BiOI/Bi ₂ MoO ₆ heterojunction for degradation of bisphenol A and dye under visible light irradiation. <i>Journal of Alloys and Compounds</i> , 2015 , 634, 223-231	5.7	87
41	Electrochemiluminescence modified electrodes based on RuSi@Ru(bpy) ₃ (2+) loaded with gold functioned nanoporous CO/Co ₃ O ₄ for detection of mycotoxin deoxynivalenol. <i>Biosensors and Bioelectronics</i> , 2015 , 70, 28-33	11.8	25
40	EDTA functionalized magnetic graphene oxide for removal of Pb(II), Hg(II) and Cu(II) in water treatment: Adsorption mechanism and separation property. <i>Chemical Engineering Journal</i> , 2015 , 281, 1-10	14.7	443
39	An electrochemiluminescent immunosensor based on CdSe@Fe ₃ O ₄ nanocomposite electrodes for the detection of Ochratoxin A. <i>New Journal of Chemistry</i> , 2015 , 39, 4259-4264	3.6	9
38	An ultrasensitive electrochemical immunosensor for CEA using MWCNT-NH supported PdPt nanocages as labels for signal amplification. <i>Journal of Materials Chemistry B</i> , 2015 , 3, 2006-2011	7.3	48
37	Kinetic, isotherm and thermodynamic investigations of phosphate adsorption onto core-shell Fe ₃ O ₄ @LDHs composites with easy magnetic separation assistance. <i>Journal of Colloid and Interface Science</i> , 2015 , 448, 508-16	9.3	199
36	Eco-friendly synthesis of electrochemiluminescent nitrogen-doped carbon quantum dots from diethylene triamine pentacetate and their application for protein detection. <i>Carbon</i> , 2015 , 91, 144-152	10.4	64
35	An ultrasensitive electrochemical immunosensor for the detection of CD146 based on TiO ₂ colloidal sphere laden Au/Pd nanoparticles. <i>Analyst, The</i> , 2015 , 140, 3557-64	5	11
34	The removal of lead ions from aqueous solution by using magnetic hydroxypropyl chitosan/oxidized multiwalled carbon nanotubes composites. <i>Journal of Colloid and Interface Science</i> , 2015 , 451, 7-14	9.3	102
33	A label-free electrochemical immunosensor with a novel signal production and amplification strategy based on three-dimensional pine-like AuCu nanodendrites. <i>RSC Advances</i> , 2015 , 5, 31262-31269	3.7	9
32	An ultrasensitive electrochemical immunosensor for determination of estradiol using coraloid Cu ₂ S nanostructures as labels. <i>RSC Advances</i> , 2015 , 5, 6512-6517	3.7	15
31	A novel electrochemiluminescent immunosensor based on the quenching effect of aminated graphene on nitrogen-doped carbon quantum dots. <i>Analytica Chimica Acta</i> , 2015 , 889, 82-9	6.6	49
30	Corallite-like Magnetic Fe ₃ O ₄ @MnO ₂ @Pt Nanocomposites as Multiple Signal Amplifiers for the Detection of Carcinoembryonic Antigen. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 18786-93	9.5	58
29	A novel electrochemical immunosensor using Cyclodextrins functionalized silver supported adamantine-modified glucose oxidase as labels for ultrasensitive detection of alpha-fetoprotein. <i>Analytica Chimica Acta</i> , 2015 , 893, 49-56	6.6	26
28	Construction of dentate bonded TiO ₂ -CdSe heterostructures with enhanced photoelectrochemical properties: versatile labels toward photoelectrochemical and electrochemical sensing. <i>Dalton Transactions</i> , 2015 , 44, 773-81	4.3	38
27	Facile fabrication of heterostructured g-C ₃ N ₄ /Bi ₂ MoO ₆ microspheres with highly efficient activity under visible light irradiation. <i>Dalton Transactions</i> , 2015 , 44, 1601-11	4.3	89
26	A competitive photoelectrochemical assay for estradiol based on in situ generated CdS-enhanced TiO ₂ . <i>Biosensors and Bioelectronics</i> , 2015 , 66, 596-602	11.8	33

25	Electrochemiluminescent immune-modified electrodes based on Ag ₂ Se@CdSe nanoneedles loaded with polypyrrole intercalated graphene for detection of CA72-4. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 867-72	9.5	30
24	Removal of mercury and methylene blue from aqueous solution by xanthate functionalized magnetic graphene oxide: Sorption kinetic and uptake mechanism. <i>Journal of Colloid and Interface Science</i> , 2015 , 439, 112-20	9.3	143
23	Facile synthesized highly active BiOI/Zn ₂ GeO ₄ composites for the elimination of endocrine disrupter BPA under visible light irradiation. <i>New Journal of Chemistry</i> , 2015 , 39, 3964-3972	3.6	23
22	A biomimetic mussel-inspired photoelectrochemical biosensing chip for the sensitive detection of CD146. <i>Analyst, The</i> , 2015 , 140, 5019-22	5	13
21	Synthesis of PtPb hollow nanoparticles and their application in an electrochemical immunosensor as signal tags for detection of dimethyl phthalate. <i>RSC Advances</i> , 2015 , 5, 57346-57353	3.7	2
20	Ultrasensitive sandwich-type electrochemical immunosensor based on a novel signal amplification strategy using highly loaded palladium nanoparticles/carbon decorated magnetic microspheres as signal labels. <i>Biosensors and Bioelectronics</i> , 2015 , 68, 757-762	11.8	29
19	A novel magnetic polysaccharide-graphene oxide composite for removal of cationic dyes from aqueous solution. <i>New Journal of Chemistry</i> , 2015 , 39, 2908-2916	3.6	25
18	Adsorption of Pb(II) and Hg(II) from aqueous solution using magnetic CoFe ₂ O ₄ -reduced graphene oxide. <i>Journal of Molecular Liquids</i> , 2014 , 191, 177-182	6	187
17	Copper-doped titanium dioxide nanoparticles as dual-functional labels for fabrication of electrochemical immunosensors. <i>Biosensors and Bioelectronics</i> , 2014 , 59, 335-41	11.8	31
16	A label-free electrochemiluminescence immunosensor based on silver nanoparticle hybridized mesoporous carbon for the detection of Aflatoxin B1. <i>Sensors and Actuators B: Chemical</i> , 2014 , 202, 53-59	8.5	43
15	Novel visible-light driven g-C ₃ N ₄ /Zn _{0.25} Cd _{0.75} S composite photocatalyst for efficient degradation of dyes and reduction of Cr(VI) in water. <i>RSC Advances</i> , 2014 , 4, 19980-19986	3.7	20
14	Ultrasensitive dual amplification sandwich immunosensor for breast cancer susceptibility gene based on sheet materials. <i>Analyst, The</i> , 2014 , 139, 3061-8	5	19
13	Mulberry-like gold nanospheres supported on graphene nanosheets: one-pot synthesis, characterization and photoelectrochemical property. <i>New Journal of Chemistry</i> , 2014 , 38, 3166	3.6	7
12	Ultrasensitive electrochemiluminescence immunosensor for detection of ochratoxin A based on gold nanoparticles-hybridized mesoporous carbon. <i>Analytical Methods</i> , 2014 , 6, 5766-5770	3.2	6
11	Facile fabrication of 3D flower-like heterostructured g-C ₃ N ₄ /SnS ₂ composite with efficient photocatalytic activity under visible light. <i>RSC Advances</i> , 2014 , 4, 31019-31027	3.7	58
10	Preparation and utilization of anaerobic granular sludge-based biochar for the adsorption of methylene blue from aqueous solutions. <i>Journal of Molecular Liquids</i> , 2014 , 198, 334-340	6	87
9	Nanosheet Au/Co ₃ O ₄ -based ultrasensitive nonenzymatic immunosensor for melanoma adhesion molecule antigen. <i>Biosensors and Bioelectronics</i> , 2014 , 58, 345-50	11.8	43
8	Metal ions-based immunosensor for simultaneous determination of estradiol and diethylstilbestrol. <i>Biosensors and Bioelectronics</i> , 2014 , 52, 225-31	11.8	58

- 7 Synthesis of amino functionalized magnetic graphenes composite material and its application to remove Cr(VI), Pb(II), Hg(II), Cd(II) and Ni(II) from contaminated water. *Journal of Hazardous Materials*, **2014**, 278, 211-20 12.8 384
- 6 Aerobic granules formation and simultaneous nitrogen and phosphorus removal treating high strength ammonia wastewater in sequencing batch reactor. *Bioresource Technology*, **2014**, 171, 211-6 11 58
- 5 Enhanced aerobic granulation and nitrogen removal by the addition of zeolite powder in a sequencing batch reactor. *Applied Microbiology and Biotechnology*, **2013**, 97, 9235-43 5.7 28
- 4 Removal of Metanil Yellow from water environment by amino functionalized graphenes (NH₂-G) □ Influence of surface chemistry of NH₂-G. *Applied Surface Science*, **2013**, 284, 862-869 6.7 27
- 3 Label-free immunosensor for the detection of kanamycin using Ag@Fe₃O₄ nanoparticles and thionine mixed graphene sheet. *Biosensors and Bioelectronics*, **2013**, 48, 224-9 11.8 154
- 2 Highly efficient removal of heavy metal ions by amine-functionalized mesoporous Fe₃O₄ nanoparticles. *Chemical Engineering Journal*, **2012**, 184, 132-140 14.7 287
- 1 Adsorption of benzoic acid from aqueous solution by three kinds of modified bentonites. *Journal of Colloid and Interface Science*, **2011**, 359, 499-504 9.3 78