

Jrg Schpbach

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6259499/jorg-schupbach-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

2,936
citations

28
h-index

53
g-index

92
ext. papers

3,117
ext. citations

8.4
avg, IF

4.02
L-index

#	Paper	IF	Citations
78	Intra-blood-brain-barrier synthesis of HTLV-III-specific IgG in patients with neurologic symptoms associated with AIDS or AIDS-related complex. <i>New England Journal of Medicine</i> , 1985 , 313, 1498-504	59.2	374
77	A human endogenous retroviral superantigen as candidate autoimmune gene in type I diabetes. <i>Cell</i> , 1997 , 90, 303-13	56.2	334
76	Antibodies to HTLV-III in Swiss patients with AIDS and pre-AIDS and in groups at risk for AIDS. <i>New England Journal of Medicine</i> , 1985 , 312, 265-70	59.2	179
75	Seroepidemiological studies of human T-lymphotropic retrovirus type III in acquired immunodeficiency syndrome. <i>Lancet, The</i> , 1984 , 1, 1438-40	40	174
74	Phylogenetic analysis and reclassification of caprine and ovine lentiviruses based on 104 new isolates: evidence for regular sheep-to-goat transmission and worldwide propagation through livestock trade. <i>Virology</i> , 2004 , 319, 12-26	3.6	131
73	Prevention of vertical HIV transmission: additive protective effect of elective Cesarean section and zidovudine prophylaxis. Swiss Neonatal HIV Study Group. <i>Aids</i> , 1998 , 12, 205-10	3.5	124
72	Transmission of HIV-1 drug resistance in Switzerland: a 10-year molecular epidemiology survey. <i>Aids</i> , 2007 , 21, 2223-9	3.5	100
71	Concurrent infections with vector-borne pathogens associated with fatal hemolytic anemia in a cattle herd in Switzerland. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 3775-80	9.7	91
70	Direct evidence for natural transmission of small-ruminant lentiviruses of subtype A4 from goats to sheep and vice versa. <i>Journal of Virology</i> , 2004 , 78, 7518-22	6.6	86
69	Performance of Five Different Assays for the Quantification of Viral Load in Persons Infected With Various Subtypes of HIV-1. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2000 , 23, 138-144	3.1	71
68	Prospective evaluation of amplification-boosted ELISA for heat-denatured p24 antigen for diagnosis and monitoring of pediatric human immunodeficiency virus type 1 infection. <i>Journal of Infectious Diseases</i> , 1999 , 180, 1089-95	7	68
67	Simple monitoring of antiretroviral therapy with a signal-amplification-boosted HIV-1 p24 antigen assay with heat-denatured plasma. <i>Aids</i> , 1997 , 11, F47-52	3.5	64
66	Human immunodeficiency virus type 1 p24 concentration measured by boosted ELISA of heat-denatured plasma correlates with decline in CD4 cells, progression to AIDS, and survival: comparison with viral RNA measurement. <i>Journal of Infectious Diseases</i> , 2000 , 181, 1280-8	7	64
65	High Frequency of Non-B Subtypes in Newly Diagnosed HIV-1 Infections in Switzerland. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 1999 , 22, 174	3.1	52
64	Performance of five different assays for the quantification of viral load in persons infected with various subtypes of HIV-1. Swiss HIV Cohort Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2000 , 23, 138-44	3.1	51
63	Quantitative and sensitive detection of immune-complexed and free HIV antigen after boiling of serum. <i>Journal of Virological Methods</i> , 1993 , 43, 247-56	2.6	48
62	Detection of reverse transcriptase activity in live attenuated virus vaccines. <i>Clinical and Diagnostic Virology</i> , 1996 , 5, 43-53		47

61	Identification and characterization of two closely related unclassifiable endogenous retroviruses in pythons (<i>Python molurus</i> and <i>Python curtus</i>). <i>Journal of Virology</i> , 2002 , 76, 7607-15	6.6	46
60	High frequency of non-B subtypes in newly diagnosed HIV-1 infections in Switzerland. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 1999 , 22, 174-9	3.1	46
59	Assessment of recent HIV-1 infection by a line immunoassay for HIV-1/2 confirmation. <i>PLoS Medicine</i> , 2007 , 4, e343	11.6	45
58	Measurement of HIV-1 p24 antigen by signal-amplification-boosted ELISA of heat-denatured plasma is a simple and inexpensive alternative to tests for viral RNA. <i>AIDS Reviews</i> , 2002 , 4, 83-92	1.5	42
57	Comparison of two human immunodeficiency virus (HIV) RNA surrogate assays to the standard HIV RNA assay. <i>Journal of Clinical Microbiology</i> , 2005 , 43, 5950-6	9.7	41
56	Optimized virus disruption improves detection of HIV-1 p24 in particles and uncovers a p24 reactivity in patients with undetectable HIV-1 RNA under long-term HAART. <i>Journal of Medical Virology</i> , 2006 , 78, 1003-10	19.7	36
55	Viral RNA and p24 antigen as markers of HIV disease and antiretroviral treatment success. <i>International Archives of Allergy and Immunology</i> , 2003 , 132, 196-209	3.7	36
54	HIV-1 p24 antigen is a significant inverse correlate of CD4 T-cell change in patients with suppressed viremia under long-term antiretroviral therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2003 , 33, 292-9	3.1	35
53	Heat-denatured human immunodeficiency virus type 1 protein 24 antigen: prognostic value in adults with early-stage disease. <i>Journal of Infectious Diseases</i> , 2002 , 186, 1181-5	7	31
52	Antiretroviral treatment monitoring with an improved HIV-1 p24 antigen test: an inexpensive alternative to tests for viral RNA. <i>Journal of Medical Virology</i> , 2001 , 65, 225-32	19.7	30
51	Combined effect of zidovudine (ZDV), lamivudine (3TC) and abacavir (ABC) antiretroviral therapy in suppressing in vitro FIV replication. <i>Antiviral Research</i> , 2002 , 53, 35-45	10.8	29
50	Performance of a quantitative human immunodeficiency virus type 1 p24 antigen assay on various HIV-1 subtypes for the follow-up of human immunodeficiency type 1 seropositive individuals. <i>Journal of Virological Methods</i> , 2003 , 113, 29-34	2.6	27
49	Sensitive detection and quantification of particle-associated reverse transcriptase in plasma of HIV-1-infected individuals by the product-enhanced reverse transcriptase (PERT) assay. <i>Journal of Medical Virology</i> , 1996 , 49, 23-8	19.7	25
48	Cost-effectiveness of genotypic antiretroviral resistance testing in HIV-infected patients with treatment failure. <i>PLoS ONE</i> , 2007 , 2, e173	3.7	24
47	HIV-1 superinfection in an HIV-2-infected woman with subsequent control of HIV-1 plasma viremia. <i>Clinical Infectious Diseases</i> , 2009 , 48, e117-20	11.6	21
46	Adaptation of the ultrasensitive HIV-1 p24 antigen assay to dried blood spot testing. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007 , 44, 247-53	3.1	21
45	HIV-1 p24 may persist during long-term highly active antiretroviral therapy, increases little during short treatment breaks, and its rebound after treatment stop correlates with CD4(+) T cell loss. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2005 , 40, 250-6	3.1	21
44	Demonstration of viral antigen p24 in circulating immune complexes of two patients with human T-cell leukaemia/lymphoma virus (HTLV) positive lymphoma. <i>Lancet, The</i> , 1984 , 1, 302-5	40	21

43	Quantification of in vitro retroviral replication using a one-tube real-time RT-PCR system incorporating direct RNA preparation. <i>Journal of Virological Methods</i> , 2001 , 91, 149-55	2.6	20
42	Frequent detection of HIV-and Ig-specific IgM and IgA antibodies in HIV-positive cord-blood sera. <i>Aids</i> , 1989 , 3, 583-590	3.5	20
41	Impact of Genotypic Resistance Testing on Selection of Salvage Regimen in Clinical Practice. <i>Antiviral Therapy</i> , 2003 , 8, 443-454	1.6	18
40	Ultrasensitive quantitative HIV-1 p24 antigen assay adapted to dried plasma spots to improve treatment monitoring in low-resource settings. <i>Journal of Clinical Virology</i> , 2006 , 36, 64-7	14.5	16
39	Antibodies against three purified structural proteins of the human type-C retrovirus, HTLV, in Japanese adult T-cell leukemia patients, healthy family members, and unrelated normals. <i>International Journal of Cancer</i> , 1983 , 32, 583-90	7.5	15
38	HTLV-1 in Switzerland: low prevalence of specific antibodies in HIV risk groups, high prevalence of cross-reactive antibodies in normal blood donors. <i>International Journal of Cancer</i> , 1988 , 42, 857-62	7.5	14
37	Genotypic Resistance Tests Sequences Reveal the Role of Marginalized Populations in HIV-1 Transmission in Switzerland. <i>Scientific Reports</i> , 2016 , 6, 27580	4.9	14
36	Evaluation of diagnostic tests for HIV infection in infants born to HIV-infected mothers in Switzerland. <i>Aids</i> , 1988 , 2, 273-9	3.5	13
35	Quantification of HIV-1 p24 by a highly improved ELISA: an alternative to HIV-1 RNA based treatment monitoring in patients from Abidjan, Cote d'Ivoire. <i>Journal of Clinical Virology</i> , 2006 , 37, 199-205	14.5	12
34	Immunophilins and HIV-1 infection. <i>Archives of Virology</i> , 2002 , 147, 1531-42	2.6	12
33	Diagnostic performance of line-immunoassay based algorithms for incident HIV-1 infection. <i>BMC Infectious Diseases</i> , 2012 , 12, 88	4	11
32	Lack of evidence for PERV expression after apoptosis-mediated horizontal gene transfer between porcine and human cells. <i>Xenotransplantation</i> , 2007 , 14, 13-24	2.8	11
31	p24 as a predictor of mortality in a cohort of HIV-1-infected adults in rural Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008 , 48, 345-9	3.1	10
30	Ultra-sensitive and specific detection of porcine endogenous retrovirus (PERV) using a sequence-capture real-time PCR approach. <i>Journal of Virological Methods</i> , 2003 , 109, 209-16	2.6	9
29	Generation of a recombinant Gag virus-like-particle panel for the evaluation of p24 antigen detection by diagnostic HIV tests. <i>PLoS ONE</i> , 2014 , 9, e111552	3.7	9
28	Impact of genotypic resistance testing on selection of salvage regimen in clinical practice. <i>Antiviral Therapy</i> , 2003 , 8, 443-54	1.6	8
27	Simple estimation of incident HIV infection rates in notification cohorts based on window periods of algorithms for evaluation of line-immunoassay result patterns. <i>PLoS ONE</i> , 2013 , 8, e71662	3.7	7
26	High specificity of line-immunoassay based algorithms for recent HIV-1 infection independent of viral subtype and stage of disease. <i>BMC Infectious Diseases</i> , 2011 , 11, 254	4	7

25	Evaluation of p24-based antiretroviral treatment monitoring in pediatric HIV-1 infection: prediction of the CD4+ T-cell changes between consecutive visits. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006 , 41, 557-62	3.1	7
24	Detection of low copy numbers of HIV-1 proviral DNA in patient PBMCs by a high-input, sequence-capture PCR (Mega-PCR). <i>Journal of Medical Virology</i> , 2004 , 72, 1-9	19.7	6
23	Absence of inducible retroviruses from synovial fibroblasts and synovial fluid cells of patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2002 , 46, 2811-3		6
22	Detection of reverse transcriptase activity in human melanoma cell lines and identification of a murine leukemia virus contaminant. <i>Archives of Dermatological Research</i> , 2005 , 296, 345-52	3.3	6
21	False-positive HIV-1 virus cultures using whole blood. <i>Aids</i> , 1992 , 6, 1545-6	3.5	5
20	A Longitudinal Analysis of Healthcare Costs after Treatment Optimization following Genotypic Antiretroviral Resistance Testing: Does Resistance Testing pay off?. <i>Antiviral Therapy</i> , 2006 , 11, 305-314	1.6	5
19	Non-immune thrombocytopenia responsive to antiretroviral therapy and HIV-2 infection. <i>Journal of Infection</i> , 2007 , 54, e21-4	18.9	4
18	Prevalence of human T-cell leukemia virus types I and II in Switzerland. <i>Journal of Medical Virology</i> , 2004 , 72, 328-37	19.7	4
17	Importance of an Early HIV Antibody Differentiation Immunoassay for Detection of Dual Infection with HIV-1 and HIV-2. <i>PLoS ONE</i> , 2016 , 11, e0157690	3.7	4
16	A longitudinal analysis of healthcare costs after treatment optimization following genotypic antiretroviral resistance testing: does resistance testing pay off?. <i>Antiviral Therapy</i> , 2006 , 11, 305-14	1.6	4
15	Impact of naturally occurring amino acid variations on the detection of HIV-1 p24 in diagnostic antigen tests. <i>BMC Infectious Diseases</i> , 2015 , 15, 468	4	3
14	Detection of high concentrations of HTLV-1 p24 and a novel gag precursor, p45, in serum immune complexes of a healthy seropositive individual. <i>International Journal of Cancer</i> , 1989 , 44, 90-4	7.5	3
13	First isolation of HTLV-III. <i>Nature</i> , 1986 , 321, 119-120	50.4	3
12	Human Retrovirology. <i>Current Topics in Microbiology and Immunology</i> , 1990 ,	3.3	3
11	Decreasing Proportion of Recent Infections among Newly Diagnosed HIV-1 Cases in Switzerland, 2008 to 2013 Based on Line-Immunoassay-Based Algorithms. <i>PLoS ONE</i> , 2015 , 10, e0131828	3.7	2
10	Sensitivity of heat-denatured p24 antigen in the diagnosis of pediatric HIV infection. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1998 , 18, 399-400		2
9	Isolation of an in vitro transmissible agent with reverse transcriptase activity from a blood donor with a borderline-positive HIV-1 serology for more than five years. <i>Clinical and Diagnostic Virology</i> , 1996 , 5, 197-203		2
8	The etiology of AIDS and its relevance for AIDS-related neoplasias. <i>Recent Results in Cancer Research</i> , 1988 , 112, 6-16	1.5	2

7	Use of reverse-transcriptase-based HIV-1 viral load assessment to confirm low viral loads in newly diagnosed patients in Switzerland. <i>BMC Infectious Diseases</i> , 2014 , 14, 84	4	1
6	Artificial 64-Residue HIV-1 Enhancer-Binding Peptide Is a Potent Inhibitor of Viral Replication in HIV-1-Infected Cells. <i>Advances in Virology</i> , 2011 , 2011, 165871	1.9	1
5	Licensing of diagnostic HIV kits-to keep a sensible standpoint in an area of permanent revolution. <i>Clinical and Diagnostic Virology</i> , 1996 , 5, 137-46		0
4	Resolution of plasma sample mix-ups through comparison of patient antibody patterns to E. coli. <i>Journal of Immunological Methods</i> , 2015 , 427, 130-3	2.5	
3	Rabbit retrotransposon sequences undetectable in blood donors and lymphoma patients of the Swiss HIV Cohort Study. <i>AIDS Research and Human Retroviruses</i> , 2006 , 22, 499-500	1.6	
2	Reverse transcriptase assay based on product enhancement for assessing the drug susceptibility of retroviruses. <i>Methods in Molecular Medicine</i> , 2000 , 24, 301-12		
1	Human Immunodeficiency Viruses and Human T-lymphotropic Viruses 2016 , 527-544		