

Jukka Finne

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6260336/publications.pdf>

Version: 2024-02-01

128
papers

7,764
citations

61687

45
h-index

64407

83
g-index

130
all docs

130
docs citations

130
times ranked

5205
citing authors

#	ARTICLE	IF	CITATIONS
1	Design of a Cytotoxic Neuroblastoma-Targeting Agent Using an Enzyme Acting on Polysialic Acid Fused to a Toxin. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 1996-2007.	1.9	1
2	The binding mechanism of the virulence factor <i>Streptococcus suis</i> adhesin P subtype to globotetraosylceramide is associated with systemic disease. <i>Journal of Biological Chemistry</i> , 2020, 295, 14305-14324.	1.6	10
3	Rationally Designed Chemically Modified Glycodendrimer Inhibits <i>Streptococcus suis</i> Adhesin SadP at Picomolar Concentrations. <i>Chemistry - A European Journal</i> , 2018, 24, 1905-1912.	1.7	11
4	Internalization of a polysialic acid-binding <i>Escherichia coli</i> bacteriophage into eukaryotic neuroblastoma cells. <i>Nature Communications</i> , 2017, 8, 1915.	5.8	88
5	Expression of neural cell adhesion molecule and polysialic acid in human bone marrow-derived mesenchymal stromal cells. <i>Stem Cell Research and Therapy</i> , 2016, 7, 113.	2.4	20
6	Changes in polysialic acid expression on myeloid cells during differentiation and recruitment to sites of inflammation: Role in phagocytosis. <i>Glycobiology</i> , 2014, 24, 864-879.	1.3	40
7	Polysialic acid is associated with better prognosis and IDH1-mutation in diffusely infiltrating astrocytomas. <i>BMC Cancer</i> , 2014, 14, 623.	1.1	6
8	Multivalent glycoconjugates as anti-pathogenic agents. <i>Chemical Society Reviews</i> , 2013, 42, 4709-4727.	18.7	464
9	Expression, purification and crystallization of the C-terminal LRR domain of <i>Streptococcus pyogenes</i> protein O843. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2013, 69, 559-561.	0.7	1
10	Use of Tetravalent Galabiose for Inhibition of <i>Streptococcus Suis</i> Serotype 2 Infection in a Mouse Model. <i>Biology</i> , 2013, 2, 702-718.	1.3	9
11	Bacterial Adhesion of <i>Streptococcus suis</i> to Host Cells and Its Inhibition by Carbohydrate Ligands. <i>Biology</i> , 2013, 2, 918-935.	1.3	17
12	Ncam1a and Ncam1b: Two carriers of polysialic acid with different functions in the developing zebrafish nervous system. <i>Glycobiology</i> , 2012, 22, 196-209.	1.3	14
13	Endosialidases: Versatile Tools for the Study of Polysialic Acid. <i>Topics in Current Chemistry</i> , 2012, 367, 29-73.	4.0	26
14	Metabolism of Vertebrate Amino Sugars with N-Glycolyl Groups. <i>Journal of Biological Chemistry</i> , 2012, 287, 28917-28931.	1.6	46
15	Glutamine Synthetase and Glucose-6-Phosphate Isomerase Are Adhesive Moonlighting Proteins of <i>Lactobacillus crispatus</i> Released by Epithelial Cathelicidin LL-37. <i>Journal of Bacteriology</i> , 2012, 194, 2509-2519.	1.0	96
16	The salivary scavenger and agglutinin binds MBL and regulates the lectin pathway of complement in solution and on surfaces. <i>Frontiers in Immunology</i> , 2012, 3, 205.	2.2	29
17	Magnetic properties and structural characterization of iron oxide nanoparticles formed by <i>Streptococcus suis</i> Dpr and four mutants. <i>Journal of Biological Inorganic Chemistry</i> , 2011, 16, 799-807.	1.1	12
18	Identification of a Novel Streptococcal Adhesin P (SadP) Protein Recognizing Galactosyl-4-galactose-containing Glycoconjugates. <i>Journal of Biological Chemistry</i> , 2011, 286, 38854-38864.	1.6	36

#	ARTICLE	IF	CITATIONS
19	Screening of binding activity of <i>Streptococcus pneumoniae</i> , <i>Streptococcus agalactiae</i> and <i>Streptococcus suis</i> to berries and juices. <i>Phytotherapy Research</i> , 2010, 24, S95-101.	2.8	17
20	Detection of pathogenic <i>Streptococcus suis</i> bacteria using magnetic glycoparticles. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 2425.	1.5	46
21	Leucine-rich Repeats of Bacterial Surface Proteins Serve as Common Pattern Recognition Motifs of Human Scavenger Receptor gp340. <i>Journal of Biological Chemistry</i> , 2009, 284, 18614-18623.	1.6	46
22	Absence of polysialylated NCAM is an unfavorable prognostic phenotype for advanced stage neuroblastoma. <i>BMC Cancer</i> , 2009, 9, 57.	1.1	28
23	Structural basis of the zinc- and terbium-mediated inhibition of ferroxidase activity in Dps ferritin-like proteins. <i>Protein Science</i> , 2008, 17, 1513-1521.	3.1	18
24	Synthesis of multivalent <i>Streptococcus suis</i> adhesion inhibitors by enzymatic cleavage of polygalacturonic acid and "click" conjugation. <i>Organic and Biomolecular Chemistry</i> , 2008, 6, 1425.	1.5	33
25	Deficiency of the Rgg Regulator Promotes H ₂ O ₂ Resistance, AhpCF-Mediated H ₂ O ₂ Decomposition, and Virulence in <i>Streptococcus pyogenes</i> . <i>Journal of Bacteriology</i> , 2008, 190, 3225-3235.	1.0	24
26	Differential expression of the polysialyl capsule during blood-to-brain transit of neuropathogenic <i>Escherichia coli</i> K1. <i>Microbiology (United Kingdom)</i> , 2008, 154, 2522-2532.	0.7	38
27	Identification of amino acid residues at the active site of endosialidase that dissociate the polysialic acid binding and cleaving activities in <i>Escherichia coli</i> K1 bacteriophages. <i>Biochemical Journal</i> , 2007, 405, 465-472.	1.7	31
28	Inhibition of P-fimbriated <i>Escherichia coli</i> adhesion by multivalent galabiose derivatives studied by a live-bacteria application of surface plasmon resonance. <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 60, 495-501.	1.3	70
29	Generation of Lectins from Enzymes: Use of Inactive Endosialidase for Polysialic Acid Detection. , 2007, , 385-395.		2
30	Iron Incorporation in <i>Streptococcus suis</i> Dps-like Peroxide Resistance Protein Dpr Requires Mobility in the Ferroxidase Center and Leads to the Formation of a Ferrihydrite-like Core. <i>Journal of Molecular Biology</i> , 2006, 364, 97-109.	2.0	35
31	Use of flow cytometry for the adhesion analysis of <i>Streptococcus pyogenes</i> mutant strains to epithelial cells: investigation of the possible role of surface pullulanase and cysteine protease, and the transcriptional regulator Rgg. <i>BMC Microbiology</i> , 2006, 6, 18.	1.3	37
32	Dps/Dpr ferritin-like protein: insights into the mechanism of iron incorporation and evidence for a central role in cellular iron homeostasis in <i>Streptococcus suis</i> . <i>Molecular Microbiology</i> , 2005, 57, 1086-1100.	1.2	43
33	Chromogenic in situ hybridization-detected hotspot MYCN amplification associates with Ki-67 expression and inversely with nestin expression in neuroblastomas. <i>Modern Pathology</i> , 2005, 18, 1599-1605.	2.9	27
34	Generation of transposon insertion mutant libraries for Gram-positive bacteria by electroporation of phage Mu DNA transposition complexes. <i>Microbiology (United Kingdom)</i> , 2005, 151, 1209-1218.	0.7	42
35	No GIST-type c-kit gain of function mutations in neuroblastic tumours. <i>Journal of Clinical Pathology</i> , 2005, 58, 762-765.	1.0	9
36	Fluid- or Surface-Phase Human Salivary Scavenger Protein gp340 Exposes Different Bacterial Recognition Properties. <i>Infection and Immunity</i> , 2005, 73, 2245-2252.	1.0	112

#	ARTICLE	IF	CITATIONS
37	Structure-activity relationships of galabioside derivatives as inhibitors of E. coli and S. suis adhesins: nanomolar inhibitors of S. suis adhesins. <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 886-900.	1.5	27
38	Construction of antibody mimics from a noncatalytic enzyme-detection of polysialic acid. <i>Journal of Immunological Methods</i> , 2004, 295, 149-160.	0.6	33
39	Inhibition of Streptococcus suis Adhesion by Dendritic Galabiose Compounds at Low Nanomolar Concentration. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 6499-6508.	2.9	85
40	Crystal Structure of Streptococcus suis Dps-like Peroxide Resistance Protein Dpr: Implications for Iron Incorporation. <i>Journal of Molecular Biology</i> , 2004, 338, 547-558.	2.0	48
41	Molecular Basis of H ₂ O ₂ Resistance Mediated by Streptococcal Dpr. <i>Journal of Biological Chemistry</i> , 2003, 278, 7996-8005.	1.6	63
42	Streptococcus pyogenes Glycoprotein-Binding Strepadhesin Activity Is Mediated by a Surface-Associated Carbohydrate-Degrading Enzyme, Pullulanase. <i>Infection and Immunity</i> , 2003, 71, 784-793.	1.0	48
43	High affinity binding of long-chain polysialic acid to antibody, and modulation by divalent cations and polyamines. <i>Molecular Immunology</i> , 2002, 39, 399-411.	1.0	33
44	Expression, purification and crystallization of Dpr, a ferritin-like protein from the Gram-positive meningitis-associated bacterium Streptococcus suis. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2002, 58, 1851-1853.	2.5	10
45	The SpeB virulence factor of Streptococcus pyogenes, a multifunctional secreted and cell surface molecule with strepadhesin, laminin-binding and cysteine protease activity. <i>Molecular Microbiology</i> , 2001, 39, 512-519.	1.2	91
46	Mutant bacteriophage with non-catalytic endosialidase binds to both bacterial and eukaryotic polysialic acid and can be used as probe for its detection. <i>Glycoconjugate Journal</i> , 2001, 18, 751-758.	1.4	27
47	Identification of a novel glycoprotein-binding activity in Streptococcus pyogenes regulated by the mga gene. <i>Microbiology (United Kingdom)</i> , 2000, 146, 31-39.	0.7	18
48	Determination of the cell adhesion specificity of Streptococcus suis with the complete set of monodeoxy analogues of globotriose. <i>Glycoconjugate Journal</i> , 1999, 16, 67-71.	1.4	14
49	The Polysialic Acid Units of the Neural Cell Adhesion Molecule N-CAM Form Filament Bundle Networks. <i>Journal of Biological Chemistry</i> , 1998, 273, 28557-28559.	1.6	31
50	Carbohydrate units of nervous tissue glycoproteins. <i>New Comprehensive Biochemistry</i> , 1997, , 55-67.	0.1	3
51	Di-, Tri-, and Tetravalent Dendritic Galabiosides That Inhibit Hemagglutination by Streptococcus suis at Nanomolar Concentration. <i>Journal of the American Chemical Society</i> , 1997, 119, 6974-6979.	6.6	111
52	Identification of a Common Structural Motif in the Disordered N-Terminal Region of Bacterial Flagellins - Evidence for a New Class of Fibril-Forming Peptides. <i>FEBS Journal</i> , 1997, 250, 19-29.	0.2	11
53	The Le ^x Carbohydrate Sequence Is Recognized by Antibody to L5, a Functional Antigen in Early Neural Development. <i>Journal of Neurochemistry</i> , 1996, 66, 834-844.	2.1	78
54	The GAL ₁ -4GAL-Binding Adhesin of Streptococcus Suis, A Gram-Positive Meningitis-Associated Bacterium. <i>Advances in Experimental Medicine and Biology</i> , 1996, 408, 25-34.	0.8	20

#	ARTICLE	IF	CITATIONS
55	The galactosyl-(alpha 1-4)-galactose-binding adhesin of <i>Streptococcus suis</i> : occurrence in strains of different hemagglutination activities and induction of opsonic antibodies. <i>Infection and Immunity</i> , 1996, 64, 3659-3665.	1.0	39
56	Immunoblot analysis of bacterial polysaccharides: application to the type-specific polysaccharides of <i>Streptococcus suis</i> and <i>Streptococcus agalactiae</i> . <i>Journal of Immunological Methods</i> , 1995, 187, 233-244.	0.6	11
57	Characterization of a Novel Sulfated Carbohydrate Unit Implicated in the Carbohydrate-Carbohydrate-mediated Cell Aggregation of the Marine Sponge <i>Microciona prolifera</i> . <i>Journal of Biological Chemistry</i> , 1995, 270, 5089-5097.	1.6	74
58	Antibodies to Polysialic Acid and its N-Propyl Derivative: Binding Properties and Interaction with Human Embryonal Brain Glycopeptides. <i>Journal of Infectious Diseases</i> , 1995, 171, 1481-1490.	1.9	116
59	Purification of a Galactosyl-1-4-galactose-binding Adhesin from the Gram-positive Meningitis-associated Bacterium <i>Streptococcus suis</i> . <i>Journal of Biological Chemistry</i> , 1995, 270, 28874-28878.	1.6	30
60	Identification of a major poly-N-acetyllactosamine-containing cell-surface glycoprotein of mouse teratocarcinoma cells. Appearance on cells induced to primitive endoderm but not parietal endoderm differentiation. <i>FEBS Journal</i> , 1994, 220, 385-394.	0.2	10
61	Probing of the Receptor-Binding Sites of the H1 and H3 Influenza A and Influenza B Virus Hemagglutinins by Synthetic and Natural Sialosides. <i>Virology</i> , 1993, 196, 111-121.	1.1	134
62	Differential activities of bacteriophage depolymerase on bacterial polysaccharide: binding is essential but degradation is inhibitory in phage infection of K1-defective <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1992, 174, 7757-7761.	1.0	41
63	ABO blood groups and musculoskeletal injuries. <i>Injury</i> , 1992, 23, 131-133.	0.7	61
64	Sugar analysis of glycoproteins and glycolipids after methanolysis by high-performance liquid chromatography with pulsed amperometric detection. <i>Analytical Biochemistry</i> , 1991, 197, 132-136.	1.1	14
65	Identification by immunoblot analysis of major antigenic determinants of the anaerobic beer spoilage bacterium genus <i>Pectinatus</i> . <i>FEMS Microbiology Letters</i> , 1990, 67, 307-311.	0.7	1
66	Lectin-resistant variants and revertants of mouse melanoma cells: Differential expression of a fucosylated cell-surface antigen and altered metastasizing capacity. <i>International Journal of Cancer</i> , 1989, 43, 300-304.	2.3	17
67	Purification of the N-acetylglucosaminidase (1-3/4) fucosyltransferase of human milk. <i>Glycoconjugate Journal</i> , 1989, 6, 101-114.	1.4	56
68	Structural similarity of the type-specific group B streptococcal polysaccharides and the carbohydrate units of tissue glycoproteins: evaluation of possible cross-reactivity. <i>Vaccine</i> , 1989, 7, 217-224.	1.7	10
69	[20] Specific labeling of cell surface poly-n-acetyllactosamine glycans. <i>Methods in Enzymology</i> , 1989, 179, 270-275.	0.4	4
70	[10] Polyacrylamide gel electrophoresis of capsular polysaccharides of bacteria. <i>Methods in Enzymology</i> , 1989, 179, 104-110.	0.4	11
71	Hemagglutination activities of group B, C, D, and G streptococci: demonstration of novel sugar-specific cell-binding activities in <i>Streptococcus suis</i> . <i>Infection and Immunity</i> , 1989, 57, 384-389.	1.0	36
72	Common cleavage pattern of polysialic acid by bacteriophage endosialidases of different properties and origins. <i>Journal of Virology</i> , 1989, 63, 4409-4416.	1.5	49

#	ARTICLE	IF	CITATIONS
73	Structural and Biological Properties of the Carbohydrate Units of Nervous Tissue Glycoproteins. Novartis Foundation Symposium, 1989, 145, 173-188.	1.2	2
74	Polyacrylamide gel electrophoresis of the capsular polysaccharides of Escherichia coli K1 and other bacteria. Journal of Bacteriology, 1988, 170, 2646-2653.	1.0	116
75	Biosynthesis, membrane association, and release of N-CAM-120, a phosphatidylinositol-linked form of the neural cell adhesion molecule.. Journal of Cell Biology, 1987, 105, 2489-2500.	2.3	154
76	[22] Isolation of sialyl oligosaccharides and sialyl oligosaccharide phosphates from bovine colostrum and human urine. Methods in Enzymology, 1987, 138, 289-300.	0.4	61
77	Polysialic acid units are spatially and temporally expressed in developing postnatal rat kidney.. Proceedings of the National Academy of Sciences of the United States of America, 1987, 84, 1969-1973.	3.3	95
78	A rapid turbidimetric assay for the study of serum sensitivity of Escherichia coli. FEMS Microbiology Letters, 1987, 42, 53-57.	0.7	27
79	Poly-N-Acetylglucosamine Glycans of Cellular Glycoproteins: Predominance of Linear Chains in Mouse Neuroblastoma and Rat Pheochromocytoma Cell Lines. Journal of Neurochemistry, 1987, 49, 874-883.	2.1	14
80	Physicochemical characteristics of human sex hormone binding globulin: Evidence for two identical subunits. The Journal of Steroid Biochemistry, 1986, 24, 815-824.	1.3	58
81	Identification of the O-linked sialyloligosaccharides of glycophorin A as the erythrocyte receptors for S-fimbriated Escherichia coli. Infection and Immunity, 1986, 54, 37-42.	1.0	190
82	Binding of Escherichia coli S fimbriae to human kidney epithelium. Infection and Immunity, 1986, 54, 322-327.	1.0	111
83	The large sialoglycoprotein of human lymphocytes. II. Biochemical features. European Journal of Immunology, 1985, 15, 427-433.	1.6	24
84	Polysialic acid "a glycoprotein carbohydrate involved in neural adhesion and bacterial meningitis. Trends in Biochemical Sciences, 1985, 10, 129-132.	3.7	63
85	Hyperexcretion of free N-acetylneuraminic acid "a novel type of sialuria. Clinica Chimica Acta, 1985, 145, 237-242.	0.5	11
86	Specific cell-surface labeling of polyglycosyl chains in human erythrocytes and HL-60 cells using endo-beta-galactosidase and galactosyltransferase. FEBS Journal, 1984, 138, 393-397.	0.2	28
87	Isolation and characterization of novel phosphate-containing sialyloligosaccharides from normal human urine. FEBS Journal, 1984, 140, 427-431.	0.2	14
88	Exposure of the major human red-cell glycolipid, globoside, to galactose oxidase. FEBS Journal, 1984, 145, 77-82.	0.2	19
89	Structural studies on glycoprotein oligosaccharides of chromaffin granule membranes and dopamine β -hydroxylase. Archives of Biochemistry and Biophysics, 1984, 228, 443-449.	1.4	24
90	Escherichia coli fimbriae recognizing sialyl galactosides. Journal of Bacteriology, 1984, 159, 762-766.	1.0	236

#	ARTICLE	IF	CITATIONS
91	Enzymic Properties of an N-Acetylglucosaminide 3-alpha-L-Fucosyltransferase of a Wheat-Germ Agglutinin-Resistant Melanoma Clone. FEBS Journal, 1983, 130, 347-351.	0.2	19
92	Isolation and structural characterization of five major sialyloligosaccharides and a sialylglycopeptide from normal human urine. FEBS Journal, 1983, 136, 355-361.	0.2	49
93	ANTIGENIC SIMILARITIES BETWEEN BRAIN COMPONENTS AND BACTERIA CAUSING MENINGITIS. Lancet, The, 1983, 322, 355-357.	6.3	751
94	Escherichia coli strains binding neuraminyl 1-2-3 galactosides. Biochemical and Biophysical Research Communications, 1983, 111, 456-461.	1.0	164
95	Occurrence of 1-8 linked polysialosyl units in a neural cell adhesion molecule. Biochemical and Biophysical Research Communications, 1983, 112, 482-487.	1.0	404
96	Novel cell-binding activity specific for N-acetyl-D-glucosamine in an Escherichia coli strain. FEBS Letters, 1983, 159, 233-236.	1.3	44
97	Cell adhesion mediated by a purified fucosyltransferase.. Proceedings of the National Academy of Sciences of the United States of America, 1983, 80, 3991-3995.	3.3	34
98	Enzymatic basis for a lectin-resistant phenotype: increase in a fucosyltransferase in mouse melanoma cells.. Journal of Cell Biology, 1982, 92, 277-282.	2.3	69
99	[18] Preparation and fractionation of glycopeptides. Methods in Enzymology, 1982, 83, 269-277.	0.4	130
100	The influence of membrane mutations on metastasis. Bioscience Reports, 1982, 2, 597-599.	1.1	6
101	Blood Group A and H Determinants in Polyglycosyl Peptides of A ₁ and A ₂ Erythrocytes. FEBS Journal, 1982, 126, 401-406.	0.2	9
102	Methylation Techniques in the Structural Analysis of Glycoproteins and Glycolipids. Advances in Carbohydrate Chemistry and Biochemistry, 1981, 38, 389-416.	0.4	58
103	Blood-Group A and B Determinants are Located in Different Polyglycosyl Peptides Isolated from Human Erythrocytes of Blood-Group AB. FEBS Journal, 1981, 113, 259-265.	0.2	22
104	Use of the smith degradation in the study of the branching pattern in the complex-type carbohydrate units of glycoproteins. Carbohydrate Research, 1981, 90, 203-214.	1.1	26
105	Use of potassium tert-butoxide in the methylation of carbohydrates. Carbohydrate Research, 1980, 80, 336-339.	1.1	127
106	Identification of the Blood-Group ABH-Active Glycoprotein Components of Human Erythrocyte Membrane. FEBS Journal, 1980, 104, 181-189.	0.2	93
107	Altered surface glycoproteins in melanoma cell variants with reduced metastasizing capacity selected for resistance to wheat germ agglutinin. Biochemical and Biophysical Research Communications, 1980, 95, 111-117.	1.0	22
108	Molecular nature of the blood-group ABH antigens of the human erythrocyte membrane. Revue Française De Transfusion Et Immunohématologie, 1980, 23, 545-552.	0.1	19

#	ARTICLE	IF	CITATIONS
109	Gangliosides of Brain and of Extraneural Tissues: Structural Relationship to Protein-Linked Glycans. <i>Advances in Experimental Medicine and Biology</i> , 1980, 125, 185-198.	0.8	3
110	FRACTIONATION OF GLYCOPEPTIDES. , 1980, , 147-159.		10
111	Structural Features of the Carbohydrate Units of Plasma Glycoproteins. <i>FEBS Journal</i> , 1979, 102, 583-588.	0.2	31
112	Structural similarity of the terminal carbohydrate sequences of glycoproteins and glycolipids. <i>FEBS Letters</i> , 1979, 97, 1-8.	1.3	102
113	Analysis of permethylated hexopyranosyl-2-acetamido-2-deoxyhexitols by g.l.c.-m.s.. <i>Carbohydrate Research</i> , 1978, 60, 371-375.	1.1	14
114	Characterization of a Novel Sugar Sequence from Rat-Brain Glycoproteins Containing Fucose and Sialic Acid. <i>FEBS Journal</i> , 1978, 84, 395-403.	0.2	73
115	The Poly(glycosyl) Chains of Glycoproteins.. Characterisation of a Novel Type of Glycoprotein Saccharides from Human Erythrocyte Membrane. <i>FEBS Journal</i> , 1978, 92, 289-300.	0.2	177
116	Protein-bound oligosaccharides of cell membranes. <i>Trends in Biochemical Sciences</i> , 1978, 3, 110-114.	3.7	27
117	Alkali-stable blood group A- and B-active poly(glycosyl)-peptides from human erythrocyte membrane. <i>FEBS Letters</i> , 1978, 89, 111-115.	1.3	89
118	Mass spectrometric sequence study of the oligosaccharide of human transferrin. <i>FEBS Letters</i> , 1978, 94, 413-417.	1.3	25
119	Disialosyl paragloboside a novel ganglioside isolated from human kidney. <i>Lipids and Lipid Metabolism</i> , 1978, 531, 266-274.	2.6	31
120	Occurrence of disialosyl groups in glycoproteins. <i>Biochemical and Biophysical Research Communications</i> , 1977, 74, 405-410.	1.0	71
121	Determination (by methylation analysis) of the substitution pattern of 2-amino-2-deoxyhexitols obtained from O-glycosylic carbohydrate units of glycoproteins. <i>Carbohydrate Research</i> , 1977, 58, 57-64.	1.1	38
122	The Disialosyl Group of Glycoproteins. Occurrence in Different Tissues and Cellular Membranes. <i>FEBS Journal</i> , 1977, 77, 319-323.	0.2	81
123	Structural Features of Tissue Glycoproteins. Fractionation and Methylation Analysis of Glycopeptides Derived from Rat Brain, Kidney and Liver. <i>FEBS Journal</i> , 1977, 78, 369-379.	0.2	125
124	Analysis of hexosaminitol-containing disaccharide alditols from rat brain glycoproteins and gangliosides as O-trimethylsilyl derivatives by gas chromatography mass spectrometry. <i>Biological Mass Spectrometry</i> , 1977, 4, 281-283.	0.5	17
125	The structural basis of the different affinities of two types of acidic N-glycosidic glycopeptides for concanavalin a-sepharose. <i>FEBS Letters</i> , 1976, 71, 117-120.	1.3	280
126	O-glycosidic carbohydrate units from glycoproteins of different tissues: Demonstration of a brain-specific disaccharide, 1 \pm -galactosyl-(1 \hat{a} '3)-N-acetylgalactosamine. <i>FEBS Letters</i> , 1976, 66, 94-97.	1.3	56

#	ARTICLE	IF	CITATIONS
127	Structure of the O-glycosidically linked carbohydrate units of rat brain glycoproteins. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1975, 412, 317-325.	1.7	86
128	Neutral and acidic glycopeptides in adult and developing rat brain. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1974, 365, 80-92.	1.7	84