

# Yi-Cheng Chang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6260877/publications.pdf>

Version: 2024-02-01

105  
papers

5,561  
citations

117625

34  
h-index

88630

70  
g-index

116  
all docs

116  
docs citations

116  
times ranked

11551  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Visit-to-visit variability in albuminuria predicts renal function deterioration in patients with type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2022, 13, 1021-1029.   | 2.4  | 4         |
| 2  | Rare coding variants in 35 genes associate with circulating lipid levels—A multi-ancestry analysis of 170,000 exomes. <i>American Journal of Human Genetics</i> , 2022, 109, 81-96.   | 6.2  | 24        |
| 3  | Rare coding variants in RCN3 are associated with blood pressure. <i>BMC Genomics</i> , 2022, 23, 148.   | 2.8  | 2         |
| 4  | Commentary to the article “Metabolic syndrome and the risk of preclinical heart failure: Insights after 17 years of follow-up from the STANISLAS Cohort”. <i>Cardiology</i> , 2022, , .   | 1.4  | 0         |
| 5  | Hemoglobin glycation index predicts renal function deterioration in patients with type 2 diabetes and a low risk of chronic kidney disease. <i>Diabetes Research and Clinical Practice</i> , 2022, 186, 109834.   | 2.8  | 6         |
| 6  | Association between Exosomal miRNAs and Coronary Artery Disease by Next-Generation Sequencing. <i>Cells</i> , 2022, 11, 98.   | 4.1  | 9         |
| 7  | A genome-wide association study for melatonin secretion. <i>Scientific Reports</i> , 2022, 12, 8025.  | 3.3  | 1         |
| 8  | Outcomes following diabetes admission in patients who had influenza vaccination: A population-based cohort study. <i>Diabetes Research and Clinical Practice</i> , 2022, 189, 109930.   | 2.8  | 5         |
| 9  | The Effects of Bariatric Surgery on Renal, Neurological, and Ophthalmic Complications in Patients with Type 2 Diabetes: the Taiwan Diabesity Study. <i>Obesity Surgery</i> , 2021, 31, 117-126.   | 2.1  | 11        |
| 10 | Fibroblast Growth Factor Receptor Inhibitors Reduce Adipogenesis of Orbital Fibroblasts and Enhance Myofibroblastic Differentiation in Graves™ Orbitopathy. <i>Ocular Immunology and Inflammation</i> , 2021, 29, 193-202.  | 1.8  | 3         |
| 11 | A Novel ALDH2 Activator AD-9308 Improves Diastolic and Systolic Myocardial Functions in Streptozotocin-Induced Diabetic Mice. <i>Antioxidants</i> , 2021, 10, 450.  | 5.1  | 6         |
| 12 | T helper 17 cells: A new actor on the stage of type 2 diabetes and aging?. <i>Journal of Diabetes Investigation</i> , 2021, 12, 909-913.  | 2.4  | 3         |
| 13 | Identification of Novel Biomarkers for Pre-diabetic Diagnosis Using a Combinational Approach. <i>Frontiers in Endocrinology</i> , 2021, 12, 641336.   | 3.5  | 6         |
| 14 | Chromosome Xq23 is associated with lower atherogenic lipid concentrations and favorable cardiometabolic indices. <i>Nature Communications</i> , 2021, 12, 2182.   | 12.8 | 17        |
| 15 | Change of sleep disordered breathing severity in obese patients receiving Laparoscopic sleeve gastrectomy. <i>Sleep</i> , 2021, 44, A178-A179.  | 1.1  | 0         |
| 16 | The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , 2021, 53, 840-860.  | 21.4 | 341       |
| 17 | Genome sequencing unveils a regulatory landscape of platelet reactivity. <i>Nature Communications</i> , 2021, 12, 3626.   | 12.8 | 29        |
| 18 | Disruption of Cytosolic Folate Integrity Aggravates Resistance to Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors and Modulates Metastatic Properties in Non-Small-Cell Lung Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8838. | 4.1  | 1         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Risk and outcomes of diabetes in patients with epilepsy. <i>Scientific Reports</i> , 2021, 11, 18888.  | 3.3  | 6         |
| 20 | The Association Between Body Mass Index and the Risk of Hospitalization and Mortality due to Infection: A Prospective Cohort Study. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofaa545.  | 0.9  | 13        |
| 21 | A high-resolution HLA reference panel capturing global population diversity enables multi-ancestry fine-mapping in HIV host response. <i>Nature Genetics</i> , 2021, 53, 1504-1516.  | 21.4 | 69        |
| 22 | Executive summary of the DAROC clinical practice guidelines for diabetes care- 2018. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 577-586.  | 1.7  | 38        |
| 23 | The Causal Relationship of Circulating Triglyceride and Glycated Hemoglobin: A Mendelian Randomization Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 908-919.  | 3.6  | 10        |
| 24 | Inherited causes of clonal haematopoiesis in 97,691 whole genomes. <i>Nature</i> , 2020, 586, 763-768.   | 27.8 | 376       |
| 25 | Outcomes after surgery in patients with diabetes who used metformin: a retrospective cohort study based on a real-world database. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001351.   | 2.8  | 6         |
| 26 | Genome-wide association study for circulating fibroblast growth factor 21 and 23. <i>Scientific Reports</i> , 2020, 10, 14578.   | 3.3  | 11        |
| 27 | Dynamic incorporation of multiple in silico functional annotations empowers rare variant association analysis of large whole-genome sequencing studies at scale. <i>Nature Genetics</i> , 2020, 52, 969-983.   | 21.4 | 146       |
| 28 | Stratified risks of infection-related hospitalization in patients with chronic kidney disease - A prospective cohort study. <i>Scientific Reports</i> , 2020, 10, 4475.  | 3.3  | 7         |
| 29 | &lt;p&gt;Evaluating Risk of Incident Diabetes Between Patients Who Used Lovastatin and Red Yeast Rice Prescriptions (LipoCol Forte): A Retrospective Cohort Study Based on a Real-World Database&lt;/p&gt;. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 89-98. | 2.4  | 7         |
| 30 | Naa10p Inhibits Beige Adipocyte-Mediated Thermogenesis through N-Î±-acetylation of Pgc1Î±. <i>Molecular Cell</i> , 2019, 76, 500-515.e8.   | 9.7  | 27        |
| 31 | 0475 Prevalence And Clinical Features Of Undiagnosed Obesity Hypoventilation Syndrome In Patients Admitted To Intensive Critical Care Unit: A Prospective Study. <i>Sleep</i> , 2019, 42, A190-A191.   | 1.1  | 0         |
| 32 | Adverse Outcomes after Major Surgeries in Patients with Diabetes: A Multicenter Matched Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 100.   | 2.4  | 16        |
| 33 | High TSH Level within Normal Range Is Associated with Obesity, Dyslipidemia, Hypertension, Inflammation, Hypercoagulability, and the Metabolic Syndrome: A Novel Cardiometabolic Marker. <i>Journal of Clinical Medicine</i> , 2019, 8, 817.   | 2.4  | 41        |
| 34 | Sleep Duration and Proteinuria Progression: A Population-Based Cohort Study. <i>American Journal of Nephrology</i> , 2019, 49, 41-51.  | 3.1  | 3         |
| 35 | Study design and recruitment for a prospective controlled study of diabetes: Taiwan Diabetes Study. <i>Asian Journal of Surgery</i> , 2019, 42, 244-250.   | 0.4  | 3         |
| 36 | Subclinical and overt hypothyroidism is associated with reduced glomerular filtration rate and proteinuria: a large cross-sectional population study. <i>Scientific Reports</i> , 2018, 8, 2031.   | 3.3  | 31        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Genome-wide scan for circulating vascular adhesion protein levels: <i>MACROD2</i> as a potential transcriptional regulator of adipogenesis. <i>Journal of Diabetes Investigation</i> , 2018, 9, 1067-1074.   | 2.4 | 13        |
| 38 | Association of Obesity, Diabetes, and Risk of Tuberculosis: Two Population-Based Cohorts. <i>Clinical Infectious Diseases</i> , 2018, 66, 699-705.   | 5.8 | 66        |
| 39 | Pro-inflammatory cytokines IL-6 and CCL2 suppress expression of circadian gene <i>Period2</i> in mammary epithelial cells. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2018, 1861, 1007-1017.  | 1.9 | 10        |
| 40 | Genetic variation of <i>SORBS1</i> gene is associated with glucose homeostasis and age at onset of diabetes: A SAPHIRE Cohort Study. <i>Scientific Reports</i> , 2018, 8, 10574.   | 3.3 | 29        |
| 41 | Mitochondrial DNA associations with East Asian metabolic syndrome. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2018, 1859, 878-892.   | 1.0 | 22        |
| 42 | <i>IGF1</i> Gene Is Associated With Triglyceride Levels In Subjects With Family History Of Hypertension From The SAPHIRE And TWB Projects. <i>International Journal of Medical Sciences</i> , 2018, 15, 1035-1042.   | 2.5 | 3         |
| 43 | Increased diabetes risk and interaction with social and medical events in patients upon stroke: Two nationwide studies. <i>Atherosclerosis</i> , 2017, 265, 87-92.   | 0.8 | 7         |
| 44 | Diabetes risks and outcomes in chronic obstructive pulmonary disease patients: Two nationwide population-based retrospective cohort studies. <i>PLoS ONE</i> , 2017, 12, e0181815.   | 2.5 | 21        |
| 45 | Early detection of diabetic kidney disease: Present limitations and future perspectives. <i>World Journal of Diabetes</i> , 2016, 7, 290.  | 3.5 | 48        |
| 46 | Inhibition of Prostaglandin Reductase 2, a Putative Oncogene Overexpressed in Human Pancreatic Adenocarcinoma, Induces Oxidative Stress-Mediated Cell Death Involving <i>xCT</i> and <i>CTH</i> Gene Expressions through 15-Keto-PGE2. <i>PLoS ONE</i> , 2016, 11, e0147390. | 2.5 | 21        |
| 47 | Dipeptidyl Peptidase-4 Inhibitor Use Is Not Associated With Acute Pancreatitis in High-Risk Type 2 Diabetic Patients. <i>Medicine (United States)</i> , 2016, 95, e2603.   | 1.0 | 15        |
| 48 | Reply to "Long-term use of acarbose and <i>CV</i> event: confusing finding from mega data bank". <i>Diabetic Medicine</i> , 2016, 33, 1750-1751.   | 2.3 | 0         |
| 49 | Glucagon-like peptide-1 prevents methylglyoxal-induced apoptosis of beta cells through improving mitochondrial function and suppressing prolonged AMPK activation. <i>Scientific Reports</i> , 2016, 6, 23403.   | 3.3 | 25        |
| 50 | Genome-wide linkage analysis and regional fine mapping identified variants in the <i>RYR3</i> gene as a novel quantitative trait locus for circulating adiponectin in Chinese population. <i>Medicine (United States)</i> , 2016, 95, e5174.                                 | 1.0 | 5         |
| 51 | Effect of bariatric surgery on diabetic complications: the Taiwan diabetes study. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S183-S184.   | 2.8 | 0         |
| 52 | Genetic Variation in the Human <i>SORBS1</i> Gene is Associated With Blood Pressure Regulation and Age at Onset of Hypertension. <i>Medicine (United States)</i> , 2016, 95, e2970.  | 1.0 | 12        |
| 53 | No increased risk of hospitalization for heart failure for patients treated with dipeptidyl peptidase-4 inhibitors in Taiwan. <i>International Journal of Cardiology</i> , 2016, 220, 14-20.   | 1.7 | 17        |
| 54 | Impact of Diabetes on Stroke Risk and Outcomes. <i>Medicine (United States)</i> , 2015, 94, e2282.   | 1.0 | 50        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Genetic polymorphisms of PCSK2 are associated with glucose homeostasis and progression to type 2 diabetes in a Chinese population. <i>Scientific Reports</i> , 2015, 5, 14380.   | 3.3  | 21        |
| 56 | Cardiovascular risks associated with second-line oral antidiabetic agents added to metformin in patients with Type 2 diabetes: a nationwide cohort study. <i>Diabetic Medicine</i> , 2015, 32, 1460-1469.                              | 2.3  | 30        |
| 57 | The Role of Organelle Stresses in Diabetes Mellitus and Obesity: Implication for Treatment. <i>Analytical Cellular Pathology</i> , 2015, 2015, 1-14.   | 1.4  | 12        |
| 58 | Anaemia and related nutrient deficiencies after Roux-en-Y gastric bypass surgery: a systematic review and meta-analysis. <i>BMJ Open</i> , 2015, 5, e006964.   | 1.9  | 119       |
| 59 | Cardiovascular Risk Associated With Acarbose Versus Metformin as the First-Line Treatment in Patients With Type 2 Diabetes: A Nationwide Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1121-1129. | 3.6  | 37        |
| 60 | Severe hepatic injury associated with different statins in patients with chronic liver disease: A nationwide population-based cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 155-162.         | 2.8  | 31        |
| 61 | Early Myocardial Repolarization Heterogeneity Is Detected by Magnetocardiography in Diabetic Patients with Cardiovascular Risk Factors. <i>PLoS ONE</i> , 2015, 10, e0133192.  | 2.5  | 5         |
| 62 | Recent progress in the genetics of diabetic microvascular complications. <i>World Journal of Diabetes</i> , 2015, 6, 715.  | 3.5  | 28        |
| 63 | Validation of Type 2 Diabetes Risk Variants Identified by Genome-Wide Association Studies in Han Chinese Population: A Replication Study and Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e95045.   | 2.5  | 38        |
| 64 | A meta-analysis of genome-wide association studies for adiponectin levels in East Asians identifies a novel locus near WDR11-FGFR2. <i>Human Molecular Genetics</i> , 2014, 23, 1108-1119.   | 2.9  | 68        |
| 65 | Autocrine/paracrine mechanism of interleukin-17B receptor promotes breast tumorigenesis through NF- $\kappa$ B-mediated antiapoptotic pathway. <i>Oncogene</i> , 2014, 33, 2968-2977.  | 5.9  | 84        |
| 66 | Increased Risk of Fracture and Postfracture Adverse Events in Patients With Diabetes: Two Nationwide Population-Based Retrospective Cohort Studies. <i>Diabetes Care</i> , 2014, 37, 2246-2252.  | 8.6  | 74        |
| 67 | Different angiotensin receptor blockers and incidence of diabetes: a nationwide population-based cohort study. <i>Cardiovascular Diabetology</i> , 2014, 13, 91.   | 6.8  | 19        |
| 68 | Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , 2014, 46, 234-244.   | 21.4 | 959       |
| 69 | MTAP is an independent prognosis marker and the concordant loss of MTAP and p16 expression predicts short survival in non-small cell lung cancer patients. <i>European Journal of Surgical Oncology</i> , 2014, 40, 1143-1150.         | 1.0  | 40        |
| 70 | Preoperative prediction of papillary thyroid carcinoma prognosis with the assistance of computerized morphometry of cytology samples obtained by fine-needle aspiration: Preliminary report. <i>Head and Neck</i> , 2013, 35, 28-34.   | 2.0  | 12        |
| 71 | Knockdown of RyR3 Enhances Adiponectin Expression Through an atf3-Dependent Pathway. <i>Endocrinology</i> , 2013, 154, 1117-1129.  | 2.8  | 16        |
| 72 | The Relationship between Thyrotropin Receptor Antibody Levels and Intrathyroid Vascularity in Patients with Graves' Disease. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2013, 121, 1-5.                             | 1.2  | 25        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Prostaglandin reductase-3 negatively modulates adipogenesis through regulation of PPAR $\beta$ activity. <i>Journal of Lipid Research</i> , 2013, 54, 2391-2399.   | 4.2  | 18        |
| 74 | Adverse Outcomes After Noncardiac Surgery in Patients With Diabetes. <i>Diabetes Care</i> , 2013, 36, 3216-3221.   | 8.6  | 63        |
| 75 | Deficiency of <i>NPGP</i> , an oxidative stress sensor, leads to obesity in mice and human. <i>EMBO Molecular Medicine</i> , 2013, 5, 1165-1179.   | 6.9  | 65        |
| 76 | Loss of corepressor PER2 under hypoxia up-regulates OCT1-mediated EMT gene expression and enhances tumor malignancy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 12331-12336.              | 7.1  | 124       |
| 77 | Association of the variations in the HSD3 $\beta$ gene with primary aldosteronism. <i>Journal of Hypertension</i> , 2013, 31, 1396-1405.   | 0.5  | 8         |
| 78 | Genetic Variation in the NOC Gene Is Associated with Body Mass Index in Chinese Subjects. <i>PLoS ONE</i> , 2013, 8, e69622.   | 2.5  | 10        |
| 79 | Activation of Robo1 Signaling of Breast Cancer Cells by Slit2 from Stromal Fibroblast Restrains Tumorigenesis via Blocking PI3K/Akt/ $\beta$ -Catenin Pathway. <i>Cancer Research</i> , 2012, 72, 4652-4661.                                       | 0.9  | 127       |
| 80 | Meta-analysis of genome-wide association studies identifies eight new loci for type 2 diabetes in east Asians. <i>Nature Genetics</i> , 2012, 44, 67-72.   | 21.4 | 545       |
| 81 | Loss of the Oxidative Stress Sensor NPGPx Compromises GRP78 Chaperone Activity and Induces Systemic Disease. <i>Molecular Cell</i> , 2012, 48, 747-759.  | 9.7  | 120       |
| 82 | Prostaglandin Reductase 2 Modulates ROS-Mediated Cell Death and Tumor Transformation of Gastric Cancer Cells and Is Associated with Higher Mortality in Gastric Cancer Patients. <i>American Journal of Pathology</i> , 2012, 181, 1316-1326.      | 3.8  | 15        |
| 83 | Common ALDH2 genetic variants predict development of hypertension in the SAPHIRe prospective cohort: Gene-environmental interaction with alcohol consumption. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 58.                                  | 1.7  | 39        |
| 84 | The Role of Nocturnin in Early Adipogenesis and Modulation of Systemic Insulin Resistance in Human. <i>Obesity</i> , 2012, 20, 1558-1565.  | 3.0  | 17        |
| 85 | Genetic variation in the carbonyl reductase 3 gene confers risk of type 2 diabetes and insulin resistance: a potential regulator of adipogenesis. <i>Journal of Molecular Medicine</i> , 2012, 90, 847-858.  | 3.9  | 8         |
| 86 | Replication of genome-wide association signals of type 2 diabetes in Han Chinese in a prospective cohort. <i>Clinical Endocrinology</i> , 2012, 76, 365-372.   | 2.4  | 36        |
| 87 | Association of genetic variation in FTO with risk of obesity and type 2 diabetes with data from 96,551 East and South Asians. <i>Diabetologia</i> , 2012, 55, 981-995.   | 6.3  | 171       |
| 88 | Genetic predisposition and nongenetic risk factors of thiazolidinedione-related edema in patients with type 2 diabetes. <i>Pharmacogenetics and Genomics</i> , 2011, 21, 829-836.  | 1.5  | 21        |
| 89 | TCF7L2 genetic variants and progression to diabetes in the Chinese population: pleiotropic effects on insulin secretion and insulin resistance. <i>Journal of Molecular Medicine</i> , 2010, 88, 183-192.  | 3.9  | 17        |
| 90 | The relationship of visfatin/pre-B-cell colony-enhancing factor/nicotinamide phosphoribosyltransferase in adipose tissue with inflammation, insulin resistance, and plasma lipids. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 93-99. | 3.4  | 83        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | SLC2A10 genetic polymorphism predicts development of peripheral arterial disease in patients with type 2 diabetes. SLC2A10 and PAD in type 2 diabetes. BMC Medical Genetics, 2010, 11, 126.   | 2.1 | 15        |
| 92  | The Associations of <i>LPIN1</i> Gene Expression in Adipose Tissue With Metabolic Phenotypes in the Chinese Population. Obesity, 2010, 18, 7-12.  | 3.0 | 27        |
| 93  | Common <i>PCSK1</i> Haplotypes Are Associated With Obesity in the Chinese Population. Obesity, 2010, 18, 1404-1409.   | 3.0 | 34        |
| 94  | A Triglyceride-Raising <i>APOA5</i> Genetic Variant Is Negatively Associated With Obesity and BMI in the Chinese Population. Obesity, 2010, 18, 1964-1968.  | 3.0 | 6         |
| 95  | Association of intraocular pressure with the metabolic syndrome and novel cardiometabolic risk factors. Eye, 2010, 24, 1037-1043.   | 2.1 | 45        |
| 96  | Validation of Diabetes Risk Scores for Predicting Diabetes Diagnosed by Oral Glucose Tolerance Test. Diabetes Care, 2010, 33, e26-e26.  | 8.6 | 5         |
| 97  | Anatomical Asymmetry in Goiter: A Demonstration by Three-dimensional Power Doppler Ultrasound. Journal of Medical Ultrasound, 2010, 18, 27-33.  | 0.4 | 0         |
| 98  | The role of oxidative stress in the pathogenesis of type 2 diabetes: from molecular mechanism to clinical implication. American Journal of Translational Research (discontinued), 2010, 2, 316-31.                                    | 0.0 | 87        |
| 99  | Genetic Variants of <i>TCF7L2</i> Are Associated with Insulin Resistance and Related Metabolic Phenotypes in Taiwanese Adolescents and Caucasian Young Adults. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 3575-3582. | 3.6 | 48        |
| 100 | Cross-Sectional Validation of Diabetes Risk Scores for Predicting Diabetes, Metabolic Syndrome, and Chronic Kidney Disease in Taiwanese. Diabetes Care, 2009, 32, 2294-2296.  | 8.6 | 55        |
| 101 | Interaction of <i>ADIPOQ</i> Genetic Polymorphism With Blood Pressure and Plasma Cholesterol Level on the Risk of Coronary Artery Disease. Circulation Journal, 2009, 73, 1934-1938.  | 1.6 | 21        |
| 102 | Genetic polymorphisms of the angiotensin II type 1 receptor gene and diastolic heart failure. Journal of Hypertension, 2009, 27, 502-507.   | 0.5 | 60        |
| 103 | Common Variation in the Fat Mass and Obesity-Associated ( <i>FTO</i> ) Gene Confers Risk of Obesity and Modulates BMI in the Chinese Population. Diabetes, 2008, 57, 2245-2252.   | 0.6 | 197       |
| 104 | Association Study of the Genetic Polymorphisms of the Transcription Factor 7-Like 2 ( <i>TCF7L2</i> ) Gene and Type 2 Diabetes in the Chinese Population. Diabetes, 2007, 56, 2631-2637.  | 0.6 | 170       |
| 105 | Neuropsychiatric Disturbances and Hypopituitarism After Traumatic Brain Injury in an Elderly Man. Journal of the Formosan Medical Association, 2006, 105, 172-176.  | 1.7 | 12        |