

Antonio Rodriguez-Moreno

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6261423/publications.pdf>

Version: 2024-02-01

82
papers

3,605
citations

126708

33
h-index

138251

58
g-index

88
all docs

88
docs citations

88
times ranked

2739
citing authors

#	ARTICLE	IF	CITATIONS
1	Kainate receptors: from synaptic activity to disease. <i>FEBS Journal</i> , 2022, 289, 5074-5088.	2.2	14
2	Long-term effect of neonatal antagonism of ionotropic glutamate receptors on dendritic spines and cognitive function in rats. <i>Journal of Chemical Neuroanatomy</i> , 2022, 119, 102054.	1.0	5
3	Vitamin E prevents lipid peroxidation and iron accumulation in PLA2G6-Associated Neurodegeneration. <i>Neurobiology of Disease</i> , 2022, 165, 105649.	2.1	23
4	Modeling Mitochondrial Encephalomyopathy, Lactic Acidosis, and Stroke-Like Episodes Syndrome Using Patient-Derived Induced Neurons Generated by Direct Reprogramming. <i>Cellular Reprogramming</i> , 2022, 24, 294-303.	0.5	2
5	Role of Group I Metabotropic Glutamate Receptors in Spike Timing-Dependent Plasticity. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7807.	1.8	6
6	Amphetamine sensitization alters hippocampal neuronal morphology and memory and learning behaviors. <i>Molecular Psychiatry</i> , 2021, 26, 4784-4794.	4.1	23
7	Synaptic Plasticity and Oscillations in Alzheimer's Disease: A Complex Picture of a Multifaceted Disease. <i>Frontiers in Molecular Neuroscience</i> , 2021, 14, 696476.	1.4	16
8	Kainate receptor modulation of glutamatergic synaptic transmission in the CA2 region of the hippocampus. <i>Journal of Neurochemistry</i> , 2021, 158, 1083-1093.	2.1	5
9	Metabotropic actions of kainate receptors modulating glutamate release. <i>Neuropharmacology</i> , 2021, 197, 108696.	2.0	14
10	Challenges in Physiological Phenotyping of hiPSC-Derived Neurons: From 2D Cultures to 3D Brain Organoids. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 797.	1.8	3
11	HERC1 Ubiquitin Ligase Is Required for Hippocampal Learning and Memory. <i>Frontiers in Neuroanatomy</i> , 2020, 14, 592797.	0.9	7
12	Characterization of an eutherian gene cluster generated after transposon domestication identifies Bex3 as relevant for advanced neurological functions. <i>Genome Biology</i> , 2020, 21, 267.	3.8	10
13	Astrocyte-mediated switch in spike timing-dependent plasticity during hippocampal development. <i>Nature Communications</i> , 2020, 11, 4388.	5.8	55
14	Copy number variants (CNVs): a powerful tool for iPSC-based modelling of ASD. <i>Molecular Autism</i> , 2020, 11, 42.	2.6	14
15	Parkin-mediated mitophagy and autophagy flux disruption in cellular models of MERRF syndrome. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020, 1866, 165726.	1.8	22
16	Calcium Dynamics and Synaptic Plasticity. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1131, 965-984.	0.8	51
17	NMDA Receptors Containing GluN2B/2C/2D Subunits Mediate an Increase in Glutamate Release at Hippocampal CA3-CA1 Synapses. <i>Molecular Neurobiology</i> , 2019, 56, 1694-1706.	1.9	20
18	Juvenile stress causes reduced locomotor behavior and dendritic spine density in the prefrontal cortex and basolateral amygdala in Sprague-Dawley rats. <i>Synapse</i> , 2019, 73, e22066.	0.6	14

#	ARTICLE	IF	CITATIONS
19	Kainate Receptor-Mediated Depression of Glutamate Release Involves Protein Kinase A in the Cerebellum. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4124.	1.8	11
20	Cannabinoid type-1 receptor blockade restores neurological phenotypes in two models for Down syndrome. <i>Neurobiology of Disease</i> , 2019, 125, 92-106.	2.1	26
21	Pharmacological activation of dopamine D4 receptor modulates morphine-induced changes in the expression of GAD65/67 and GABAB receptors in the basal ganglia. <i>Neuropharmacology</i> , 2019, 152, 22-29.	2.0	15
22	Presynaptic NMDARs and astrocytes ally to control circuit-specific information flow. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 13166-13168.	3.3	9
23	The Impact of Studying Brain Plasticity. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 66.	1.8	145
24	Kainate Receptors Modulating Glutamate Release in the Cerebellum. , 2019, , .		0
25	Adenosine Receptor-Mediated Developmental Loss of Spike Timing-Dependent Depression in the Hippocampus. <i>Cerebral Cortex</i> , 2019, 29, 3266-3281.	1.6	40
26	Towards resolving the presynaptic NMDA receptor debate. <i>Current Opinion in Neurobiology</i> , 2018, 51, 1-7.	2.0	68
27	The Effects of Non-selective Dopamine Receptor Activation by Apomorphine in the Mouse Hippocampus. <i>Molecular Neurobiology</i> , 2018, 55, 8625-8636.	1.9	20
28	Mutation of the HERC 1 Ubiquitin Ligase Impairs Associative Learning in the Lateral Amygdala. <i>Molecular Neurobiology</i> , 2018, 55, 1157-1168.	1.9	18
29	Non-canonical Mechanisms of Presynaptic Kainate Receptors Controlling Glutamate Release. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 128.	1.4	31
30	Cerebellar Kainate Receptor-Mediated Facilitation of Glutamate Release Requires Ca ²⁺ -Calmodulin and PKA. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 195.	1.4	21
31	Kainate Receptors: Role in Epilepsy. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 217.	1.4	55
32	Apomorphine effects on the hippocampus. <i>Neural Regeneration Research</i> , 2018, 13, 2064.	1.6	7
33	Pavlov and Cajal: Two different pathways to a Nobel Prize. <i>Journal of the History of the Neurosciences</i> , 2017, 26, 257-279.	0.1	3
34	The effects of amphetamine exposure on juvenile rats on the neuronal morphology of the limbic system at prepubertal, pubertal and postpubertal ages. <i>Journal of Chemical Neuroanatomy</i> , 2016, 77, 68-77.	1.0	16
35	Presynaptic Spike Timing-Dependent Long-Term Depression in the Mouse Hippocampus. <i>Cerebral Cortex</i> , 2016, 26, 3637-3654.	1.6	109
36	Chronic administration of resveratrol prevents morphological changes in prefrontal cortex and hippocampus of aged rats. <i>Synapse</i> , 2016, 70, 206-217.	0.6	49

#	ARTICLE	IF	CITATIONS
37	Stabilization Of Apoptotic Cells: Generation Of Zombie Cells. Redox Biology, 2015, 5, 416.	3.9	0
38	Conditional self-discrimination enhances dendritic spine number and dendritic length at prefrontal cortex and hippocampal neurons of rats. Synapse, 2015, 69, 543-552.	0.6	2
39	Santiago Ramón y Cajal and Ivan Petrovic Pavlov: their parallel scientific lives, schools and nobel prizes. Frontiers in Neuroanatomy, 2015, 9, 73.	0.9	4
40	Rapamycin restores BDNF-LTP and the persistence of long-term memory in a model of Down's syndrome. Neurobiology of Disease, 2015, 82, 516-525.	2.1	32
41	Stabilization of apoptotic cells: generation of zombie cells. Cell Death and Disease, 2014, 5, e1369-e1369.	2.7	7
42	Distinct mechanisms of spike timing-dependent LTD at vertical and horizontal inputs onto L2/3 pyramidal neurons in mouse barrel cortex. Physiological Reports, 2014, 2, e00271.	0.7	53
43	Neonatal olfactory bulbectomy enhances locomotor activity, exploratory behavior and binding of NMDA receptors in pre-pubertal rats. Neuroscience, 2014, 259, 84-93.	1.1	15
44	Rearrangement of the dendritic morphology of the neurons from prefrontal cortex and hippocampus after subthalamic lesion in Sprague-Dawley rats. Synapse, 2014, 68, 114-126.	0.6	10
45	Kainate Receptors. Neuroscientist, 2014, 20, 29-43.	2.6	36
46	Presynaptic kainate receptor-mediated facilitation of glutamate release involves Ca^{2+} -calmodulin and PKA in cerebrocortical synaptosomes. FEBS Letters, 2013, 587, 788-792.	1.3	44
47	Presynaptic Self-Depression at Developing Neocortical Synapses. Neuron, 2013, 77, 35-42.	3.8	56
48	Presynaptic kainate receptor-mediated bidirectional modulatory actions: Mechanisms. Neurochemistry International, 2013, 62, 982-987.	1.9	37
49	Presynaptic kainate receptor-mediated facilitation of glutamate release involves PKA and Ca^{2+} -calmodulin at thalamocortical synapses. Journal of Neurochemistry, 2013, 126, 565-578.	2.1	31
50	Caged intracellular NMDA receptor blockers for the study of subcellular ion channel function. Communicative and Integrative Biology, 2012, 5, 240-242.	0.6	13
51	Clozapine administration reverses behavioral, neuronal, and nitric oxide disturbances in the neonatal ventral hippocampus rat. Neuropharmacology, 2012, 62, 1848-1857.	2.0	46
52	Presynaptic kainate receptor-mediated facilitation of glutamate release involves Ca^{2+} -calmodulin at mossy fiber-CA3 synapses. Journal of Neurochemistry, 2012, 122, 891-899.	2.1	38
53	Dimethoate accelerates the extinction of eyeblink conditioning in mice. NeuroToxicology, 2012, 33, 105-110.	1.4	5
54	Dendritic morphology changes in neurons from the prefrontal cortex, hippocampus and nucleus accumbens in rats after lesion of the thalamic reticular nucleus. Neuroscience, 2012, 223, 429-438.	1.1	35

#	ARTICLE	IF	CITATIONS
55	Dendritic morphology of neurons in prefrontal cortex and ventral hippocampus of rats with neonatal amygdala lesion. <i>Synapse</i> , 2012, 66, 373-382.	0.6	9
56	Kainate receptor-mediated depression of glutamatergic transmission involving protein kinase A in the lateral amygdala. <i>Journal of Neurochemistry</i> , 2012, 121, 36-43.	2.1	18
57	Excitatory amino acids in neurological and neurodegenerative disorders.. , 2012, , 427-453.		5
58	Metabotropic Actions of Kainate Receptors in the Control of Glutamate Release in the Hippocampus. <i>Advances in Experimental Medicine and Biology</i> , 2011, 717, 39-48.	0.8	26
59	Hippocampal mossy fiber long-term depression in Grm2/3 double knockout mice. <i>Synapse</i> , 2011, 65, 945-954.	0.6	33
60	Presynaptic Induction and Expression of Timing-Dependent Long-Term Depression Demonstrated by Compartment-Specific Photorelease of a Use-Dependent NMDA Receptor Antagonist. <i>Journal of Neuroscience</i> , 2011, 31, 8564-8569.	1.7	67
61	Metabotropic Actions of Kainate Receptors in the Control of GABA Release. <i>Advances in Experimental Medicine and Biology</i> , 2011, 717, 1-10.	0.8	28
62	Kainate receptors. Novel signaling insights. <i>Advances in Experimental Medicine and Biology</i> , 2011, 717, vii-xi, xiii.	0.8	1
63	Presynaptic NMDA receptors and spike timing-dependent long-term depression at cortical synapses. <i>Frontiers in Synaptic Neuroscience</i> , 2010, 2, 18.	1.3	48
64	TrkB Modulates Fear Learning and Amygdalar Synaptic Plasticity by Specific Docking Sites. <i>Journal of Neuroscience</i> , 2009, 29, 10131-10143.	1.7	56
65	Double Dissociation of Spike Timing-Dependent Potentiation and Depression by Subunit-Preferring NMDA Receptor Antagonists in Mouse Barrel Cortex. <i>Cerebral Cortex</i> , 2009, 19, 2959-2969.	1.6	121
66	Spike timing-dependent long-term depression requires presynaptic NMDA receptors. <i>Nature Neuroscience</i> , 2008, 11, 744-745.	7.1	139
67	Kainate receptors with a metabotropic modus operandi. <i>Trends in Neurosciences</i> , 2007, 30, 630-637.	4.2	93
68	Metabotropic actions of kainate receptors in the CNS. <i>Journal of Neurochemistry</i> , 2007, 103, 2121-2135.	2.1	52
69	Kainate receptor-mediated presynaptic inhibition converges with presynaptic inhibition mediated by Group II mGluRs and long-term depression at the hippocampal mossy fiber-CA3 synapse. <i>Journal of Neural Transmission</i> , 2007, 114, 1425-1431.	1.4	39
70	The nicotinic agonist RJR-2403 compensates the impairment of eyeblink conditioning produced by the noncompetitive NMDA-receptor antagonist MK-801. <i>Neuroscience Letters</i> , 2006, 402, 102-107.	1.0	10
71	Changes in mIPSCs and sIPSCs after kainate treatment: possible actions mediated by the direct activation of kainate receptors. <i>Journal of Neurophysiology</i> , 2006, 96, 505-505.	0.9	0
72	Kainate Receptor-Mediated Inhibition of Glutamate Release Involves Protein Kinase A in the Mouse Hippocampus. <i>Journal of Neurophysiology</i> , 2006, 96, 1829-1837.	0.9	44

#	ARTICLE	IF	CITATIONS
73	An in vitro and in vivo study of early deficits in associative learning in transgenic mice that over-express a mutant form of human APP associated with Alzheimer's disease. <i>European Journal of Neuroscience</i> , 2004, 20, 1945-1952.	1.2	52
74	Presynaptic kainate receptor facilitation of glutamate release involves protein kinase A in the rat hippocampus. <i>Journal of Physiology</i> , 2004, 557, 733-745.	1.3	87
75	The use of alert behaving mice in the study of learning and memory processes. <i>Neurotoxicity Research</i> , 2004, 6, 225-232.	1.3	4
76	Molecular Physiology of Kainate Receptors. <i>Physiological Reviews</i> , 2001, 81, 971-998.	13.1	276
77	Two populations of kainate receptors with separate signaling mechanisms in hippocampal interneurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 1293-1298.	3.3	148
78	Kainate Receptor Modulation of GABA Release Involves a Metabotropic Function. <i>Neuron</i> , 1998, 20, 1211-1218.	3.8	313
79	Switch from Facilitation to Inhibition of Excitatory Synaptic Transmission by Group I mGluR Desensitization. <i>Neuron</i> , 1998, 21, 1477-1486.	3.8	122
80	Activation and desensitization properties of native and recombinant kainate receptors. <i>Neuropharmacology</i> , 1998, 37, 1249-1259.	2.0	106
81	Kainate Receptors Presynaptically Downregulate GABAergic Inhibition in the Rat Hippocampus. <i>Neuron</i> , 1997, 19, 893-901.	3.8	293
82	Addictive Drugs and Synaptic Plasticity. , 0, , .		0