
## Max Gordon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6262386/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	EPOS trial: the effect of air filtration through a plasma chamber on the incidence of surgical site infection in orthopaedic surgery: a study protocol of a randomised, double-blind, placebo-controlled trial. BMJ Open, 2022, 12, e047500.	1.9	2
2	Duration of SARS-CoV-2 Immune Responses Up to Six Months Following Homologous or Heterologous Primary Immunization with ChAdOx1 nCoV-19 and BNT162b2 mRNA Vaccines. Vaccines, 2022, 10, 359.	4.4	11
3	Impact of SARSâ€CoVâ€2 infection on vaccineâ€induced immune responses over time. Clinical and Translational Immunology, 2022, 11, e1388.	3.8	20
4	Ankle fracture classification using deep learning: automating detailed AO Foundation/Orthopedic Trauma Association (AO/OTA) 2018 malleolar fracture identification reaches a high degree of correct classification. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 102-108.	3.3	32
5	RTEX: A novel framework for ranking, tagging, and explanatory diagnostic captioning of radiography exams. Journal of the American Medical Informatics Association: JAMIA, 2021, 28, 1651-1659.	4.4	3
6	Artificial intelligence for the classification of fractures around the knee in adults according to the 2018 AO/OTA classification system. PLoS ONE, 2021, 16, e0248809.	2.5	12
7	Presenting artificial intelligence, deep learning, and machine learning studies to clinicians and healthcare stakeholders: an introductory reference with a guideline and a Clinical AI Research (CAIR) checklist proposal. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 513-525.	3.3	42
8	Antibody responses after a single dose of ChAdOx1 nCoV-19 vaccine in healthcare workers previously infected with SARS-CoV-2. EBioMedicine, 2021, 70, 103523.	6.1	42
9	Similar periprosthetic joint infection rates after and before a national infection control program: a study of 45,438 primary total knee arthroplasties. Monthly Notices of the Royal Astronomical Society: Letters, 2021, , 1-7.	3.3	8
10	Automating classification of osteoarthritis according to Kellgren-Lawrence in the knee using deep learning in an unfiltered adult population. BMC Musculoskeletal Disorders, 2021, 22, 844.	1.9	26
11	An increasing number of convolutional neural networks for fracture recognition and classification in orthopaedics. Bone & Joint Open, 2021, 2, 879-885.	2.6	21
12	Preoperative Anterior and Posterior Tilt of Garden I-II Femoral Neck Fractures Predict Treatment Failure and Need for Reoperation in Patients Over 60 Years. JBJS Open Access, 2021, 6, .	1.5	8
13	The influence of depression on patient-reported outcomes for hip-fracture patients 1Âyear after surgery: a prospective cohort study. Aging Clinical and Experimental Research, 2020, 32, 247-255.	2.9	12
14	No generally increased risk of cancer after total hip arthroplasty performed due to osteoarthritis. International Journal of Cancer, 2020, 147, 76-83.	5.1	7
15	Only 8% of major preventable adverse events after hip arthroplasty are filed as claims: a Swedish multi-center cohort study on 1,998 patients. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 20-25.	3.3	5
16	Measuring adverse events following hip arthroplasty surgery using administrative data without relying on ICD-codes. PLoS ONE, 2020, 15, e0242008.	2.5	6
17	Title is missing!. , 2020, 15, e0242008.		0

Max Gordon

#	Article	IF	CITATIONS
19	Title is missing!. , 2020, 15, e0242008.		0
20	Title is missing!. , 2020, 15, e0242008.		0
21	Title is missing!. , 2020, 15, e0242008.		0
22	Title is missing!. , 2020, 15, e0242008.		0
23	Posterior and anterior tilt increases the risk of failure after internal fixation of Garden I and II femoral neck fracture. Monthly Notices of the Royal Astronomical Society: Letters, 2019, 90, 537-541.	3.3	30
24	Reduced periprosthetic fracture rate when changing from a tapered polished stem to an anatomical stem for cemented hip arthroplasty: an observational prospective cohort study with a follow-up of 2 years. Monthly Notices of the Royal Astronomical Society: Letters, 2019, 90, 427-432.	3.3	25
25	Validation of adverse events after hip arthroplasty: a Swedish multi-centre cohort study. BMJ Open, 2019, 9, e023773.	1.9	6
26	Readmission and mortality in patients treated by interprofessional student teams at a training ward compared with patients receiving usual care: a retrospective cohort study. BMJ Open, 2018, 8, e022251.	1.9	11
27	Aseptic loosening after total hip arthroplasty and the risk of cardiovascular disease: A nested case-control study. PLoS ONE, 2018, 13, e0204391.	2.5	0
28	Tech-trends in orthopedics 2018. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 475-476.	3.3	5
29	Waiting time to surgery is correlated with an increased risk of serious adverse events during hospital stay in patients with hip-fracture: A cohort study. International Journal of Nursing Studies, 2017, 69, 91-97.	5.6	28
30	Primary tumor sites in relation to ultraviolet radiation exposure and skin visibility correlate with survival in cutaneous melanoma. International Journal of Cancer, 2017, 141, 1345-1354.	5.1	8
31	Artificial intelligence for analyzing orthopedic trauma radiographs. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 581-586.	3.3	307
32	A Prospective Observational Cohort Study on Orthopaedic and Anaesthetic Registrars Performing Femoral Nerve Block on Patients with an Acute Hip Fracture. Surgery Research and Practice, 2016, 2016, 1-5.	0.5	1
33	Is the use of antidepressants associated with patient-reported outcomes following total hip replacement surgery?. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 444-451.	3.3	21
34	Increased Long-Term Cardiovascular Risk After Total Hip Arthroplasty. Medicine (United States), 2016, 95, e2662.	1.0	17
35	Loss of offset after pertrochanteric hip fractures affects hip function oneÂyear after surgery with a short intramedullary nail. A prospective cohort study. International Orthopaedics, 2016, 40, 799-806.	1.9	12
36	Detailed anatomic site and melanoma prognosis: A population-based study of 6288 patients Journal of Clinical Oncology, 2016, 34, 9563-9563.	1.6	1

Max Gordon

#	Article	IF	CITATIONS
37	Time trends in incidence of cutaneous melanoma by detailed anatomical location and patterns of ultraviolet radiation exposure. Melanoma Research, 2015, 25, 348-356.	1.2	24
38	Standard Comorbidity Measures Do Not Predict Patient-reported Outcomes 1 Year After Total Hip Arthroplasty. Clinical Orthopaedics and Related Research, 2015, 473, 3370-3379.	1.5	59
39	Improved statistical analysis of pre- and post-treatment patient-reported outcome measures (PROMs): the applicability of piecewise linear regression splines. Quality of Life Research, 2015, 24, 567-573.	3.1	20
40	Variability of platelet aggregation in patients with clopidogrel treatment and hip fracture: A retrospective case-control study on 112 patients. World Journal of Orthopedics, 2015, 6, 439.	1.8	8
41	Validation of reoperations due to infection in the Swedish Hip Arthroplasty Register. BMC Musculoskeletal Disorders, 2014, 15, 384.	1.9	50
42	Projections of total hip replacement in Sweden from 2013 to 2030. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 238-243.	3.3	128
43	Different patient-reported outcomes in immigrants and patients born in Sweden. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 221-228.	3.3	11
44	Women in Charnley class C fail to improve in mobility to a higher degree after total hip replacement. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 335-341.	3.3	13
45	Deep Infection after Total Hip Replacement: A Method for National Incidence Surveillance. Infection Control and Hospital Epidemiology, 2014, 35, 1491-1496.	1.8	43
46	Education Attainment is Associated With Patient-reported Outcomes: Findings From the Swedish Hip Arthroplasty Register. Clinical Orthopaedics and Related Research, 2014, 472, 1868-1876.	1.5	68
47	Age- and health-related quality of life after total hip replacement. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 244-249.	3.3	45
48	No influence of immigrant background on the outcome of total hip arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2013, 84, 18-24.	3.3	7
49	Factors influencing health-related quality of life after total hip replacement - a comparison of data from the Swedish and Danish hip arthroplasty registers. BMC Musculoskeletal Disorders, 2013, 14, 316.	1.9	27
50	The influence of comorbidity scores on re-operations following primary total hip replacement. Bone and Joint Journal, 2013, 95-B, 1184-1191.	4.4	31
51	Molecular Epidemiology of Mycobacterium tuberculosis in Western Sweden. Journal of Clinical Microbiology, 2004, 42, 3046-3051.	3.9	41
52	Snapshot of Moving and Expanding Clones of <i>Mycobacterium tuberculosis</i> and Their Global Distribution Assessed by Spoligotyping in an International Study. Journal of Clinical Microbiology, 2003, 41, 1963-1970.	3.9	233
53	Global Distribution of Mycobacterium tuberculosis Spoligotypes. Emerging Infectious Diseases, 2002, 8, 1347-1349.	4.3	180
54	Methods used in the molecular epidemiology of tuberculosis. Clinical Microbiology and Infection, 2002, 8, 694-704.	6.0	48