Ann Bi Bremander

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6262859/publications.pdf

Version: 2024-02-01

68 1,335 17 35 papers citations h-index g-index

68 68 1839
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Measures of hip function and symptoms: Harris Hip Score (HHS), Hip Disability and Osteoarthritis Outcome Score (HOOS), Oxford Hip Score (OHS), Lequesne Index of Severity for Osteoarthritis of the Hip (LISOH), and American Academy of Orthopedic Surgeons (AAOS) Hip and Knee Questionnaire. Arthritis Care and Research, 2011, 63, S200-7.	3.4	366
2	Health status, physical activity, and orthorexia nervosa: A comparison between exercise science students and business students. Appetite, 2017, 109, 137-143.	3.7	89
3	Comparison of the Self-Reported Foot and Ankle Score (SEFAS) and the American Orthopedic Foot and Ankle Society Score (AOFAS). Foot and Ankle International, 2014, 35, 1031-1036.	2.3	66
4	Validity, reliability, and responsiveness of the Self-reported Foot and Ankle Score (SEFAS) in forefoot, hindfoot, and ankle disorders. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 187-194.	3.3	65
5	Differences in physical activity patterns in patients with spondylarthritis. Arthritis Care and Research, 2012, 64, 1886-1894.	3.4	55
6	Quality of life in patients with established rheumatoid arthritis: A phenomenographic study. SAGE Open Medicine, 2017, 5, 205031211771364.	1.8	50
7	Work productivity in a population-based cohort of patients with spondyloarthritis. Rheumatology, 2013, 52, 1708-1714.	1.9	43
8	Validation of the Rheumatoid and Arthritis Outcome Score (RAOS) for the lower extremity. Health and Quality of Life Outcomes, 2003, 1, 55.	2.4	41
9	Validation of the educational needs assessment tool as a generic instrument for rheumatic diseases in seven European countries. Annals of the Rheumatic Diseases, 2014, 73, 2122-2129.	0.9	37
10	Sleep problems and fatigue as predictors for the onset of chronic widespread pain over a 5- and 18-year perspective. BMC Musculoskeletal Disorders, 2018, 19, 390.	1.9	36
11	Smoking is associated with a worse self-reported health status in patients with psoriatic arthritis: data from a Swedish population-based cohort. Clinical Rheumatology, 2015, 34, 579-583.	2.2	32
12	The influence of lifestyle habits on quality of life in patients with established rheumatoid arthritis—A constant balancing between ideality and reality. International Journal of Qualitative Studies on Health and Well-being, 2016, 11, 30534.	1.6	29
13	Minimally important change, measurement error, and responsiveness for the Self-Reported Foot and Ankle Score. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 300-304.	3.3	28
14	Surgery for adult acquired flatfoot due to posterior tibial tendon dysfunction reduces pain, improves function and health related quality of life. Foot and Ankle Surgery, 2015, 21, 286-289.	1.7	27
15	Back pain and health status in patients with clinically diagnosed ankylosing spondylitis, psoriatic arthritis and other spondyloarthritis: a cross-sectional population-based study. BMC Musculoskeletal Disorders, 2016, 17, 106.	1.9	21
16	Perception of multimodal cognitive treatment for people with chronic widespread pain – Changing one's life plan. Disability and Rehabilitation, 2009, 31, 1996-2004.	1.8	20
17	A Swedish register-based, long-term inception cohort study of patients with rheumatoid arthritis – results of clinical relevance. Open Access Rheumatology: Research and Reviews, 2019, Volume 11, 207-217.	1.6	19
18	Risk factors for development and persistence of chronic widespread pain in spondyloarthritis: a population-based two-year follow-up study. Scandinavian Journal of Rheumatology, 2019, 48, 460-468.	1.1	18

#	Article	IF	CITATIONS
19	Educational needs in patients with spondyloarthritis in Sweden – a mixed-methods study. BMC Musculoskeletal Disorders, 2017, 18, 335.	1.9	17
20	Patient-reported outcome after hallux valgus surgery $\hat{a} \in \text{``a}$ a two year follow up. Foot and Ankle Surgery, 2019, 25, 478-481.	1.7	17
21	Chronic Pain and Assessment of Pain Sensitivity in Patients With Axial Spondyloarthritis: Results From the SPARTAKUS Cohort. Journal of Rheumatology, 2021, 48, 1672-1679.	2.0	17
22	Physical activity in established rheumatoid arthritis and variables associated with maintenance of physical activity over a seven-year period – a longitudinal observational study. BMC Rheumatology, 2020, 4, 53.	1.6	15
23	Predictors of severe self-reported disability in RA in a long-term follow-up study. Disability and Rehabilitation, 2015, 37, 686-691.	1.8	14
24	Prevalence of chronic widespread pain in a population-based cohort of patients with spondyloarthritis $\hat{a} \in \text{``a cross-sectional study. BMC Rheumatology, 2018, 2, 11.}$	1.6	13
25	Worse health status, sleeping problems, and anxiety in 16-year-old students are associated with chronic musculoskeletal pain at three-year follow-up. BMC Public Health, 2019, 19, 1565.	2.9	12
26	Aerobic exercise for adolescent outpatients with persistent major depression: Feasibility and acceptability of moderate to vigorous group exercise in a clinically referred sample. Clinical Child Psychology and Psychiatry, 2021, 26, 954-967.	1.6	12
27	Joy of living through exercise - a qualitative study of clinically referred adolescents' experiences of moderate to vigorous exercise as treatment for depression. Nordic Journal of Psychiatry, 2021, 75, 574-581.	1.3	12
28	Foot and Ankle Problems in Patients With Rheumatoid Arthritis in 2019: Still an Important Issue. ACR Open Rheumatology, 2021, 3, 396-402.	2.1	12
29	Discussions of lifestyle habits as an integral part of care management: a cross-sectional cohort study in patients with established rheumatoid arthritis in Sweden. Rheumatology Advances in Practice, 2019, 3, rkz039.	0.7	11
30	<p>"Mastering a New Life Situation―– Patients' Preferences of Treatment Outcomes in Early Rheumatoid Arthritis – A Longitudinal Qualitative Study</p> . Patient Preference and Adherence, 2020, Volume 14, 1421-1433.	1.8	11
31	Lifestyle factors in patients with rheumatoid arthritisâ€"a cross-sectional study on two Scandinavian cohorts. Clinical Rheumatology, 2022, 41, 387-398.	2.2	11
32	Validation of outcome measurement instruments used in a multidisciplinary rehabilitation intervention for patients with chronic inflammatory arthritis: Linking of the International Classification of Functioning, Disability and Health, construct validity and responsiveness to change. Journal of Rehabilitation Medicine, 2011, 43, 411-419.	1.1	10
33	Arthritis management in primary care – A study of physiotherapists' current practice, educational needs and adherence to national guidelines. Musculoskeletal Care, 2017, 15, 333-340.	1.4	10
34	High-quality RMD rehabilitation and telehealth: Evidence and clinical practice. Best Practice and Research in Clinical Rheumatology, 2020, 34, 101513.	3.3	10
35	What do patients prefer? A multinational, longitudinal, qualitative study on patient-preferred treatment outcomes in early rheumatoid arthritis. RMD Open, 2020, 6, e001339.	3.8	9
36	Prognostic factors for change in self-reported anxiety and depression in spondyloarthritis patients: data from the population-based SpAScania cohort from southern Sweden. Scandinavian Journal of Rheumatology, 2018, 47, 185-193.	1.1	8

3

#	Article	IF	CITATIONS
37	Musculoskeletal pain and its association with maturity and sports performance in 14-year-old sport school students. BMJ Open Sport and Exercise Medicine, 2018, 4, e000395.	2.9	8
38	Importance of Measuring Hand and Foot Function Over the Disease Course in Rheumatoid Arthritis: An Eightâ€Year Followâ€Up Study. Arthritis Care and Research, 2019, 71, 166-172.	3.4	8
39	Adolescents' Experiences of Facilitators for and Barriers to Maintaining Exercise 12 Months after a Group-Based Intervention for Depression. International Journal of Environmental Research and Public Health, 2021, 18, 5427.	2.6	8
40	Patient Empowerment and Associations with Disease Activity and Painâ€Related and Lifestyle Factors in Patients With Rheumatoid Arthritis. ACR Open Rheumatology, 2021, 3, 842-849.	2.1	8
41	European Qualitative research project on Patient-preferred outcomes in Early Rheumatoid Arthritis (EQPERA): rationale, design and methods of a multinational, multicentre, multilingual, longitudinal qualitative study. BMJ Open, 2019, 9, e023606.	1.9	6
42	Cultural Adaptation, Validity, Reliability and Responsiveness of the Swedish Version of the Effective Musculoskeletal Consumer Scale (ECâ€17). Musculoskeletal Care, 2012, 10, 43-50.	1.4	5
43	Spinal Mobility in Axial Spondyloarthritis: A Crossâ€Sectional Clinical Study. Musculoskeletal Care, 2017, 15, 36-48.	1.4	5
44	Development and application of a questionnaire to self-rate physical work demands for ground combat soldiers. Applied Ergonomics, 2020, 83, 103002.	3.1	5
45	The educational needs of patients with undifferentiated spondyloarthritis: Validation of the ENAT questionnaire and needs assessment. Musculoskeletal Care, 2018, 16, 313-317.	1.4	4
46	Perceived challenges at work and need for professional support among people with inflammatory arthritis – A qualitative interview study. Scandinavian Journal of Occupational Therapy, 2023, 30, 640-649.	1.7	4
47	Adolescents' Long-Term Experiences of Manageability, Comprehensibility, and Meaningfulness of a Group-Based Exercise Intervention for Depression. International Journal of Environmental Research and Public Health, 2022, 19, 2894.	2.6	4
48	Musculoskeletal pain and its association with health status, maturity, and sports performance in adolescent sport school students: a 2-year follow-up. BMC Sports Science, Medicine and Rehabilitation, 2022, 14, 43.	1.7	3
49	Cardiorespiratory responses of load carriage in female and male soldiers. Applied Ergonomics, 2022, 101, 103710.	3.1	2
50	AB0693â€Chronic Widespread Pain is Common in Ankylosing Spondylitis and Undifferentiated Spondyloarthritis and Strongly Explains Impaired Self-Reported Quality of Life, Disease Activity, Function and Self-Efficacy. Annals of the Rheumatic Diseases, 2014, 73, 1033.4-1034.	0.9	1
51	Physiological Demands and Characteristics of Movement During Simulated Combat. Military Medicine, 0, , .	0.8	1
52	SAT0597â€Course and Outcome of Rehabilitation Care in Different Rheumatological Diagnosis Groups. A Descriptive Study using the Star-Etic Registry Annals of the Rheumatic Diseases, 2013, 72, A784.3-A785.	0.9	0
53	FRIO136â€Duration between Symptom Onset and Spondyloarthritis Diagnosis – Changes over A Decade. Annals of the Rheumatic Diseases, 2014, 73, 431.1-431.	0.9	0
54	AB0716â€Disease Severity as Measured by PROMS or Need for Second Line Treatment in Inflammatory Bowel Disease Associated Arthropathy: Comparison to Other Spondyloarthritis Subgroups. Annals of the Rheumatic Diseases, 2014, 73, 1040.3-1040.	0.9	0

#	Article	IF	CITATIONS
55	AB0717â€Inflammatory Bowel Disease Associated Arthropathy: Characteristics of the Disease and Validity of Diagnoses Based on Icd-Coding in Sweden. Annals of the Rheumatic Diseases, 2014, 73, 1041.1-1041.	0.9	0
56	OP0258-HPRâ€Self-Reported Disease Characteristics do not Explain Why Younger Women with SPA Are Less Physically Active than Older Women with the Disease. Annals of the Rheumatic Diseases, 2014, 73, 159.1-159.	0.9	О
57	THU0628-HPRâ€Lifestyle Habits Relates to Quality of Life in Patient with Longstanding Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2015, 74, 1318.3-1318.	0.9	O
58	SAT0397â€Risk factors for development and persistence of chronic widespread pain, in ankylosing spondylitis and undifferentiated spondyloarthritis. , 2017, , .		0
59	SAT0731-HPRâ€Symptoms of pain, fatigue and self-efficacy in young patients with spondyloarthritis – a comparison between women and men. , 2017, , .		0
60	SATO726-HPRâ€Functional impairment in patients with ra in an eight year perspective. , 2017, , .		0
61	FRIO436â€Chronic pain in patients with established axial spondyloarthritis and assessment of pain sensitivity by computerized pneumatic cuff pressure algometry: results from the spartakus cohort. , 2017, , .		o
62	AB1199-HPRâ€Improving triage to appropriate treatment level by using a combination of screening tools in patients at risk of developing chronic back pain. , 2017, , .		0
63	THU0701-HPRâ€â€œTO REGAIN ONE'S HEALTH―â€" PATIENTS' PREFERENCES OF TREATMENT OUTCO RHEUMATOID ARTHRITIS â€" A QUALITATIVE STUDY. , 2019, , .	DMES IN E	ARLY
64	POS1479-HPRâ€PATIENTS' PERCEPTIONS OF PERSON-CENTRED CARE IN EARLY RA: A QUALITATIVE STUDY. of the Rheumatic Diseases, 2021, 80, 1024.2-1024.	Annals	0
65	Patients' Perceptions of Person entered Care in Early Rheumatoid Arthritis: A Qualitative Study. ACR Open Rheumatology, 2021, 3, 788-795.	2.1	O
66	OP0361-HPRâ \in Sleeping problems and anxiety is associated to chronic multisite musculoskeletal pain in swedish high school students. , 2018, , .		0
67	OPO336-HPRâ€RISK FACTORS FOR PERSISTENCE AND DEVELOPMENT OF FREQUENT MUSCULOSKELETAL PAIN ADOLESCENT ATHLETES. Annals of the Rheumatic Diseases, 2020, 79, 206.2-206.	IN 0.9	О
68	A combination of two or more unhealthy lifestyle factors is associated with impaired physical and mental health in patients with spondyloarthritis: a cross-sectional study. BMC Rheumatology, 2022, 6, .	1.6	0

5