

# Norifumi Harimoto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6264578/publications.pdf>

Version: 2024-02-01

142  
papers

2,897  
citations

257101

24  
h-index

197535

49  
g-index

142  
all docs

142  
docs citations

142  
times ranked

4438  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Longterm Favorable Results of Limited Hepatic Resections for Patients with Hepatocellular Carcinoma: 20 Years of Experience. <i>Journal of the American College of Surgeons</i> , 2007, 205, 19-26.   | 0.2 | 363       |
| 2  | Preoperative Neutrophil-to-Lymphocyte Ratio Is a Predictor of Survival After Hepatectomy for Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2013, 258, 301-305.   | 2.1 | 285       |
| 3  | Sarcopenia is a prognostic factor in living donor liver transplantation. <i>Liver Transplantation</i> , 2014, 20, 401-407.  | 1.3 | 243       |
| 4  | Trends in Morbidity and Mortality after Hepatic Resection for Hepatocellular Carcinoma: An Institute's Experience with 625 Patients. <i>Journal of the American College of Surgeons</i> , 2007, 204, 580-587.   | 0.2 | 158       |
| 5  | Sarcopenia is a poor prognostic factor following hepatic resection in patients aged 70 years and older with hepatocellular carcinoma. <i>Hepatology Research</i> , 2016, 46, 1247-1255.   | 1.8 | 86        |
| 6  | Prognostic Significance of Preoperative Controlling Nutritional Status (CONUT) Score in Patients Undergoing Hepatic Resection for Hepatocellular Carcinoma: A Multi-institutional Study. <i>Annals of Surgical Oncology</i> , 2018, 25, 3316-3323.                                    | 0.7 | 85        |
| 7  | Hepatic stellate cells secreting WFA <sup>+</sup> M2BP: Its role in biological interactions with Kupffer cells. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 1387-1393.  | 1.4 | 71        |
| 8  | Long-Term Favorable Surgical Results of Laparoscopic Hepatic Resection for Hepatocellular Carcinoma in Patients with Cirrhosis: A Single-Center Experience over a 10-Year Period. <i>Journal of the American College of Surgeons</i> , 2014, 219, 1117-1123.                          | 0.2 | 59        |
| 9  | Prognostic Factors Affecting Survival at Recurrence of Hepatocellular Carcinoma After Living-Donor Liver Transplantation. <i>Transplantation</i> , 2013, 96, 1008-1012.   | 0.5 | 56        |
| 10 | Left lobe living donor liver transplantation in adults: What is the safety limit?. <i>Liver Transplantation</i> , 2016, 22, 1666-1675.  | 1.3 | 53        |
| 11 | Comparative Study of Living and Deceased Donor Liver Transplantation as a Treatment for Hepatocellular Carcinoma. <i>Journal of the American College of Surgeons</i> , 2015, 220, 297-304e3.  | 0.2 | 50        |
| 12 | Postoperative complications are predictive of poor prognosis in hepatocellular carcinoma. <i>Journal of Surgical Research</i> , 2015, 199, 470-477.   | 0.8 | 50        |
| 13 | Prognostic Significance of Preoperative Controlling Nutritional Status (CONUT) Score in Patients Undergoing Hepatic Resection for Hepatocellular Carcinoma. <i>World Journal of Surgery</i> , 2017, 41, 2805-2812.  | 0.8 | 49        |
| 14 | Nintedanib inhibits intrahepatic cholangiocarcinoma aggressiveness via suppression of cytokines extracted from activated cancer-associated fibroblasts. <i>British Journal of Cancer</i> , 2020, 122, 986-994.  | 2.9 | 44        |
| 15 | Optimizing Risk Stratification in Portal Vein Thrombosis after Splenectomy and its Primary Prophylaxis with Antithrombin III Concentrates and Danaparoid Sodium in Liver Cirrhosis with Portal Hypertension. <i>Journal of the American College of Surgeons</i> , 2014, 219, 865-874. | 0.2 | 43        |
| 16 | Profile of plasma amino acids values as a predictor of sepsis in patients following living donor liver transplantation: Special reference to sarcopenia and postoperative early nutrition. <i>Hepatology Research</i> , 2015, 45, 1170-1177.  | 1.8 | 43        |
| 17 | Functional remnant liver volumetry using Gd-EOB-DTPA-enhanced magnetic resonance imaging (MRI) predicts post-hepatectomy liver failure in resection of more than one segment. <i>Hpb</i> , 2020, 22, 318-327.   | 0.1 | 37        |
| 18 | Surgical results for recurrent hepatocellular carcinoma after curative hepatectomy: Repeat hepatectomy versus salvage living donor liver transplantation. <i>Liver Transplantation</i> , 2015, 21, 961-968.   | 1.3 | 36        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Functional remnant liver assessment predicts liver-related morbidity after hepatic resection in patients with hepatocellular carcinoma. <i>Hepatology Research</i> , 2017, 47, 398-404.  | 1.8 | 31        |
| 20 | Effect of Sarcopenic Obesity on Outcomes of Living-Donor Liver Transplantation for Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2016, 36, 3029-34.   | 0.5 | 30        |
| 21 | The prognostic impact of programmed cell death ligand 1 and human leukocyte antigen class I in pancreatic cancer. <i>Cancer Medicine</i> , 2017, 6, 1614-1626.   | 1.3 | 28        |
| 22 | Conophylline suppresses pancreatic cancer desmoplasia and cancer-promoting cytokines produced by cancer-associated fibroblasts. <i>Cancer Science</i> , 2019, 110, 334-344.  | 1.7 | 28        |
| 23 | Laparoscopic Splenectomy with Technical Standardization and Selection Criteria for Standard or Hand-Assisted Approach in 390 Patients with Liver Cirrhosis and Portal Hypertension. <i>Journal of the American College of Surgeons</i> , 2015, 221, 354-366. | 0.2 | 27        |
| 24 | Relevance of microRNA-18a and microRNA-19a-5p to hepatocellular carcinoma recurrence after living donor liver transplantation. <i>Liver Transplantation</i> , 2016, 22, 665-676.   | 1.3 | 26        |
| 25 | Prognostic significance of neutrophil-lymphocyte ratio in resectable pancreatic neuroendocrine tumors with special reference to tumor-associated macrophages. <i>Pancreatology</i> , 2019, 19, 897-902.  | 0.5 | 26        |
| 26 | MicroRNA-125b expression and intrahepatic metastasis are predictors for early recurrence after hepatocellular carcinoma resection. <i>Hepatology Research</i> , 2018, 48, 313-321.   | 1.8 | 25        |
| 27 | Prognostic significance of combined albumin-bilirubin and tumor-node-metastasis staging system in patients who underwent hepatic resection for hepatocellular carcinoma. <i>Hepatology Research</i> , 2017, 47, 1289-1298.                                   | 1.8 | 23        |
| 28 | Significance of Lymph Node Metastasis in Resectable Well-differentiated Pancreatic Neuroendocrine Tumor. <i>Pancreas</i> , 2019, 48, 943-947.  | 0.5 | 23        |
| 29 | Chronic hepatitis E virus infection after living donor liver transplantation via blood transfusion: a case report. <i>Surgical Case Reports</i> , 2016, 2, 32.   | 0.2 | 21        |
| 30 | Skeletal muscle mass assessed by computed tomography correlates to muscle strength and physical performance at a liver-related hospital experience. <i>Hepatology Research</i> , 2016, 46, 292-297.  | 1.8 | 21        |
| 31 | Shape and Enhancement Characteristics of Pancreatic Neuroendocrine Tumor on Preoperative Contrast-enhanced Computed Tomography May be Prognostic Indicators. <i>Annals of Surgical Oncology</i> , 2017, 24, 1399-1405.                                       | 0.7 | 21        |
| 32 | Pleural Effusion After Hepatectomy for Hepatocellular Carcinoma: Risk Factor Analyses and Its Impact on Oncological Outcomes. <i>World Journal of Surgery</i> , 2017, 41, 1089-1099.   | 0.8 | 21        |
| 33 | Impact of preoperative nutritional support and rehabilitation therapy in patients undergoing pancreaticoduodenectomy. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1698-1706.   | 1.0 | 21        |
| 34 | Outcomes of adult-to-adult living donor liver transplantation in 321 recipients. <i>Liver Transplantation</i> , 2016, 22, 305-315.   | 1.3 | 20        |
| 35 | Graft selection strategy in adult-to-adult living donor liver transplantation: When both hemiliver grafts meet volumetric criteria. <i>Liver Transplantation</i> , 2016, 22, 914-922.  | 1.3 | 20        |
| 36 | Impact of Splenic Volume and Splenectomy on Prognosis of Hepatocellular Carcinoma Within Milan Criteria After Curative Hepatectomy. <i>World Journal of Surgery</i> , 2018, 42, 1120-1128.   | 0.8 | 20        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Mac-2-binding protein glycan isomer enhances the aggressiveness of hepatocellular carcinoma by activating mTOR signaling. <i>British Journal of Cancer</i> , 2020, 123, 1145-1153.                                     | 2.9 | 20        |
| 38 | Inflammation-based Prognostic Score in Patients with Living Donor Liver Transplantation for Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2016, 36, 5537-5542.  | 0.5 | 20        |
| 39 | Favorable Outcomes of Hepatectomy for Ruptured Hepatocellular Carcinoma: Retrospective Analysis of Primary R0-Hepatectomized Patients. <i>Anticancer Research</i> , 2016, 36, 379-85.                                  | 0.5 | 19        |
| 40 | Diverse Basis of $\beta$ -Catenin Activation in Human Hepatocellular Carcinoma: Implications in Biology and Prognosis. <i>PLoS ONE</i> , 2016, 11, e0152695.   | 1.1 | 18        |
| 41 | p62 Promotes Amino Acid Sensitivity of mTOR Pathway and Hepatic Differentiation in Adult Liver Stem/Progenitor Cells. <i>Journal of Cellular Physiology</i> , 2017, 232, 2112-2124.                                    | 2.0 | 18        |
| 42 | The role of heat shock protein 27 expression in hepatocellular carcinoma in Japan: special reference to the difference between hepatitis B and C. <i>Liver International</i> , 2004, 24, 316-321.                      | 1.9 | 17        |
| 43 | Clinicopathologic Features and Outcomes of Non-B, Non-C Hepatocellular Carcinoma After Hepatectomy. <i>Annals of Surgical Oncology</i> , 2015, 22, 1116-1124.  | 0.7 | 17        |
| 44 | Living donor liver transplantation for hepatocellular carcinoma: results of prospective patient selection by Kyushu University Criteria in 7 years. <i>Hpb</i> , 2017, 19, 1082-1090.                                  | 0.1 | 17        |
| 45 | Surgery for Hepatocellular Carcinoma in Patients with Child-Pugh B Cirrhosis: Hepatic Resection Versus Living Donor Liver Transplantation. <i>World Journal of Surgery</i> , 2018, 42, 2606-2616.                      | 0.8 | 17        |
| 46 | Small Upper Midline Incision for Living Donor Hemi-Liver Graft Procurement in Adults. <i>Journal of the American College of Surgeons</i> , 2014, 219, e39-e43.   | 0.2 | 16        |
| 47 | Predictors of intrahepatic multiple recurrences after curative hepatectomy for hepatocellular carcinoma. <i>Anticancer Research</i> , 2015, 35, 3061-6.  | 0.5 | 15        |
| 48 | The newly established human hepatocyte cell line: application for the bioartificial liver. <i>Journal of Hepatology</i> , 2005, 42, 557-564.   | 1.8 | 14        |
| 49 | Histological architectural classification determines recurrence pattern and prognosis after curative hepatectomy in patients with hepatocellular carcinoma. <i>PLoS ONE</i> , 2018, 13, e0203856.                      | 1.1 | 14        |
| 50 | Skeletal Muscle Volume and Intramuscular Adipose Tissue Are Prognostic Predictors of Postoperative Complications After Hepatic Resection. <i>Anticancer Research</i> , 2018, 38, 4933-4939.                            | 0.5 | 14        |
| 51 | Indocyanine Green Fluorescent Imaging for Hepatic Resection of the Right Hepatic Vein Drainage Area. <i>Journal of the American College of Surgeons</i> , 2015, 221, e49-e53.  | 0.2 | 13        |
| 52 | Conophylline Inhibits Hepatocellular Carcinoma by Inhibiting Activated Cancer-associated Fibroblasts Through Suppression of G Protein-coupled Receptor 68. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 1019-1028. | 1.9 | 13        |
| 53 | Preoperative Pancreatic Stiffness by Real-time Tissue Elastography to Predict Pancreatic Fistula After Pancreaticoduodenectomy. <i>Anticancer Research</i> , 2017, 37, 1909-1915.                                      | 0.5 | 13        |
| 54 | Preoperative Mac-2 binding protein glycosylation isomer level predicts postoperative ascites in patients with hepatic resection for hepatocellular carcinoma. <i>Hepatology Research</i> , 2019, 49, 1398-1405.        | 1.8 | 12        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | High Co-expression of Large Tenascin C Splice Variants in Stromal Tissue and Annexin A2 in Cancer Cell Membranes is Associated with Poor Prognosis in Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2020, 27, 924-930. | 0.7 | 12        |
| 56 | The impact of donor liver allograft fibrosis on patients undergoing liver transplantation. <i>Clinical Transplantation</i> , 2018, 32, e13187.   | 0.8 | 11        |
| 57 | Long-term outcome of living-donor liver transplantation for combined hepatocellular-cholangiocarcinoma. <i>Anticancer Research</i> , 2015, 35, 2475-6.   | 0.5 | 11        |
| 58 | The learning curves in living donor hemiliver graft procurement using small upper midline incision. <i>Clinical Transplantation</i> , 2016, 30, 1532-1537.   | 0.8 | 10        |
| 59 | A Cohort Study for Derivation and Validation of Early Detection of Pancreatic Fistula After Pancreaticoduodenectomy. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 385-391.   | 0.9 | 10        |
| 60 | Efficiency of regional functional liver volume assessment using Gd-EOB-DTPA-enhanced magnetic resonance imaging for hepatocellular carcinoma with portal vein tumor thrombus. <i>Surgery Today</i> , 2020, 50, 1496-1506.        | 0.7 | 10        |
| 61 | Laparoscopic Liver Resection Is a Feasible Treatment for Patients with Hepatocellular Carcinoma and Portal Hypertension. <i>Anticancer Research</i> , 2016, 36, 3489-97.   | 0.5 | 10        |
| 62 | Use of internal jugular vein grafts in reconstructing multiple venous orifices of right hepatic grafts without the middle hepatic vein trunk. <i>Liver Transplantation</i> , 2017, 23, 110-116.                                  | 1.3 | 9         |
| 63 | Albumin <sup>65</sup> Indocyanine Green Evaluation (ALICE) grade predicts bile leakage after hepatic resection. <i>Surgery Today</i> , 2020, 50, 849-854.  | 0.7 | 9         |
| 64 | Preemptive Thoracic Drainage to Eradicate Postoperative Pulmonary Complications after Living Donor Liver Transplantation. <i>Journal of the American College of Surgeons</i> , 2014, 219, 1134-1142e2.                           | 0.2 | 8         |
| 65 | Liver transplantation for cryptogenic liver failure caused by diffuse hepatic angiosarcoma: case report. <i>Surgical Case Reports</i> , 2017, 3, 21.   | 0.2 | 8         |
| 66 | The prevalence of transpancreatic common hepatic artery and coexisting variant anatomy. <i>Clinical Anatomy</i> , 2018, 31, 598-604.   | 1.5 | 8         |
| 67 | Multiple hepatic sclerosing hemangiomas: a case report and review of the literature. <i>Surgical Case Reports</i> , 2018, 4, 60.   | 0.2 | 8         |
| 68 | A new strategy based on fluorodeoxyglucose <sup>18</sup> positron emission tomography for managing liver metastasis from colorectal cancer. <i>Journal of Surgical Oncology</i> , 2018, 118, 1088-1095.                          | 0.8 | 8         |
| 69 | FDG-PET reflects tumor viability on SUV in colorectal cancer liver metastasis. <i>International Journal of Clinical Oncology</i> , 2020, 25, 322-329.  | 1.0 | 8         |
| 70 | Diffusion <sup>19</sup> Weighted MRI Predicts Lymph Node Metastasis and Tumor Aggressiveness in Resectable Pancreatic Neuroendocrine Tumors. <i>World Journal of Surgery</i> , 2020, 44, 4136-4141.                              | 0.8 | 8         |
| 71 | Customization of laparoscopic gastric devascularization and splenectomy for gastric varices based on CT vascular anatomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 114-126.                     | 1.3 | 8         |
| 72 | Potential effect of recombinant thrombomodulin on ischemia <sup>66</sup> reperfusion liver injury in rats. <i>Hepatology Research</i> , 2018, 48, 391-396.   | 1.8 | 8         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Surgical Resection for Lymph Node Metastasis After Liver Transplantation for Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2017, 37, 891-896.  | 0.5 | 8         |
| 74 | Risk factors for hepatitis B virus recurrence after living donor liver transplantation: A 17-year experience at a single center. <i>Hepatology Research</i> , 2015, 45, 1203-1210.  | 1.8 | 7         |
| 75 | Telaprevir versus simeprevir for the treatment of recurrent hepatitis C after living donor liver transplantation. <i>Hepatology Research</i> , 2016, 46, E136-45.   | 1.8 | 7         |
| 76 | The evolution of surgical treatment for gastrointestinal cancers. <i>International Journal of Clinical Oncology</i> , 2019, 24, 1333-1349.  | 1.0 | 7         |
| 77 | Hepatic stellate cell as a Mac-2-binding protein-producing cell in patients with liver fibrosis. <i>Hepatology Research</i> , 2021, 51, 1058-1063.  | 1.8 | 7         |
| 78 | Laparoscopic intraperitoneal mesh repair of <sc>S</sc> pigelian hernia: A case report. <i>Asian Journal of Endoscopic Surgery</i> , 2015, 8, 477-479.   | 0.4 | 6         |
| 79 | Surgical Treatment and Outcome of Patients with De Novo Lung Cancer After Liver Transplantation. <i>Anticancer Research</i> , 2017, 37, 2619-2623.  | 0.5 | 6         |
| 80 | Significance of zinc deficiency in patients with hepatocellular carcinoma undergoing hepatic resection. <i>Hepatology Research</i> , 2022, 52, 210-220.   | 1.8 | 6         |
| 81 | Surgical Results of Pancreaticoduodenectomy for Pancreatic Ductal Adenocarcinoma: a Multi-institutional Retrospective Study of 174 patients. <i>Anticancer Research</i> , 2016, 36, 2407-12.                                | 0.5 | 6         |
| 82 | Suppression of silent information regulator 1 activity in noncancerous tissues of hepatocellular carcinoma: Possible association with non-B non-C hepatitis pathogenesis. <i>Cancer Science</i> , 2015, 106, 542-549.       | 1.7 | 5         |
| 83 | Fairly rare clear cell adenocarcinoma mimicking liver cancer: a case report. <i>Surgical Case Reports</i> , 2018, 4, 97.  | 0.2 | 5         |
| 84 | Slow Gait Speed Is a Risk Factor for Complications After Hepatic Resection. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 1810-1816.   | 0.9 | 5         |
| 85 | Hepatic resection for the right hepatic vein drainage area with indocyanine green fluorescent imaging navigation. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 371-379.                                 | 1.4 | 5         |
| 86 | Unclassified hepatocellular adenoma with histological brown pigment deposition and serum PIVKA-II level elevation: a case report. <i>Surgical Case Reports</i> , 2020, 6, 94.   | 0.2 | 5         |
| 87 | Long-term survival of two patients with pancreatic cancer after resection of liver and lung oligometastases: a case report. <i>Surgical Case Reports</i> , 2020, 6, 309.  | 0.2 | 5         |
| 88 | Surgical Resection of Giant Pheochromocytomas Arising Behind the Retrohepatic Inferior Vena Cava. <i>Anticancer Research</i> , 2017, 37, 277-280.   | 0.5 | 5         |
| 89 | Impact of Metabolic Parameters of <sup>18</sup> F-Fluorodeoxyglucose Positron-emission Tomography After Hepatic Resection in Patients With Intrahepatic Cholangiocarcinoma. <i>Anticancer Research</i> , 2019, 39, 971-977. | 0.5 | 5         |
| 90 | Impact of Recombinant Human Soluble Thrombomodulin for Disseminated Intravascular Coagulation. <i>Anticancer Research</i> , 2016, 36, 2493-6.   | 0.5 | 5         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Successful treatment of isolated bile leakage after hepatectomy combination therapy with percutaneous transhepatic portal embolization and bile duct ablation with ethanol: a case report. <i>Surgical Case Reports</i> , 2018, 4, 61.                | 0.2 | 4         |
| 92  | Optimal indications for an intercostal port for the superior segments in laparoscopic partial liver resection. <i>Asian Journal of Endoscopic Surgery</i> , 2020, 13, 382-389.  | 0.4 | 4         |
| 93  | Predictors of Postoperative Ascites After Hepatic Resection in Patients With Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2020, 40, 4343-4349.  | 0.5 | 4         |
| 94  | D-Dimer Could Be a Surrogate Postoperative Prognostic Marker of Resectable Pancreatic Cancer. <i>Pancreas</i> , 2020, 49, e36-e38.  | 0.5 | 4         |
| 95  | Liver metastasis from papillary thyroid carcinoma treated by laparoscopic hepatectomy 43 years after resection of the primary tumor: a case report. <i>Surgical Case Reports</i> , 2020, 6, 142.  | 0.2 | 4         |
| 96  | Living Donor Liver Transplantation for Hepatocellular Carcinoma within Milan Criteria in the Present Era. <i>Anticancer Research</i> , 2016, 36, 439-45.  | 0.5 | 4         |
| 97  | The ratio of creatinine and cystatin C estimated glomerular filtration rates as a surrogate marker in patients with hepatocellular carcinoma undergoing hepatic resection. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 964-973.  | 1.4 | 4         |
| 98  | Cystic Liver Infection after Living Donor Liver Transplantation: A Case Report. <i>Case Reports in Gastroenterology</i> , 2014, 8, 169-174.   | 0.3 | 3         |
| 99  | Liver resection with right hepatic vein reconstruction using the internal jugular vein: a case report. <i>Surgical Case Reports</i> , 2016, 2, 132.   | 0.2 | 3         |
| 100 | Associations between antibody to hepatitis B core antigen positivity and outcomes in hepatocellular carcinoma patients undergoing hepatic resection. <i>Hepatology Research</i> , 2018, 48, E155-E161.  | 1.8 | 3         |
| 101 | Peritransplant kinetics of Mac-2-binding protein glycosylation isomer levels in living donor liver transplantation: its implication of posttransplant small-for-size syndrome. <i>Translational Gastroenterology and Hepatology</i> , 2019, 4, 41-41. | 1.5 | 3         |
| 102 | Global standardization of laparoscopic liver resection and challenges for the future. <i>Hepatobiliary Surgery and Nutrition</i> , 2019, 8, 386-388.  | 0.7 | 3         |
| 103 | Splenectomy as Flow Modulation Strategy and Risk Factors of De Novo Portal Vein Thrombosis in Adult Living Donor Liver Transplantation. <i>Liver Transplantation</i> , 2019, 25, 1281-1283.   | 1.3 | 3         |
| 104 | Evaluation of KRAS Mutation Status in a Patient With Concomitant Pancreatic Neuroendocrine Neoplasm and Intraductal Papillary Mucinous Neoplasm. <i>Pancreas</i> , 2019, 48, e34-e35.   | 0.5 | 3         |
| 105 | Association between intraoperative and postoperative epidural or intravenous patient-controlled analgesia and pancreatic fistula after distal pancreatectomy. <i>Surgery Today</i> , 2021, 51, 276-284.   | 0.7 | 3         |
| 106 | FDG-PET for preoperative evaluation of tumor invasion in ampullary cancer: A retrospective analysis. <i>Journal of Surgical Oncology</i> , 2021, 124, 317-323.  | 0.8 | 3         |
| 107 | Prediction with functional liver volume assessment to achieve the resection limit after portal vein embolization in patients scheduled major hepatectomy. <i>Hpb</i> , 2021, , .  | 0.1 | 3         |
| 108 | Skeletal Muscle Loss and Octogenarian Status Are Associated with S-1 Adjuvant Therapy Discontinuation and Poor Prognosis after Pancreatectomy. <i>Cancers</i> , 2021, 13, 4105.   | 1.7 | 3         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Impact and Prediction of Lymph Node Involvement in Patients with Intrahepatic Cholangiocarcinoma After Curative Resection. <i>Anticancer Research</i> , 2017, 37, 3763-3769.   | 0.5 | 3         |
| 110 | Outcomes After Laparoscopic Hepatectomy in the Semi-prone Position for Hepatocellular Carcinoma Located in Segment 6, 7, or 8. <i>Anticancer Research</i> , 2015, 35, 4167-70.   | 0.5 | 3         |
| 111 | Pancreatic Transection Using Tape Sling and Ultrasonic Aspirator Dissection Technique in Pancreaticoduodenectomy and Distal Pancreatectomy. <i>Journal of the American College of Surgeons</i> , 2015, 221, e91-e95.               | 0.2 | 2         |
| 112 | Efficacy of recombinant thrombomodulin for DIC after deceased donor liver transplantation: a case report. <i>Surgical Case Reports</i> , 2016, 2, 81.  | 0.2 | 2         |
| 113 | Living donor liver transplantation for intrahepatic arteriovenous fistula with hepatic artery reconstruction using the right gastroepiploic artery. <i>Liver Transplantation</i> , 2016, 22, 552-556.                              | 1.3 | 2         |
| 114 | Graft reduction using a powered stapler in pediatric living donor liver transplantation. <i>Pediatric Transplantation</i> , 2017, 21, e12985.  | 0.5 | 2         |
| 115 | Successful resection of intrahepatic cholangiocarcinoma with idiopathic thrombocytopenic purpura using thrombopoietin receptor agonist: a case report. <i>Surgical Case Reports</i> , 2019, 5, 56.                                 | 0.2 | 2         |
| 116 | Hepatic pleomorphic leiomyosarcoma after surgery for gastric gastrointestinal stromal tumor: a case report. <i>Surgical Case Reports</i> , 2019, 5, 62.  | 0.2 | 2         |
| 117 | Unclassified hepatocellular adenoma with beta-catenin mutation: a case report. <i>Surgical Case Reports</i> , 2021, 7, 46.   | 0.2 | 2         |
| 118 | Systematic review of resectable intraductal tubulopapillary neoplasm with special reference to recurrence patterns. <i>Surgery Today</i> , 2022, 52, 532-541.  | 0.7 | 2         |
| 119 | Fairly rare small-diameter hepatocellular carcinoma with right adrenal gland metastasis having an inferior vena cava tumor thrombus: a case report. <i>Surgical Case Reports</i> , 2019, 5, 170.                                   | 0.2 | 2         |
| 120 | Study on the portal ramification pattern of the right anterior sector of the liver and a unique medial branch (PV8c) of the right anterior portal vein. <i>Annals of Gastroenterological Surgery</i> , 2022, 6, 679-687.           | 1.2 | 2         |
| 121 | A long survivor with local relapse of hilar cholangiocarcinoma after R1 surgery treated with chemoradiotherapy: a case report and literature review. <i>Surgical Case Reports</i> , 2016, 2, 69.                                   | 0.2 | 1         |
| 122 | The use of left grafts with a replaced or accessory left hepatic artery in adult-to-adult living donor liver transplantation: analyses of donor and recipient outcomes. <i>Clinical Transplantation</i> , 2016, 30, 1021-1027.     | 0.8 | 1         |
| 123 | Prediction of 30-day mortality after emergency surgery for colorectal perforation. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2017, 49, 89-94.  | 0.3 | 1         |
| 124 | Direct Bilirubin in Drainage Fluid 3 days after Hepatectomy Is Useful for Detecting Severe Bile Leakage. <i>European Surgical Research</i> , 2022, 63, 33-39.  | 0.6 | 1         |
| 125 | Hemorrhagic Hepatic Hemangioma with Pyrexia Needed a Struggle Trying to Reach the Conclusion for Surgery—Report of a Case—”. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2017, 78, 1055-1059. | 0.0 | 1         |
| 126 | Multimodal approach to portal hypertension and gastric varices before hepatic resection for hepatocellular carcinoma: a case report. <i>Surgical Case Reports</i> , 2020, 6, 190.  | 0.2 | 1         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Liver transplantation followed by pulmonary resection complicated with end-stage liver cirrhosis: a case report. <i>Anticancer Research</i> , 2015, 35, 3411-4.   | 0.5 | 1         |
| 128 | Splenectomy Followed by Hepatectomy for Hepatocellular Carcinoma with Hypersplenism and Portal Hypertension Caused by Macroglobulinemia. <i>Anticancer Research</i> , 2015, 35, 4077-81.  | 0.5 | 1         |
| 129 | Mac-2 Binding Protein Glycosylation Isomer as a Prognostic Marker for Hepatocellular Carcinoma With Sustained Virological Response. <i>Anticancer Research</i> , 2022, 42, 245-251.   | 0.5 | 1         |
| 130 | A case of Mirizzi syndrome accompanied by a pseudoaneurysm that ruptured into the gallbladder: successfully treated by embolization of aneurysm and sequential surgery. <i>Surgical Case Reports</i> , 2022, 8, .   | 0.2 | 1         |
| 131 | A prospective study of sequential hepatic vein embolization after portal vein embolization in patients scheduled for rightâ€sided major hepatectomy: Results of feasibility and surgical strategy using functional liver assessment. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2023, 30, 91-101. | 1.4 | 1         |
| 132 | A case report of bacteremia manifesting as an overwhelming postsplenectomy infection due to <i>Streptococcus pneumoniae</i> post vaccination. <i>Surgical Case Reports</i> , 2016, 2, 48.   | 0.2 | 0         |
| 133 | Living donor liver transplantation indicated for compensated liver cirrhosis with symptomatic gallstone diseases: report of two cases. <i>Surgical Case Reports</i> , 2016, 2, 45.  | 0.2 | 0         |
| 134 | ASO Author Reflections: Clinical Significance of Large Tenascin C Splice Variants and Annexin A2 for Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2020, 27, 931-932.   | 0.7 | 0         |
| 135 | Gastrectomy history as a predictor of post-hepatectomy complications. <i>Surgery Today</i> , 2021, , 1.   | 0.7 | 0         |
| 136 | Does intraoperative and postoperative analgesia cause bile leakage after hepatectomy?. <i>Surgery Today</i> , 2022, 52, 690-696.  | 0.7 | 0         |
| 137 | é«~é1/2çè€...è†µéââ°ÇæÇèè...â^†é™ā«āšāā,«ā“è “æœÿæ,,éšç®;ç†ā®ç³/4çš†ā•é;Çç,¹. The Japanese Journal of SURGICAL METABOLISM   |     |           |
| 138 | Rare metastatic pancreatic tumors from lung cancer with cystic changes resembling intraductal papillary mucinous neoplasm: a case report. <i>Surgical Case Reports</i> , 2020, 6, 117.  | 0.2 | 0         |
| 139 | Local therapy improvement of outcome in a patient with recurrent hepatocellular carcinoma after living donor liver transplantation: a case report. <i>Anticancer Research</i> , 2015, 35, 3525-9.   | 0.5 | 0         |
| 140 | Predictors of Benign Status in Liver Tumors Under 3 cm in Diameter Misdiagnosed as Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2016, 36, 793-7.  | 0.5 | 0         |
| 141 | Pancreatic Xanthogranuloma with High Accumulation in Fluorodeoxyglucose-Positron Emission Tomography. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2021, 46, 90-96.   | 0.0 | 0         |
| 142 | A new <sc>liver regeneration</sc> molecular mechanism involving hepatic stellate cells, Kupffer cells, and <sc>glucoseâ€regulated</sc> protein 78 as a new hepatotrophic factor. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, , .   | 1.4 | 0         |