

# Yun Zhang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6264609/yun-zhang-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158  
papers

2,995  
citations

32  
h-index

50  
g-index

174  
ext. papers

4,020  
ext. citations

5.5  
avg, IF

6.09  
L-index

#	Paper	IF	Citations
158	An AC/DC-Coupled Droop Control Strategy for VSC-Based DC Microgrids. <i>IEEE Transactions on Power Electronics</i> , <b>2022</b> , 1-1	7.2	0
157	Adaptive Fuzzy Fixed-Time Control of Switched Systems: Mode-Dependent Power Integrator Method. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , <b>2022</b> , 1-15	7.3	1
156	Motor Driver Based Topology of Integrated On-board Charging System and Data-Driven Inductance Identification Method. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , <b>2022</b> , 1-1	5.2	1
155	Switched-capacitor-based high-gain DCDC converter for fuel cell vehicle powertrain. <i>Journal of Power Electronics</i> , <b>2022</b> , 22, 557	0.9	0
154	Four Novel Embedded Z-Source DCDC Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2022</b> , 37, 607-616	7.2	4
153	Replacing All ECs With NECs in Step-Up Converters: A Systematic Approach. <i>IEEE Transactions on Power Electronics</i> , <b>2022</b> , 37, 31-36	7.2	1
152	Soft-Switching Operation with a Variable Switching Frequency Control for Switched-Quasi-Z-Source Bidirectional DC-DC Converter in EVs. <i>IEEE Transactions on Industrial Electronics</i> , <b>2022</b> , 1-1	8.9	2
151	Event-triggered fuzzy control for nonlinear time-delay system with full-state constraints and unknown hysteresis. <i>Journal of the Franklin Institute</i> , <b>2022</b> , 359, 1582-1611	4	0
150	Jet-HR2: A Flying Bipedal Robot Based on Thrust Vector Control. <i>IEEE Robotics and Automation Letters</i> , <b>2022</b> , 7, 4590-4597	4.2	0
149	A Graph-Modeling Approach to Topology Simplification in Power Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2022</b> , 37, 8248-8261	7.2	0
148	Adaptive Fixed-Time Neural Control for Uncertain Nonlinear Multiagent Systems.. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , <b>2022</b> , PP,	10.3	1
147	A General Polynomial Reverse Design of Step-up Converters for EV Battery Applications. <i>IEEE Transactions on Vehicular Technology</i> , <b>2021</b> , 1-1	6.8	0
146	A Hybrid Isolated Bidirectional DC/DC Solid-State Transformer for DC Distribution Network. <i>IEEE Access</i> , <b>2021</b> , 1-1	3.5	2
145	Duty Cycle Control Strategy for Dual-side LCC Resonant Converter in Wireless Power Transfer Systems. <i>IEEE Transactions on Transportation Electrification</i> , <b>2021</b> , 1-1	7.6	2
144	Adaptive neural inverse optimal tracking control for uncertain multi-agent systems. <i>Information Sciences</i> , <b>2021</b> , 584, 31-31	7.7	1
143	Review of DC-DC Converter Topologies Based on Impedance Network with Wide Input Voltage Range and High Gain for Fuel Cell Vehicles. <i>Automotive Innovation</i> , <b>2021</b> , 4, 351	1.7	3
142	Neuroadaptive asymptotic consensus tracking control for a class of uncertain nonlinear multiagent systems with sensor faults. <i>Information Sciences</i> , <b>2021</b> , 584, 685-685	7.7	3

141	Command filtered neural control of multi-agent systems with input quantization and unknown control direction. <i>Neurocomputing</i> , <b>2021</b> , 430, 47-57	5.4	3
140	Step-up switched-capacitor multilevel inverter employing multiple inputs with reduced switches. <i>Journal of Power Electronics</i> , <b>2021</b> , 21, 986-997	0.9	1
139	Adaptive fuzzy control of switched nonlinear systems with uncertain dead-zone: A mode-dependent fuzzy dead-zone model. <i>Neurocomputing</i> , <b>2021</b> , 432, 133-144	5.4	9
138	Non-electrolytic-capacitor boost converter with non-pulsating ripple-free output current. <i>International Journal of Circuit Theory and Applications</i> , <b>2021</b> , 49, 2719-2735	2	0
137	Integral-interval barrier Lyapunov function based control of switched systems with fuzzy saturation-deadzone. <i>Nonlinear Dynamics</i> , <b>2021</b> , 104, 3809	5	1
136	A Self-Protected Single-Stage LLC Resonant Rectifier. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , <b>2021</b> , 9, 3361-3372	5.6	5
135	Distributed adaptive fuzzy control approach for prescribed-time containment of uncertain nonlinear multi-agent systems with unknown hysteresis. <i>Nonlinear Dynamics</i> , <b>2021</b> , 105, 257-275	5	3
134	One radish, One hole: Specific adversarial training for enhancing neural network's robustness. <i>Peer-to-Peer Networking and Applications</i> , <b>2021</b> , 14, 2262-2274	3.1	
133	A new recursive least squares-based learning algorithm for spiking neurons. <i>Neural Networks</i> , <b>2021</b> , 138, 110-125	9.1	0
132	A novel fuzzy control with filter-based event-triggered mechanism for nonlinear uncertain stochastic systems suffered input hysteresis. <i>Fuzzy Sets and Systems</i> , <b>2021</b> ,	3.7	1
131	Generalized Flexible Voltage Pumping Module for Extra High Voltage Gain Converters in Electric Vehicles. <i>IEEE Transactions on Vehicular Technology</i> , <b>2021</b> , 70, 6463-6471	6.8	0
130	Adaptive neural consensus tracking control for multi-agent systems with unknown state and input hysteresis. <i>Nonlinear Dynamics</i> , <b>2021</b> , 105, 1625-1641	5	1
129	. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , <b>2021</b> , 9, 1891-1904	5.6	3
128	Integrated High- and Low-Frequency Current RippleSuppressions in a Single-Phase Onboard Charger for EVs. <i>IEEE Transactions on Power Electronics</i> , <b>2021</b> , 36, 1717-1729	7.2	8
127	Event-Triggered Adaptive Fuzzy Tracking Control With Guaranteed Transient Performance for MIMO Nonlinear Uncertain Systems. <i>IEEE Transactions on Cybernetics</i> , <b>2021</b> , 51, 736-749	10.2	12
126	Adaptive Consensus Tracking Control of Uncertain Nonlinear Multiagent Systems With Predefined Accuracy. <i>IEEE Transactions on Cybernetics</i> , <b>2021</b> , 51, 405-415	10.2	30
125	Event-Triggered Adaptive Fuzzy Tracking Control for Uncertain Nonlinear Systems Preceded by Unknown Prandtl-Ishlinskii Hysteresis. <i>IEEE Transactions on Cybernetics</i> , <b>2021</b> , 51, 2979-2992	10.2	9
124	Indirect Fuzzy Control of Nonlinear Systems With Unknown Input and State Hysteresis Using an Alternative Adaptive Inverse. <i>IEEE Transactions on Fuzzy Systems</i> , <b>2021</b> , 29, 500-514	8.3	6

123	Direct Adaptive Fuzzy Control Scheme With Guaranteed Tracking Performances For Uncertain Canonical Nonlinear Systems. <i>IEEE Transactions on Fuzzy Systems</i> , <b>2021</b> , 1-1	8.3	3
122	An Input-Voltage-Sharing Control Strategy of Input-Series-Output-Parallel Isolated Bidirectional DC/DC Converter for DC Distribution Network. <i>IEEE Transactions on Power Electronics</i> , <b>2021</b> , 1-1	7.2	5
121	Distributed Adaptive Neural Fixed-Time Tracking Control of Multiple Uncertain Mechanical Systems With Actuation Dead Zones. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , <b>2021</b> , 1-14	7.3	2
120	Multi-Stream Fusion Network With Generalized Smooth L Loss for Single Image Dehazing. <i>IEEE Transactions on Image Processing</i> , <b>2021</b> , 30, 7620-7635	8.7	5
119	Inverse Optimal Design of Direct Adaptive Fuzzy Controllers for Uncertain Nonlinear Systems. <i>IEEE Transactions on Fuzzy Systems</i> , <b>2021</b> , 1-1	8.3	4
118	Adaptive Inverse Compensation for Unknown Input and Output Hysteresis Using Output Feedback Neural Control. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , <b>2021</b> , 1-13	7.3	
117	Prescribed-time containment control with prescribed performance for uncertain nonlinear multi-agent systems. <i>Journal of the Franklin Institute</i> , <b>2021</b> , 358, 1782-1811	4	3
116	Biomimetic Flip-and-Flap Strategy of Flying Objects for Perching on Inclined Surfaces. <i>IEEE Robotics and Automation Letters</i> , <b>2021</b> , 6, 5199-5206	4.2	1
115	Improved fine-grained object retrieval with Hard Global Softmin Loss objective. <i>Signal Processing: Image Communication</i> , <b>2021</b> , 116515	2.8	
114	Adaptive neural design of fixed-time controllers for MIMO systems with nonlinear static and dynamic interactions. <i>Neurocomputing</i> , <b>2021</b> , 457, 293-305	5.4	1
113	Sneak Circuit Theory Based Approach to Avoiding Short-Circuit Paths in Reconfigurable Battery Systems. <i>IEEE Transactions on Industrial Electronics</i> , <b>2021</b> , 68, 12353-12363	8.9	3
112	Adaptive neural control for uncertain switched nonlinear systems with a switched filter-contained hysteretic quantizer. <i>Information Sciences</i> , <b>2021</b> , 581, 345-361	7.7	0
111	Design and HIL Realization of an Online Adaptive Dynamic Programming Approach for Real-time Economic Operations of Household Energy Systems. <i>IEEE Transactions on Smart Grid</i> , <b>2021</b> , 1-1	10.7	3
110	Edge Server Placement For Vehicular Ad Hoc Networks in Metropolitans. <i>IEEE Internet of Things Journal</i> , <b>2021</b> , 1-1	10.7	0
109	Error evaluation of Judd-Ofelt spectroscopic analysis. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2020</b> , 239, 118536	4.4	3
108	Comment on "Judd-Ofelt analysis of the Er <sup>3+</sup> (4f <sup>11</sup> ) absorption intensities in Er <sup>3+</sup> -doped garnets" [J. Appl. Phys. 93(5), 2602 (2003)]. <i>Journal of Applied Physics</i> , <b>2020</b> , 127, 116101	2.5	1
107	Enhanced One-Cycle Control for Multicell Power Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 8846-8856	7.2	6
106	Motion Planning for Bandaging Task With Abnormal Posture Detection and Avoidance. <i>IEEE/ASME Transactions on Mechatronics</i> , <b>2020</b> , 25, 2364-2375	5.5	1

105	Privacy-Preserving Federated Deep Learning with Irregular Users. <i>IEEE Transactions on Dependable and Secure Computing</i> , <b>2020</b> , 1-1	3.9	13
104	A Deep Quadruplet Network for Local Descriptor Learning. <i>IEEE Access</i> , <b>2020</b> , 8, 16807-16815	3.5	1
103	Boost-type pushpull converter with reduced switches. <i>Journal of Power Electronics</i> , <b>2020</b> , 20, 645-656	0.9	0
102	Adaptive Modulation Strategy for Modular Multilevel High-Frequency DC Transformer in DC Distribution Networks. <i>IEEE Access</i> , <b>2020</b> , 8, 16397-16408	3.5	4
101	Forming a Reliable Hybrid Microgrid Using Electric Spring Coupled With Non-Sensitive Loads and ESS. <i>IEEE Transactions on Smart Grid</i> , <b>2020</b> , 11, 2867-2879	10.7	8
100	Distributed adaptive cooperative control for uncertain nonlinear multi-agent systems with hysteretic quantized input. <i>Journal of the Franklin Institute</i> , <b>2020</b> , 357, 4645-4663	4	11
99	Symmetric Dual-Switch Converter. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 11955-11964	7.2	4
98	A Multiple Modular Isolated DC/DC Converter With Bidirectional Fault Handling and Efficient Energy Conversion for DC Distribution Network. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 11502-11517 <sup>8</sup>	7.2	8
97	Control Design and Performance Analysis of a Double-Switched LLC Resonant Rectifier for Unity Power Factor and Soft-Switching. <i>IEEE Access</i> , <b>2020</b> , 8, 44511-44521	3.5	12
96	An extendable single-switch n-cell boost converter with high voltage gain and low components stress for renewable energy. <i>International Journal of Circuit Theory and Applications</i> , <b>2020</b> , 48, 817-831	2	3
95	Three-Dimensional Posture Optimization for Biped Robot Stepping over Large Ditch Based on a Ducted-Fan Propulsion System <b>2020</b> ,		2
94	Distributed adaptive neural control for uncertain multi-agent systems with unknown actuator failures and unknown dead zones. <i>Nonlinear Dynamics</i> , <b>2020</b> , 99, 1001-1017	5	13
93	The Software/Hardware Co-Design and Implementation of SM2/3/4 Encryption/Decryption and Digital Signature System. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2020</b> , 39, 2055-2066	2.5	5
92	Adaptive Control of Noncanonical Neural-Network Nonlinear Systems With Unknown Input Dead-Zone Characteristics. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , <b>2020</b> , 31, 3346-3360 <sup>103</sup>	3.6	7
91	LLC resonant converter topologies and industrial applications A review. <i>Chinese Journal of Electrical Engineering</i> , <b>2020</b> , 6, 73-84	4	24
90	Advanced four-mode-modulation-based four-switch non-inverting buckboost converter with extra operation zone. <i>IET Power Electronics</i> , <b>2020</b> , 13, 2049-2059	2.2	7
89	Suppression Method of Current Harmonic for Three-Phase PWM Rectifier in EV Charging System. <i>IEEE Transactions on Vehicular Technology</i> , <b>2020</b> , 69, 9634-9642	6.8	3
88	A Novel Impedance-Network-Based Electric Spring. <i>IEEE Access</i> , <b>2020</b> , 8, 129123-129135	3.5	1

87	Fixed-Time Fuzzy Control for a Class of Nonlinear Systems. <i>IEEE Transactions on Cybernetics</i> , <b>2020</b> , PP,	10.2	9
86	Towards Accurate Pulmonary Nodule Detection by Representing Nodules as Points With High-Resolution Network. <i>IEEE Access</i> , <b>2020</b> , 8, 157391-157402	3.5	5
85	Adaptive Fuzzy Quantized Control for Nonlinear Systems With Hysteretic Actuator Using a New Filter-Connected Quantizer. <i>IEEE Transactions on Cybernetics</i> , <b>2020</b> , 50, 876-889	10.2	14
84	Model-Free H <sub>∞</sub> Optimal Tracking Control of Constrained Nonlinear Systems via an Iterative Adaptive Learning Algorithm. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , <b>2020</b> , 50, 4097-4108 <sup>14</sup>	7.3	14
83	A Waveform-Subtraction Based Single-Stage Ripple-Suppression Converter Family for Multiple Waveform Generation. <i>IEEE Transactions on Industrial Electronics</i> , <b>2020</b> , 67, 1890-1898	8.9	
82	Adaptive Neural Control of a Class of Stochastic Nonlinear Uncertain Systems With Guaranteed Transient Performance. <i>IEEE Transactions on Cybernetics</i> , <b>2020</b> , 50, 2971-2981	10.2	41
81	Event-Triggered Neural Control of Nonlinear Systems With Rate-Dependent Hysteresis Input Based on a New Filter. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , <b>2020</b> , 31, 1270-1284	10.3	35
80	Adaptive Neural Quantized Control for a Class of MIMO Switched Nonlinear Systems With Asymmetric Actuator Dead-Zone. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , <b>2020</b> , 31, 1927-1941	10.3	13
79	A Switched-Capacitor Interleaved Bidirectional Converter With Wide Voltage-Gain Range for Super Capacitors in EVs. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 1536-1547	7.2	30
78	Adaptive Fuzzy Output-Feedback Control for Switched Nonlinear Systems With Stable and Unstable Unmodeled Dynamics. <i>IEEE Transactions on Fuzzy Systems</i> , <b>2020</b> , 28, 1825-1839	8.3	32
77	A Low-Current Ripple and Wide Voltage-Gain Range Bidirectional DC/DC Converter With Coupled Inductor. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 1525-1535	7.2	13
76	. <i>IEEE Transactions on Power Delivery</i> , <b>2020</b> , 35, 1330-1338	4.3	8
75	Second-Harmonic Ripple Voltage Suppression of Integrated Single-Phase Pulsewidth Modulation Rectifier Charging System for EVs. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 3616-3626	7.2	11
74	Adaptive Neural Control for Switched Nonlinear Systems With Unstable Dynamic Uncertainties: A Small Gain-Based Approach. <i>IEEE Transactions on Cybernetics</i> , <b>2020</b> , PP,	10.2	4
73	An Improved Deadbeat Control Method for Single-Phase PWM Rectifiers in Charging System for EVs. <i>IEEE Transactions on Vehicular Technology</i> , <b>2019</b> , 68, 9672-9681	6.8	20
72	Extended dimension fuzzy adaptive control for nonlinear uncertain stochastic systems with actuator constraints. <i>Nonlinear Dynamics</i> , <b>2019</b> , 98, 1315-1329	5	3
71	Neural Adaptive Event-Triggered Control for Nonlinear Uncertain Stochastic Systems With Unknown Hysteresis. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , <b>2019</b> , 30, 3300-3312	10.3	62
70	Optimal Multi-Objective Burn-In Policy Based on Time-Transformed Wiener Degradation Process. <i>IEEE Access</i> , <b>2019</b> , 7, 73529-73539	3.5	3

69	First Error-Based Supervised Learning Algorithm for Spiking Neural Networks. <i>Frontiers in Neuroscience</i> , <b>2019</b> , 13, 559	5.1	4
68	A Coupled-Inductor DC-DC Converter with Input Current Ripple Minimization for Fuel Cell Vehicles. <i>Energies</i> , <b>2019</b> , 12, 1689	3.1	3
67	Adaptive neural control for switched nonlinear systems with unmodeled dynamics and unknown output hysteresis. <i>Neurocomputing</i> , <b>2019</b> , 341, 107-117	5.4	12
66	Adaptive fuzzy output feedback control for nonlinear systems based on event-triggered mechanism. <i>Information Sciences</i> , <b>2019</b> , 486, 419-433	7.7	21
65	Event-Triggered Adaptive Fuzzy Control for Uncertain Strict-Feedback Nonlinear Systems With Guaranteed Transient Performance. <i>IEEE Transactions on Fuzzy Systems</i> , <b>2019</b> , 27, 2327-2337	8.3	19
64	DCDC Boost Converter With a Wide Input Range and High Voltage Gain for Fuel Cell Vehicles. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 4100-4111	7.2	53
63	Hybrid Switched-Capacitor/Switched-Quasi-Z-Source Bidirectional DCDC Converter With a Wide Voltage Gain Range for Hybrid Energy Sources EVs. <i>IEEE Transactions on Industrial Electronics</i> , <b>2019</b> , 66, 2680-2690	8.9	42
62	Vision-Based Adaptive Neural Positioning Control of Quadrotor Aerial Robot. <i>IEEE Access</i> , <b>2019</b> , 7, 75018-75031	3.5	1
61	. <i>IEEE Access</i> , <b>2019</b> , 7, 136106-136115	3.5	1
60	Optimal Burn-in Strategy for High Reliable Products Using Convolutional Neural Network. <i>IEEE Access</i> , <b>2019</b> , 7, 178511-178521	3.5	1
59	Advanced small-signal-based analytical approach to modelling high-order power converters. <i>IET Power Electronics</i> , <b>2019</b> , 12, 228-236	2.2	3
58	Indirect Adaptive Fuzzy Control Design With Guaranteed Tracking Error Performance For Uncertain Canonical Nonlinear Systems. <i>IEEE Transactions on Fuzzy Systems</i> , <b>2019</b> , 27, 1139-1150	8.3	20
57	Sneak Circuit Identification of an Improved Boost Converter With Soft-Switching Realization. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , <b>2019</b> , 7, 2394-2402	5.6	3
56	Adaptive Fuzzy Output Feedback Quantized Control for Uncertain Nonlinear Hysteretic Systems Using a New Feedback-Based Quantizer. <i>IEEE Transactions on Fuzzy Systems</i> , <b>2019</b> , 27, 1738-1752	8.3	7
55	A Generalized Additional Voltage Pumping Solution for High-Step-Up Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 6456-6467	7.2	16
54	Adaptive Fuzzy Tracking Control of Uncertain Nonlinear Systems Subject to Actuator Dead Zone With Piecewise Time-Varying Parameters. <i>IEEE Transactions on Fuzzy Systems</i> , <b>2019</b> , 27, 1493-1505	8.3	13
53	Design of A Two-Dimensional $\square$ -Shaped Metamaterial with Wideband, Low Loss. <i>IEEE Transactions on Applied Superconductivity</i> , <b>2019</b> , 29, 1-4	1.8	2
52	Fuzzy Adaptive Compensation Control of Uncertain Stochastic Nonlinear Systems With Actuator Failures and Input Hysteresis. <i>IEEE Transactions on Cybernetics</i> , <b>2019</b> , 49, 2-13	10.2	41

51	A Common Ground Switched-Quasi-Z-Source Bidirectional DCDC Converter With Wide-Voltage-Gain Range for EVs With Hybrid Energy Sources. <i>IEEE Transactions on Industrial Electronics</i> , <b>2018</b> , 65, 5188-5200	8.9	45
50	Unique Modular Structure of Multicell High-Boost Converters With Reduced Component Currents. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 7795-7804	7.2	14
49	Single-Switch, Wide Voltage-Gain Range, Boost DCDC Converter for Fuel Cell Vehicles. <i>IEEE Transactions on Vehicular Technology</i> , <b>2018</b> , 67, 134-145	6.8	36
48	A Switched-Capacitor Bidirectional DCDC Converter With Wide Voltage Gain Range for Electric Vehicles With Hybrid Energy Sources. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 9459-9469	7.2	89
47	Adaptive inverse compensation for actuator backlash with piecewise time-varying parameters. <i>International Journal of Control</i> , <b>2018</b> , 91, 337-345	1.5	9
46	Adaptive Compensation for Infinite Number of Time-Varying Actuator Failures in Fuzzy Tracking Control of Uncertain Nonlinear Systems. <i>IEEE Transactions on Fuzzy Systems</i> , <b>2018</b> , 26, 474-486	8.3	25
45	Interleaved Switched-Capacitor Bidirectional DC-DC Converter With Wide Voltage-Gain Range for Energy Storage Systems. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 3852-3869	7.2	58
44	A Wide Input-Voltage Range Quasi-Z-Source Boost DCDC Converter With High-Voltage Gain for Fuel Cell Vehicles. <i>IEEE Transactions on Industrial Electronics</i> , <b>2018</b> , 65, 5201-5212	8.9	68
43	. <i>IEEE Access</i> , <b>2018</b> , 6, 44351-44361	3.5	5
42	Event Trigger Fuzzy Adaptive Compensation Control of Uncertain Stochastic Nonlinear Systems With Actuator Failures. <i>IEEE Transactions on Fuzzy Systems</i> , <b>2018</b> , 26, 3770-3781	8.3	40
41	Adaptive compensation for infinite number of actuator failures based on tuning function approach. <i>Automatica</i> , <b>2018</b> , 87, 365-374	5.7	31
40	Jet-HR1: Stepping Posture Optimization for Bipedal Robot Over Large Ditch Based on a Ducted-fan Propulsion System* <b>2018</b> ,		2
39	Reliability Modeling and Maintenance Policy Optimization for Deteriorating System Under Random Shock. <i>Journal of Shanghai Jiaotong University (Science)</i> , <b>2018</b> , 23, 791-797	0.6	2
38	Improved English Immersion Teaching Methods for the Course of Power Electronics for Energy Storage System in China. <i>IEEE Access</i> , <b>2018</b> , 6, 50683-50692	3.5	1
37	An Enhanced Hybrid Switching-Frequency Modulation Strategy for Fuel Cell Vehicle Three-Level DC-DC Converters with Quasi-Z Source. <i>Energies</i> , <b>2018</b> , 11, 1026	3.1	4
36	A Five-Terminal Impedance Network Based Three-Port Converter. <i>IEEE Access</i> , <b>2018</b> , 6, 29474-29485	3.5	1
35	Asymmetric Actuator Backlash Compensation in Quantized Adaptive Control of Uncertain Networked Nonlinear Systems. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , <b>2017</b> , 28, 294-307	10.3	51
34	A Method for the Suppression of Fluctuations in the Neutral-Point Potential of a Three-Level NPC Inverter With a Capacitor-Voltage Loop. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 825-836	7.2	34



33	. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , <b>2017</b> , 47, 1123-1134	7.3	18
32	Adaptive fuzzy quantized control of time-delayed nonlinear systems with communication constraint. <i>Fuzzy Sets and Systems</i> , <b>2017</b> , 314, 61-78	3.7	25
31	Fuzzy Adaptive Inverse Compensation Method to Tracking Control of Uncertain Nonlinear Systems With Generalized Actuator Dead Zone. <i>IEEE Transactions on Fuzzy Systems</i> , <b>2017</b> , 25, 191-204	8.3	83
30	Adaptive Inversion-Based Fuzzy Compensation Control of Uncertain Pure-Feedback Systems With Asymmetric Actuator Backlash. <i>IEEE Transactions on Fuzzy Systems</i> , <b>2017</b> , 25, 141-155	8.3	16
29	A Novel Single-Input Dual-Output Impedance Network Converter. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , <b>2017</b> , 5, 1133-1141	5.6	6
28	An Impedance Network Boost Converter With a High-Voltage Gain. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 6661-6665	7.2	37
27	. <i>IEEE Transactions on Vehicular Technology</i> , <b>2017</b> , 66, 7771-7781	6.8	83
26	Adaptive Consensus of Nonlinear Multi-Agent Systems With Non-Identical Partially Unknown Control Directions and Bounded Modelling Errors. <i>IEEE Transactions on Automatic Control</i> , <b>2017</b> , 62, 4654-4659 <sup>126</sup>	5.9	126
25	Wide Input-Voltage Range Boost Three-Level DCDC Converter With Quasi-Z Source for Fuel Cell Vehicles. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 6728-6738	7.2	51
24	Study of Split Capacitor DAC Mismatch and Calibration in SAR-ADC. <i>Journal of Circuits, Systems and Computers</i> , <b>2017</b> , 26, 1750003	0.9	
23	A Bidirectional Three-level DC-DC Converter with a Wide Voltage Conversion Range for Hybrid Energy Source Electric Vehicles. <i>Journal of Power Electronics</i> , <b>2017</b> , 17, 334-345	0.9	9
22	Adaptive Fuzzy Tracking Control of Nonlinear Systems With Asymmetric Actuator Backlash Based on a New Smooth Inverse. <i>IEEE Transactions on Cybernetics</i> , <b>2016</b> , 46, 1250-62	10.2	60
21	Adaptive Fuzzy Control for a Class of Stochastic Pure-Feedback Nonlinear Systems With Unknown Hysteresis. <i>IEEE Transactions on Fuzzy Systems</i> , <b>2016</b> , 24, 140-152	8.3	128
20	Adaptive asymptotic tracking control of uncertain nonlinear system with input quantization. <i>Systems and Control Letters</i> , <b>2016</b> , 96, 23-29	2.4	53
19	Adaptive control of MIMO mechanical systems with unknown actuator nonlinearities based on the Nussbaum gain approach. <i>IEEE/CAA Journal of Automatica Sinica</i> , <b>2016</b> , 3, 26-34	7	18
18	Fuzzy Adaptive Quantized Control for a Class of Stochastic Nonlinear Uncertain Systems. <i>IEEE Transactions on Cybernetics</i> , <b>2016</b> , 46, 524-34	10.2	197
17	Adaptive Quantized Controller Design Via Backstepping and Stochastic Small-Gain Approach. <i>IEEE Transactions on Fuzzy Systems</i> , <b>2016</b> , 24, 330-343	8.3	68
16	Quantisation-based robust control of uncertain non-strict-feedback non-linear systems under arbitrary switching. <i>IET Control Theory and Applications</i> , <b>2016</b> , 10, 582-589	2.5	16

15	High Ratio Bidirectional DC-DC Converter with a Synchronous Rectification H-Bridge for Hybrid Energy Sources Electric Vehicles. <i>Journal of Power Electronics</i> , <b>2016</b> , 16, 2035-2044	0.9	6
14	Rapid and generalised space vector modulation algorithm for cascaded multilevel converter based on zero-order voltage constraint. <i>IET Power Electronics</i> , <b>2016</b> , 9, 989-996	2.2	3
13	Adaptive quantized fuzzy control of stochastic nonlinear systems with actuator dead-zone. <i>Information Sciences</i> , <b>2016</b> , 370-371, 385-401	7.7	32
12	Adaptive Neural Output Feedback Control of Output-Constrained Nonlinear Systems With Unknown Output Nonlinearity. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , <b>2015</b> , 26, 1789-802	10.3	98
11	Adaptive Tracking Control for A Class of Nonlinear Systems With a Fuzzy Dead-Zone Input. <i>IEEE Transactions on Fuzzy Systems</i> , <b>2015</b> , 23, 193-204	8.3	107
10	Expression-invariant face recognition using three-dimensional weighted walkthrough and centroid distance. <i>Journal of Electronic Imaging</i> , <b>2015</b> , 24, 053007	0.7	1
9	Adaptive fuzzy output-feedback controller design for nonlinear systems via backstepping and small-gain approach. <i>IEEE Transactions on Cybernetics</i> , <b>2014</b> , 44, 1714-25	10.2	95
8	Hybrid space vector PWM strategy for three-level NPC inverters with optimal extension mode <b>2014</b> ,		3
7	Adaptive neural control for a class of nonlinear time-varying delay systems with unknown hysteresis. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , <b>2014</b> , 25, 2129-40	10.3	115
6	Adjustable Proportional Hybrid SVPWM Strategy for Neutral-Point-Clamped Three-Level Inverters. <i>IEEE Transactions on Industrial Electronics</i> , <b>2013</b> , 60, 4234-4242	8.9	73
5	Hybrid Boost Three-Level DCDC Converter With High Voltage Gain for Photovoltaic Generation Systems. <i>IEEE Transactions on Power Electronics</i> , <b>2013</b> , 28, 3659-3664	7.2	50
4	An Efficient Control Strategy for a Five-Level Inverter Comprising Flying-Capacitor Asymmetric H-Bridge. <i>IEEE Transactions on Industrial Electronics</i> , <b>2011</b> , 58, 4000-4009	8.9	35
3	Analysis of temperature/pressure sensitivity of the resonant wavelength of long-period channel waveguide gratings. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , <b>2008</b> , 25, 2776-83	1.8	3
2	Theoretical study of Ti:LiNbO3 strip waveguides in the Mid-infrared. <i>Journal of Modern Optics</i> , <b>2003</b> , 50, 2191-2199	1.1	
1	Current sharing compensation control method for interleaved current source isolated bidirectional DC/DC converters. <i>Journal of Power Electronics</i> , 1	0.9	1